

Antônio Augusto Martins de Oliveira S

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8901425/publications.pdf>

Version: 2024-02-01

388
papers

24,122
citations

6233

80
h-index

12910

131
g-index

412
all docs

412
docs citations

412
times ranked

20406
citing authors

#	ARTICLE	IF	CITATIONS
1	Technological trends, global market, and challenges of bio-ethanol production. <i>Biotechnology Advances</i> , 2010, 28, 817-830.	6.0	585
2	Hydrothermal processing, as an alternative for upgrading agriculture residues and marine biomass according to the biorefinery concept: A review. <i>Renewable and Sustainable Energy Reviews</i> , 2013, 21, 35-51.	8.2	509
3	Nanoemulsions for Food Applications: Development and Characterization. <i>Food and Bioprocess Technology</i> , 2012, 5, 854-867.	2.6	483
4	The QUIC Transport Protocol. , 2017, , .		481
5	Environmental impact of novel thermal and non-thermal technologies in food processing. <i>Food Research International</i> , 2010, 43, 1936-1943.	2.9	433
6	Effect of glycerol and corn oil on physicochemical properties of polysaccharide films – A comparative study. <i>Food Hydrocolloids</i> , 2012, 27, 175-184.	5.6	412
7	Yeast: the soul of beer’s aroma – a review of flavour-active esters and higher alcohols produced by the brewing yeast. <i>Applied Microbiology and Biotechnology</i> , 2014, 98, 1937-1949.	1.7	392
8	Influence of Î±-tocopherol on physicochemical properties of chitosan-based films. <i>Food Hydrocolloids</i> , 2012, 27, 220-227.	5.6	389
9	Effect of whey protein purity and glycerol content upon physical properties of edible films manufactured therefrom. <i>Food Hydrocolloids</i> , 2013, 30, 110-122.	5.6	360
10	Chitosan/clay films' properties as affected by biopolymer and clay micro/nanoparticles' concentrations. <i>Food Hydrocolloids</i> , 2009, 23, 1895-1902.	5.6	328
11	Chemical characterization and antioxidant activity of sulfated polysaccharide from the red seaweed <i>Gracilaria birdiae</i> . <i>Food Hydrocolloids</i> , 2012, 27, 287-292.	5.6	324
12	Nutrient limitation as a strategy for increasing starch accumulation in microalgae. <i>Applied Energy</i> , 2011, 88, 3331-3335.	5.1	315
13	Mixotrophic cultivation of <i>Chlorella vulgaris</i> using industrial dairy waste as organic carbon source. <i>Bioresource Technology</i> , 2012, 118, 61-66.	4.8	309
14	Optimization of edible coating composition to retard strawberry fruit senescence. <i>Postharvest Biology and Technology</i> , 2007, 44, 63-70.	2.9	308
15	Physico-mechanical properties of chitosan films with carvacrol and grape seed extract. <i>Journal of Food Engineering</i> , 2013, 115, 466-474.	2.7	279
16	Synergistic effects between Î²-carrageenan and locust bean gum on physicochemical properties of edible films made thereof. <i>Food Hydrocolloids</i> , 2012, 29, 280-289.	5.6	271
17	Ohmic heating – a review. <i>Trends in Food Science and Technology</i> , 2010, 21, 436-441.	7.8	252
18	Effect of chitosan’s Aloe vera coating on postharvest quality of blueberry (<i>Vaccinium corymbosum</i>) fruit. <i>Postharvest Biology and Technology</i> , 2016, 116, 88-97.	2.9	224

#	ARTICLE	IF	CITATIONS
19	Evaluation of a chitosan-based edible film as carrier of natamycin to improve the storability of Saloio cheese. <i>Journal of Food Engineering</i> , 2010, 101, 349-356.	2.7	217
20	Influence of concentration, ionic strength and pH on zeta potential and mean hydrodynamic diameter of edible polysaccharide solutions envisaged for multilayered films production. <i>Carbohydrate Polymers</i> , 2011, 85, 522-528.	5.1	216
21	Antimicrobial nanostructured starch based films for packaging. <i>Carbohydrate Polymers</i> , 2015, 129, 127-134.	5.1	215
22	Micro- and nano bio-based delivery systems for food applications: In vitro behavior. <i>Advances in Colloid and Interface Science</i> , 2017, 243, 23-45.	7.0	215
23	Optimization of CO ₂ bio-mitigation by <i>Chlorella vulgaris</i> . <i>Bioresource Technology</i> , 2013, 139, 149-154.	4.8	210
24	Structural and thermal characterization of galactomannans from non-conventional sources. <i>Carbohydrate Polymers</i> , 2011, 83, 179-185.	5.1	206
25	Alginate/chitosan nanoparticles for encapsulation and controlled release of vitamin B ₂ . <i>International Journal of Biological Macromolecules</i> , 2014, 71, 141-146.	3.6	195
26	Galactomannans use in the development of edible films/coatings for food applications. <i>Trends in Food Science and Technology</i> , 2011, 22, 662-671.	7.8	182
27	Edible oleogels: an opportunity for fat replacement in foods. <i>Food and Function</i> , 2018, 9, 758-773.	2.1	181
28	Ohmic heating of strawberry products: electrical conductivity measurements and ascorbic acid degradation kinetics. <i>Innovative Food Science and Emerging Technologies</i> , 2004, 5, 27-36.	2.7	177
29	Nanoemulsions of β -carotene using a high-energy emulsification-evaporation technique. <i>Journal of Food Engineering</i> , 2011, 102, 130-135.	2.7	174
30	Advances in nutraceutical delivery systems: From formulation design for bioavailability enhancement to efficacy and safety evaluation. <i>Trends in Food Science and Technology</i> , 2018, 78, 270-291.	7.8	160
31	Chitosan/fucoidan multilayer nanocapsules as a vehicle for controlled release of bioactive compounds. <i>Carbohydrate Polymers</i> , 2015, 115, 1-9.	5.1	159
32	Extraction, purification and characterization of galactomannans from non-traditional sources. <i>Carbohydrate Polymers</i> , 2009, 75, 408-414.	5.1	153
33	Use of edible films and coatings in cheese preservation: Opportunities and challenges. <i>Food Research International</i> , 2018, 107, 84-92.	2.9	144
34	Emergent food proteins – Towards sustainability, health and innovation. <i>Food Research International</i> , 2019, 125, 108586.	2.9	141
35	Characterization of galactomannans extracted from seeds of <i>Gleditsia triacanthos</i> and <i>Sophora japonica</i> through shear and extensional rheology: Comparison with guar gum and locust bean gum. <i>Food Hydrocolloids</i> , 2010, 24, 184-192.	5.6	139
36	Cellulose nanofibers produced from banana peel by chemical and mechanical treatments: Characterization and cytotoxicity assessment. <i>Food Hydrocolloids</i> , 2018, 75, 192-201.	5.6	138

#	ARTICLE	IF	CITATIONS
37	Effects of Electric Fields on Protein Unfolding and Aggregation: Influence on Edible Films Formation. <i>Biomacromolecules</i> , 2010, 11, 2912-2918.	2.6	137
38	Physico-chemical characterization of chitosan-based edible films incorporating bioactive compounds of different molecular weight. <i>Journal of Food Engineering</i> , 2011, 106, 111-118.	2.7	137
39	Shelf Life Extension of Ricotta Cheese Using Coatings of Galactomannans from Nonconventional Sources Incorporating Nisin against <i>Listeria monocytogenes</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 1884-1891.	2.4	135
40	InÂvitro behaviour of curcumin nanoemulsions stabilized by biopolymer emulsifiers – Effect of interfacial composition. <i>Food Hydrocolloids</i> , 2016, 52, 460-467.	5.6	134
41	Effect of alginate molecular weight and M/G ratio in beads properties foreseeing the protection of probiotics. <i>Food Hydrocolloids</i> , 2018, 77, 8-16.	5.6	134
42	Influence of surfactant and processing conditions in the stability of oil-in-water nanoemulsions. <i>Journal of Food Engineering</i> , 2015, 167, 89-98.	2.7	131
43	Effect of Chitosan-Based Coatings on the Shelf Life of Salmon (<i>Salmo salar</i>). <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 11456-11462.	2.4	130
44	Quercetin-Loaded Lecithin/Chitosan Nanoparticles for Functional Food Applications. <i>Food and Bioprocess Technology</i> , 2014, 7, 1149-1159.	2.6	129
45	Perspectives on Utilization of Edible Coatings and Nano-laminate Coatings for Extension of Postharvest Storage of Fruits and Vegetables. <i>Food Engineering Reviews</i> , 2016, 8, 292-305.	3.1	129
46	Inulin potential for encapsulation and controlled delivery of Oregano essential oil. <i>Food Hydrocolloids</i> , 2013, 33, 199-206.	5.6	122
47	Physical and thermal properties of a chitosan/alginate nanolayered PET film. <i>Carbohydrate Polymers</i> , 2010, 82, 153-159.	5.1	119
48	Beeswax organogels: Influence of gelator concentration and oil type in the gelation process. <i>Food Research International</i> , 2016, 84, 170-179.	2.9	119
49	Bacterial cellulose-lactoferrin as an antimicrobial edible packaging. <i>Food Hydrocolloids</i> , 2016, 58, 126-140.	5.6	117
50	The Effect of Electric Field on Important Food-processing Enzymes: Comparison of Inactivation Kinetics under Conventional and Ohmic Heating. <i>Journal of Food Science</i> , 2004, 69, C696.	1.5	114
51	Relationship between starch and lipid accumulation induced by nutrient depletion and replenishment in the microalga <i>Parachlorella kessleri</i> . <i>Bioresource Technology</i> , 2013, 144, 268-274.	4.8	114
52	Functional Polysaccharides as Edible Coatings for Cheese. <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 1456-1462.	2.4	112
53	Pulsed electric field in combination with vacuum impregnation with trehalose improves the freezing tolerance of spinach leaves. <i>Journal of Food Engineering</i> , 2008, 88, 144-148.	2.7	111
54	Suitability of novel galactomannans as edible coatings for tropical fruits. <i>Journal of Food Engineering</i> , 2009, 94, 372-378.	2.7	111

#	ARTICLE	IF	CITATIONS
55	Biorefinery valorization of autohydrolysis wheat straw hemicellulose to be applied in a polymer-blend film. <i>Carbohydrate Polymers</i> , 2013, 92, 2154-2162.	5.1	109
56	Electric field-based technologies for valorization of bioresources. <i>Bioresource Technology</i> , 2018, 254, 325-339.	4.8	108
57	Cellulose nanocrystals from grape pomace: Production, properties and cytotoxicity assessment. <i>Carbohydrate Polymers</i> , 2018, 192, 327-336.	5.1	108
58	Encapsulation and controlled release of bioactive compounds in lactoferrin-glycomacropeptide nanohydrogels: Curcumin and caffeine as model compounds. <i>Journal of Food Engineering</i> , 2016, 180, 110-119.	2.7	106
59	Preparation and characterization of a chitosan film with grape seed extract-carvacrol microcapsules and its effect on the shelf-life of refrigerated Salmon (<i>Salmo salar</i>). <i>LWT - Food Science and Technology</i> , 2018, 89, 525-534.	2.5	105
60	Bioethanol production from hydrothermal pretreated wheat straw by a flocculating <i>Saccharomyces cerevisiae</i> strain – Effect of process conditions. <i>Fuel</i> , 2012, 95, 528-536.	3.4	100
61	New edible coatings composed of galactomannans and collagen blends to improve the postharvest quality of fruits – Influence on fruits gas transfer rate. <i>Journal of Food Engineering</i> , 2010, 97, 101-109.	2.7	99
62	Development and characterization of a nanomultilayer coating of pectin and chitosan – Evaluation of its gas barrier properties and application on –Tommy Atkins™ mangoes. <i>Journal of Food Engineering</i> , 2012, 110, 457-464.	2.7	99
63	Design of Bio-nanosystems for Oral Delivery of Functional Compounds. <i>Food Engineering Reviews</i> , 2014, 6, 1-19.	3.1	99
64	Hybrid gels: Influence of oleogel/hydrogel ratio on rheological and textural properties. <i>Food Research International</i> , 2019, 116, 1298-1305.	2.9	96
65	Oleogels for development of health-promoting food products. <i>Food Science and Human Wellness</i> , 2020, 9, 31-39.	2.2	96
66	THE INFLUENCE of FIELD STRENGTH, SUGAR and SOLID CONTENT ON ELECTRICAL CONDUCTIVITY of STRAWBERRY PRODUCTS. <i>Journal of Food Process Engineering</i> , 2003, 26, 17-29.	1.5	95
67	Chitosan coating surface properties as affected by plasticizer, surfactant and polymer concentrations in relation to the surface properties of tomato and carrot. <i>Food Hydrocolloids</i> , 2008, 22, 1452-1459.	5.6	95
68	Edible films and coatings based on mango (var. Ataulfo) by-products to improve gas transfer rate of peach. <i>LWT - Food Science and Technology</i> , 2018, 97, 624-631.	2.5	95
69	Continuous cultivation of photosynthetic microorganisms: Approaches, applications and future trends. <i>Biotechnology Advances</i> , 2015, 33, 1228-1245.	6.0	93
70	Effects of ohmic heating on extraction of food-grade phytochemicals from colored potato. <i>LWT - Food Science and Technology</i> , 2016, 74, 493-503.	2.5	93
71	Exploring the potentialities of using lignocellulosic fibres derived from three food by-products as constituents of biocomposites for food packaging. <i>Industrial Crops and Products</i> , 2015, 69, 110-122.	2.5	91
72	Synergistic interactions between lecithin and fruit wax in oleogel formation. <i>Food and Function</i> , 2018, 9, 1755-1767.	2.1	91

#	ARTICLE	IF	CITATIONS
73	Use of galactomannan edible coating application and storage temperature for prolonging shelf-life of Regional cheese. Journal of Food Engineering, 2010, 97, 87-94.	2.7	90
74	Algal proteins: Production strategies and nutritional and functional properties. Bioresource Technology, 2021, 332, 125125.	4.8	90
75	Physiological protection of probiotic microcapsules by coatings. Critical Reviews in Food Science and Nutrition, 2018, 58, 1864-1877.	5.4	89
76	Evaluation of linseed oil oleogels to partially replace pork backfat in fermented sausages. Journal of the Science of Food and Agriculture, 2020, 100, 218-224.	1.7	89
77	Development and Characterization of an Environmentally Friendly Process Sequence (Autohydrolysis) Tj ETQq1 1 0.784314 rgBT /Ove 629-641.	1.4	88
78	Structural and mechanical properties of organogels: Role of oil and gelator molecular structure. Food Research International, 2017, 96, 161-170.	2.9	87
79	Fortified beeswax oleogels: effect of β -carotene on the gel structure and oxidative stability. Food and Function, 2017, 8, 4241-4250.	2.1	87
80	Continuous Beer Fermentation Using Immobilized Yeast Cell Bioreactor Systems. Biotechnology Progress, 2008, 21, 653-663.	1.3	86
81	Antioxidant Potential of Two Red Seaweeds from the Brazilian Coasts. Journal of Agricultural and Food Chemistry, 2011, 59, 5589-5594.	2.4	86
82	Development and Characterization of an Active Chitosan-Based Film Containing Quercetin. Food and Bioprocess Technology, 2015, 8, 2183-2191.	2.6	85
83	Banana starch nanocomposite with cellulose nanofibers isolated from banana peel by enzymatic treatment: In vitro cytotoxicity assessment. Carbohydrate Polymers, 2019, 207, 169-179.	5.1	84
84	A Review of Flavour Formation in Continuous Beer Fermentations*. Journal of the Institute of Brewing, 2008, 114, 3-13.	0.8	83
85	Design of whey protein nanostructures for incorporation and release of nutraceutical compounds in food. Critical Reviews in Food Science and Nutrition, 2017, 57, 1377-1393.	5.4	83
86	Physical properties of edible coatings and films made with a polysaccharide from Anacardium occidentale L.. Journal of Food Engineering, 2009, 95, 379-385.	2.7	82
87	Influence of moderate electric fields on gelation of whey protein isolate. Food Hydrocolloids, 2015, 43, 329-339.	5.6	82
88	Influence of electric fields on the structure of chitosan edible coatings. Food Hydrocolloids, 2010, 24, 330-335.	5.6	81
89	Unravelling the behaviour of curcumin nanoemulsions during in vitro digestion: effect of the surface charge. Soft Matter, 2013, 9, 3147.	1.2	81
90	Physical Characterisation of an Alginate/Lysozyme Nano-Laminate Coating and Its Evaluation on Coal Cheese Shelf Life. Food and Bioprocess Technology, 2014, 7, 1088-1098.	2.6	81

#	ARTICLE	IF	CITATIONS
91	Effect of an Edible Nanomultilayer Coating by Electrostatic Self-Assembly on the Shelf Life of Fresh-Cut Mangoes. <i>Food and Bioprocess Technology</i> , 2015, 8, 647-654.	2.6	80
92	Electrotechnologies applied to microalgal biotechnology – Applications, techniques and future trends. <i>Renewable and Sustainable Energy Reviews</i> , 2018, 94, 656-668.	8.2	80
93	Lignin from an integrated process consisting of liquid hot water and ethanol organosolv: Physicochemical and antioxidant properties. <i>International Journal of Biological Macromolecules</i> , 2018, 120, 159-169.	3.6	80
94	Strategy towards Replacing Pork Backfat with a Linseed Oleogel in Frankfurter Sausages and Its Evaluation on Physicochemical, Nutritional, and Sensory Characteristics. <i>Foods</i> , 2019, 8, 366.	1.9	80
95	A direct correlation between the antioxidant efficiencies of caffeic acid and its alkyl esters and their concentrations in the interfacial region of olive oil emulsions. The pseudophase model interpretation of the “cut-off” effect. <i>Food Chemistry</i> , 2015, 175, 233-242.	4.2	79
96	3D printed functional cookies fortified with <i>Arthrospira platensis</i> : Evaluation of its antioxidant potential and physical-chemical characterization. <i>Food Hydrocolloids</i> , 2020, 107, 105893.	5.6	76
97	Spent grains – a new support for brewing yeast immobilisation. <i>Biotechnology Letters</i> , 2001, 23, 1073-1078.	1.1	75
98	Biocomposite Films Based on λ -Carrageenan/Locust Bean Gum Blends and Clays: Physical and Antimicrobial Properties. <i>Food and Bioprocess Technology</i> , 2013, 6, 2081-2092.	2.6	75
99	Evaluating the effect of chitosan layer on bioaccessibility and cellular uptake of curcumin nanoemulsions. <i>Journal of Food Engineering</i> , 2019, 243, 89-100.	2.7	73
100	Kinetic modeling of enzymatic saccharification using wheat straw pretreated under autohydrolysis and organosolv process. <i>Industrial Crops and Products</i> , 2012, 36, 100-107.	2.5	72
101	Use of wheat bran arabinoxylans in chitosan-based films: Effect on physicochemical properties. <i>Industrial Crops and Products</i> , 2015, 66, 305-311.	2.5	71
102	Residence times and mixing of a novel continuous oscillatory flow screening reactor. <i>Chemical Engineering Science</i> , 2004, 59, 4967-4974.	1.9	70
103	λ -carrageenan/chitosan nanolayered coating for controlled release of a model bioactive compound. <i>Innovative Food Science and Emerging Technologies</i> , 2012, 16, 227-232.	2.7	70
104	Starch determination in <i>Chlorella vulgaris</i> – a comparison between acid and enzymatic methods. <i>Journal of Applied Phycology</i> , 2012, 24, 1203-1208.	1.5	70
105	Interactions between λ -carrageenan and chitosan in nanolayered coatings – Structural and transport properties. <i>Carbohydrate Polymers</i> , 2012, 87, 1081-1090.	5.1	70
106	Evaluating the behaviour of curcumin nanoemulsions and multilayer nanoemulsions during dynamic in vitro digestion. <i>Journal of Functional Foods</i> , 2018, 48, 605-613.	1.6	70
107	Liposomes loaded with phenolic extracts of <i>Spirulina</i> LEB-18: Physicochemical characterization and behavior under simulated gastrointestinal conditions. <i>Food Research International</i> , 2019, 120, 656-667.	2.9	70
108	Metabolomic evaluation of pulsed electric field-induced stress on potato tissue. <i>Planta</i> , 2009, 230, 469-479.	1.6	69

#	ARTICLE	IF	CITATIONS
109	Rheological characterization of λ -carrageenan/galactomannan and xanthan/galactomannan gels: Comparison of galactomannans from non-traditional sources with conventional galactomannans. <i>Carbohydrate Polymers</i> , 2011, 83, 392-399.	5.1	69
110	Fluid Mechanics and Design Aspects of a Novel Oscillatory Flow Screening Mesoreactor. <i>Chemical Engineering Research and Design</i> , 2005, 83, 357-371.	2.7	68
111	Development, Characterization, and Stability of O/W Pepper Nanoemulsions Produced by High-Pressure Homogenization. <i>Food and Bioprocess Technology</i> , 2018, 11, 355-367.	2.6	68
112	Effect of moderate electric fields in the permeation properties of chitosan coatings. <i>Food Hydrocolloids</i> , 2009, 23, 2110-2115.	5.6	67
113	Moderate electric fields can inactivate <i>Escherichia coli</i> at room temperature. <i>Journal of Food Engineering</i> , 2010, 96, 520-527.	2.7	67
114	CFD simulation and experimental measurement of gas holdup and liquid interstitial velocity in internal loop airlift reactor. <i>Chemical Engineering Science</i> , 2011, 66, 3268-3279.	1.9	67
115	Effect of the matrix system in the delivery and in vitro bioactivity of microencapsulated Oregano essential oil. <i>Journal of Food Engineering</i> , 2012, 110, 190-199.	2.7	67
116	Physical effects upon whey protein aggregation for nano-coating production. <i>Food Research International</i> , 2014, 66, 344-355.	2.9	66
117	Use of Electrospinning to Develop Antimicrobial Biodegradable Multilayer Systems: Encapsulation of Cinnamaldehyde and Their Physicochemical Characterization. <i>Food and Bioprocess Technology</i> , 2016, 9, 1874-1884.	2.6	65
118	Interfacial Concentrations of Hydroxytyrosol and Its Lipophilic Esters in Intact Olive Oil-in-Water Emulsions: Effects of Antioxidant Hydrophobicity, Surfactant Concentration, and the Oil-to-Water Ratio on the Oxidative Stability of the Emulsions. <i>Journal of Agricultural and Food Chemistry</i> , 2016, 64, 5274-5283.	2.4	63
119	Production of Whey Protein-Based Aggregates Under Ohmic Heating. <i>Food and Bioprocess Technology</i> , 2016, 9, 576-587.	2.6	63
120	Application of edible nanolaminate coatings with antimicrobial extract of <i>Flourensia cernua</i> to extend the shelf-life of tomato (<i>Solanum lycopersicum</i> L.) fruit. <i>Postharvest Biology and Technology</i> , 2019, 150, 19-27.	2.9	63
121	Formation, stability and antioxidant activity of food-grade multilayer emulsions containing resveratrol. <i>Food Hydrocolloids</i> , 2017, 71, 207-215.	5.6	62
122	Antimicrobial and Antioxidant Performance of Various Essential Oils and Natural Extracts and Their Incorporation into Biowaste Derived Poly(3-hydroxybutyrate-co-3-hydroxyvalerate) Layers Made from Electrospun Ultrathin Fibers. <i>Nanomaterials</i> , 2019, 9, 144.	1.9	62
123	The Use of Electric Fields for Edible Coatings and Films Development and Production: A Review. <i>Food Engineering Reviews</i> , 2010, 2, 244-255.	3.1	60
124	Polysaccharide/Protein Nanomultilayer Coatings: Construction, Characterization and Evaluation of Their Effect on "Rocha"™ Pear (<i>Pyrus communis</i> L.) Shelf-Life. <i>Food and Bioprocess Technology</i> , 2012, 5, 2435-2445.	2.6	60
125	Hollow chitosan/alginate nanocapsules for bioactive compound delivery. <i>International Journal of Biological Macromolecules</i> , 2015, 79, 95-102.	3.6	59
126	Applications of yeast flocculation in biotechnological processes. <i>Biotechnology and Bioprocess Engineering</i> , 2000, 5, 288-305.	1.4	58

#	ARTICLE	IF	CITATIONS
127	Development and characterization of lactoferrin-GMP nanohydrogels: Evaluation of pH, ionic strength and temperature effect. <i>Food Hydrocolloids</i> , 2015, 48, 292-300.	5.6	58
128	Emerging opportunities in exploring the nutritional/functional value of amaranth. <i>Food and Function</i> , 2018, 9, 5499-5512.	2.1	58
129	Light Regime Characterization in an Airlift Photobioreactor for Production of Microalgae with High Starch Content. <i>Applied Biochemistry and Biotechnology</i> , 2010, 161, 218-226.	1.4	57
130	Ohmic heating for the dairy industry: a potential technology to develop probiotic dairy foods in association with modifications of whey protein structure. <i>Current Opinion in Food Science</i> , 2018, 22, 95-101.	4.1	57
131	Characterization of Enriched Meat-Based PÃ¢tÃ© Manufactured with Oleogels as Fat Substitutes. <i>Gels</i> , 2020, 6, 17.	2.1	57
132	Physicochemical surface properties of brewing yeast influencing their immobilization onto spent grains in a continuous reactor. <i>Biotechnology and Bioengineering</i> , 2004, 88, 84-93.	1.7	56
133	Characterization of split cylinder airlift photobioreactors for efficient microalgae cultivation. <i>Chemical Engineering Science</i> , 2014, 117, 445-454.	1.9	56
134	Melt processability, characterization, and antibacterial activity of compression-molded green composite sheets made of poly(3-hydroxybutyrate-co-3-hydroxyvalerate) reinforced with coconut fibers impregnated with oregano essential oil. <i>Food Packaging and Shelf Life</i> , 2018, 17, 39-49.	3.3	56
135	Seed extracts of <i>Gleditsia triacanthos</i> : Functional properties evaluation and incorporation into galactomannan films. <i>Food Research International</i> , 2010, 43, 2031-2038.	2.9	55
136	Exploring the Denaturation of Whey Proteins upon Application of Moderate Electric Fields: A Kinetic and Thermodynamic Study. <i>Journal of Agricultural and Food Chemistry</i> , 2011, 59, 11589-11597.	2.4	54
137	Omegaâ€³ and Polyunsaturated Fatty Acidsâ€¢Enriched Hamburgers Using Sterolâ€¢Based Oleogels. <i>European Journal of Lipid Science and Technology</i> , 2019, 121, 1900111.	1.0	54
138	Methods for determining bioavailability and bioaccessibility of bioactive compounds and nutrients. , 2019, , 23-54.		53
139	Continuous-flow precipitation of hydroxyapatite in ultrasonic microsystems. <i>Chemical Engineering Journal</i> , 2013, 215-216, 979-987.	6.6	52
140	Relationship between galactomannan structure and physicochemical properties of films produced thereof. <i>Journal of Food Science and Technology</i> , 2015, 52, 8292-8299.	1.4	52
141	Quantification of metal release from stainless steel electrodes during conventional and pulsed ohmic heating. <i>Innovative Food Science and Emerging Technologies</i> , 2014, 21, 66-73.	2.7	51
142	The role of emergent processing technologies in tailoring plant protein functionality: New insights. <i>Trends in Food Science and Technology</i> , 2021, 113, 219-231.	7.8	51
143	Development of polyhydroxyalkanoate/beer spent grain fibers composites for film blowing applications. <i>Polymer Composites</i> , 2015, 36, 1859-1865.	2.3	50
144	InÂ¢vitro digestion and stability assessment of Î²-lactoglobulin/riboflavin nanostructures. <i>Food Hydrocolloids</i> , 2016, 58, 89-97.	5.6	50

#	ARTICLE	IF	CITATIONS
145	Creating functional nanostructures: Encapsulation of caffeine into β -lactalbumin nanotubes. <i>Innovative Food Science and Emerging Technologies</i> , 2017, 40, 10-17.	2.7	50
146	Perspective on oleogelator mixtures, structure design and behaviour towards digestibility of oleogels. <i>Current Opinion in Food Science</i> , 2020, 35, 27-35.	4.1	50
147	Goat Milk Free Fatty Acid Characterization During Conventional and Ohmic Heating Pasteurization. <i>Journal of Dairy Science</i> , 2008, 91, 2925-2937.	1.4	49
148	Film blowing of PHBV blends and PHBV-based multilayers for the production of biodegradable packages. <i>Journal of Applied Polymer Science</i> , 2016, 133, .	1.3	49
149	Effect of chitosan-based solutions applied as edible coatings and water glazing on frozen salmon preservation – A pilot-scale study. <i>Journal of Food Engineering</i> , 2013, 119, 316-323.	2.7	48
150	Influence of chitosan coating on protein-based nanohydrogels properties and <i>in vitro</i> gastric digestibility. <i>Food Hydrocolloids</i> , 2016, 60, 109-118.	5.6	48
151	Computational Shelf-Life Dating: Complex Systems Approaches to Food Quality and Safety. <i>Food and Bioprocess Technology</i> , 2008, 1, 207-222.	2.6	47
152	An Alternative Application to the Portuguese Agro-Industrial Residue: Wheat Straw. <i>Applied Biochemistry and Biotechnology</i> , 2008, 147, 85-96.	1.4	47
153	Effect of pulsed electric field on the germination of barley seeds. <i>LWT - Food Science and Technology</i> , 2012, 47, 161-166.	2.5	47
154	Effects of Interactions between the Constituents of Chitosan-Edible Films on Their Physical Properties. <i>Food and Bioprocess Technology</i> , 2012, 5, 3181-3192.	2.6	47
155	Cashew Nut Allergy: Clinical Relevance and Allergen Characterisation. <i>Clinical Reviews in Allergy and Immunology</i> , 2019, 57, 1-22.	2.9	47
156	Acquisition-analysis system for the DANCE (detector for advanced neutron capture experiments) BaF/sub 2/ gamma-ray calorimeter. <i>IEEE Transactions on Nuclear Science</i> , 2006, 53, 880-885.	1.2	46
157	Green synthesis of lignin nano- and micro-particles: Physicochemical characterization, bioactive properties and cytotoxicity assessment. <i>International Journal of Biological Macromolecules</i> , 2020, 163, 1798-1809.	3.6	46
158	Factors affecting polyhydroxyalkanoates biodegradation in soil. <i>Polymer Degradation and Stability</i> , 2020, 182, 109408.	2.7	45
159	Exploring Metabolic Responses of Potato Tissue Induced by Electric Pulses. <i>Food Biophysics</i> , 2008, 3, 352-360.	1.4	44
160	Effect of moderate electric fields in the properties of starch and chitosan films reinforced with microcrystalline cellulose. <i>Carbohydrate Polymers</i> , 2017, 174, 1181-1191.	5.1	44
161	Evaluation of a hydrothermal process for pretreatment of wheat straw – effect of particle size and process conditions. <i>Journal of Chemical Technology and Biotechnology</i> , 2011, 86, 88-94.	1.6	43
162	Physical evidence that the variations in the efficiency of homologous series of antioxidants in emulsions are a result of differences in their distribution. <i>Journal of the Science of Food and Agriculture</i> , 2017, 97, 564-571.	1.7	43

#	ARTICLE	IF	CITATIONS
163	Optimization of a chitosan solution as potential carrier for the incorporation of Santolina chamaecyparissus L. solid by-product in an edible vegetal coating on "Manchego" cheese. Food Hydrocolloids, 2019, 89, 272-282.	5.6	43
164	Effects of droplet size on the interfacial concentrations of antioxidants in fish and olive oil-in-water emulsions and nanoemulsions and on their oxidative stability. Journal of Colloid and Interface Science, 2020, 562, 352-362.	5.0	43
165	Layer-by-Layer Technique to Developing Functional Nanolaminate Films with Antifungal Activity. Food and Bioprocess Technology, 2016, 9, 471-480.	2.6	42
166	Protein-Based Structures for Food Applications: From Macro to Nanoscale. Frontiers in Sustainable Food Systems, 2018, 2, .	1.8	42
167	Lecithin and phytosterols-based mixtures as hybrid structuring agents in different organic phases. Food Research International, 2018, 111, 168-177.	2.9	42
168	Electric field effects on β -lactoglobulin thermal unfolding as a function of pH " Impact on protein functionality. Innovative Food Science and Emerging Technologies, 2019, 52, 1-7.	2.7	42
169	Modulating process parameters to change physical properties of bigels for food applications. Food Structure, 2021, 28, 100173.	2.3	42
170	Continuous immobilized yeast reactor system for complete beer fermentation using spent grains and corncobs as carrier materials. Journal of Industrial Microbiology and Biotechnology, 2006, 33, 1010-1018.	1.4	41
171	Edible Bio-Based Nanostructures: Delivery, Absorption and Potential Toxicity. Food Engineering Reviews, 2015, 7, 491-513.	3.1	41
172	Structure and rheological properties of a xyloglucan extracted from Hymenaea courbaril var. courbaril seeds. International Journal of Biological Macromolecules, 2015, 73, 31-38.	3.6	41
173	Effect of extraction temperature on rheological behavior and antioxidant capacity of flaxseed gum. Carbohydrate Polymers, 2019, 213, 217-227.	5.1	41
174	Rheology and soft tribology of thickened dispersions aiming the development of oropharyngeal dysphagia-oriented products. Current Research in Food Science, 2020, 3, 19-29.	2.7	41
175	Influence of volumetric oxygen transfer coefficient (kLa) on xylanases batch production by Aspergillus niger van Tieghem in stirred tank and internal-loop airlift bioreactors. Biochemical Engineering Journal, 2013, 80, 19-26.	1.8	40
176	Simulated digestion of an olive pomace water-soluble ingredient: relationship between the bioaccessibility of compounds and their potential health benefits. Food and Function, 2020, 11, 2238-2254.	2.1	40
177	Pulsed electric field reduces the permeability of potato cell wall. Bioelectromagnetics, 2008, 29, 296-301.	0.9	39
178	Process intensification and optimization for hydroxyapatite nanoparticles production. Chemical Engineering Science, 2013, 100, 352-359.	1.9	39
179	Development of iron-rich whey protein hydrogels following application of ohmic heating " Effects of moderate electric fields. Food Research International, 2017, 99, 435-443.	2.9	39
180	Sterol-based oleogels' characterization envisioning food applications. Journal of the Science of Food and Agriculture, 2019, 99, 3318-3325.	1.7	39

#	ARTICLE	IF	CITATIONS
181	Extraction of Pigments from Microalgae and Cyanobacteria—A Review on Current Methodologies. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 5187.	1.3	39
182	Continuous Primary Fermentation of Beer with Yeast Immobilized on Spent Grains—The Effect of Operational Conditions. <i>Journal of the American Society of Brewing Chemists</i> , 2004, 62, 29-34.	0.8	38
183	In vitro digestibility and fermentability of fructo-oligosaccharides produced by <i>Aspergillus ibericus</i> . <i>Journal of Functional Foods</i> , 2018, 46, 278-287.	1.6	38
184	Modulating the interfacial concentration of gallates to improve the oxidative stability of fish oil-in-water emulsions. <i>Food Research International</i> , 2018, 112, 192-198.	2.9	38
185	Influence of AO chain length, droplet size and oil to water ratio on the distribution and on the activity of gallates in fish oil-in-water emulsified systems: Emulsion and nanoemulsion comparison. <i>Food Chemistry</i> , 2020, 310, 125716.	4.2	38
186	Effects of moderate electric fields on cold-set gelation of whey proteins — From molecular interactions to functional properties. <i>Food Hydrocolloids</i> , 2020, 101, 105505.	5.6	38
187	Ohmic heating as a new efficient process for organic synthesis in water. <i>Green Chemistry</i> , 2013, 15, 970.	4.6	37
188	Effects of glazing and chitosan-based coating application on frozen salmon preservation during six-month storage in industrial freezing chambers. <i>LWT - Food Science and Technology</i> , 2015, 61, 524-531.	2.5	37
189	Physico-chemical stability and in vitro digestibility of beta-carotene-loaded lipid nanoparticles of cupuacu butter (<i>Theobroma grandiflorum</i>) produced by the phase inversion temperature (PIT) method. <i>Journal of Food Engineering</i> , 2017, 192, 93-102.	2.7	37
190	On the extraction of cellulose nanowhiskers from food by-products and their comparative reinforcing effect on a polyhydroxybutyrate-co-valerate polymer. <i>Cellulose</i> , 2015, 22, 535-551.	2.4	36
191	Influence of moderate electric fields in β -lactoglobulin thermal unfolding and interactions. <i>Food Chemistry</i> , 2020, 304, 125442.	4.2	36
192	Electrosprayed whey protein-based nanocapsules for β -carotene encapsulation. <i>Food Chemistry</i> , 2020, 314, 126157.	4.2	36
193	Using Ohmic Heating effect on grape skins as a pretreatment for anthocyanins extraction. <i>Food and Bioprocess Processing</i> , 2020, 124, 320-328.	1.8	36
194	Printability, microstructure, and flow dynamics of phase-separated edible 3D inks. <i>Food Hydrocolloids</i> , 2020, 109, 106120.	5.6	36
195	Production of xylanase and β -xylosidase from autohydrolysis liquor of corncob using two fungal strains. <i>Bioprocess and Biosystems Engineering</i> , 2012, 35, 1185-1192.	1.7	35
196	Characterization of intermediate stages in the precipitation of hydroxyapatite at 37°C. <i>Chemical Engineering Science</i> , 2012, 77, 150-156.	1.9	35
197	Development and characterization of hydrogels based on natural polysaccharides: Policaju and chitosan. <i>Materials Science and Engineering C</i> , 2014, 42, 219-226.	3.8	35
198	In vitro digestion of oil-in-water emulsions stabilized by whey protein nanofibrils. <i>Food Research International</i> , 2017, 99, 790-798.	2.9	35

#	ARTICLE	IF	CITATIONS
199	Cold gel-like emulsions of lactoferrin subjected to ohmic heating. Food Research International, 2018, 103, 371-379.	2.9	35
200	Total and Sustainable Valorisation of Olive Pomace Using a Fractionation Approach. Applied Sciences (Switzerland), 2020, 10, 6785.	1.3	35
201	Effects of Pulsed Electric Field on the Viscoelastic Properties of Potato Tissue. Food Biophysics, 2009, 4, 229-239.	1.4	34
202	Lactoferrin-based nanoparticles as a vehicle for iron in food applications – Development and release profile. Food Research International, 2016, 90, 16-24.	2.9	34
203	Effect of Ohmic heating on functionality of sodium caseinate – A relationship with protein gelation. Food Research International, 2019, 116, 628-636.	2.9	34
204	Lactoferrin-based nanoemulsions to improve the physical and chemical stability of omega-3 fatty acids. Food and Function, 2020, 11, 1966-1981.	2.1	34
205	Multifunctional and nanoreinforced polymers for food packaging. , 2011, , .		34
206	Protein-Based Nanostructures for Food Applications. Gels, 2019, 5, 9.	2.1	33
207	Flaxseed gum-biopolymers interactions driving rheological behaviour of oropharyngeal dysphagia-oriented products. Food Hydrocolloids, 2021, 111, 106257.	5.6	33
208	Polyphenolic Antioxidants in Lipid Emulsions: Partitioning Effects and Interfacial Phenomena. Foods, 2021, 10, 539.	1.9	33
209	Thermodynamic, rheological and structural properties of edible oils structured with LMOGs: Influence of gelator and oil phase. Food Structure, 2018, 16, 50-58.	2.3	32
210	Curcumin encapsulation in nanostructures for cancer therapy: A 10-year overview. International Journal of Pharmaceutics, 2021, 604, 120534.	2.6	32
211	Mass transfer properties of glucose and O ₂ in <i>Saccharomyces cerevisiae</i> flocs. Biochemical Engineering Journal, 1998, 2, 35-43.	1.8	31
212	Proof-of-concept of a novel micro-bioreactor for fast development of industrial bioprocesses. Biotechnology and Bioengineering, 2006, 95, 744-753.	1.7	31
213	Banana as Adjunct in Beer Production: Applicability and Performance of Fermentative Parameters. Applied Biochemistry and Biotechnology, 2009, 155, 53-62.	1.4	31
214	Candelilla Wax Edible Coating with <i>Flourensia cernua</i> Bioactives to Prolong the Quality of Tomato Fruits. Foods, 2020, 9, 1303.	1.9	31
215	Are olive pomace powders a safe source of bioactives and nutrients?. Journal of the Science of Food and Agriculture, 2021, 101, 1963-1978.	1.7	31
216	Continuous Primary Beer Fermentation with Brewing Yeast Immobilized on Spent Grains. Journal of the Institute of Brewing, 2002, 108, 410-415.	0.8	30

#	ARTICLE	IF	CITATIONS
217	Xylanase and Î²-Xylosidase Production by <i>Aspergillus ochraceus</i> : New Perspectives for the Application of Wheat Straw Autohydrolysis Liquor. <i>Applied Biochemistry and Biotechnology</i> , 2012, 166, 336-347.	1.4	30
218	Compositional features and bioactive properties of whole fraction from Aloe vera processing. <i>Industrial Crops and Products</i> , 2016, 91, 179-185.	2.5	30
219	Pistachio nut allergy: An updated overview. <i>Critical Reviews in Food Science and Nutrition</i> , 2019, 59, 546-562.	5.4	30
220	Valorisation of Mango Peels: Extraction of Pectin and Antioxidant and Antifungal Polyphenols. <i>Waste and Biomass Valorization</i> , 2020, 11, 89-98.	1.8	30
221	Î²-lactoglobulin micro- and nanostructures as bioactive compounds vehicle: In vitro studies. <i>Food Research International</i> , 2020, 131, 108979.	2.9	30
222	Rice in vitro digestion: application of INFOGEST harmonized protocol for glycemic index determination and starch morphological study. <i>Journal of Food Science and Technology</i> , 2020, 57, 1393-1404.	1.4	30
223	Electric field effects on proteins “ Novel perspectives on food and potential health implications. <i>Food Research International</i> , 2020, 137, 109709.	2.9	30
224	Prebiotic effects of olive pomace powders in the gut: In vitro evaluation of the inhibition of adhesion of pathogens, prebiotic and antioxidant effects. <i>Food Hydrocolloids</i> , 2021, 112, 106312.	5.6	30
225	Incorporation of olive pomace ingredients into yoghurts as a source of fibre and hydroxytyrosol: Antioxidant activity and stability throughout gastrointestinal digestion. <i>Journal of Food Engineering</i> , 2021, 297, 110476.	2.7	30
226	On-line estimation of biomass through pH control analysis in aerobic yeast fermentation systems. , 1998, 58, 445-450.		29
227	Application of a Novel Oscillatory Flow Micro-bioreactor to the Production of Î³-decalactone in a Two Immiscible Liquid Phase Medium. <i>Biotechnology Letters</i> , 2006, 28, 485-490.	1.1	29
228	Control of antioxidant efficiency of chlorogenates in emulsions: modulation of antioxidant interfacial concentrations. <i>Journal of the Science of Food and Agriculture</i> , 2019, 99, 3917-3925.	1.7	29
229	Lipid-based nanostructures as a strategy to enhance curcumin bioaccessibility: Behavior under digestion and cytotoxicity assessment. <i>Food Research International</i> , 2021, 143, 110278.	2.9	29
230	Enhanced Gas-Liquid Mass Transfer of an Oscillatory Constricted-Tubular Reactor. <i>Industrial & Engineering Chemistry Research</i> , 2008, 47, 7190-7201.	1.8	28
231	A New Approach on Brewer’s Spent Grains Treatment and Potential Use as Lignocellulosic Yeast Cells Carriers. <i>Journal of Agricultural and Food Chemistry</i> , 2012, 60, 5994-5999.	2.4	28
232	Fourier Transform Infrared (FT-IR) Spectroscopy as a Possible Rapid Tool to Evaluate Abiotic Stress Effects on Pineapple By-Products. <i>Applied Sciences (Switzerland)</i> , 2019, 9, 4141.	1.3	28
233	Relationships between hydrodynamics and rheology of flocculating yeast suspensions in a high-cell-density airlift bioreactor. <i>Biotechnology and Bioengineering</i> , 2005, 89, 393-399.	1.7	27
234	Numerical study of micromixing combining alternate flow and obstacles. <i>International Communications in Heat and Mass Transfer</i> , 2010, 37, 581-586.	2.9	27

#	ARTICLE	IF	CITATIONS
235	Continuous-Flow Precipitation of Hydroxyapatite at 37 Â°C in a Meso Oscillatory Flow Reactor. <i>Industrial & Engineering Chemistry Research</i> , 2013, 52, 9816-9821.	1.8	27
236	Optimizing the efficiency of antioxidants in emulsions by lipophilization: tuning interfacial concentrations. <i>RSC Advances</i> , 2016, 6, 91483-91493.	1.7	27
237	Construction of a Biocompatible and Antioxidant Multilayer Coating by Layer-by-Layer Assembly of Î²-Carrageenan and Quercetin Nanoparticles. <i>Food and Bioprocess Technology</i> , 2018, 11, 1050-1060.	2.6	27
238	Development of Active and Nanotechnology-based Smart Edible Packaging Systems: Physical-chemical Characterization. <i>Food and Bioprocess Technology</i> , 2014, 7, 1472-1482.	2.6	26
239	Electric Field Processing: Novel Perspectives on Allergenicity of Milk Proteins. <i>Journal of Agricultural and Food Chemistry</i> , 2018, 66, 11227-11233.	2.4	26
240	Nanotechnology in Food Packaging: Opportunities and Challenges. , 2018, , 1-11.		26
241	Effects of ohmic heating on the immunoreactivity of Î²-lactoglobulin - a relationship towards structural aspects. <i>Food and Function</i> , 2020, 11, 4002-4013.	2.1	26
242	Growth Model and Metabolic Activity of Brewing Yeast Biofilm on the Surface of Spent Grains: A Biocatalyst for Continuous Beer Fermentation. <i>Biotechnology Progress</i> , 2004, 20, 1733-1740.	1.3	25
243	The use of TICs as a managing tool for traceability in the food industry. <i>Food Research International</i> , 2006, 39, 772-781.	2.9	25
244	Thermodynamic studies of partitioning behavior of lysozyme and conalbumin in aqueous two-phase systems. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009, 877, 2579-2584.	1.2	25
245	Production of xylanolytic enzymes by <i>Aspergillus terricola</i> in stirred tank and airlift tower loop bioreactors. <i>Journal of Industrial Microbiology and Biotechnology</i> , 2011, 38, 1979-1984.	1.4	25
246	Immobilization of bioactive compounds in <i>Cassia grandis</i> galactomannan-based films: Influence on physicochemical properties. <i>International Journal of Biological Macromolecules</i> , 2017, 96, 727-735.	3.6	25
247	Xyloglucan from <i>Hymenaea courbaril</i> var. <i>courbaril</i> seeds as encapsulating agent of l-ascorbic acid. <i>International Journal of Biological Macromolecules</i> , 2018, 107, 1559-1566.	3.6	25
248	Enhanced Mechanical and Thermal Strength in Mixed-Enantiomers-Based Supramolecular Gel. <i>Langmuir</i> , 2018, 34, 12957-12967.	1.6	25
249	Polyphenols as Antioxidants for Extending Food Shelf-Life and in the Prevention of Health Diseases: Encapsulation and Interfacial Phenomena. <i>Biomedicines</i> , 2021, 9, 1909.	1.4	25
250	Probiotic-loaded microcapsule system for human in situ folate production: Encapsulation and system validation. <i>Food Research International</i> , 2016, 90, 25-32.	2.9	24
251	Hydrodynamic considerations on optimal design of a three-phase airlift bioreactor with high solids loading. <i>Journal of Chemical Technology and Biotechnology</i> , 2003, 78, 935-944.	1.6	23
252	Comparing the effects of glazing and chitosan-based coating applied on frozen salmon on its organoleptic and physicochemical characteristics over six-months storage. <i>Journal of Food Engineering</i> , 2017, 194, 79-86.	2.7	23

#	ARTICLE	IF	CITATIONS
253	Î²-carotene and Î±-tocopherol coencapsulated in nanostructured lipid carriers of murumuru (<i>Astrocaryum murumuru</i>) butter produced by phase inversion temperature method: characterisation, dynamic <i>in vitro</i> digestion and cell viability study. <i>Journal of Microencapsulation</i> , 2019, 36, 43-52.	1.2	23
254	Separation and purification of curcumin using novel aqueous two-phase micellar systems composed of amphiphilic copolymer and cholinium ionic liquids. <i>Separation and Purification Technology</i> , 2020, 250, 117262.	3.9	23
255	Influence of ohmic heating on the structural and immunoreactive properties of soybean proteins. <i>LWT - Food Science and Technology</i> , 2021, 148, 111710.	2.5	23
256	Effect of green propolis extract on functional properties of active pectin-based films. <i>Food Hydrocolloids</i> , 2022, 131, 107746.	5.6	23
257	Sizing and counting of <i>saccharomyces cerevisiae</i> floc populations by image analysis, using an automatically calculated threshold. <i>Biotechnology and Bioengineering</i> , 2010, 51, 673-678.	1.7	22
258	<i>In vitro</i> digestion of lactoferrin-glycomacropeptide nanohydrogels incorporating bioactive compounds: Effect of a chitosan coating. <i>Food Hydrocolloids</i> , 2018, 84, 267-275.	5.6	22
259	Food-grade hydroxypropyl methylcellulose-based formulations for electrohydrodynamic processing: Part I – Role of solution parameters on fibre and particle production. <i>Food Hydrocolloids</i> , 2021, 118, 106761.	5.6	22
260	Polysaccharide from <i>Anacardium occidentale</i> L. tree gum (Policaju) as a coating for Tommy Atkins mangoes. <i>Chemical Papers</i> , 2010, 64, .	1.0	21
261	Transport mechanism of macromolecules on hydrophilic bio-polymeric matrices – Diffusion of protein-based compounds from chitosan films. <i>Journal of Food Engineering</i> , 2013, 116, 633-638.	2.7	21
262	Functional Characterisation and Antimicrobial Efficiency Assessment of Smart Nanohydrogels Containing Natamycin Incorporated into Polysaccharide-Based Films. <i>Food and Bioprocess Technology</i> , 2015, 8, 1430-1441.	2.6	21
263	Rice bran protein-based films enriched by phenolic extract of fermented rice bran and montmorillonite clay. <i>CYTA - Journal of Food</i> , 2015, 13, 204-212.	0.9	20
264	Interfacial kinetics in olive oil-in-water nanoemulsions: Relationships between rates of initiation of lipid peroxidation, induction times and effective interfacial antioxidant concentrations. <i>Journal of Colloid and Interface Science</i> , 2021, 604, 248-259.	5.0	20
265	High gravity batch and continuous processes for beer production: Evaluation of fermentation performance and beer quality. <i>Chemical Papers</i> , 2008, 62, .	1.0	19
266	The Effect of the Electric Field on Lag Phase, Î²-Galactosidase Production and Plasmid Stability of a Recombinant <i>Saccharomyces cerevisiae</i> Strain Growing on Lactose. <i>Food and Bioprocess Technology</i> , 2012, 5, 3014-3020.	2.6	19
267	Design of bio-based supramolecular structures through self-assembly of Î±-lactalbumin and lysozyme. <i>Food Hydrocolloids</i> , 2016, 58, 60-74.	5.6	19
268	Physicochemical characterisation and release behaviour of curcumin-loaded lactoferrin nanohydrogels into food simulants. <i>Food and Function</i> , 2020, 11, 305-317.	2.1	19
269	Enhancement of PLA-PVA Surface Adhesion in Bilayer Assemblies by PLA Aminolisation. <i>Food and Bioprocess Technology</i> , 2020, 13, 1215-1228.	2.6	19
270	How additive manufacturing can boost the bioactivity of baked functional foods. <i>Journal of Food Engineering</i> , 2021, 294, 110394.	2.7	19

#	ARTICLE	IF	CITATIONS
271	Effect of variables on the thickness of an edible coating applied on frozen fish " Establishment of the concept of safe dipping time. <i>Journal of Food Engineering</i> , 2016, 171, 111-118.	2.7	18
272	Polymeric micelles using cholinium-based ionic liquids for the encapsulation and release of hydrophobic drug molecules. <i>Biomaterials Science</i> , 2021, 9, 2183-2196.	2.6	18
273	Development and Characterization of Pectin Films with <i>Salicornia ramosissima</i> : Biodegradation in Soil and Seawater. <i>Polymers</i> , 2021, 13, 2632.	2.0	18
274	Effects of Acidity, Temperature and Emulsifier Concentration on the Distribution of Caffeic Acid in Stripped Corn and Olive Oil-in-Water Emulsions. <i>JAOCS, Journal of the American Oil Chemists' Society</i> , 2013, 90, 1629-1636.	0.8	17
275	<i>Advances in Food Nanotechnology.</i> , 2017, , 11-38.		17
276	Assessment of synergistic interactions between environmental factors on <i>Microcystis aeruginosa</i> growth and microcystin production. <i>Algal Research</i> , 2017, 27, 235-243.	2.4	17
277	Towards the understanding of the behavior of bio-based nanostructures during in vitro digestion. <i>Current Opinion in Food Science</i> , 2017, 15, 79-86.	4.1	17
278	Suitability of β -lactoglobulin micro- and nanostructures for loading and release of bioactive compounds. <i>Food Hydrocolloids</i> , 2020, 101, 105492.	5.6	17
279	Nanoemulsions for Enhancement of Curcumin Bioavailability and Their Safety Evaluation: Effect of Emulsifier Type. <i>Nanomaterials</i> , 2021, 11, 815.	1.9	17
280	Electrohydrodynamic processing for the production of zein-based microstructures and nanostructures. <i>Current Opinion in Colloid and Interface Science</i> , 2021, 56, 101504.	3.4	17
281	The intensification of gas-liquid flows with a periodic, constricted oscillatory-meso tube. <i>Chemical Engineering Science</i> , 2007, 62, 7454-7462.	1.9	16
282	Hydrodynamics of a Three-phase Airlift Reactor with an Enlarged Separator " Application to High Cell Density Systems. <i>Canadian Journal of Chemical Engineering</i> , 2003, 81, 433-443.	0.9	16
283	Antioxidant Compounds Recovery from Juçara Residue by Thermal Assisted Extraction. <i>Plant Foods for Human Nutrition</i> , 2018, 73, 68-73.	1.4	16
284	Bio-Based Nanocomposites for Food Packaging and Their Effect in Food Quality and Safety. , 2018, , 271-306.		16
285	One-step chromatographic method to purify β -lactalbumin from whey for nanotube synthesis purposes. <i>Food Chemistry</i> , 2019, 275, 480-488.	4.2	16
286	Dehydration of protein lactoferrin-glycomacropeptide nanohydrogels. <i>Food Hydrocolloids</i> , 2020, 101, 105550.	5.6	16
287	Development and Evaluation of Superabsorbent Hydrogels Based on Natural Polymers. <i>Polymers</i> , 2020, 12, 2173.	2.0	16
288	Liquid backmixing in oscillatory flow through a periodically constricted meso-tube. <i>Chemical Engineering and Processing: Process Intensification</i> , 2010, 49, 793-803.	1.8	15

#	ARTICLE	IF	CITATIONS
289	Production and Extraction of Polysaccharides and Oligosaccharides and Their Use as New Food Additives. , 2015, , 653-679.		15
290	Characterization of the behavior of carotenoids from pitanga (<i>Eugenia uniflora</i>) and buriti (<i>Mauritia</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 Food Science and Technology, 2020, 57, 650-662.	1.4	15
291	Optimization of the Effect of Pineapple By-Products Enhanced in Bromelain by Hydrostatic Pressure on the Texture and Overall Quality of Silverside Beef Cut. Foods, 2020, 9, 1752.	1.9	15
292	Edible Films Based on Black Chia (<i>Salvia hispanica</i> L.) Seed Mucilage Containing <i>Rhus microphylla</i> Fruit Phenolic Extract. Coatings, 2020, 10, 326.	1.2	15
293	Processing of byproducts to improve nisin production by <i>Lactococcus lactis</i> . African Journal of Biotechnology, 2011, 10, .	0.3	15
294	Increase of ethanol productivity in an airlift reactor with a modified draught tube. Canadian Journal of Chemical Engineering, 1999, 77, 497-502.	0.9	14
295	Cellulosic Films Obtained from the Treatment of Sugarcane Bagasse Fibers with N-methylmorpholine-N-oxide (NMMO). Applied Biochemistry and Biotechnology, 2009, 154, 38-47.	1.4	14
296	X-ray microtomography provides new insights into vacuum impregnation of spinach leaves. Journal of Food Engineering, 2016, 188, 50-57.	2.7	14
297	In vitro gastrointestinal evaluation of a juÃ§ara-based smoothie: effect of processing on phenolic compounds bioaccessibility. Journal of Food Science and Technology, 2019, 56, 5017-5026.	1.4	14
298	Modulation and Characterization of Wax-Based Olive Oil Organogels in View of Their Application in the Food Industry. Gels, 2021, 7, 12.	2.1	14
299	Active and Intelligent Packaging for Milk and Milk Products. Contemporary Food Engineering, 2009, , 175-199.	0.2	13
300	Effect of spent grains on flow regime transition in bubble column. Chemical Engineering Science, 2011, 66, 3350-3357.	1.9	13
301	Utilization of Galactomannan from <i>Gleditsia triacanthos</i> in Polysaccharide-Based Films: Effects of Interactions Between Film Constituents on Film Properties. Food and Bioprocess Technology, 2013, 6, 1600-1608.	2.6	13
302	Precipitation of hydroxyapatite at 37 Å°C in a meso oscillatory flow reactor operated in batch at constant power density. AIChE Journal, 2013, 59, 4483-4493.	1.8	13
303	Design of Î²-lactoglobulin micro- and nanostructures by controlling gelation through physical variables. Food Hydrocolloids, 2020, 100, 105357.	5.6	13
304	Active Carboxymethylcellulose-Based Edible Films: Influence of Free and Encapsulated Curcumin on Filmsâ€™ Properties. Foods, 2021, 10, 1512.	1.9	13
305	Protein-based resins for food packaging. , 2011, , 610-648.		12
306	Hydrogen plasma treatment of very thin p-type nanocrystalline Si films grown by RF-PECVD in the presence of B(CH ₃) ₃ . Science and Technology of Advanced Materials, 2012, 13, 045004.	2.8	12

#	ARTICLE	IF	CITATIONS
307	Distribution and Antioxidant Efficiency of Resveratrol in Stripped Corn Oil Emulsions. <i>Antioxidants</i> , 2014, 3, 212-228.	2.2	12
308	Distribution of catechol in emulsions. <i>Journal of Physical Organic Chemistry</i> , 2014, 27, 290-296.	0.9	12
309	Continuous beer fermentation - diacetyl as a villain. <i>Journal of the Institute of Brewing</i> , 2015, 121, 55-61.	0.8	12
310	Influence of <i>Cassia grandis</i> galactomannan on the properties of sponge cakes: a substitute for fat. <i>Food and Function</i> , 2018, 9, 2456-2468.	2.1	12
311	Study of olive pomace antioxidant dietary fibre powder throughout gastrointestinal tract as multisource of phenolics, fatty acids and dietary fibre. <i>Food Research International</i> , 2021, 142, 110032.	2.9	12
312	Continuous pressurized extraction versus electric fields-assisted extraction of cyanobacterial pigments. <i>Journal of Biotechnology</i> , 2021, 334, 35-42.	1.9	12
313	Gelation Behavior and Stability of Multicomponent Sterol-Based Oleogels. <i>Gels</i> , 2022, 8, 37.	2.1	12
314	Differentiation of human pre-adipocytes by recombinant adiponectin. <i>Protein Expression and Purification</i> , 2008, 59, 122-126.	0.6	11
315	Formation of Flavor-Active Compounds during Continuous Alcohol-Free Beer Production: The Influence of Yeast Strain, Reactor Configuration, and Carrier Type. <i>Journal of the American Society of Brewing Chemists</i> , 2011, 69, 1-7.	0.8	11
316	Evaluation of disruption/permeabilization methodologies for <i>Microcystis aeruginosa</i> as alternatives to obtain high yields of microcystin release. <i>Algal Research</i> , 2019, 42, 101611.	2.4	11
317	Modeling Chemical Reactivity at the Interfaces of Emulsions: Effects of Partitioning and Temperature. <i>Molecules</i> , 2021, 26, 4703.	1.7	11
318	Unraveling the nature of ohmic heating effects in structural aspects of whey proteins – The impact of electrical and electrochemical effects. <i>Innovative Food Science and Emerging Technologies</i> , 2021, 74, 102831.	2.7	11
319	Lignocellulosic Materials and Their Use in Bio-based Packaging. <i>Springer Briefs in Molecular Science</i> , 2018, . .	0.1	10
320	Production of Biomass-Degrading Enzymes by <i>Trichoderma reesei</i> Using Liquid Hot Water-Pretreated Corn cob in Different Conditions of Oxygen Transfer. <i>Bioenergy Research</i> , 2019, 12, 583-592.	2.2	10
321	Development and Characterization of Lipid-Based Nanosystems: Effect of Interfacial Composition on Nanoemulsion Behavior. <i>Food and Bioprocess Technology</i> , 2020, 13, 67-87.	2.6	10
322	Interfacial Concentrations of Hydroxytyrosol Derivatives in Fish Oil-in-Water Emulsions and Nanoemulsions and Its Influence on Their Lipid Oxidation: Droplet Size Effects. <i>Foods</i> , 2020, 9, 1897.	1.9	10
323	A new family of hydroxytyrosol phenolipids for the antioxidant protection of liposomal systems. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2021, 1863, 183505.	1.4	10
324	<i>Phaeodactylum tricornutum</i> extracts as structuring agents for food applications: Physicochemical and functional properties. <i>Food Hydrocolloids</i> , 2022, 124, 107276.	5.6	10

#	ARTICLE	IF	CITATIONS
325	Exploring the performance of amaranth grain starch and protein microcapsules as β -carotene carrier systems for food applications. <i>Food Structure</i> , 2022, 33, 100287.	2.3	10
326	Amphiphilic Modified Galactomannan as a Novel Potential Carrier for Hydrophobic Compounds. <i>Frontiers in Sustainable Food Systems</i> , 2019, 3, .	1.8	9
327	Influence of the addition of different ingredients on the bioaccessibility of glucose released from rice during dynamic <i>in vitro</i> gastrointestinal digestion. <i>International Journal of Food Sciences and Nutrition</i> , 2021, 72, 45-56.	1.3	9
328	Tackling older adults' malnutrition through the development of tailored food products. <i>Trends in Food Science and Technology</i> , 2021, 115, 55-73.	7.8	9
329	Caffeic acid phenolipids in the protection of cell membranes from oxidative injuries. Interaction with the membrane phospholipid bilayer. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2021, 1863, 183727.	1.4	9
330	Development of an immobilization system for <i>in situ</i> micronutrients release. <i>Food Research International</i> , 2016, 90, 121-132.	2.9	8
331	Comparison and optimization of different methods for <i>Microcystis aeruginosa</i> 's harvesting and the role of zeta potential on its efficiency. <i>Environmental Science and Pollution Research</i> , 2019, 26, 16708-16715.	2.7	8
332	Effects of Moderate Electric Fields on the Post-harvest Preservation of Chestnuts. <i>Food and Bioprocess Technology</i> , 2021, 14, 920-934.	2.6	8
333	Management of Operational Parameters and Novel Spinneret Configurations for the Electrohydrodynamic Processing of Functional Polymers. <i>Macromolecular Materials and Engineering</i> , 2022, 307, .	1.7	8
334	Hydroxypropyl methylcellulose-based micro- and nanostructures for encapsulation of melanoidins: Effect of electrohydrodynamic processing variables on morphological and physicochemical properties. <i>International Journal of Biological Macromolecules</i> , 2022, 202, 453-467.	3.6	8
335	Total Soluble Solids from Banana: Evaluation and Optimization of Extraction Parameters. <i>Applied Biochemistry and Biotechnology</i> , 2009, 153, 34-43.	1.4	7
336	Aqueous two-phase micellar systems in an oscillatory flow micro-reactor: study of perspectives and experimental performance. <i>Journal of Chemical Technology and Biotechnology</i> , 2011, 86, 1159-1165.	1.6	7
337	Characterization, physicochemical stability, and evaluation of <i>in vitro</i> digestibility of solid lipid microparticles produced with palm kernel oil and tristearin. <i>Food Science and Technology</i> , 2014, 34, 532-538.	0.8	7
338	Effect of moderate hydrostatic pressures on the enzymatic activity and bioactive composition of pineapple by-products. <i>Journal of Food Process Engineering</i> , 2022, 45, e13537.	1.5	7
339	Development of an Organic Culture Medium for Autotrophic Production of <i>Chlorella vulgaris</i> Biomass. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 2156.	1.3	7
340	Effects of the Reactive Moiety of Phenolipids on Their Antioxidant Efficiency in Model Emulsified Systems. <i>Foods</i> , 2021, 10, 1028.	1.9	7
341	A new technique for measuring kinetic and mass transfer parameters in flocs of <i>Saccharomyces cerevisiae</i> . <i>Biotechnology Letters</i> , 1997, 11, 113-116.	0.5	6
342	Physical and mass transfer properties of electrospun ϵ -polycaprolactone nanofiber membranes. <i>Process Biochemistry</i> , 2015, 50, 885-892.	1.8	6

#	ARTICLE	IF	CITATIONS
343	Customization of an optical probe device and validation of a signal processing procedure to study gas-liquid-solid flows. Application to a three-phase internal-loop gas-lift Bioreactor. <i>Chemical Engineering Science</i> , 2015, 138, 814-826.	1.9	6
344	Nanostructured biobased systems for nutrient and bioactive compounds delivery. , 2017, , 43-85.		6
345	Characterization of Particle Properties in Nanoemulsions. , 2018, , 519-546.		6
346	Use of Lignocellulosic Materials in Bio-based Packaging. <i>Springer Briefs in Molecular Science</i> , 2018, , 65-85.	0.1	6
347	Nanoparticles of lactoferrin for encapsulation of food ingredients. , 2019, , 147-168.		6
348	Multi-step thermally induced transitions of β -lactoglobulin - An in situ spectroscopy approach. <i>International Dairy Journal</i> , 2020, 100, 104562.	1.5	6
349	Xyloglucan and Concanavalin A based dressings in the topical treatment of mice wound healing process. <i>Carbohydrate Polymer Technologies and Applications</i> , 2021, 2, 100136.	1.6	6
350	Development of a novel user-friendly platform to couple light regime characterization with particle tracking - cells' light history determination during phototrophic cultivations. <i>Algal Research</i> , 2017, 24, 276-283.	2.4	5
351	Cyanobacterial toxins as a high value-added product. , 2017, , 401-428.		5
352	Lignocellulosic Materials: Sources and Processing Technologies. <i>Springer Briefs in Molecular Science</i> , 2018, , 13-33.	0.1	5
353	Ohmic heating as a new tool for protein scaffold engineering. <i>Materials Science and Engineering C</i> , 2021, 120, 111784.	3.8	5
354	Pineapple (<i>Ananas comosus</i> L.) By-Products Valorization: Novel Bio Ingredients for Functional Foods. <i>Molecules</i> , 2021, 26, 3216.	1.7	5
355	Self-Organizing Structures of Phosphatidylcholine in Nonaqueous Solvents: Tailoring Gel-like Systems. <i>Journal of Surfactants and Detergents</i> , 2020, 23, 725-735.	1.0	5
356	A new sampling device for measuring solids hold-up in a three-phase system. <i>Biotechnology Letters</i> , 1997, 11, 489-492.	0.5	4
357	Maintaining yeast viability in continuous primary beer fermentation. <i>Journal of the Institute of Brewing</i> , 2014, 120, 52-59.	0.8	4
358	New Insights on Bio-Based Micro- and Nanosystems in Food. , 2019, , 708-714.		4
359	Antimicrobial properties of chitosan and galactomannan composite coatings and physical properties of films made thereof. <i>Future Foods</i> , 2021, 3, 100028.	2.4	4
360	Unexpected Antioxidant Efficiency of Chlorogenic Acid Phenolipids in Fish Oil-in-Water Nanoemulsions: An Example of How Relatively Low Interfacial Concentrations Can Make Antioxidants to Be Inefficient. <i>Molecules</i> , 2022, 27, 861.	1.7	4

#	ARTICLE	IF	CITATIONS
361	Emerging challenges in assessing bio-based nanosystems™ behaviour under in vitro digestion focused on food applications – A critical view and future perspectives. Food Research International, 2022, 157, 111417.	2.9	4
362	CFD simulations of RTD of a strawberry pulp in a continuous ohmic heater. Computer Aided Chemical Engineering, 2004, , 163-168.	0.3	3
363	Fermentation pH in stirred tank and air-lift bioreactors affects phytase secretion by <i>Aspergillus japonicus</i> differently but not the particle size. Biocatalysis and Biotransformation, 2014, 32, 39-44.	1.1	3
364	Thoracic splenosis as a differential diagnosis of juxtapleural nodules. Respiratory Medicine Case Reports, 2014, 11, 1-3.	0.2	3
365	Nanostructures of whey proteins for encapsulation of food ingredients. , 2019, , 69-100.		3
366	Heat Treatment and Wounding as Abiotic Stresses to Enhance the Bioactive Composition of Pineapple By-Products. Applied Sciences (Switzerland), 2021, 11, 4313.	1.3	3
367	Future food proteins – Trends and perspectives. , 2022, , 267-285.		3
368	Modeling of the α -lactalbumin and β -lactoglobulin protein separation. Chemical Engineering Research and Design, 2011, 89, 156-163.	2.7	2
369	Ohmic heating for preservation, transformation, and extraction. , 2019, , 159-191.		2
370	Ohmic Heating – An Emergent Technology in Innovative Food Processing. , 2021, , 107-123.		2
371	Effects of Surfactant Volume Fraction on the Antioxidant Efficiency and on The Interfacial Concentrations of Octyl and Tetradecyl p-Coumarates in Corn Oil-in-Water Emulsions. Molecules, 2021, 26, 6058.	1.7	2
372	High gravity primary continuous beer fermentation using flocculent yeast biomass. Journal of the Institute of Brewing, 2014, 120, n/a-n/a.	0.8	1
373	ADVANCES IN PRESERVATION OF FRUITS AND VEGETABLES WITH BIOACTIVE COATINGS. Boletim Centro De Pesquisa De Processamento De Alimentos, 2016, 33, .	0.2	1
374	Processing, Production Methods and Characterization of Bio-Based Packaging Materials. Springer Briefs in Molecular Science, 2018, , 49-63.	0.1	1
375	Food Applications of Lignocellulosic-Based Packaging Materials. Springer Briefs in Molecular Science, 2018, , 87-94.	0.1	1
376	Conclusion and Future Trends. Springer Briefs in Molecular Science, 2018, , 95-97.	0.1	1
377	8. Shelf-life extension of cheese using edible packaging materials. Human Health Handbooks, 2013, , 123-136.	0.1	1
378	Olive Oil Phenolic Compounds as Antioxidants in Functional Foods: Description, Sources and Stability. , 2022, , 427-453.		1

#	ARTICLE	IF	CITATIONS
379	Control of Lipid Oxidation in Oil-in Water Emulsions: Effects of Antioxidant Partitioning and Surfactant Concentration. , 2022, , 201-216.		1
380	Margarine products quality monitoring using reflectance UV-VIS-SWNIR spectroscopy. Nature Precedings, 2008, , .	0.1	0
381	Improving alternate flow mixing by obstacles located along a micro-channel. , 2009, 2009, 7034-6.		0
382	Novel Technologies for Milk Processing. Contemporary Food Engineering, 2009, , 155-174.	0.2	0
383	Electrical Conductivity: Foods. , 2010, , 396-399.		0
384	Yeast metabolic state identification using micro-fiber optics spectroscopy. Proceedings of SPIE, 2011, , .	0.8	0
385	Carrier-free, continuous primary beer fermentation. Journal of the Institute of Brewing, 2014, 120, n/a-n/a.	0.8	0
386	Introduction to the Special Issue on COST Action FA1001. Food Engineering Reviews, 2015, 7, 383-383.	3.1	0
387	8th International symposium on delivery of functionality in complex food systems (DOF 2019). Food and Function, 2020, 11, 9316-9316.	2.1	0
388	Modelling diffusion-reaction phenomena in yeast flocs of. Bioprocess and Biosystems Engineering, 1998, 18, 335.	0.5	0