
Chien-Cheng Huang

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8902095/publications.pdf

Version: 2024-02-01



#	Article	IF	CITATIONS
1	Initiation of geriatric emergency department for fitting the gap of geriatric care in Taiwan. Journal of the Formosan Medical Association, 2022, , .	0.8	0
2	Short- and long-term recurrence of early-stage invasive ductal carcinoma in middle-aged and old women with different treatments. Scientific Reports, 2022, 12, 4422.	1.6	6
3	Associations between dietary patterns and stages of chronic kidney disease. BMC Nephrology, 2022, 23, 115.	0.8	3
4	Interdisciplinary collaboration and computer-assisted home healthcare referral in the emergency department: a retrospective cohort study. Aging Clinical and Experimental Research, 2022, 34, 1939-1946.	1.4	3
5	Validation of shock index for predicting mortality in older patients with dengue fever. Aging Clinical and Experimental Research, 2021, 33, 635-640.	1.4	2
6	Carbon monoxide-triggered health effects: the important role of the inflammasome and its possible crosstalk with autophagy and exosomes. Archives of Toxicology, 2021, 95, 1141-1159.	1.9	16
7	Increased Risk of Congestive Heart Failure Following Carbon Monoxide Poisoning. Circulation: Heart Failure, 2021, 14, e007267.	1.6	9
8	Predicting outcomes in older ED patients with influenza in real time using a big data-driven and machine learning approach to the hospital information system. BMC Geriatrics, 2021, 21, 280.	1.1	9
9	The Critical Factors Affecting the Deployment and Scaling of Healthcare AI: Viewpoint from an Experienced Medical Center. Healthcare (Switzerland), 2021, 9, 685.	1.0	6
10	Realâ€ŧime interactive artificial intelligence of things–based prediction for adverse outcomes in adult patients with pneumonia in the emergency department. Academic Emergency Medicine, 2021, 28, 1277-1285.	0.8	13
11	Chronic Pain Increases the Risk of Dementia: A Nationwide Population-Based Cohort Study. Pain Physician, 2021, 24, E849-E856.	0.3	0
12	Quick-SOFA scoreâ€~≥â€~2 predicts prolonged hospital stay in geriatric patients with influenza infection. American Journal of Emergency Medicine, 2020, 38, 780-784.	0.7	8
13	Comparison of the risk for dementia between physicians and the general population: a nationwide population-based cohort study. Aging Clinical and Experimental Research, 2020, 32, 1111-1119.	1.4	1
14	Effects of Hyperbaric Oxygen Therapy on Acute Myocardial Infarction Following Carbon Monoxide Poisoning. Cardiovascular Toxicology, 2020, 20, 291-300.	1.1	9
15	Autoimmune Connective Tissue Disease Following Carbon Monoxide Poisoning: A Nationwide Population-Based Cohort Study. Clinical Epidemiology, 2020, Volume 12, 1287-1298.	1.5	3
16	Clinical Frailty Scale in Predicting Postoperative Outcomes in Older Patients Undergoing Curative Surgery for Urologic Malignancies: A Prospective Observational Cohort Study. Urology, 2020, 144, 38-45.	0.5	5
17	Prevalence of Geriatric Syndromes and the Need for Hospice Care in Older Patients of the Emergency Department: A Study in an Asian Medical Center. Emergency Medicine International, 2020, 2020, 1-9.	0.3	11
18	Risk of Dementia in Diabetic Patients with Hyperglycemic Crisis: A Nationwide Taiwanese Population-Based Cohort Study. Neuroepidemiology, 2020, 54, 419-426.	1.1	3

CHIEN-CHENG HUANG

#	Article	IF	CITATIONS
19	Real-time AI prediction for major adverse cardiac events in emergency department patients with chest pain. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2020, 28, 93.	1.1	29
20	Impact of carbon monoxide poisoning on the risk of breast cancer. Scientific Reports, 2020, 10, 20450.	1.6	10
21	Chronic Pain Increases the Risk for Major Adverse Cardiac and Cerebrovascular Events: A Nationwide Population-Based Study in Asia. Pain Medicine, 2020, 21, 1985-1990.	0.9	9
22	Chronic pain and use of analgesics in the elderly: a nationwide population-based study. Archives of Medical Science, 2020, 16, 627-634.	0.4	9
23	Shock index predicted mortality in geriatric patients with influenza in the emergency department. American Journal of Emergency Medicine, 2019, 37, 391-394.	0.7	15
24	Risk of diabetes mellitus in physicians: a nationwide study in Taiwan. BMC Public Health, 2019, 19, 1047.	1.2	1
25	Impact of Computerâ€Based and Pharmacistâ€Assisted Medication Review Initiated in the Emergency Department. Journal of the American Geriatrics Society, 2019, 67, 2298-2304.	1.3	21
26	Comparison of Oncologic Outcomes in Laparoscopic versus Open Surgery for Non-Metastatic Colorectal Cancer: Personal Experience in a Single Institution. Journal of Clinical Medicine, 2019, 8, 875.	1.0	10
27	Comparison of Risk for End-Stage Renal Disease Between Physicians and the General Population: A Nationwide Population-Based Cohort Study. International Journal of Environmental Research and Public Health, 2019, 16, 2211.	1.2	2
28	Increased risk for hypothyroidism associated with carbon monoxide poisoning: a nationwide population-based cohort study. Scientific Reports, 2019, 9, 16512.	1.6	9
29	Long-term mortality in older adults with chronic pain: a nationwide population-based study in Taiwan. European Geriatric Medicine, 2019, 10, 777-784.	1.2	4
30	Risk for cervical herniated intervertebral disc in dentists: a nationwide population-based study. BMC Musculoskeletal Disorders, 2019, 20, 189.	0.8	10
31	Comparison of the risk of developing lumbar herniated intervertebral disc between dentists and other occupations: A nationwide populationâ€based study in Taiwan. Journal of Occupational Health, 2019, 61, 227-234.	1.0	5
32	The Relationship Between Occupational Exposure to Low-dose Ionizing Radiation and Changes in Thyroid Hormones in Hospital Workers. Epidemiology, 2019, 30, S32-S38.	1.2	6
33	Quick-SOFA score to predict mortality among geriatric patients with influenza in the emergency department. Medicine (United States), 2019, 98, e15966.	0.4	11
34	Exposure Duration and History of Hypertension Predicted Neurological Sequelae in Patients with Carbon Monoxide Poisoning. Epidemiology, 2019, 30, S76-S81.	1.2	10
35	Risk of Myocardial Infarction After Carbon Monoxide Poisoning: A Nationwide Population-Based Cohort Study. Cardiovascular Toxicology, 2019, 19, 147-155.	1.1	16
36	Physicians as well as nonphysician health care professionals in Taiwan have higher risk for lumbar herniated intervertebral disc than general population. Medicine (United States), 2018, 97, e9561.	0.4	11

CHIEN-CHENG HUANG

#	Article	IF	CITATIONS
37	Association of hyperglycemic crisis with an increased risk of end-stage renal disease: A nationwide population-based cohort study. Diabetes Research and Clinical Practice, 2018, 138, 106-112.	1.1	7
38	Emergency geriatric assessment: A novel comprehensive screen tool for geriatric patients in the emergency department. American Journal of Emergency Medicine, 2018, 36, 143-146.	0.7	15
39	Association between acute methanol poisoning and subsequent mortality: a nationwide study in Taiwan. BMC Public Health, 2018, 18, 985.	1.2	17
40	Impact of Hyperbaric Oxygen Therapy on Subsequent Neurological Sequelae Following Carbon Monoxide Poisoning. Journal of Clinical Medicine, 2018, 7, 349.	1.0	20
41	Long-term mortality of acetaminophen poisoning: a nationwide population-based cohort study with 10-year follow-up in Taiwan. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2018, 26, 5.	1.1	8
42	Nurses have a four-fold risk for overdose of sedatives, hypnotics, and antipsychotics than other healthcare providers in Taiwan. PLoS ONE, 2018, 13, e0202004.	1.1	5
43	Geriatric influenza death (GID) score: a new tool for predicting mortality in older people with influenza in the emergency department. Scientific Reports, 2018, 8, 9312.	1.6	19
44	Validation of Decision Groups in Patients with Dengue Fever: A Study during 2015 Outbreak in Taiwan. American Journal of Tropical Medicine and Hygiene, 2018, 99, 1294-1298.	0.6	3
45	Standing Posture at Work Does Not Increase the Risk of Varicose Veins among Health Care Providers in Taiwan. Medical Principles and Practice, 2017, 26, 266-272.	1.1	10
46	Hyperbaric Oxygen Therapy Is Associated With Lower Short- and Long-Term Mortality in Patients With Carbon Monoxide Poisoning. Chest, 2017, 152, 943-953.	0.4	71
47	Comparison of healthcare utilization and lifeâ€sustaining interventions between elderly patients with dementia and those with cancer near the end of life: A nationwide, populationâ€based study in Taiwan. Geriatrics and Gerontology International, 2017, 17, 2545-2551.	0.7	25
48	Dengue fever mortality score: A novel decision rule to predict death from dengue fever. Journal of Infection, 2017, 75, 532-540.	1.7	20
49	Predicting the mortality in geriatric patients with dengue fever. Medicine (United States), 2017, 96, e7878.	0.4	21
50	The Risk of Stroke in Physicians. Epidemiology, 2017, 28, S48-S53.	1.2	11
51	Increased risk for hypothyroidism after anticholinesterase pesticide poisoning: a nationwide population-based study. Endocrine, 2017, 57, 436-444.	1.1	13
52	Implementing a novel model for hospice and palliative care in the emergency department. Medicine (United States), 2017, 96, e6943.	0.4	26
53	Endotoxemia is associated with acute coronary syndrome in patients with end stage kidney disease. BMC Nephrology, 2017, 18, 235.	0.8	4
54	Posttraumatic Psychiatric Disorders and Resilience in Healthcare Providers following a Disastrous Earthquake: An Interventional Study in Taiwan. BioMed Research International, 2017, 2017, 1-7.	0.9	16

CHIEN-CHENG HUANG

#	Article	IF	CITATIONS
55	Septic arthritis significantly increased the long-term mortality in geriatric patients. BMC Geriatrics, 2017, 17, 178.	1.1	13
56	Demographic and clinical characteristics of carbon monoxide poisoning: nationwide data between 1999 and 2012 in Taiwan. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2017, 25, 70.	1.1	17
57	Increased risk for diabetes mellitus in patients with carbon monoxide poisoning. Oncotarget, 2017, 8, 63680-63690.	0.8	13
58	Elderly and Nonelderly Use of a Dedicated Ambulance Corps' Emergency Medical Services in Taiwan. BioMed Research International, 2016, 2016, 1-7.	0.9	12
59	Urolithiasis risk: a comparison between healthcare providers and the general population. BMC Health Services Research, 2016, 16, 273.	0.9	13
60	Higher risk for cervical herniated intervertebral disc in physicians. Medicine (United States), 2016, 95, e5055.	0.4	12
61	Chronic osteomyelitis increases long-term mortality risk in the elderly: a nationwide population-based cohort study. BMC Geriatrics, 2016, 16, 72.	1.1	33
62	Subsequent mortality after hyperglycemic crisis episode in the non-elderly: a national population-based cohort study. Endocrine, 2016, 51, 72-82.	1.1	28
63	Hemodialysis with end-stage renal disease did not raise the risk of intracranial hemorrhage after a head injury. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2015, 23, 82.	1.1	2
64	Higher migraine risk in healthcare professionals than in general population: a nationwide population-based cohort study in Taiwan. Journal of Headache and Pain, 2015, 16, 102.	2.5	37
65	The impact of rotating night shifts on the breast milk collection volume among employed breastfeeding mothers. Journal of Occupational Health, 2015, 57, 81-86.	1.0	5
66	Peptic Ulcer Disease in Healthcare Workers: A Nationwide Population-Based Cohort Study. PLoS ONE, 2015, 10, e0135456.	1.1	20
67	Lower Urinary Tract Symptoms Are Associated with Increased Risk of Dementia among the Elderly: A Nationwide Study. BioMed Research International, 2015, 2015, 1-7.	0.9	25
68	Acute Myocardial Infarction: A Comparison of the Risk between Physicians and the General Population. BioMed Research International, 2015, 2015, 1-6.	0.9	17
69	Acute Anticholinesterase Pesticide Poisoning Caused a Long-Term Mortality Increase. Medicine (United) Tj ETQq1	1,0,7843 0.4	14 ₅ gBT /Ov
70	Cancer Incidence in Physicians. Medicine (United States), 2015, 94, e2079.	0.4	23
71	Long-term Mortality Risk After Hyperglycemic Crisis Episodes in Geriatric Patients With Diabetes: A National Population-Based Cohort Study. Diabetes Care, 2015, 38, 746-751.	4.3	36
72	Hypotension, bedridden, leukocytosis, thrombocytopenia and elevated serum creatinine predict mortality in geriatric patients with fever. Geriatrics and Gerontology International, 2015, 15, 834-839.	0.7	15

#	Article	IF	CITATIONS
73	Lack of Pupil Reflex and Loss of Consciousness Predict 30-Day Neurological Sequelae in Patients with Carbon Monoxide Poisoning. PLoS ONE, 2015, 10, e0119126.	1.1	22
74	Acute Myocardial Infarction Risk in Patients with Coronary Artery Disease Doubled after Upper Gastrointestinal Tract Bleeding: A Nationwide Nested Case-Control Study. PLoS ONE, 2015, 10, e0142000.	1.1	11
75	N-Acetylcysteine Attenuates Hexavalent Chromium-Induced Hypersensitivity through Inhibition of Cell Death, ROS-Related Signaling and Cytokine Expression. PLoS ONE, 2014, 9, e108317.	1.1	37
76	Geriatric Fever Score: A New Decision Rule for Geriatric Care. PLoS ONE, 2014, 9, e110927.	1.1	18
77	A Positive Babinski Reflex Predicts Delayed Neuropsychiatric Sequelae in Chinese Patients with Carbon Monoxide Poisoning. BioMed Research International, 2014, 2014, 1-5.	0.9	14
78	ACLS training: comparison of physicians and nurses with teamwork-based high-fidelity simulation. American Journal of Emergency Medicine, 2014, 32, 1132-1134.	0.7	1
79	Clinical characteristics of hyperglycemic crises in patients without a history of diabetes. Journal of Diabetes Investigation, 2014, 5, 657-662.	1.1	13
80	Long-Term Prognosis of Patients with Carbon Monoxide Poisoning: A Nationwide Cohort Study. PLoS ONE, 2014, 9, e105503.	1.1	39
81	Cancer history, bandemia, and serum creatinine are independent mortality predictors in patients with infection-precipitated hyperglycemic crises. BMC Endocrine Disorders, 2013, 13, 23.	0.9	11
82	Predicting the hyperglycemic crisis death (PHD) score: a new decision rule for emergency and critical care. American Journal of Emergency Medicine, 2013, 31, 830-834.	0.7	30
83	Infection, Absent Tachycardia, Cancer History, and Severe Coma Are Independent Mortality Predictors in Geriatric Patients With Hyperglycemic Crises. Diabetes Care, 2013, 36, e151-e152.	4.3	11
84	The 12-lead electrocardiogram in patients with subarachnoid hemorrhage: early risk prognostication. American Journal of Emergency Medicine, 2012, 30, 732-736.	0.7	24
85	Emergency Femoral Hemodialysis Catheter Placement Complicated by Prevesical Hematoma. Journal of Emergency Medicine, 2010, 39, 583-585.	0.3	3
86	Clinical characteristics of renal infarction in an Asian population. Annals of the Academy of Medicine, Singapore, 2008, 37, 416-20.	0.2	12
87	ED presentations of acute renal infarction. American Journal of Emergency Medicine, 2007, 25, 164-169.	0.7	104
88	Idiopathic testicular infarction initially masquerading as urolithiasis and epididymitis. American Journal of Emergency Medicine, 2007, 25, 736.e1-736.e2.	0.7	2
89	Renal infarction without hematuria: Two case reports. Journal of Emergency Medicine, 2006, 30, 57-61.	0.3	18