

Laurent Dubuquoy

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8902695/laurent-dubuquoy-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

83
papers

5,148
citations

34
h-index

71
g-index

118
ext. papers

5,863
ext. citations

7.4
avg, IF

4.81
L-index

#	Paper	IF	Citations
83	Oral exposure to polyethylene microplastics alters gut morphology, immune response, and microbiota composition in mice.. <i>Environmental Research</i> , 2022 , 113230	7.9	1
82	The PPAR β -dependent effect of flavonoid luteolin against damage induced by the chemotherapeutic irinotecan in human intestinal cells. <i>Chemico-Biological Interactions</i> , 2021 , 351, 109712	5	3
81	Integrated Multiomics Reveals Glucose Use Reprogramming and Identifies a Novel Hexokinase in Alcoholic Hepatitis. <i>Gastroenterology</i> , 2021 , 160, 1725-1740.e2	13.3	5
80	The Impact of Modern Chemotherapy and Chemotherapy-Associated Liver Injuries (CALI) on Liver Function: Value of 99mTc-Labelled-Mebrofenin SPECT-Hepatobiliary Scintigraphy. <i>Annals of Surgical Oncology</i> , 2021 , 28, 1959-1969	3.1	4
79	Loss of hepatocyte identity following aberrant YAP activation: A key mechanism in alcoholic hepatitis. <i>Journal of Hepatology</i> , 2021 , 75, 912-923	13.4	10
78	Luteolin prevents irinotecan-induced intestinal mucositis in mice through antioxidant and anti-inflammatory properties. <i>British Journal of Pharmacology</i> , 2020 , 177, 2393-2408	8.6	38
77	IL-33/ST2 pathway regulates neutrophil migration and predicts outcome in patients with severe alcoholic hepatitis. <i>Journal of Hepatology</i> , 2020 , 72, 1052-1061	13.4	17
76	A Novel Mouse Model of Acute-on-Chronic Cholestatic Alcoholic Liver Disease: A Systems Biology Comparison With Human Alcoholic Hepatitis. <i>Alcoholism: Clinical and Experimental Research</i> , 2020 , 44, 87-101	3.7	1
75	Severe SARS-CoV-2 patients develop a higher specific T-cell response. <i>Clinical and Translational Immunology</i> , 2020 , 9, e1217	6.8	14
74	Nucleotide-binding oligomerization domain 1 (NOD1) modulates liver ischemia reperfusion through the expression adhesion molecules. <i>Journal of Hepatology</i> , 2019 , 70, 1159-1169	13.4	13
73	Contribution of the Gut Microbiota in P28GST-Mediated Anti-Inflammatory Effects: Experimental and Clinical Insights. <i>Cells</i> , 2019 , 8,	7.9	6
72	Defective HNF4 α -dependent gene expression as a driver of hepatocellular failure in alcoholic hepatitis. <i>Nature Communications</i> , 2019 , 10, 3126	17.4	46
71	Ductular Reaction Cells Display an Inflammatory Profile and Recruit Neutrophils in Alcoholic Hepatitis. <i>Hepatology</i> , 2019 , 69, 2180-2195	11.2	25
70	β -Hydroxybutyrate protects from alcohol-induced liver injury via a Hcar2-cAMP dependent pathway. <i>Journal of Hepatology</i> , 2018 , 69, 687-696	13.4	25
69	Cross regulation between mTOR signaling and O-GlcNAcylation. <i>Journal of Bioenergetics and Biomembranes</i> , 2018 , 50, 213-222	3.7	23
68	High carriage of adherent invasive in wildlife and healthy individuals. <i>Gut Pathogens</i> , 2018 , 10, 23	5.4	7
67	Cholesterol-enriched membrane microdomains are needed for insulin signaling and proliferation in hepatic cells. <i>American Journal of Physiology - Renal Physiology</i> , 2018 , 315, G80-G94	5.1	13

66	Neoboutonia melleri var velutina Prain: in vitro and in vivo hepatoprotective effects of the aqueous stem bark extract on acute hepatitis models. <i>BMC Complementary and Alternative Medicine</i> , 2018 , 18, 24	4.7	1
65	One- or Two-Step Synthesis of C-8 and N-9 Substituted Purines. <i>Journal of Organic Chemistry</i> , 2018 , 83, 422-430	4.2	5
64	Enteric Delivery of Regenerating Family Member 3 alpha Alters the Intestinal Microbiota and Controls Inflammation in Mice With Colitis. <i>Gastroenterology</i> , 2018 , 154, 1009-1023.e14	13.3	60
63	Treatment with P28GST, a schistosome-derived enzyme, after acute colitis induction in mice: Decrease of intestinal inflammation associated with a down regulation of Th1/Th17 responses. <i>PLoS ONE</i> , 2018 , 13, e0209681	3.7	8
62	Chronic bowel inflammation and inflammatory joint disease: Pathophysiology. <i>Joint Bone Spine</i> , 2017 , 84, 417-420	2.9	11
61	Role of TLR1, TLR2 and TLR6 in the modulation of intestinal inflammation and elimination. <i>Gut Pathogens</i> , 2017 , 9, 9	5.4	24
60	Peroxisome proliferator-activated receptor gamma (PPAR γ) regulates lactase expression and activity in the gut. <i>EMBO Molecular Medicine</i> , 2017 , 9, 1471-1481	12	15
59	Periodontal manifestations of inflammatory bowel disease: emerging epidemiologic and biologic evidence. <i>Journal of Periodontal Research</i> , 2017 , 52, 313-324	4.3	18
58	The Expression of the Short Isoform of Thymic Stromal Lymphopoietin in the Colon Is Regulated by the Nuclear Receptor Peroxisome Proliferator Activated Receptor-Gamma and Is Impaired during Ulcerative Colitis. <i>Frontiers in Immunology</i> , 2017 , 8, 1052	8.4	8
57	Role of mannose-binding lectin in intestinal homeostasis and fungal elimination. <i>Mucosal Immunology</i> , 2016 , 9, 767-76	9.2	37
56	The schistosome glutathione S-transferase P28GST, a unique helminth protein, prevents intestinal inflammation in experimental colitis through a Th2-type response with mucosal eosinophils. <i>Mucosal Immunology</i> , 2016 , 9, 322-35	9.2	31
55	Short fungal fractions of β 1,3 glucans affect platelet activation. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2016 , 311, H725-34	5.2	10
54	Inflammation chronique de l'intestin et rhumatismes inflammatoires : physiopathologie. <i>Revue Du Rhumatisme Monographies</i> , 2016 , 83, 197-202	0	
53	Lymphoid Aggregates Remodel Lymphatic Collecting Vessels that Serve Mesenteric Lymph Nodes in Crohn Disease. <i>American Journal of Pathology</i> , 2016 , 186, 3066-3073	5.8	55
52	Polymorphisms in the Mannose-Binding Lectin Gene are Associated with Defective Mannose-Binding Lectin Functional Activity in Crohn's Disease Patients. <i>Scientific Reports</i> , 2016 , 6, 29636	4.9	8
51	Novel PPAR γ Modulator GED-0507-34 Levo Ameliorates Inflammation-driven Intestinal Fibrosis. <i>Inflammatory Bowel Diseases</i> , 2016 , 22, 279-92	4.5	51
50	Controlled delivery of a new broad spectrum antibacterial agent against colitis: In vitro and in vivo performance. <i>European Journal of Pharmaceutics and Biopharmaceutics</i> , 2015 , 96, 152-61	5.7	10
49	Intestinal steroidogenesis controls PPAR γ expression in the colon and is impaired during ulcerative colitis. <i>Gut</i> , 2015 , 64, 901-10	19.2	31

48	Progenitor cell expansion and impaired hepatocyte regeneration in explanted livers from alcoholic hepatitis. <i>Gut</i> , 2015 , 64, 1949-60	19.2	99
47	In vivo efficacy of microbiota-sensitive coatings for colon targeting: a promising tool for IBD therapy. <i>Journal of Controlled Release</i> , 2015 , 197, 121-30	11.7	31
46	Delivery of a mucin domain enriched in cysteine residues strengthens the intestinal mucous barrier. <i>Scientific Reports</i> , 2015 , 5, 9577	4.9	32
45	Escherichia coli LF82 differentially regulates ROS production and mucin expression in intestinal epithelial T84 cells: implication of NOX1. <i>Inflammatory Bowel Diseases</i> , 2015 , 21, 1018-26	4.5	13
44	Intestinal steroidogenesis. <i>Steroids</i> , 2015 , 103, 64-71	2.8	22
43	Glugacon-like peptide-2: broad receptor expression, limited therapeutic effect on intestinal inflammation and novel role in liver regeneration. <i>American Journal of Physiology - Renal Physiology</i> , 2014 , 307, G274-85	5.1	45
42	Peroxisome proliferator-activated receptor gamma in the colon: inflammation and innate antimicrobial immunity. <i>Journal of Clinical Gastroenterology</i> , 2014 , 48 Suppl 1, S23-7	3	17
41	ASMase is required for chronic alcohol induced hepatic endoplasmic reticulum stress and mitochondrial cholesterol loading. <i>Journal of Hepatology</i> , 2013 , 59, 805-13	13.4	72
40	The 5-aminosalicylic acid antineoplastic effect in the intestine is mediated by PPAR α . <i>Carcinogenesis</i> , 2013 , 34, 2580-6	4.6	24
39	Functional polymorphisms in the regulatory regions of the VNN1 gene are associated with susceptibility to inflammatory bowel diseases. <i>Inflammatory Bowel Diseases</i> , 2013 , 19, 2315-25	4.5	27
38	In vivo imaging reveals selective PPAR activity in the skin of peroxisome proliferator-activated receptor responsive element-luciferase reporter mice. <i>Experimental Dermatology</i> , 2013 , 22, 137-40	4	8
37	Decreased lymphatic vessel density is associated with postoperative endoscopic recurrence in Crohn's disease. <i>Inflammatory Bowel Diseases</i> , 2013 , 19, 2084-90	4.5	38
36	Colonic inflammation in mice is improved by cigarette smoke through iNKT cells recruitment. <i>PLoS ONE</i> , 2013 , 8, e62208	3.7	24
35	PPAR-gamma in ulcerative colitis: a novel target for intervention. <i>Current Drug Targets</i> , 2013 , 14, 1501-73		43
34	Visceral fat and gut inflammation. <i>Nutrition</i> , 2012 , 28, 113-7	4.8	55
33	Variants of NOD1 and NOD2 genes display opposite associations with familial risk of Crohn's disease and anti-saccharomyces cerevisiae antibody levels. <i>Inflammatory Bowel Diseases</i> , 2012 , 18, 430-8	4.5	18
32	Murine model of dextran sulfate sodium-induced colitis reveals Candida glabrata virulence and contribution of β mannosyltransferases. <i>Journal of Biological Chemistry</i> , 2012 , 287, 11313-24	5.4	31
31	Mesenteric fat as a source of C reactive protein and as a target for bacterial translocation in Crohn's disease. <i>Gut</i> , 2012 , 61, 78-85	19.2	171

30	Modulation of intestinal inflammation by yeasts and cell wall extracts: strain dependence and unexpected anti-inflammatory role of glucan fractions. <i>PLoS ONE</i> , 2012 , 7, e40648	3.7	68
29	Increased lymphatic vessel density and lymphangiogenesis in inflammatory bowel disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2011 , 34, 533-43	6.1	72
28	274 <i>Sacharomyces Cerevisiae</i> Cncm I-3856 Decreases Intestinal Pain Through PPAR Alpha Activation in the Gut. <i>Gastroenterology</i> , 2010 , 138, S-51	13.3	3
27	Neutrophil migration during liver injury is under nucleotide-binding oligomerization domain 1 control. <i>Gastroenterology</i> , 2010 , 138, 1546-56, 1556.e1-5	13.3	30
26	Obesity, visceral fat and Crohn's disease. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2010 , 13, 574-80	3.8	63
25	Peroxisome proliferator-activated receptors in HBV-related infection. <i>PPAR Research</i> , 2009 , 2009, 1451243	4.3	10
24	Peroxisome proliferator-activated receptors in HCV-related infection. <i>PPAR Research</i> , 2009 , 2009, 3572043	4.3	13
23	PPARgamma agonists as a new class of effective treatment for ulcerative colitis. <i>Inflammatory Bowel Diseases</i> , 2009 , 15, 959-60	4.5	6
22	NOD2: a potential target for regulating liver injury. <i>Laboratory Investigation</i> , 2008 , 88, 318-27	5.9	38
21	Resistin-like molecule beta regulates intestinal mucous secretion and curtails TNBS-induced colitis in mice. <i>Inflammatory Bowel Diseases</i> , 2008 , 14, 931-41	4.5	67
20	Lactobacillus acidophilus modulates intestinal pain and induces opioid and cannabinoid receptors. <i>Nature Medicine</i> , 2007 , 13, 35-7	50.5	612
19	LRH-1-mediated glucocorticoid synthesis in enterocytes protects against inflammatory bowel disease. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 13098-103	11.5	111
18	PPARgamma as a new therapeutic target in inflammatory bowel diseases. <i>Gut</i> , 2006 , 55, 1341-9	19.2	295
17	The nuclear receptor LRH-1 critically regulates extra-adrenal glucocorticoid synthesis in the intestine. <i>Journal of Experimental Medicine</i> , 2006 , 203, 2057-62	16.6	92
16	Implication of TNF-related apoptosis-inducing ligand in inflammatory intestinal epithelial lesions. <i>Gastroenterology</i> , 2006 , 130, 1962-74	13.3	96
15	No evidence for an involvement of the p38 and JNK mitogen-activated protein in inflammatory bowel diseases. <i>Digestive Diseases and Sciences</i> , 2006 , 51, 1443-53	4	26
14	Impaired expression of the peroxisome proliferator-activated receptor alpha during hepatitis C virus infection. <i>Gastroenterology</i> , 2005 , 128, 334-42	13.3	169
13	Scaffold attachment factor B1 directly interacts with nuclear receptors in living cells and represses transcriptional activity. <i>Journal of Molecular Endocrinology</i> , 2005 , 35, 503-17	4.5	39

12	Intestinal antiinflammatory effect of 5-aminosalicylic acid is dependent on peroxisome proliferator-activated receptor-gamma. <i>Journal of Experimental Medicine</i> , 2005 , 201, 1205-15	16.6	361
11	Liver receptor homolog 1 contributes to intestinal tumor formation through effects on cell cycle and inflammation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 2058-62	11.5	116
10	Yersinia pseudotuberculosis anti-inflammatory components reduce trinitrobenzene sulfonic acid-induced colitis in the mouse. <i>Infection and Immunity</i> , 2004 , 72, 2438-41	3.7	9
9	Impaired expression of peroxisome proliferator-activated receptor gamma in ulcerative colitis. <i>Gastroenterology</i> , 2003 , 124, 1265-76	13.3	329
8	Anti-inflammatory properties of the mu opioid receptor support its use in the treatment of colon inflammation. <i>Journal of Clinical Investigation</i> , 2003 , 111, 1329-38	15.9	65
7	Anti-inflammatory properties of the delta opioid receptor support its use in the treatment of colon inflammation. <i>Journal of Clinical Investigation</i> , 2003 , 111, 1329-1338	15.9	127
6	Overexpression of leptin mRNA in mesenteric adipose tissue in inflammatory bowel diseases. <i>Gastroenterologie Clinique Et Biologique</i> , 2003 , 27, 987-91		98
5	Thérapeutique nutritionnelle des maladies inflammatoires chroniques de l'intestin. <i>Nutrition Clinique Et Metabolisme</i> , 2002 , 16, 202-205	0.8	0
4	Role of peroxisome proliferator-activated receptor gamma and retinoid X receptor heterodimer in hepatogastroenterological diseases. <i>Lancet, The</i> , 2002 , 360, 1410-8	40	162
3	Attenuation of colon inflammation through activators of the retinoid X receptor (RXR)/peroxisome proliferator-activated receptor gamma (PPARgamma) heterodimer. A basis for new therapeutic strategies. <i>Journal of Experimental Medicine</i> , 2001 , 193, 827-38	16.6	371
2	A unique PPARgamma ligand with potent insulin-sensitizing yet weak adipogenic activity. <i>Molecular Cell</i> , 2001 , 8, 737-47	17.6	264
1	Overexpression of leptin mRNA in the mesenteric adipose tissue of inflammatory bowel disease (IBD). <i>Gastroenterology</i> , 2000 , 118, A340-A341	13.3	8