Edzard Schwedhelm

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/8903194/edzard-schwedhelm-publications-by-year.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

104 papers 2,976 citations

30 h-index

52 g-index

108 ext. papers

3,571 ext. citations

5.8 avg, IF

4.91 L-index

#	Paper	IF	Citations
104	Effect of intraoperative personalized goal-directed hemodynamic management on acute myocardial injury in high-risk patients having major abdominal surgery: a post-hoc secondary analysis of a randomized clinical trial <i>Journal of Clinical Monitoring and Computing</i> , 2022 , 1	2	
103	Sphingosine-1-phosphate and vascular disease in the general population <i>Atherosclerosis</i> , 2022 , 350, 73-81	3.1	
102	A Thromboxane A Receptor-Driven COX-2-Dependent Feedback Loop That Affects Endothelial Homeostasis and Angiogenesis <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2022 , ATVBAHA1213	P /3 80	2
101	Thromboxane A receptor activation via G-RhoA/C-ROCK-LIMK2-dependent signal transduction inhibits angiogenic sprouting of human endothelial cells <i>Biochemical Pharmacology</i> , 2022 , 115069	6	О
100	Arginine metabolism and nitric oxide turnover in the ZSF1 animal model for heart failure with preserved ejection fraction. <i>Scientific Reports</i> , 2021 , 11, 20684	4.9	1
99	Dynamics of Vascular Protective and Immune Supportive Sphingosine-1-Phosphate During Cardiac Surgery. <i>Frontiers in Immunology</i> , 2021 , 12, 761475	8.4	0
98	L-homoarginine is associated with decreased cardiovascular- and all-cause mortality. <i>European Journal of Clinical Investigation</i> , 2021 , 51, e13472	4.6	3
97	Central systolic blood pressure relates inversely to nitric oxide synthesis in young black adults: the African-PREDICT study. <i>Journal of Human Hypertension</i> , 2021 , 35, 985-993	2.6	3
96	Association of lipid levels with motor and cognitive function and decline in advanced Parkinson's disease in the Mark-PD study. <i>Parkinsonism and Related Disorders</i> , 2021 , 85, 5-10	3.6	5
95	Reference ranges for sphingosine-1-phosphate in neonates. <i>Journal of Perinatal Medicine</i> , 2021 , 49, 932	- 2 . 3 5	
94	Sphingosine-1-Phosphate, Motor Severity, and Progression in Parkinson's Disease (MARK-PD). <i>Movement Disorders</i> , 2021 , 36, 2178-2182	7	3
93	Elevated serum SDMA and ADMA at hospital admission predict in-hospital mortality of COVID-19 patients. <i>Scientific Reports</i> , 2021 , 11, 9895	4.9	6
92	Increased Sphingosine-1-Phosphate Serum Concentrations in Subjects with Periodontitis: A Matter of Inflammation. <i>Journal of Inflammation Research</i> , 2021 , 14, 2883-2896	4.8	1
91	Blood pressure and nitric oxide synthesis capacity in physically active and inactive groups: the SABPA study. <i>Journal of Human Hypertension</i> , 2021 , 35, 325-333	2.6	О
90	Sphingosine-1-Phosphate Attenuates Lipopolysaccharide-Induced Pericyte Loss via Activation of Rho-A and MRTF-A. <i>Thrombosis and Haemostasis</i> , 2021 , 121, 341-350	7	3
89	Intrathecal and systemic alterations of L-arginine metabolism in patients after intracerebral hemorrhage. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2021 , 41, 1964-1977	7.3	3
88	Association of proton pump inhibitor use with endothelial function and metabolites of the nitric oxide pathway: A cross-sectional study. <i>Pharmacotherapy</i> , 2021 , 41, 198-204	5.8	4

(2020-2021)

87	Trimethyllysine, vascular risk factors and outcome in acute ischemic stroke (MARK-STROKE). <i>Amino Acids</i> , 2021 , 53, 555-561	3.5	3
86	Arginine:Glycine Amidinotransferase Is Essential for Creatine Supply in Mice During Chronic Hypoxia. <i>Frontiers in Physiology</i> , 2021 , 12, 703069	4.6	O
85	Serum Sphingosine-1-Phosphate Levels Are Associated With Severity and Outcome in Patients With Cerebral Ischemia. <i>Stroke</i> , 2021 , 52, 3901-3907	6.7	О
84	Serum neurofilament is associated with motor function, cognitive decline and subclinical cardiac damage in advanced Parkinson's disease (MARK-PD). <i>Parkinsonism and Related Disorders</i> , 2021 , 90, 44-4.	8 ^{3.6}	3
83	Associations of circulating dimethylarginines with the metabolic syndrome in the Framingham Offspring study. <i>PLoS ONE</i> , 2021 , 16, e0254577	3.7	1
82	Reply to: "Parkin Deficiency Appears Not to Be Associated with Cardiac Damage in Parkinson's Disease". <i>Movement Disorders</i> , 2021 , 36, 273-274	7	1
81	Reply to: "N-Terminal Pro-B-Type Natriuretic Peptide Levels in Parkinson's Disease". <i>Movement Disorders</i> , 2020 , 35, 1888	7	
80	Subclinical Cardiac Microdamage, Motor Severity, and Cognition in Parkinson's Disease. <i>Movement Disorders</i> , 2020 , 35, 1863-1868	7	12
79	Homoarginine- and Creatine-Dependent Gene Regulation in Murine Brains with l-Arginine:Glycine Amidinotransferase Deficiency. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	2
78	Arginine Derivatives in Cerebrovascular Diseases: Mechanisms and Clinical Implications. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	13
77	Asymmetric dimethylarginine and L-homoarginine prospectively relate to carotid wall thickness in a South African cohort. <i>Amino Acids</i> , 2020 , 52, 965-973	3.5	3
76	Determinants of Serum- and Plasma Sphingosine-1-Phosphate Concentrations in a Healthy Study Group. <i>TH Open</i> , 2020 , 4, e12-e19	2.7	9
75	Muscle phenotype of AGAT- and GAMT-deficient mice after simvastatin exposure. <i>Amino Acids</i> , 2020 , 52, 73-85	3.5	7
74	Personalised haemodynamic management targeting baseline cardiac index in high-risk patients undergoing major abdominal surgery: a randomised single-centre clinical trial. <i>British Journal of Anaesthesia</i> , 2020 , 125, 122-132	5.4	9
73	Association of Lower Plasma Homoarginine Concentrations with Greater Risk of All-Cause Mortality in the Community: The Framingham Offspring Study. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	3
72	Circulating Metabolites Differentiate Acute Ischemic Stroke from Stroke Mimics. <i>Annals of Neurology</i> , 2020 , 88, 736-746	9.4	10
71	Creatine, guanidinoacetate and homoarginine in statin-induced myopathy. Amino Acids, 2020, 52, 1067-	1969	0
70	Low homoarginine/SDMA ratio is associated with poor short- and long-term outcome after stroke in two prospective studies. <i>Neurological Sciences</i> , 2020 , 41, 149-153	3.5	1

69	Asymmetric Dimethylarginine at Sea Level Is a Predictive Marker of Hypoxic Pulmonary Arterial Hypertension at High Altitude. <i>Frontiers in Physiology</i> , 2019 , 10, 651	4.6	14
68	Evidence by GC-MS that lysine is an arginase-catalyzed metabolite of homoarginine in vitro and in vivo in humans. <i>Analytical Biochemistry</i> , 2019 , 577, 59-66	3.1	8
67	Loss of sphingosine 1-phosphate (S1P) in septic shock is predominantly caused by decreased levels of high-density lipoproteins (HDL). <i>Journal of Intensive Care</i> , 2019 , 7, 23	7	22
66	Effect of ranolazine on plasma arginine derivatives and urinary isoprostane 8-iso-PGF in patients with myocardial infarction in the randomized RIMINI-Trial. <i>Scientific Reports</i> , 2019 , 9, 5708	4.9	1
65	Association of Asymmetric Dimethylarginine and Diastolic Dysfunction in Patients with Hypertrophic Cardiomyopathy. <i>Biomolecules</i> , 2019 , 9,	5.9	2
64	Analyses of sphingosine-1-phosphate in the context of transfusion: how much is in stored blood products and in patient blood?. <i>Transfusion</i> , 2019 , 59, 3071-3076	2.9	4
63	Myeloid-Derived Suppressor Cells Mediate Immunosuppression After Cardiopulmonary Bypass. Critical Care Medicine, 2019 , 47, e700-e709	1.4	7
62	Guanidino compound ratios are associated with stroke etiology, internal carotid artery stenosis and CHADS-VASc score in three cross-sectional studies. <i>Journal of the Neurological Sciences</i> , 2019 , 397, 156-	161	8
61	Cognitive performance of 20 healthy humans supplemented with L-homoarginine for 4 weeks. Journal of Clinical Neuroscience, 2018 , 50, 237-241	2.2	8
60	Targeting sphingosine-1-phosphate lyase as an anabolic therapy for bone loss. <i>Nature Medicine</i> , 2018 , 24, 667-678	50.5	62
59	Relationship between exercise intervention and NO pathway in patients with heart failure with preserved ejection fraction. <i>Biomarkers</i> , 2018 , 23, 540-550	2.6	6
58	Asymmetric and Symmetric Dimethylarginines are Markers of Delayed Cerebral Ischemia and Neurological Outcome in Patients with Subarachnoid Hemorrhage. <i>Neurocritical Care</i> , 2018 , 29, 84-93	3.3	14
57	Oxidative stress in drug-nalle first episode patients with schizophrenia and major depression: effects of disease acuity and potential confounders. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2018 , 268, 129-143	5.1	32
56	Low-Circulating Homoarginine is Associated with Dilatation and Decreased Function of the Left Ventricle in the General Population. <i>Biomolecules</i> , 2018 , 8,	5.9	5
55	Symmetrical (SDMA) and asymmetrical dimethylarginine (ADMA) in sepsis: high plasma levels as combined risk markers for sepsis survival. <i>Critical Care</i> , 2018 , 22, 216	10.8	16
54	Cross-Sectional Associations between Homoarginine, Intermediate Phenotypes, and Atrial Fibrillation in the Community-The Gutenberg Health Study. <i>Biomolecules</i> , 2018 , 8,	5.9	3
53	Reference intervals for serum sphingosine-1-phosphate in the population-based Study of Health in Pomerania. <i>Clinica Chimica Acta</i> , 2017 , 468, 25-31	6.2	17
52	Dietary Supplementation with Homoarginine Preserves Cardiac Function in a Murine Model of Post-Myocardial Infarction Heart Failure. <i>Circulation</i> , 2017 , 135, 400-402	16.7	30

(2016-2017)

A Label-Free Continuous Fluorescence-Based Assay for Monitoring Ornithine Decarboxylase Activity with a Synthetic Putrescine Receptor. <i>SLAS Discovery</i> , 2017 , 22, 906-914	3.4	18
Data on subgroup specific baseline characteristics and serum sphingosine-1-phosphate concentrations in the Study of Health in Pomerania. <i>Data in Brief</i> , 2017 , 12, 46-50	1.2	7
Symmetric dimethylarginine, high-density lipoproteins and cardiovascular disease. <i>European Heart Journal</i> , 2017 , 38, 1597-1607	9.5	45
Markers of nitric oxide are associated with sepsis severity: an observational study. <i>Critical Care</i> , 2017 , 21, 189	10.8	35
Cardiomyocyte dimethylarginine dimethylaminohydrolase-1 (DDAH1) plays an important role in attenuating ventricular hypertrophy and dysfunction. <i>Basic Research in Cardiology</i> , 2017 , 112, 55	11.8	21
Plasma Nitrate and Incidence of Cardiovascular Disease and All-Cause Mortality in the Community: The Framingham Offspring Study. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	19
Prasugrel as opposed to clopidogrel improves endothelial nitric oxide bioavailability and reduces platelet-leukocyte interaction in patients with unstable angina pectoris: A randomized controlled trial. <i>International Journal of Cardiology</i> , 2017 , 248, 7-13	3.2	15
Human leucocyte antigen (HLA-DR) gene expression is reduced in sepsis and correlates with impaired TNFIresponse: A diagnostic tool for immunosuppression?. <i>PLoS ONE</i> , 2017 , 12, e0182427	3.7	58
ADMA, subclinical changes and atrial fibrillation in the general population. <i>International Journal of Cardiology</i> , 2016 , 203, 640-6	3.2	14
Oral supplementation with L-homoarginine in young volunteers. <i>British Journal of Clinical Pharmacology</i> , 2016 , 82, 1477-1485	3.8	32
Nitric oxide synthesis capacity, ambulatory blood pressure and end organ damage in a black and white population: the SABPA study. <i>Amino Acids</i> , 2016 , 48, 801-810	3.5	13
Reference intervals of plasma homoarginine from the German Gutenberg Health Study. <i>Clinical Chemistry and Laboratory Medicine</i> , 2016 , 54, 1231-7	5.9	14
The relationship of nitric oxide synthesis capacity, oxidative stress, and albumin-to-creatinine ratio in black and white men: the SABPA study. <i>Age</i> , 2016 , 38, 9		13
ADMA and arginine derivatives in relation to non-invasive vascular function in the general population. <i>Atherosclerosis</i> , 2016 , 244, 149-56	3.1	13
Ranolazine antagonizes catecholamine-induced dysfunction in isolated cardiomyocytes, but lacks long-term therapeutic effects in vivo in a mouse model of hypertrophic cardiomyopathy. <i>Cardiovascular Research</i> , 2016 , 109, 90-102	9.9	28
Serum-Sphingosine-1-Phosphate Concentrations Are Inversely Associated with Atherosclerotic Diseases in Humans. <i>PLoS ONE</i> , 2016 , 11, e0168302	3.7	31
Differential effects of nebivolol vs. metoprolol on microvascular function in hypertensive humans. American Journal of Physiology - Heart and Circulatory Physiology, 2016 , 311, H118-24	5.2	8
Asymmetric dimethylarginine, related arginine derivatives, and incident atrial fibrillation. <i>American Heart Journal</i> , 2016 , 176, 100-6	4.9	6
	Activity with a Synthetic Putrescine Receptor. SLAS Discovery, 2017, 22, 906-914 Data on subgroup specific baseline characteristics and serum sphingosine-1-phosphate concentrations in the Study of Health in Pomerania. Data in Brief, 2017, 12, 46-50 Symmetric dimethylarginine, high-density lipoproteins and cardiovascular disease. European Heart Journal, 2017, 38, 1597-1607 Markers of nitric oxide are associated with sepsis severity: an observational study. Critical Care, 2017, 21, 189 Cardiomyocyte dimethylarginine dimethylaminohydrolase-1 (DDAH1) plays an important role in attenuating ventricular hypertrophy and dysfunction. Basic Research in Cardiology, 2017, 112, 55 Plasma Nitrate and Incidence of Cardiovascular Disease and All-Cause Mortality in the Community: The Framingham Offspring Study. Journal of the American Heart Association, 2017, 6, Prasugrel as opposed to clopidogrel improves endothelial nitric oxide bioavailability and reduces platelet-leukocyte interaction in patients with unstable angina pectoris: A randomized controlled trial. International Journal of Cardiology, 2017, 248, 7-13 Human leucocyte antigen (HLA-DR) gene expression is reduced in sepsis and correlates with impaired TNFiresponse: A diagnostic tool for immunosuppression?. PLoS ONE, 2017, 12, e0182427 ADMA, subclinical changes and atrial fibrillation in the general population. International Journal of Cardiology, 2016, 203, 640-6 Oral supplementation with L-homoarginine in young volunteers. British Journal of Clinical Pharmacology, 2016, 82, 1477-1485 Nitric oxide synthesis capacity, ambulatory blood pressure and end organ damage in a black and white population: the SABPA study. Amino Acids, 2016, 48, 801-810 Reference intervals of plasma homoarginine from the German Gutenberg Health Study. Clinical Chemistry and Laboratory Medicine, 2016, 54, 1231-7 The relationship of nitric oxide synthesis capacity, oxidative stress, and albumin-to-creatinine ratio in black and white men: the SABPA study. Age, 2016, 38, 9 ADMA and argin	Activity with a Synthetic Putrescine Receptor. SLAS Discovery, 2017, 22, 906-914 Data on subgroup specific baseline characteristics and serum sphingosine-1-phosphate concentrations in the Study of Health in Pomerania. Data in Brief, 2017, 12, 46-50 Symmetric dimethylarginine, high-density lipoproteins and cardiovascular disease. European Heart Journal, 2017, 38, 1597-1607 Markers of nitric oxide are associated with sepsis severity: an observational study. Critical Care. 2017, 21, 189 Cardiomyocyte dimethylarginine dimethylaminohydrolase-1 (DDAH1) plays an important role in attenuating ventricular hypertrophy and dysfunction. Basic Research in Cardiology, 2017, 112, 55 Plasma Nitrate and Incidence of Cardiovascular Disease and All-Cause Mortality in the Community: The Framingham Offspring Study. Journal of the American Heart Association, 2017, 6, Prasugrel as opposed to clopidogrel improves endothelial nitric oxide bioavailability and reduces platelet-leukocyte interaction in patients with unstable angina pectoris: A randomized controlled trial. International Journal of Cardiology, 2017, 248, 7-13 Human leucocyte antigen (HLA-DR) gene expression is reduced in sepsis and correlates with impaired TNFiresponse. A diagnostic tool for immunosuppression?. PLoS ONE, 2017, 12, e0182427 ADMA, subclinical changes and atrial fibrillation in the general population. International Journal of Cardiology, 2016, 203, 640-6 Oral supplementation with L-homoarginine in young volunteers. British Journal of Clinical Pharmacology, 2016, 82, 1477-1485 Nitric oxide synthesis capacity, ambulatory blood pressure and end organ damage in a black and white population: the SABPA study. Amino Acids, 2016, 48, 801-810 Reference intervals of plasma homoarginine from the German Gutenberg Health Study. Clinical Chemistry and Laboratory Medicine, 2016, 54, 1231-7 The relationship of nitric oxide synthesis capacity, oxidative stress, and albumin-to-creatinine ratio in black and white men: the SABPA study. Age, 2016, 38, 9 ADMA and argin

33	Homoarginine predicts mortality in treatment-naive patients with pulmonary arterial hypertension. <i>International Journal of Cardiology</i> , 2016 , 217, 12-5	3.2	7
32	Low Homoarginine Levels in the Prognosis of Patients With Acute Chest Pain. <i>Journal of the American Heart Association</i> , 2016 , 5, e002565	6	16
31	FoxO1 regulates asymmetric dimethylarginine via downregulation of dimethylaminohydrolase 1 in human endothelial cells and subjects with atherosclerosis. <i>Atherosclerosis</i> , 2015 , 242, 230-5	3.1	15
30	L-homoarginine and cardiovascular disease. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2015 , 18, 83-8	3.8	56
29	Homoarginine supplementation improves blood glucose in diet-induced obese mice. <i>Amino Acids</i> , 2015 , 47, 1921-9	3.5	16
28	Measurement of homoarginine in human and mouse plasma by LC-MS/MS and ELISA: a comparison and a biological application. <i>Amino Acids</i> , 2015 , 47, 2015-22	3.5	5
27	Decreased serum concentrations of sphingosine-1-phosphate in sepsis. <i>Critical Care</i> , 2015 , 19, 372	10.8	81
26	L-Arginine and SDMA Serum Concentrations Are Associated with Subclinical Atherosclerosis in the Study of Health in Pomerania (SHIP). <i>PLoS ONE</i> , 2015 , 10, e0131293	3.7	11
25	Integrated genomics and metabolomics in nephrology. <i>Nephrology Dialysis Transplantation</i> , 2014 , 29, 1467-74	4.3	30
24	Genome-wide association study of L-arginine and dimethylarginines reveals novel metabolic pathway for symmetric dimethylarginine. <i>Circulation: Cardiovascular Genetics</i> , 2014 , 7, 864-72		38
23	Incidence of all-cause and cardiovascular mortality predicted by symmetric dimethylarginine in the population-based study of health in pomerania. <i>PLoS ONE</i> , 2014 , 9, e96875	3.7	25
22	Homoarginine and cardiovascular outcome in the population-based Dallas Heart Study. <i>Arteriosclerosis, Thrombosis, and Vascular Biology,</i> 2014 , 34, 2501-7	9.4	57
21	Pathophysiology of isoprostanes in the cardiovascular system: implications of isoprostane-mediated thromboxane A2 receptor activation. <i>British Journal of Pharmacology</i> , 2014 , 171, 3115-31	8.6	95
20	Asymmetric and symmetric dimethylarginine and risk of secondary cardiovascular disease events and mortality in patients with stable coronary heart disease: the KAROLA follow-up study. <i>Clinical Research in Cardiology</i> , 2013 , 102, 193-202	6.1	56
19	Homoargininean independent marker of mortality in heart failure. <i>International Journal of Cardiology</i> , 2013 , 168, 4907-9	3.2	48
18	Symmetrical dimethylarginine predicts mortality in the general population: observations from the Dallas heart study. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013 , 33, 2682-8	9.4	59
17	Homoarginine levels are regulated by L-arginine:glycine amidinotransferase and affect stroke outcome: results from human and murine studies. <i>Circulation</i> , 2013 , 128, 1451-61	16.7	102
16	Symmetric dimethylarginine is a marker of detrimental outcome in the acute phase after ischaemic stroke: role of renal function. <i>Clinical Science</i> , 2012 , 122, 105-11	6.5	42

LIST OF PUBLICATIONS

15	Independent association of urinary F2-isoprostanes with survival in pulmonary arterial hypertension. <i>Chest</i> , 2012 , 142, 869-876	5.3	40
14	Stable isotope dilution assay for liquid chromatography-tandem mass spectrometric determination of L-homoarginine in human plasma. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2011 , 879, 2294-8	3.2	51
13	The role of asymmetric and symmetric dimethylarginines in renal disease. <i>Nature Reviews Nephrology</i> , 2011 , 7, 275-85	14.9	167
12	Pathogenic cycle between the endogenous nitric oxide synthase inhibitor asymmetrical dimethylarginine and the leukocyte-derived hemoprotein myeloperoxidase. <i>Circulation</i> , 2011 , 124, 273	35 ⁻¹⁴ 5 ⁷	47
11	Plasma symmetric dimethylarginine reference limits from the Framingham offspring cohort. <i>Clinical Chemistry and Laboratory Medicine</i> , 2011 , 49, 1907-10	5.9	23
10	Dimethylarginines: their vascular and metabolic roles in Africans and Caucasians. <i>European Journal of Endocrinology</i> , 2010 , 162, 525-33	6.5	27
9	Symmetric dimethylarginine predicts all-cause mortality following ischemic stroke. <i>Atherosclerosis</i> , 2010 , 208, 518-23	3.1	102
8	Dimethylarginine dimethylaminohydrolase-1 transgenic mice are not protected from ischemic stroke. <i>PLoS ONE</i> , 2009 , 4, e7337	3.7	13
7	Plasma asymmetric dimethylarginine and incidence of cardiovascular disease and death in the community. <i>Circulation</i> , 2009 , 119, 1592-600	16.7	270
6	Association of the endogenous nitric oxide synthase inhibitor ADMA with carotid artery intimal media thickness in the Framingham Heart Study offspring cohort. <i>Stroke</i> , 2009 , 40, 2715-9	6.7	40
5	Asymmetric dimethylarginine reference intervals determined with liquid chromatography-tandem mass spectrometry: results from the Framingham offspring cohort. <i>Clinical Chemistry</i> , 2009 , 55, 1539-4	15 ^{5.5}	44
4	Pharmacokinetic and pharmacodynamic properties of oral L-citrulline and L-arginine: impact on nitric oxide metabolism. <i>British Journal of Clinical Pharmacology</i> , 2008 , 65, 51-9	3.8	313
3	Isoprostanes inhibit vascular endothelial growth factor-induced endothelial cell migration, tube formation, and cardiac vessel sprouting in vitro, as well as angiogenesis in vivo via activation of the thromboxane A(2) receptor: a potential link between oxidative stress and impaired angiogenesis.	15.7	79
2	High-throughput liquid chromatographic-tandem mass spectrometric determination of arginine and dimethylated arginine derivatives in human and mouse plasma. <i>Journal of Chromatography B:</i> Analytical Technologies in the Biomedical and Life Sciences, 2007, 851, 211-9	3.2	131
1	Liquid chromatography-tandem mass spectrometry method for the analysis of asymmetric dimethylarginine in human plasma. <i>Clinical Chemistry</i> , 2005 , 51, 1268-71	5.5	109