Luciano Giacomelli

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8903735/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Gastritis staging in clinical practice: the OLGA staging system. Gut, 2007, 56, 631-636.	12.1	370
2	Papillary Thyroid Cancer: Time Course of Recurrences During Postsurgery Surveillance. Journal of Clinical Endocrinology and Metabolism, 2013, 98, 636-642.	3.6	263
3	Atom Transfer Radical Polymerization ofN-Isopropylacrylamide. Macromolecular Rapid Communications, 2004, 25, 559-564.	3.9	249
4	Reducing the Number of Unnecessary Thyroid Biopsies While Improving Diagnostic Accuracy: Toward the "Right―TIRADS. Journal of Clinical Endocrinology and Metabolism, 2019, 104, 95-102.	3.6	220
5	Liver tumorigenicity promoted by microRNA-221 in a mouse transgenic model. Hepatology, 2012, 56, 1025-1033.	7.3	150
6	Long-Term Surveillance of Papillary Thyroid Cancer Patients Who Do Not Undergo Postoperative Radioiodine Remnant Ablation: Is There a Role for Serum Thyroglobulin Measurement?. Journal of Clinical Endocrinology and Metabolism, 2012, 97, 2748-2753.	3.6	138
7	Identification and Optimal Postsurgical Follow-Up of Patients with Very Low-Risk Papillary Thyroid Microcarcinomas. Journal of Clinical Endocrinology and Metabolism, 2010, 95, 4882-4888.	3.6	98
8	Expression of Aurora kinases in human thyroid carcinoma cell lines and tissues. International Journal of Cancer, 2006, 119, 275-282.	5.1	94
9	Ultrasonography scoring systems can rule out malignancy in cytologically indeterminate thyroid nodules. Endocrine, 2017, 57, 256-261.	2.3	90
10	miR-199a-3p Modulates MTOR and PAK4 Pathways and Inhibits Tumor Growth in a Hepatocellular Carcinoma Transgenic Mouse Model. Molecular Therapy - Nucleic Acids, 2018, 11, 485-493.	5.1	81
11	PDCD4 nuclear loss inversely correlates with miR-21 levels in colon carcinogenesis. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2011, 458, 413-419.	2.8	72
12	The prognostic role of the epithelial–mesenchymal transition markers E adherin and Slug in laryngeal squamous cell carcinoma. Histopathology, 2015, 67, 491-500.	2.9	66
13	Micronucleated cells in nasal mucosa of formaldehyde-exposed workers. Mutation Research - Genetic Toxicology Testing and Biomonitoring of Environmental Or Occupational Exposure, 1992, 280, 1-7.	1.2	65
14	Q-Elastosonography of Solid Thyroid Nodules: Assessment of Diagnostic Efficacy and Interobserver Variability in a Large Patient Cohort. European Radiology, 2014, 24, 143-150.	4.5	65
15	The prognostic role of serum eosinophil and basophil levels in sinonasal polyposis. International Forum of Allergy and Rhinology, 2017, 7, 261-267.	2.8	62
16	Temporal bone squamous cell carcinoma: Analyzing prognosis with univariate and multivariate models. Laryngoscope, 2014, 124, 1192-1198.	2.0	60
17	Bronchopulmonary Carcinoid: Phenotype and Long-term Outcome in a Single-Institution Series of Italian Patients. Clinical Cancer Research, 2008, 14, 149-154.	7.0	59
18	Expression of p53, p16 ^{INK4A} , pRb, p21 ^{WAF1/CIP1} , p27 ^{KIP1} , cyclin D1, Ki-67 and HPV DNA in sinonasal endophytic Schneiderian (inverted) papilloma. Acta Oto-Laryngologica, 2009, 129, 1242-1249.	0.9	58

#	Article	IF	CITATIONS
19	Obliterative portal venopathy without portal hypertension: an underestimated condition. Liver International, 2016, 36, 454-460.	3.9	57
20	PDE5 expression in human thyroid tumors and effects of PDE5 inhibitors on growth and migration of cancer cells. Endocrine, 2015, 50, 434-441.	2.3	55
21	Identification of Thyroid-Associated Serum microRNA Profiles and Their Potential Use in Thyroid Cancer Follow-Up. Journal of the Endocrine Society, 2017, 1, 3-13.	0.2	55
22	A possible role for selenoprotein glutathione peroxidase (GPx1) and thioredoxin reductases (TrxR1) in thyroid cancer: our experience in thyroid surgery. Cancer Cell International, 2018, 18, 7.	4.1	55
23	Prospective Evaluation of Semiquantitative Strain Ratio and Quantitative 2D Ultrasound Shear Wave Elastography (SWE) in Association with TIRADS Classification for Thyroid Nodule Characterization. Ultraschall in Der Medizin, 2019, 40, 495-503.	1.5	55
24	Risk Stratification of Neck Lesions Detected Sonographically During the Follow-Up of Differentiated Thyroid Cancer. Journal of Clinical Endocrinology and Metabolism, 2016, 101, 3036-3044.	3.6	54
25	The Loss of the p53 Activator HIPK2 Is Responsible for Galectin-3 Overexpression in Well Differentiated Thyroid Carcinomas. PLoS ONE, 2011, 6, e20665.	2.5	54
26	Strain ratio ultrasound elastography increases the accuracy of colour-Doppler ultrasound in the evaluation of Thy-3 nodules. A bi-centre university experience. European Radiology, 2016, 26, 1441-1449.	4.5	53
27	Anti-Tumor Activity of a miR-199-dependent Oncolytic Adenovirus. PLoS ONE, 2013, 8, e73964.	2.5	53
28	Thyroid Cancer Patients With No Evidence of Disease: The Need for Repeat Neck Ultrasound. Journal of Clinical Endocrinology and Metabolism, 2019, 104, 4981-4989.	3.6	50
29	Are neutrophil-, eosinophil-, and basophil-to-lymphocyte ratios useful markers for pinpointing patients at higher risk of recurrent sinonasal polyps?. American Journal of Otolaryngology - Head and Neck Medicine and Surgery, 2016, 37, 339-345.	1.3	49
30	Automated classification of focal breast lesions according to S-detect: validation and role as a clinical and teaching tool. Journal of Ultrasound, 2018, 21, 105-118.	1.3	49
31	Isolated Tumor Cells in Regional Lymph Nodes as Relapse Predictors in Stage I and II Colorectal Cancer. Journal of Clinical Oncology, 2012, 30, 965-971.	1.6	47
32	HER2 status in gastroesophageal cancer: a tissue microarray study of 1040 cases. Human Pathology, 2015, 46, 665-672.	2.0	47
33	Transforming acidic coiled-coil 3 and Aurora-A interact in human thyrocytes and their expression is deregulated in thyroid cancer tissues. Endocrine-Related Cancer, 2007, 14, 827-837.	3.1	46
34	CD105 is a marker of tumour vasculature and a potential target for the treatment of head and neck squamous cell carcinoma. Journal of Oral Pathology and Medicine, 2010, 39, 361-367.	2.7	46
35	Can a panel of clinical, laboratory, and pathological variables pinpoint patients with sinonasal polyposis at higher risk of recurrence after surgery?. American Journal of Otolaryngology - Head and Neck Medicine and Surgery, 2015, 36, 554-558.	1.3	46
36	Glottic laser surgery: outcomes according to 2007 ELS classification. European Archives of Oto-Rhino-Laryngology, 2011, 268, 1771-1778.	1.6	43

#	Article	IF	CITATIONS
37	Multi-Dimensional Voice Program (MDVP) vs Praat for Assessing Euphonic Subjects: A Preliminary Study on the Gender-discriminating Power of Acoustic Analysis Software. Journal of Voice, 2016, 30, 765.e1-765.e5.	1.5	42
38	Hashimoto's thyroiditis predicts outcome in intrathyroidal papillary thyroid cancer. Endocrine-Related Cancer, 2017, 24, 485-493.	3.1	42
39	Programmed cell death 4 protein in esophageal cancer. Oncology Reports, 2010, 24, 135-9.	2.6	41
40	MASPIN subcellular localization and expression in oral cavity squamous cell carcinoma. European Archives of Oto-Rhino-Laryngology, 2008, 265, 97-104.	1.6	40
41	Endoglin expression is associated with poor oncologic outcome in oral and oropharyngeal carcinoma. Acta Oto-Laryngologica, 2006, 126, 633-639.	0.9	38
42	Expression of the apoptosis inhibitor protein Survivin in primary laryngeal carcinoma and cervical lymph node metastasis. Anticancer Research, 2006, 26, 3813-7.	1.1	38
43	Endoglin (CD105) expression in head and neck basaloid squamous cell carcinoma. Acta Oto-Laryngologica, 2005, 125, 307-311.	0.9	37
44	Is thyroid nodule location associated with malignancy risk?. Ultrasonography, 2019, 38, 231-235.	2.3	37
45	Uni- and multivariate models for investigating potential prognostic factors in idiopathic sudden sensorineural hearing loss. European Archives of Oto-Rhino-Laryngology, 2015, 272, 1899-1906.	1.6	36
46	PD-1 Ligand Expression in Epithelial Thyroid Cancers: Potential Clinical Implications. International Journal of Molecular Sciences, 2019, 20, 1405.	4.1	36
47	Temporal Bone and Sinonasal Inverted Papilloma. JAMA Otolaryngology, 2003, 129, 553.	1.2	35
48	Effects of sulfurous, salty, bromic, iodic thermal water nasal irrigations in nonallergic chronic rhinosinusitis: a prospective, randomized, double-blind, clinical, and cytological study. American Journal of Otolaryngology - Head and Neck Medicine and Surgery, 2011, 32, 235-239.	1.3	35
49	Programmed cell death 4 (PDCD4) expression during multistep Barrett's carcinogenesis. Journal of Clinical Pathology, 2010, 63, 692-696.	2.0	34
50	Human epithelial growth factor receptor 2 (HER2) status in primary and metastatic esophagogastric junction adenocarcinomas. Human Pathology, 2012, 43, 1206-1212.	2.0	34
51	Cancer Care During COVID-19 Era: The Quality of Life of Patients With Thyroid Malignancies. Frontiers in Oncology, 2020, 10, 1128.	2.8	34
52	Neoangiogenesis in laryngeal carcinoma: angiogenin and CD105 expression is related to carcinoma recurrence rate and diseaseâ€free survival. Histopathology, 2010, 57, 535-543.	2.9	33
53	Reduction of Interstitial Cells of Cajal in Esophageal Atresia. Journal of Pediatric Gastroenterology and Nutrition, 2010, 51, 610-617.	1.8	33
54	Color-Coded Automated Signal Intensity Curves for Detection and Characterization of Breast Lesions. Investigative Radiology, 2005, 40, 448-457.	6.2	31

#	Article	IF	CITATIONS
55	Maspin nuclear localization is related to reduced density of tumour-associated micro-vessels in laryngeal carcinoma. Anticancer Research, 2006, 26, 4927-32.	1.1	31
56	Non-specific immunological determinations in Meniere's disease: any role in clinical practice?. European Archives of Oto-Rhino-Laryngology, 2007, 264, 15-19.	1.6	30
57	A prospective investigation of predictive parameters for post-surgical recurrences in sinonasal polyposis. European Archives of Oto-Rhino-Laryngology, 2016, 273, 655-660.	1.6	30
58	Atom transfer radical polymerization of sodium2-acrylamido-2-methylpropanesulfonate. Journal of Polymer Science Part A, 2005, 43, 4446-4454.	2.3	29
59	Different hemodynamic patterns of alcoholic and viral endstage cirrhosis: Analysis of explanted liver weight, degree of fibrosis and splanchnic Doppler parameters. Scandinavian Journal of Gastroenterology, 2007, 42, 256-262.	1.5	29
60	The effects of sulfurous-arsenical-ferruginous thermal water nasal irrigation in wound healing after functional endoscopic sinus surgery for chronic rhinosinusitis: a prospective randomized study. American Journal of Otolaryngology - Head and Neck Medicine and Surgery, 2008, 29, 223-229.	1.3	29
61	Aurora kinase A in Barrett's carcinogenesis. Human Pathology, 2010, 41, 1380-1386.	2.0	29
62	Partial middle turbinectomy during endoscopic sinus surgery for extended sinonasal polyposis: short- and mid-term outcomes. Acta Oto-Laryngologica, 2008, 128, 73-77.	0.9	27
63	Sonographically Estimated Risks of Malignancy for Thyroid Nodules Computed with Five Standard Classification Systems: Changes over Time and Their Relation to Malignancy. Thyroid, 2018, 28, 1190-1197.	4.5	27
64	Indications for postoperative radiotherapy in laryngeal carcinoma: A panel of tumor tissue markers for predicting locoregional recurrence in surgically treated carcinoma. A pilot study. Head and Neck, 2014, 36, 1534-1540.	2.0	26
65	Endoglin (CD105) expression in sinonasal polyposis. European Archives of Oto-Rhino-Laryngology, 2015, 272, 3367-3373.	1.6	26
66	Diagnostic Performance of Neck Ultrasonography in the Preoperative Evaluation for Extrathyroidal Extension of Suspicious Thyroid Nodules. World Journal of Surgery, 2020, 44, 2669-2674.	1.6	26
67	Management of Nonpalpable Breast Lesions in a Modern Functional Breast Unit. Breast Cancer Research and Treatment, 2005, 93, 85-89.	2.5	25
68	BRAFV600E mutation and expression of proangiogenic molecular markers in papillary thyroid carcinomas. European Journal of Endocrinology, 2011, 165, 455-463.	3.7	25
69	In vitromodel for IgE mediated food allergy. Scandinavian Journal of Gastroenterology, 2011, 46, 177-187.	1.5	25
70	High nuclear expression of the apoptosis inhibitor protein survivin is associated with disease recurrence and poor prognosis in laryngeal basaloid squamous cell carcinoma. Acta Oto-Laryngologica, 2006, 126, 197-203.	0.9	24
71	Indefinite for non-invasive neoplasia lesions in gastric intestinal metaplasia: the immunophenotype. Journal of Clinical Pathology, 2007, 60, 615-621.	2.0	24
72	Laryngeal carcinoma lymph node metastasis and disease-free survival correlate with MASPIN nuclear expression but not with EGFR expression: a series of 108 cases. European Archives of Oto-Rhino-Laryngology, 2010, 267, 1103-1110.	1.6	24

#	Article	IF	CITATIONS
73	Recurrent squamous cell carcinoma of the temporal bone: critical analysis of cases with a poor prognosis. American Journal of Otolaryngology - Head and Neck Medicine and Surgery, 2015, 36, 352-355.	1.3	24
74	Vestibular rehabilitation in elderly patients with central vestibular dysfunction: a prospective, randomized pilot study. Age, 2013, 35, 2315-2327.	3.0	23
75	Post-operative steroid treatment for eosinophilic-type sinonasal polyposis. Acta Oto-Laryngologica, 2015, 135, 1200-1204.	0.9	23
76	Computer-aided diagnostic system for thyroid nodule sonographic evaluation outperforms the specificity of less experienced examiners. Journal of Ultrasound, 2020, 23, 169-174.	1.3	23
77	Oncofertility and Reproductive Counseling in Patients with Breast Cancer: A Retrospective Study. Journal of Clinical Medicine, 2022, 11, 1311.	2.4	23
78	Thyroid diseases and skin autoimmunity. Reviews in Endocrine and Metabolic Disorders, 2018, 19, 311-323.	5.7	22
79	Histopathological and hematological changes in recurrent nasal polyposis. International Forum of Allergy and Rhinology, 2019, 9, 813-820.	2.8	22
80	Nuclear localization of mammary serine protease inhibitor (MASPIN): is its impact on the prognosis in laryngeal carcinoma due to a proapoptotic effect?. American Journal of Otolaryngology - Head and Neck Medicine and Surgery, 2008, 29, 156-162.	1.3	21
81	Nm23â€H1 nuclear expression is associated with a more favourable prognosis in laryngeal carcinoma: univariate and multivariate analysis. Histopathology, 2012, 61, 1057-1064.	2.9	20
82	Survivin and laryngeal carcinoma prognosis: nuclear localization and expression of splice variants. Histopathology, 2012, 61, 247-256.	2.9	20
83	Multivariate approach to investigating prognostic factors in deep neck infections. European Archives of Oto-Rhino-Laryngology, 2014, 271, 2061-7.	1.6	20
84	Sinonasal Polyposis in the Elderly. American Journal of Rhinology and Allergy, 2016, 30, e153-e156.	2.0	20
85	A classification of chronic rhinosinusitis with nasal polyps based on structured histopathology. Histopathology, 2020, 76, 296-307.	2.9	20
86	Deep neck infection in elderly patients. A single institution experience (2000–2004). Aging Clinical and Experimental Research, 2006, 18, 127-132.	2.9	19
87	Caustic ingestion and oesophageal cancer: intra- and peri-tumoral fibrosis is associated with a better prognosis. European Journal of Cardio-thoracic Surgery, 2010, 38, 659-664.	1.4	19
88	Smoking and chronic rhinitis: effects of nasal irrigations with sulfurous-arsenical-ferruginous thermal water. American Journal of Otolaryngology - Head and Neck Medicine and Surgery, 2012, 33, 657-662.	1.3	19
89	Expression of the tumourâ€suppressor maspin in temporal bone carcinoma. Histopathology, 2013, 63, 242-249	2.9	19
90	Blood eosinophil-to-basophil ratio in patients with sinonasal polyps. Annals of Allergy, Asthma and Immunology, 2017, 119, 223-226.	1.0	19

#	Article	IF	CITATIONS
91	The surgical management of locally advanced well-differentiated thyroid carcinoma: changes over the years according to the AJCC 8th edition Cancer Staging Manual. Thyroid Research, 2019, 12, 10.	1.5	19
92	Louis-Bar syndrome: spontaneous and induced chromosomal aberrations in lymphocytes and micronuclei in lymphocytes, oral mucosa and hair root cells. Human Genetics, 1990, 85, 31-8.	3.8	18
93	Effect of the systemic versus inhalatory administration of synthetic glucocorticoids on the urinary steroid profile as studied by gas chromatography–mass spectrometry. Analytica Chimica Acta, 2006, 559, 30-36.	5.4	18
94	CO ₂ laser surgery in elderly patients with glottic carcinoma: Univariate and multivariate analyses of results. Head and Neck, 2012, 34, 1804-1809.	2.0	18
95	Is it Worth Suppressing Tsh in low- and Intermediate-Risk Papillary Thyroid Cancer Patients Before the First Disease Assessment?. Endocrine Practice, 2019, 25, 165-401.	2.1	18
96	Liver Steatosis in Children With Chronic Hepatitis C. American Journal of Gastroenterology, 2006, 101, 2611-2615.	0.4	17
97	Elderly patients at higher risk of laryngeal carcinoma recurrence could be identified by a panel of two biomarkers (nm23-H1 and CD105) and pN+ status. European Archives of Oto-Rhino-Laryngology, 2015, 272, 3417-3424.	1.6	17
98	Survivin expression is significantly higher in pN+ oral and oropharyngeal primary squamous cell carcinomas than in pNO carcinomas. Acta Oto-Laryngologica, 2005, 125, 1218-1223.	0.9	16
99	Laryngeal carcinoma prognosis after postoperative radiotherapy correlates with CD105 expression, but not with angiogenin or EGFR expression. European Archives of Oto-Rhino-Laryngology, 2011, 268, 1779-1787.	1.6	16
100	Neoangiogenesis in Temporal Bone Carcinoma. Otology and Neurotology, 2012, 33, 843-848.	1.3	16
101	C-Kit SCF receptor (CD117) expression and <i>KIT</i> gene mutation in conjunctival pigmented lesions. Acta Ophthalmologica, 2013, 91, e641-e645.	1.1	16
102	miR-19a and SOCS-1 expression in the differential diagnosis of laryngeal (glottic) verrucous squamous cell carcinoma. Journal of Clinical Pathology, 2016, 69, 415-421.	2.0	16
103	Blood Eosinophilic and Basophilic Trends in Recurring and Non-Recurring Eosinophilic Rhinosinusitis With Nasal Polyps. American Journal of Rhinology and Allergy, 2021, 35, 296-301.	2.0	16
104	A Higher CD105-Assessed Microvessel Density and Worse Prognosis in Elderly Patients With Laryngeal Carcinoma. JAMA Otolaryngology, 2011, 137, 175.	1.2	15
105	High mTOR expression is associated with a worse oncological outcome in laryngeal carcinoma treated with postoperative radiotherapy: a pilot study. Journal of Oral Pathology and Medicine, 2012, 41, 136-140.	2.7	15
106	Sonographic Presentation of Metastases to the Thyroid Gland: A Case Series. Journal of the Endocrine Society, 2018, 2, 855-859.	0.2	15
107	Laryngeal carcinoma recurrence rate and disease-free interval are related to CD105 expression but not to vascular endothelial growth factor 2 (Flk-1/Kdr) expression. Anticancer Research, 2008, 28, 551-7.	1.1	15
108	Relationship between antiâ€apoptotic proteins survivin and <scp>Bcl</scp> â€2, and response to treatment in patients undergoing postâ€operative <scp>RT</scp> for laryngeal cancer: a pilot study. Journal of Oral Pathology and Medicine, 2013, 42, 339-344.	2.7	14

#	Article	IF	CITATIONS
109	Biological tumor markers (maspin, <scp>CD105</scp> , <scp>nm23â€H1</scp>) and disease relapse in laryngeal cancer: cluster analysis. Head and Neck, 2020, 42, 2129-2136.	2.0	14
110	Treatment of unusual or rare laryngeal nonsquamous primary malignancies: radical (total/extended) Tj ETQq0 Medicine and Surgery, 2008, 29, 106-112.	0 0 rgBT /Ov 1.3	verlock 10 Tf 5 13
111	A high nuclear nm23-H1 expression is associated with a better prognosis in elderly patients with laryngeal carcinoma. Acta Oto-Laryngologica, 2013, 133, 874-880.	0.9	13
112	Relaxin-2 expression in temporal bone carcinoma. European Archives of Oto-Rhino-Laryngology, 2015, 272, 3225-3232.	1.6	13
113	Salvage transoral laser microsurgery for recurrent glottic carcinoma after primary laser-assisted treatment: Analysis of prognostic factors. Head and Neck, 2016, 38, 1043-1049.	2.0	13
114	The true cost of thyroid surgery determined by a micro-costing approach. Endocrine, 2017, 55, 519-529.	2.3	13
115	Yap, Taz and Areg Expression in Eighth Cranial Nerve Schwannoma. International Journal of Biological Markers, 2017, 32, 319-324.	1.8	13
116	A cost analysis of thyroid core needle biopsy vs. diagnostic surgery. Gland Surgery, 2015, 4, 307-11.	1.1	13
117	Morphometric Investigation of Death by Asphyxia. Journal of Forensic Sciences, 2009, 54, 672-675.	1.6	12
118	Evaluation of the Prognostic Role of pSTAT3 Expression in Temporal Bone Squamous Cell Carcinoma. Otology and Neurotology, 2013, 34, 1476-1482.	1.3	12
119	Nasal and oral snoring endoscopy: novel and promising diagnostic tools in OSAS patients. European Archives of Oto-Rhino-Laryngology, 2015, 272, 1793-1799.	1.6	12
120	Expression of maspin tumor suppressor and mTOR in laryngeal carcinoma. American Journal of Otolaryngology - Head and Neck Medicine and Surgery, 2020, 41, 102322.	1.3	12
121	MASPIN's prognostic role in patients with advanced head and neck carcinoma treated with primary chemotherapy (carboplatin plus vinorelbine) and radiotherapy: preliminary evidence. Acta Oto-Laryngologica, 2009, 129, 786-792.	0.9	11
122	Nuclear MASPIN expression relates to a better prognosis in elderly patients with laryngeal carcinoma. Acta Oto-Laryngologica, 2011, 131, 1220-1225.	0.9	11
123	Oesophageal cancer: assessment of tumour response to chemoradiotherapy with tridimensional CT. Radiologia Medica, 2015, 120, 430-439.	7.7	11
124	Woodworkers and the inflammatory effects of softwood/hardwood dust: evidence from nasal cytology. European Archives of Oto-Rhino-Laryngology, 2016, 273, 3195-3200.	1.6	11
125	Open partial horizontal laryngectomy for salvage after failure of CO2 laser-assisted surgery for glottic carcinoma. European Archives of Oto-Rhino-Laryngology, 2016, 273, 169-175.	1.6	11
126	Lateral pharyngotomy approach in the treatment of oropharyngeal carcinoma. European Archives of Oto-Rhino-Laryngology, 2017, 274, 2573-2580.	1.6	11

#	Article	IF	CITATIONS
127	Micronuclei and broken eggs in human liver carcinogenesis. Anticancer Research, 2008, 28, 2507-11.	1.1	11
128	Doxorubicin Activity Is Enhanced by Hyperthermia in a Model of Ex Vivo Vascular Perfusion of Human Colon Carcinoma. World Journal of Surgery, 2003, 27, 640-646.	1.6	10
129	mTOR expression and prognosis in elderly patients with laryngeal carcinoma: Uni- and multivariate analyses. Oral Oncology, 2012, 48, 530-534.	1.5	10
130	The role of angiogenin in pT1â€T2 tongue carcinoma neoâ€angiogenesis and cell proliferation: an exploratory study. Journal of Oral Pathology and Medicine, 2013, 42, 606-611.	2.7	10
131	Transoral laser microsurgery for managing laryngeal stenosis after reconstructive partial laryngectomies. Laryngoscope, 2017, 127, 359-365.	2.0	10
132	Cortactin and phosphorylated cortactin tyr 466 expression in temporal bone carcinoma. American Journal of Otolaryngology - Head and Neck Medicine and Surgery, 2017, 38, 208-212.	1.3	10
133	Nuclear survivin expression correlates with endoglin-assessed microvascularisation in laryngeal carcinoma. Journal of Clinical Pathology, 2017, 70, 1033-1037.	2.0	10
134	Selective Use of Radioactive Iodine Therapy for Papillary Thyroid Cancers With Low or Lower-Intermediate Recurrence Risk. Journal of Clinical Endocrinology and Metabolism, 2021, 106, 1717-1727.	3.6	10
135	Prognostic Significance of Serine-Phosphorylated STAT3 Expression in pT1-T2 Oral Tongue Carcinoma. Clinical and Experimental Otorhinolaryngology, 2015, 8, 275.	2.1	10
136	Mammalian target of rapamycin expression and laryngeal squamous cell carcinoma prognosis: novel preliminary evidence. Histopathology, 2011, 58, 1148-1156.	2.9	9
137	Investigating nasal cytology as a potential tool for diagnosing occupational rhinitis in woodworkers. International Forum of Allergy and Rhinology, 2015, 5, 814-819.	2.8	9
138	Deep neck infections originating from the major salivary glands. American Journal of Otolaryngology - Head and Neck Medicine and Surgery, 2015, 36, 559-564.	1.3	9
139	Outcomes of Recurrent Acute Otitis Media in Children Treated for Dental Malocclusion: A Preliminary Report. BioMed Research International, 2016, 2016, 1-5.	1.9	9
140	Clinical and pathological parameters prognostic for increased risk of recurrence after postoperative radiotherapy for temporal bone carcinoma. Head and Neck, 2016, 38, 894-898.	2.0	9
141	Survivin and cortactin expression in sinonasal schneiderian (inverted) papilloma and associated carcinoma. American Journal of Rhinology and Allergy, 2018, 32, 78-81.	2.0	9
142	Cochlear implant outcomes in the elderly: a uni- and multivariate analyses of prognostic factors. European Archives of Oto-Rhino-Laryngology, 2019, 276, 3089-3094.	1.6	9
143	Predicting the Outcome of Unilateral Vocal Fold Paralysis: A Multivariate Discriminating Model Including Grade of Dysphonia, Jitter, Shimmer, and Voice Handicap Index-10. Annals of Otology, Rhinology and Laryngology, 2019, 128, 447-452.	1.1	9
144	Angiogenin expression in head and neck basaloid and conventional squamous cell carcinoma: a site- and stage-matched comparison. Journal of Oral Pathology and Medicine, 2011, 40, 55-60.	2.7	8

#	Article	IF	CITATIONS
145	Diagnosis and management of a mediastinal ectopic thyroid laying on the right bronchus: case report and review of literature. BMC Surgery, 2018, 18, 19.	1.3	8
146	A Critical Look Into Stapedotomy Learning Curve: Influence of Patient Characteristics and Different Criteria Defining Success. Ear, Nose and Throat Journal, 2019, 100, 014556131986682.	0.8	8
147	Analysis of serum microRNA in exosomal vehicles of papillary thyroid cancer. Endocrine, 2022, 75, 185-193.	2.3	8
148	A Higher Angiogenin Expression is Associated With a Nonnuclear Maspin Location in Laryngeal Carcinoma. Clinical and Experimental Otorhinolaryngology, 2015, 8, 268.	2.1	8
149	Poorly Differentiated Thyroid Carcinoma: Single Centre Experience and Review of the Literature. Journal of Clinical Medicine, 2021, 10, 5258.	2.4	8
150	Altered trafficking of CD8+ memory T cells after implantation of rapamycin-eluting stents in patients with coronary artery disease. Immunology Letters, 2005, 96, 85-91.	2.5	7
151	Can p503s, p504s and p510s gene expression in peripheral-blood be useful as a marker of prostatic cancer?. BMC Cancer, 2005, 5, 111.	2.6	7
152	Expression of MASPIN and angiogenin in nasopharyngeal carcinoma: Novel preliminary clinico-pathological evidence. Acta Oto-Laryngologica, 2010, 130, 952-958.	0.9	7
153	Silver sucrose octasulfate nasal applications and wound healing after endoscopic sinus surgery: a prospective, randomized, double-blind, placebo-controlled study. American Journal of Otolaryngology - Head and Neck Medicine and Surgery, 2015, 36, 625-631.	1.3	7
154	Nipple-Sparing Mastectomy Long-Term Outcomes: Early and Late Complications. Medicina (Lithuania), 2020, 56, 166.	2.0	7
155	Oncological and Functional Outcomes of Primary and Salvage Total Laryngectomy. Laryngoscope, 2021, 131, E569-E575.	2.0	7
156	Beyond scoring: a modern histological assessment of chronic hepatitis should include tissue angiogenesis. Gut, 2014, 63, 1366-1367.	12.1	6
157	Cortactin and phosphorylated cortactin tyr ⁴²¹ and tyr ⁴⁶⁶ expression in supraglottic laryngeal carcinomas and lymph node metastases. International Journal of Biological Markers, 2018, 33, 79-86.	1.8	6
158	No Differences in Nasal Tissue Inflammatory Cells and Adhesion Molecules (iCAM-1 and vCAM-1) Based on the Comparison of EGPA With Eosinophilic Chronic Sinusitis With Polyposis. American Journal of Rhinology and Allergy, 2019, 33, 395-402.	2.0	6
159	Preoperative Ultrasonography in the Evaluation of Suspected Familial Non-Medullary Thyroid Cancer: Are We Able to Predict Multifocality and Extrathyroidal Extension?. Journal of Clinical Medicine, 2021, 10, 5277.	2.4	6
160	The COVID-19 outbreak and de-escalation of thyroid cancer diagnosis and treatment. Endocrine, 2022, 78, 387-391.	2.3	6
161	P27 and MIB-1 Expression Is Related to Malignancy Recurrence in Laryngeal Carcinoma Treated with Partial Laryngectomy: Preliminary Results. The Journal of Otolaryngology, 2007, 36, 98.	0.6	5
162	Prognostic value of hypoxia-inducible factors (angiogenin and endoglin) in open partial laryngectomies: uni- and multivariate analyses. American Journal of Otolaryngology - Head and Neck Medicine and Surgery, 2013, 34, 3-9.	1.3	5

#	Article	IF	CITATIONS
163	A panel of biomarkers for predicting response to postoperative RT for laryngeal cancer?. American Journal of Otolaryngology - Head and Neck Medicine and Surgery, 2014, 35, 771-778.	1.3	5
164	Can immunohistochemistry quantification of Cathepsin-D be useful in the differential diagnosis between vital and post-mortem wounds in humans?. Medicine, Science and the Law, 2014, 54, 151-157.	1.0	5
165	Perioperative care in elderly patients undergoing thyroid surgery. International Journal of Surgery, 2014, 12, S78-S81.	2.7	5
166	Nuclear expression of onco-suppressors nm23-H1 and maspin are associated with lower recurrence rate in laryngeal carcinoma. American Journal of Otolaryngology - Head and Neck Medicine and Surgery, 2019, 40, 224-229.	1.3	5
167	A prognostic role for Nm23-H1 in laryngeal carcinoma treated with postoperative radiotherapy: an introductory investigation. European Archives of Oto-Rhino-Laryngology, 2013, 270, 197-203.	1.6	4
168	Relaxin-2 Expression in Oral Squamous Cell Carcinoma. International Journal of Biological Markers, 2016, 31, 324-329.	1.8	4
169	Nuclear nonmetastatic protein 23â€H1 expression and epithelialâ€mesenchymal transition in laryngeal carcinoma: A pilot investigation. Head and Neck, 2018, 40, 2020-2028.	2.0	4
170	Could the infiltration of the thyroarytenoid muscle define the pT2 glottic carcinoma?. Head and Neck, 2019, 41, 3639-3646.	2.0	4
171	Endoglin-based assessment of neoangiogenesis in sporadic VIII cranial nerve schwannoma. Pathology Research and Practice, 2019, 215, 152648.	2.3	4
172	Postoperative radiotherapy for laryngeal carcinoma: the prognostic role of subcellular Maspin expression. American Journal of Otolaryngology - Head and Neck Medicine and Surgery, 2015, 36, 184-189.	1.3	3
173	Somatostatin Receptor Type 2 (SSTR2) in Bronchopulmonary Carcinoids. Endocrine Pathology, 2010, 21, 204-205.	9.0	2
174	Are panels of clinical, laboratory, radiological, and microbiological variables of prognostic value in deep neck infections? An analysis of 301 consecutive cases. Acta Oto-Laryngologica, 2019, 139, 214-218.	0.9	2
175	AGING AND DEEP NECK INFECTION. THE EXPERIENCE OF A TERTIARY REFERRAL CENTER (2000–2009). Journal of the American Geriatrics Society, 2010, 58, 1609-1611.	2.6	1
176	Metastatic Signet Ring Cell Carcinoma Presenting as a Thyroid Diffuse Involvement: Report of a Case Studied with Q-elastographic and Acoustic Radiation Force Impulse Imaging Features. Tumori, 2013, 99, e84-e87.	1.1	1
177	Idiopathic sudden sensorineural hearing loss in elderly patients: Univariate and multivariate analysis of potential clinical prognostic factors. Hearing, Balance and Communication, 2014, 12, 182-188.	0.4	1
178	Non-Eosinophilic Chronic Rhinosinusitis With Nasal Polyps: Eosinophil, Basophil, and Neutrophil Blood Counts Before and After Surgery. Annals of Otology, Rhinology and Laryngology, 2019, 128, 233-240.	1.1	1
179	Maspin expression, subcellular localization and clinicopathological correlation in endometrial hyperplasia and endometrial adenocarcinoma. Histology and Histopathology, 2014, 29, 777-83.	0.7	1