

Luciano Giacomelli

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8903735/publications.pdf>

Version: 2024-02-01

179
papers

5,551
citations

93792

39
h-index

129628

63
g-index

180
all docs

180
docs citations

180
times ranked

7381
citing authors

#	ARTICLE	IF	CITATIONS
1	Analysis of serum microRNA in exosomal vehicles of papillary thyroid cancer. <i>Endocrine</i> , 2022, 75, 185-193.	1.1	8
2	Oncofertility and Reproductive Counseling in Patients with Breast Cancer: A Retrospective Study. <i>Journal of Clinical Medicine</i> , 2022, 11, 1311.	1.0	23
3	The COVID-19 outbreak and de-escalation of thyroid cancer diagnosis and treatment. <i>Endocrine</i> , 2022, 78, 387-391.	1.1	6
4	Oncological and Functional Outcomes of Primary and Salvage Total Laryngectomy. <i>Laryngoscope</i> , 2021, 131, E569-E575.	1.1	7
5	Blood Eosinophilic and Basophilic Trends in Recurring and Non-Recurring Eosinophilic Rhinosinusitis With Nasal Polyps. <i>American Journal of Rhinology and Allergy</i> , 2021, 35, 296-301.	1.0	16
6	Selective Use of Radioactive Iodine Therapy for Papillary Thyroid Cancers With Low or Lower-Intermediate Recurrence Risk. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, 1717-1727.	1.8	10
7	Poorly Differentiated Thyroid Carcinoma: Single Centre Experience and Review of the Literature. <i>Journal of Clinical Medicine</i> , 2021, 10, 5258.	1.0	8
8	Preoperative Ultrasonography in the Evaluation of Suspected Familial Non-Medullary Thyroid Cancer: Are We Able to Predict Multifocality and Extrathyroidal Extension?. <i>Journal of Clinical Medicine</i> , 2021, 10, 5277.	1.0	6
9	A classification of chronic rhinosinusitis with nasal polyps based on structured histopathology. <i>Histopathology</i> , 2020, 76, 296-307.	1.6	20
10	Expression of maspin tumor suppressor and mTOR in laryngeal carcinoma. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2020, 41, 102322.	0.6	12
11	Diagnostic Performance of Neck Ultrasonography in the Preoperative Evaluation for Extrathyroidal Extension of Suspicious Thyroid Nodules. <i>World Journal of Surgery</i> , 2020, 44, 2669-2674.	0.8	26
12	Biological tumor markers (maspin, <sc>CD105</sc>, <sc>nm23</sc>) and disease relapse in laryngeal cancer: cluster analysis. <i>Head and Neck</i> , 2020, 42, 2129-2136.	0.9	14
13	Cancer Care During COVID-19 Era: The Quality of Life of Patients With Thyroid Malignancies. <i>Frontiers in Oncology</i> , 2020, 10, 1128.	1.3	34
14	Nipple-Sparing Mastectomy Long-Term Outcomes: Early and Late Complications. <i>Medicina (Lithuania)</i> , 2020, 56, 166.	0.8	7
15	Computer-aided diagnostic system for thyroid nodule sonographic evaluation outperforms the specificity of less experienced examiners. <i>Journal of Ultrasound</i> , 2020, 23, 169-174.	0.7	23
16	Could the infiltration of the thyroarytenoid muscle define the pT2 glottic carcinoma?. <i>Head and Neck</i> , 2019, 41, 3639-3646.	0.9	4
17	The surgical management of locally advanced well-differentiated thyroid carcinoma: changes over the years according to the AJCC 8th edition Cancer Staging Manual. <i>Thyroid Research</i> , 2019, 12, 10.	0.7	19
18	Cochlear implant outcomes in the elderly: a uni- and multivariate analyses of prognostic factors. <i>European Archives of Oto-Rhino-Laryngology</i> , 2019, 276, 3089-3094.	0.8	9

#	ARTICLE	IF	CITATIONS
19	Thyroid Cancer Patients With No Evidence of Disease: The Need for Repeat Neck Ultrasound. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 4981-4989.	1.8	50
20	Endoglin-based assessment of neoangiogenesis in sporadic VIII cranial nerve schwannoma. <i>Pathology Research and Practice</i> , 2019, 215, 152648.	1.0	4
21	A Critical Look Into Stapedotomy Learning Curve: Influence of Patient Characteristics and Different Criteria Defining Success. <i>Ear, Nose and Throat Journal</i> , 2019, 100, 014556131986682.	0.4	8
22	Predicting the Outcome of Unilateral Vocal Fold Paralysis: A Multivariate Discriminating Model Including Grade of Dysphonia, Jitter, Shimmer, and Voice Handicap Index-10. <i>Annals of Otolaryngology, Rhinology and Laryngology</i> , 2019, 128, 447-452.	0.6	9
23	Prospective Evaluation of Semiquantitative Strain Ratio and Quantitative 2D Ultrasound Shear Wave Elastography (SWE) in Association with TIRADS Classification for Thyroid Nodule Characterization. <i>Ultraschall in Der Medizin</i> , 2019, 40, 495-503.	0.8	55
24	Are panels of clinical, laboratory, radiological, and microbiological variables of prognostic value in deep neck infections? An analysis of 301 consecutive cases. <i>Acta Oto-Laryngologica</i> , 2019, 139, 214-218.	0.3	2
25	PD-1 Ligand Expression in Epithelial Thyroid Cancers: Potential Clinical Implications. <i>International Journal of Molecular Sciences</i> , 2019, 20, 1405.	1.8	36
26	No Differences in Nasal Tissue Inflammatory Cells and Adhesion Molecules (iCAM-1 and vCAM-1) Based on the Comparison of EGPA With Eosinophilic Chronic Sinusitis With Polyposis. <i>American Journal of Rhinology and Allergy</i> , 2019, 33, 395-402.	1.0	6
27	Nuclear expression of onco-suppressors nm23-H1 and maspin are associated with lower recurrence rate in laryngeal carcinoma. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2019, 40, 224-229.	0.6	5
28	Histopathological and hematological changes in recurrent nasal polyposis. <i>International Forum of Allergy and Rhinology</i> , 2019, 9, 813-820.	1.5	22
29	Non-Eosinophilic Chronic Rhinosinusitis With Nasal Polyps: Eosinophil, Basophil, and Neutrophil Blood Counts Before and After Surgery. <i>Annals of Otolaryngology, Rhinology and Laryngology</i> , 2019, 128, 233-240.	0.6	1
30	Is it Worth Suppressing Tsh in low- and Intermediate-Risk Papillary Thyroid Cancer Patients Before the First Disease Assessment?. <i>Endocrine Practice</i> , 2019, 25, 165-401.	1.1	18
31	Reducing the Number of Unnecessary Thyroid Biopsies While Improving Diagnostic Accuracy: Toward the "Right" TIRADS. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 95-102.	1.8	220
32	Is thyroid nodule location associated with malignancy risk?. <i>Ultrasonography</i> , 2019, 38, 231-235.	1.0	37
33	Automated classification of focal breast lesions according to S-detect: validation and role as a clinical and teaching tool. <i>Journal of Ultrasound</i> , 2018, 21, 105-118.	0.7	49
34	Cortactin and phosphorylated cortactin ty ⁴²¹ and ty ⁴⁶⁶ expression in supraglottic laryngeal carcinomas and lymph node metastases. <i>International Journal of Biological Markers</i> , 2018, 33, 79-86.	0.7	6
35	Diagnosis and management of a mediastinal ectopic thyroid laying on the right bronchus: case report and review of literature. <i>BMC Surgery</i> , 2018, 18, 19.	0.6	8
36	Thyroid diseases and skin autoimmunity. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2018, 19, 311-323.	2.6	22

#	ARTICLE	IF	CITATIONS
37	Nuclear nonmetastatic protein 23â€H1 expression and epithelialâ€mesenchymal transition in laryngeal carcinoma: A pilot investigation. <i>Head and Neck</i> , 2018, 40, 2020-2028.	0.9	4
38	Sonographic Presentation of Metastases to the Thyroid Gland: A Case Series. <i>Journal of the Endocrine Society</i> , 2018, 2, 855-859.	0.1	15
39	A possible role for selenoprotein glutathione peroxidase (GPx1) and thioredoxin reductases (TrxR1) in thyroid cancer: our experience in thyroid surgery. <i>Cancer Cell International</i> , 2018, 18, 7.	1.8	55
40	miR-199a-3p Modulates MTOR and PAK4 Pathways and Inhibits Tumor Growth in a Hepatocellular Carcinoma Transgenic Mouse Model. <i>Molecular Therapy - Nucleic Acids</i> , 2018, 11, 485-493.	2.3	81
41	Sonographically Estimated Risks of Malignancy for Thyroid Nodules Computed with Five Standard Classification Systems: Changes over Time and Their Relation to Malignancy. <i>Thyroid</i> , 2018, 28, 1190-1197.	2.4	27
42	Survivin and cortactin expression in sinonasal schneiderian (inverted) papilloma and associated carcinoma. <i>American Journal of Rhinology and Allergy</i> , 2018, 32, 78-81.	1.0	9
43	Transoral laser microsurgery for managing laryngeal stenosis after reconstructive partial laryngectomies. <i>Laryngoscope</i> , 2017, 127, 359-365.	1.1	10
44	Cortactin and phosphorylated cortactin tyr 466 expression in temporal bone carcinoma. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2017, 38, 208-212.	0.6	10
45	Lateral pharyngotomy approach in the treatment of oropharyngeal carcinoma. <i>European Archives of Oto-Rhino-Laryngology</i> , 2017, 274, 2573-2580.	0.8	11
46	Nuclear survivin expression correlates with endoglin-assessed microvascularisation in laryngeal carcinoma. <i>Journal of Clinical Pathology</i> , 2017, 70, 1033-1037.	1.0	10
47	The prognostic role of serum eosinophil and basophil levels in sinonasal polyposis. <i>International Forum of Allergy and Rhinology</i> , 2017, 7, 261-267.	1.5	62
48	Identification of Thyroid-Associated Serum microRNA Profiles and Their Potential Use in Thyroid Cancer Follow-Up. <i>Journal of the Endocrine Society</i> , 2017, 1, 3-13.	0.1	55
49	Blood eosinophil-to-basophil ratio in patients with sinonasal polyps. <i>Annals of Allergy, Asthma and Immunology</i> , 2017, 119, 223-226.	0.5	19
50	Hashimotoâ€™s thyroiditis predicts outcome in intrathyroidal papillary thyroid cancer. <i>Endocrine-Related Cancer</i> , 2017, 24, 485-493.	1.6	42
51	Ultrasonography scoring systems can rule out malignancy in cytologically indeterminate thyroid nodules. <i>Endocrine</i> , 2017, 57, 256-261.	1.1	90
52	The true cost of thyroid surgery determined by a micro-costing approach. <i>Endocrine</i> , 2017, 55, 519-529.	1.1	13
53	Yap, Taz and Areg Expression in Eighth Cranial Nerve Schwannoma. <i>International Journal of Biological Markers</i> , 2017, 32, 319-324.	0.7	13
54	Relaxin-2 Expression in Oral Squamous Cell Carcinoma. <i>International Journal of Biological Markers</i> , 2016, 31, 324-329.	0.7	4

#	ARTICLE	IF	CITATIONS
55	Outcomes of Recurrent Acute Otitis Media in Children Treated for Dental Malocclusion: A Preliminary Report. <i>BioMed Research International</i> , 2016, 2016, 1-5.	0.9	9
56	Sinonasal Polyposis in the Elderly. <i>American Journal of Rhinology and Allergy</i> , 2016, 30, e153-e156.	1.0	20
57	Salvage transoral laser microsurgery for recurrent glottic carcinoma after primary laser-assisted treatment: Analysis of prognostic factors. <i>Head and Neck</i> , 2016, 38, 1043-1049.	0.9	13
58	Obliterative portal venopathy without portal hypertension: an underestimated condition. <i>Liver International</i> , 2016, 36, 454-460.	1.9	57
59	miR-19a and SOCS-1 expression in the differential diagnosis of laryngeal (glottic) verrucous squamous cell carcinoma. <i>Journal of Clinical Pathology</i> , 2016, 69, 415-421.	1.0	16
60	Risk Stratification of Neck Lesions Detected Sonographically During the Follow-Up of Differentiated Thyroid Cancer. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 3036-3044.	1.8	54
61	Woodworkers and the inflammatory effects of softwood/hardwood dust: evidence from nasal cytology. <i>European Archives of Oto-Rhino-Laryngology</i> , 2016, 273, 3195-3200.	0.8	11
62	Clinical and pathological parameters prognostic for increased risk of recurrence after postoperative radiotherapy for temporal bone carcinoma. <i>Head and Neck</i> , 2016, 38, 894-898.	0.9	9
63	Are neutrophil-, eosinophil-, and basophil-to-lymphocyte ratios useful markers for pinpointing patients at higher risk of recurrent sinonasal polyps?. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2016, 37, 339-345.	0.6	49
64	Multi-Dimensional Voice Program (MDVP) vs Praat for Assessing Euphonic Subjects: A Preliminary Study on the Gender-discriminating Power of Acoustic Analysis Software. <i>Journal of Voice</i> , 2016, 30, 765.e1-765.e5.	0.6	42
65	Strain ratio ultrasound elastography increases the accuracy of colour-Doppler ultrasound in the evaluation of Thy-3 nodules. A bi-centre university experience. <i>European Radiology</i> , 2016, 26, 1441-1449.	2.3	53
66	Open partial horizontal laryngectomy for salvage after failure of CO2 laser-assisted surgery for glottic carcinoma. <i>European Archives of Oto-Rhino-Laryngology</i> , 2016, 273, 169-175.	0.8	11
67	A prospective investigation of predictive parameters for post-surgical recurrences in sinonasal polyposis. <i>European Archives of Oto-Rhino-Laryngology</i> , 2016, 273, 655-660.	0.8	30
68	Investigating nasal cytology as a potential tool for diagnosing occupational rhinitis in woodworkers. <i>International Forum of Allergy and Rhinology</i> , 2015, 5, 814-819.	1.5	9
69	The prognostic role of the epithelial-mesenchymal transition markers E-cadherin and Slug in laryngeal squamous cell carcinoma. <i>Histopathology</i> , 2015, 67, 491-500.	1.6	66
70	Postoperative radiotherapy for laryngeal carcinoma: the prognostic role of subcellular Maspin expression. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2015, 36, 184-189.	0.6	3
71	Deep neck infections originating from the major salivary glands. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2015, 36, 559-564.	0.6	9
72	Nasal and oral snoring endoscopy: novel and promising diagnostic tools in OSAS patients. <i>European Archives of Oto-Rhino-Laryngology</i> , 2015, 272, 1793-1799.	0.8	12

#	ARTICLE	IF	CITATIONS
73	Relaxin-2 expression in temporal bone carcinoma. <i>European Archives of Oto-Rhino-Laryngology</i> , 2015, 272, 3225-3232.	0.8	13
74	Elderly patients at higher risk of laryngeal carcinoma recurrence could be identified by a panel of two biomarkers (nm23-H1 and CD105) and pN+ status. <i>European Archives of Oto-Rhino-Laryngology</i> , 2015, 272, 3417-3424.	0.8	17
75	Oesophageal cancer: assessment of tumour response to chemoradiotherapy with tridimensional CT. <i>Radiologia Medica</i> , 2015, 120, 430-439.	4.7	11
76	Recurrent squamous cell carcinoma of the temporal bone: critical analysis of cases with a poor prognosis. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2015, 36, 352-355.	0.6	24
77	Can a panel of clinical, laboratory, and pathological variables pinpoint patients with sinonasal polyposis at higher risk of recurrence after surgery?. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2015, 36, 554-558.	0.6	46
78	Post-operative steroid treatment for eosinophilic-type sinonasal polyposis. <i>Acta Oto-Laryngologica</i> , 2015, 135, 1200-1204.	0.3	23
79	HER2 status in gastroesophageal cancer: a tissue microarray study of 1040 cases. <i>Human Pathology</i> , 2015, 46, 665-672.	1.1	47
80	Endoglin (CD105) expression in sinonasal polyposis. <i>European Archives of Oto-Rhino-Laryngology</i> , 2015, 272, 3367-3373.	0.8	26
81	PDE5 expression in human thyroid tumors and effects of PDE5 inhibitors on growth and migration of cancer cells. <i>Endocrine</i> , 2015, 50, 434-441.	1.1	55
82	Silver sucrose octasulfate nasal applications and wound healing after endoscopic sinus surgery: a prospective, randomized, double-blind, placebo-controlled study. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2015, 36, 625-631.	0.6	7
83	Uni- and multivariate models for investigating potential prognostic factors in idiopathic sudden sensorineural hearing loss. <i>European Archives of Oto-Rhino-Laryngology</i> , 2015, 272, 1899-1906.	0.8	36
84	A Higher Angiogenin Expression is Associated With a Nonnuclear Maspin Location in Laryngeal Carcinoma. <i>Clinical and Experimental Otorhinolaryngology</i> , 2015, 8, 268.	1.1	8
85	Prognostic Significance of Serine-Phosphorylated STAT3 Expression in pT1-T2 Oral Tongue Carcinoma. <i>Clinical and Experimental Otorhinolaryngology</i> , 2015, 8, 275.	1.1	10
86	A cost analysis of thyroid core needle biopsy vs. diagnostic surgery. <i>Gland Surgery</i> , 2015, 4, 307-11.	0.5	13
87	Beyond scoring: a modern histological assessment of chronic hepatitis should include tissue angiogenesis. <i>Gut</i> , 2014, 63, 1366-1367.	6.1	6
88	Idiopathic sudden sensorineural hearing loss in elderly patients: Univariate and multivariate analysis of potential clinical prognostic factors. <i>Hearing, Balance and Communication</i> , 2014, 12, 182-188.	0.1	1
89	A panel of biomarkers for predicting response to postoperative RT for laryngeal cancer?. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2014, 35, 771-778.	0.6	5
90	Temporal bone squamous cell carcinoma: Analyzing prognosis with univariate and multivariate models. <i>Laryngoscope</i> , 2014, 124, 1192-1198.	1.1	60

#	ARTICLE	IF	CITATIONS
91	Q-Elastosonography of Solid Thyroid Nodules: Assessment of Diagnostic Efficacy and Interobserver Variability in a Large Patient Cohort. <i>European Radiology</i> , 2014, 24, 143-150.	2.3	65
92	Multivariate approach to investigating prognostic factors in deep neck infections. <i>European Archives of Oto-Rhino-Laryngology</i> , 2014, 271, 2061-7.	0.8	20
93	Indications for postoperative radiotherapy in laryngeal carcinoma: A panel of tumor tissue markers for predicting locoregional recurrence in surgically treated carcinoma. A pilot study. <i>Head and Neck</i> , 2014, 36, 1534-1540.	0.9	26
94	Can immunohistochemistry quantification of Cathepsin-D be useful in the differential diagnosis between vital and post-mortem wounds in humans?. <i>Medicine, Science and the Law</i> , 2014, 54, 151-157.	0.6	5
95	Perioperative care in elderly patients undergoing thyroid surgery. <i>International Journal of Surgery</i> , 2014, 12, S78-S81.	1.1	5
96	Maspin expression, subcellular localization and clinicopathological correlation in endometrial hyperplasia and endometrial adenocarcinoma. <i>Histology and Histopathology</i> , 2014, 29, 777-83.	0.5	1
97	Vestibular rehabilitation in elderly patients with central vestibular dysfunction: a prospective, randomized pilot study. <i>Age</i> , 2013, 35, 2315-2327.	3.0	23
98	A prognostic role for Nm23-H1 in laryngeal carcinoma treated with postoperative radiotherapy: an introductory investigation. <i>European Archives of Oto-Rhino-Laryngology</i> , 2013, 270, 197-203.	0.8	4
99	Papillary Thyroid Cancer: Time Course of Recurrences During Postsurgery Surveillance. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, 636-642.	1.8	263
100	Prognostic value of hypoxia-inducible factors (angiogenin and endoglin) in open partial laryngectomies: uni- and multivariate analyses. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2013, 34, 3-9.	0.6	5
101	A high nuclear nm23-H1 expression is associated with a better prognosis in elderly patients with laryngeal carcinoma. <i>Acta Oto-Laryngologica</i> , 2013, 133, 874-880.	0.3	13
102	Evaluation of the Prognostic Role of pSTAT3 Expression in Temporal Bone Squamous Cell Carcinoma. <i>Otology and Neurotology</i> , 2013, 34, 1476-1482.	0.7	12
103	C-Kit SCF receptor (CD117) expression and <i>KIT</i> gene mutation in conjunctival pigmented lesions. <i>Acta Ophthalmologica</i> , 2013, 91, e641-e645.	0.6	16
104	Expression of the tumour suppressor maspin in temporal bone carcinoma. <i>Histopathology</i> , 2013, 63, 242-249.	1.6	19
105	Relationship between antiapoptotic proteins survivin and <i>Bcl-2</i> , and response to treatment in patients undergoing postoperative RT for laryngeal cancer: a pilot study. <i>Journal of Oral Pathology and Medicine</i> , 2013, 42, 339-344.	1.4	14
106	The role of angiogenin in pT1&T2 tongue carcinoma neoangiogenesis and cell proliferation: an exploratory study. <i>Journal of Oral Pathology and Medicine</i> , 2013, 42, 606-611.	1.4	10
107	Metastatic Signet Ring Cell Carcinoma Presenting as a Thyroid Diffuse Involvement: Report of a Case Studied with Q-elastographic and Acoustic Radiation Force Impulse Imaging Features. <i>Tumori</i> , 2013, 99, e84-e87.	0.6	1
108	Anti-Tumor Activity of a miR-199-dependent Oncolytic Adenovirus. <i>PLoS ONE</i> , 2013, 8, e73964.	1.1	53

#	ARTICLE	IF	CITATIONS
109	Long-Term Surveillance of Papillary Thyroid Cancer Patients Who Do Not Undergo Postoperative Radioiodine Remnant Ablation: Is There a Role for Serum Thyroglobulin Measurement?. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, 2748-2753.	1.8	138
110	Isolated Tumor Cells in Regional Lymph Nodes as Relapse Predictors in Stage I and II Colorectal Cancer. <i>Journal of Clinical Oncology</i> , 2012, 30, 965-971.	0.8	47
111	Neovascularization in Temporal Bone Carcinoma. <i>Otology and Neurotology</i> , 2012, 33, 843-848.	0.7	16
112	Nm23 nuclear expression is associated with a more favourable prognosis in laryngeal carcinoma: univariate and multivariate analysis. <i>Histopathology</i> , 2012, 61, 1057-1064.	1.6	20
113	Human epithelial growth factor receptor 2 (HER2) status in primary and metastatic esophagogastric junction adenocarcinomas. <i>Human Pathology</i> , 2012, 43, 1206-1212.	1.1	34
114	Smoking and chronic rhinitis: effects of nasal irrigations with sulfurous-arsenical-ferruginous thermal water. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2012, 33, 657-662.	0.6	19
115	CO ₂ laser surgery in elderly patients with glottic carcinoma: Univariate and multivariate analyses of results. <i>Head and Neck</i> , 2012, 34, 1804-1809.	0.9	18
116	Liver tumorigenicity promoted by microRNA-221 in a mouse transgenic model. <i>Hepatology</i> , 2012, 56, 1025-1033.	3.6	150
117	Survivin and laryngeal carcinoma prognosis: nuclear localization and expression of splice variants. <i>Histopathology</i> , 2012, 61, 247-256.	1.6	20
118	High mTOR expression is associated with a worse oncological outcome in laryngeal carcinoma treated with postoperative radiotherapy: a pilot study. <i>Journal of Oral Pathology and Medicine</i> , 2012, 41, 136-140.	1.4	15
119	mTOR expression and prognosis in elderly patients with laryngeal carcinoma: Uni- and multivariate analyses. <i>Oral Oncology</i> , 2012, 48, 530-534.	0.8	10
120	Effects of sulfurous, salty, bromic, iodine thermal water nasal irrigations in nonallergic chronic rhinosinusitis: a prospective, randomized, double-blind, clinical, and cytological study. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2011, 32, 235-239.	0.6	35
121	Mammalian target of rapamycin expression and laryngeal squamous cell carcinoma prognosis: novel preliminary evidence. <i>Histopathology</i> , 2011, 58, 1148-1156.	1.6	9
122	Angiogenin expression in head and neck basaloid and conventional squamous cell carcinoma: a site- and stage-matched comparison. <i>Journal of Oral Pathology and Medicine</i> , 2011, 40, 55-60.	1.4	8
123	PDCD4 nuclear loss inversely correlates with miR-21 levels in colon carcinogenesis. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2011, 458, 413-419.	1.4	72
124	Glottic laser surgery: outcomes according to 2007 ELS classification. <i>European Archives of Oto-Rhino-Laryngology</i> , 2011, 268, 1771-1778.	0.8	43
125	Laryngeal carcinoma prognosis after postoperative radiotherapy correlates with CD105 expression, but not with angiogenin or EGFR expression. <i>European Archives of Oto-Rhino-Laryngology</i> , 2011, 268, 1779-1787.	0.8	16
126	BRAFV600E mutation and expression of proangiogenic molecular markers in papillary thyroid carcinomas. <i>European Journal of Endocrinology</i> , 2011, 165, 455-463.	1.9	25

#	ARTICLE	IF	CITATIONS
127	In vitromodel for IgE mediated food allergy. Scandinavian Journal of Gastroenterology, 2011, 46, 177-187.	0.6	25
128	A Higher CD105-Assessed Microvessel Density and Worse Prognosis in Elderly Patients With Laryngeal Carcinoma. JAMA Otolaryngology, 2011, 137, 175.	1.5	15
129	Nuclear MASPIN expression relates to a better prognosis in elderly patients with laryngeal carcinoma. Acta Oto-Laryngologica, 2011, 131, 1220-1225.	0.3	11
130	The Loss of the p53 Activator HIPK2 Is Responsible for Galectin-3 Overexpression in Well Differentiated Thyroid Carcinomas. PLoS ONE, 2011, 6, e20665.	1.1	54
131	Laryngeal carcinoma lymph node metastasis and disease-free survival correlate with MASPIN nuclear expression but not with EGFR expression: a series of 108 cases. European Archives of Oto-Rhino-Laryngology, 2010, 267, 1103-1110.	0.8	24
132	Somatostatin Receptor Type 2 (SSTR2) in Bronchopulmonary Carcinoids. Endocrine Pathology, 2010, 21, 204-205.	5.2	2
133	AGING AND DEEP NECK INFECTION. THE EXPERIENCE OF A TERTIARY REFERRAL CENTER (2000â€“2009). Journal of the American Geriatrics Society, 2010, 58, 1609-1611.	1.3	1
134	CD105 is a marker of tumour vasculature and a potential target for the treatment of head and neck squamous cell carcinoma. Journal of Oral Pathology and Medicine, 2010, 39, 361-367.	1.4	46
135	Neovascularization in laryngeal carcinoma: angiogenin and CD105 expression is related to carcinoma recurrence rate and disease-free survival. Histopathology, 2010, 57, 535-543.	1.6	33
136	Programmed cell death 4 protein in esophageal cancer. Oncology Reports, 2010, 24, 135-9.	1.2	41
137	Identification and Optimal Postsurgical Follow-Up of Patients with Very Low-Risk Papillary Thyroid Microcarcinomas. Journal of Clinical Endocrinology and Metabolism, 2010, 95, 4882-4888.	1.8	98
138	Expression of MASPIN and angiogenin in nasopharyngeal carcinoma: Novel preliminary clinico-pathological evidence. Acta Oto-Laryngologica, 2010, 130, 952-958.	0.3	7
139	Caustic ingestion and oesophageal cancer: intra- and peri-tumoral fibrosis is associated with a better prognosis. European Journal of Cardio-thoracic Surgery, 2010, 38, 659-664.	0.6	19
140	Reduction of Interstitial Cells of Cajal in Esophageal Atresia. Journal of Pediatric Gastroenterology and Nutrition, 2010, 51, 610-617.	0.9	33
141	Programmed cell death 4 (PDCD4) expression during multistep Barrett's carcinogenesis. Journal of Clinical Pathology, 2010, 63, 692-696.	1.0	34
142	Aurora kinase A in Barrett's carcinogenesis. Human Pathology, 2010, 41, 1380-1386.	1.1	29
143	Expression of p53, p16 ^{INK4A} , pRb, p21 ^{WAF1/CIP1} , p27 ^{KIP1} , cyclin D1, Ki-67 and HPV DNA in sinonasal endophytic Schneiderian (inverted) papilloma. Acta Oto-Laryngologica, 2009, 129, 1242-1249.	0.3	58
144	Morphometric Investigation of Death by Asphyxia. Journal of Forensic Sciences, 2009, 54, 672-675.	0.9	12

#	ARTICLE	IF	CITATIONS
145	MASPIN's prognostic role in patients with advanced head and neck carcinoma treated with primary chemotherapy (carboplatin plus vinorelbine) and radiotherapy: preliminary evidence. <i>Acta Oto-Laryngologica</i> , 2009, 129, 786-792.	0.3	11
146	MASPIN subcellular localization and expression in oral cavity squamous cell carcinoma. <i>European Archives of Oto-Rhino-Laryngology</i> , 2008, 265, 97-104.	0.8	40
147	Treatment of unusual or rare laryngeal nonsquamous primary malignancies: radical (total/extended) Tj ETQq1 1 0.784314 rgBT /Overl <i>Medicine and Surgery</i> , 2008, 29, 106-112.	0.6	13
148	Nuclear localization of mammary serine protease inhibitor (MASPIN): is its impact on the prognosis in laryngeal carcinoma due to a proapoptotic effect?. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2008, 29, 156-162.	0.6	21
149	The effects of sulfurous-arsenical-ferruginous thermal water nasal irrigation in wound healing after functional endoscopic sinus surgery for chronic rhinosinusitis: a prospective randomized study. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2008, 29, 223-229.	0.6	29
150	Partial middle turbinectomy during endoscopic sinus surgery for extended sinonasal polyposis: short- and mid-term outcomes. <i>Acta Oto-Laryngologica</i> , 2008, 128, 73-77.	0.3	27
151	Bronchopulmonary Carcinoid: Phenotype and Long-term Outcome in a Single-Institution Series of Italian Patients. <i>Clinical Cancer Research</i> , 2008, 14, 149-154.	3.2	59
152	Laryngeal carcinoma recurrence rate and disease-free interval are related to CD105 expression but not to vascular endothelial growth factor 2 (Flk-1/Kdr) expression. <i>Anticancer Research</i> , 2008, 28, 551-7.	0.5	15
153	Micronuclei and broken eggs in human liver carcinogenesis. <i>Anticancer Research</i> , 2008, 28, 2507-11.	0.5	11
154	P27 and MIB-1 Expression Is Related to Malignancy Recurrence in Laryngeal Carcinoma Treated with Partial Laryngectomy: Preliminary Results. <i>The Journal of Otolaryngology</i> , 2007, 36, 98.	0.6	5
155	Transforming acidic coiled-coil 3 and Aurora-A interact in human thyrocytes and their expression is deregulated in thyroid cancer tissues. <i>Endocrine-Related Cancer</i> , 2007, 14, 827-837.	1.6	46
156	Indefinite for non-invasive neoplasia lesions in gastric intestinal metaplasia: the immunophenotype. <i>Journal of Clinical Pathology</i> , 2007, 60, 615-621.	1.0	24
157	Gastritis staging in clinical practice: the OLGA staging system. <i>Gut</i> , 2007, 56, 631-636.	6.1	370
158	Different hemodynamic patterns of alcoholic and viral endstage cirrhosis: Analysis of explanted liver weight, degree of fibrosis and splanchnic Doppler parameters. <i>Scandinavian Journal of Gastroenterology</i> , 2007, 42, 256-262.	0.6	29
159	Non-specific immunological determinations in Meniere's disease: any role in clinical practice?. <i>European Archives of Oto-Rhino-Laryngology</i> , 2007, 264, 15-19.	0.8	30
160	Deep neck infection in elderly patients. A single institution experience (2000-2004). <i>Aging Clinical and Experimental Research</i> , 2006, 18, 127-132.	1.4	19
161	Effect of the systemic versus inhalatory administration of synthetic glucocorticoids on the urinary steroid profile as studied by gas chromatography-mass spectrometry. <i>Analytica Chimica Acta</i> , 2006, 559, 30-36.	2.6	18
162	Expression of Aurora kinases in human thyroid carcinoma cell lines and tissues. <i>International Journal of Cancer</i> , 2006, 119, 275-282.	2.3	94

#	ARTICLE	IF	CITATIONS
163	High nuclear expression of the apoptosis inhibitor protein survivin is associated with disease recurrence and poor prognosis in laryngeal basaloid squamous cell carcinoma. <i>Acta Oto-Laryngologica</i> , 2006, 126, 197-203.	0.3	24
164	Endoglin expression is associated with poor oncologic outcome in oral and oropharyngeal carcinoma. <i>Acta Oto-Laryngologica</i> , 2006, 126, 633-639.	0.3	38
165	Liver Steatosis in Children With Chronic Hepatitis C. <i>American Journal of Gastroenterology</i> , 2006, 101, 2611-2615.	0.2	17
166	Expression of the apoptosis inhibitor protein Survivin in primary laryngeal carcinoma and cervical lymph node metastasis. <i>Anticancer Research</i> , 2006, 26, 3813-7.	0.5	38
167	Maspin nuclear localization is related to reduced density of tumour-associated micro-vessels in laryngeal carcinoma. <i>Anticancer Research</i> , 2006, 26, 4927-32.	0.5	31
168	Color-Coded Automated Signal Intensity Curves for Detection and Characterization of Breast Lesions. <i>Investigative Radiology</i> , 2005, 40, 448-457.	3.5	31
169	Altered trafficking of CD8+ memory T cells after implantation of rapamycin-eluting stents in patients with coronary artery disease. <i>Immunology Letters</i> , 2005, 96, 85-91.	1.1	7
170	Can p503s, p504s and p510s gene expression in peripheral-blood be useful as a marker of prostatic cancer?. <i>BMC Cancer</i> , 2005, 5, 111.	1.1	7
171	Management of Nonpalpable Breast Lesions in a Modern Functional Breast Unit. <i>Breast Cancer Research and Treatment</i> , 2005, 93, 85-89.	1.1	25
172	Atom transfer radical polymerization of sodium2-acrylamido-2-methylpropanesulfonate. <i>Journal of Polymer Science Part A</i> , 2005, 43, 4446-4454.	2.5	29
173	Endoglin (CD105) expression in head and neck basaloid squamous cell carcinoma. <i>Acta Oto-Laryngologica</i> , 2005, 125, 307-311.	0.3	37
174	Survivin expression is significantly higher in pN+ oral and oropharyngeal primary squamous cell carcinomas than in pN0 carcinomas. <i>Acta Oto-Laryngologica</i> , 2005, 125, 1218-1223.	0.3	16
175	Atom Transfer Radical Polymerization of N-Isopropylacrylamide. <i>Macromolecular Rapid Communications</i> , 2004, 25, 559-564.	2.0	249
176	Doxorubicin Activity Is Enhanced by Hyperthermia in a Model of Ex Vivo Vascular Perfusion of Human Colon Carcinoma. <i>World Journal of Surgery</i> , 2003, 27, 640-646.	0.8	10
177	Temporal Bone and Sinonasal Inverted Papilloma. <i>JAMA Otolaryngology</i> , 2003, 129, 553.	1.5	35
178	Micronucleated cells in nasal mucosa of formaldehyde-exposed workers. <i>Mutation Research - Genetic Toxicology Testing and Biomonitoring of Environmental Or Occupational Exposure</i> , 1992, 280, 1-7.	1.2	65
179	Louis-Bar syndrome: spontaneous and induced chromosomal aberrations in lymphocytes and micronuclei in lymphocytes, oral mucosa and hair root cells. <i>Human Genetics</i> , 1990, 85, 31-8.	1.8	18