## Kavin Sundaram

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8904381/publications.pdf

Version: 2024-02-01

		1039406	940134
18	283	9	16
papers	citations	h-index	g-index
19	19	19	350
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Have Venous Thromboembolism Rates Decreased in Total Hip and Knee Arthroplasty?. Journal of Arthroplasty, 2020, 35, 259-264.	1.5	66
2	The association between weight-bearing status and early complications in hip fractures. European Journal of Orthopaedic Surgery and Traumatology, 2019, 29, 1419-1427.	0.6	44
3	Trochanteric osteotomy in revision total hip arthroplasty. EFORT Open Reviews, 2020, 5, 477-485.	1.8	22
4	An increased body mass index was not associated with higher rates of 30-day postoperative complications after unicompartmental knee arthroplasty. Knee, 2019, 26, 720-728.	0.8	21
5	Are Subchondral Intraosseous Injections Effective and Safe for the Treatment of Knee Osteoarthritis? A Systematic Review. Journal of Knee Surgery, 2019, 32, 1046-1057.	0.9	21
6	Venous Thromboembolism Rates Did Not Decrease in Lower Extremity Revision Total Joint Arthroplasty From 2008 to 2016. Journal of Arthroplasty, 2019, 34, 2774-2779.	1.5	19
7	Skin closure with 2-octyl cyanoacrylate and polyester mesh after primary total knee arthroplasty offers superior cosmetic outcomes and patient satisfaction compared to staples: a prospective trial. European Journal of Orthopaedic Surgery and Traumatology, 2020, 30, 447-453.	0.6	19
8	Vascular Injuries in Total Knee Arthroplasty. JBJS Reviews, 2020, 8, e0051-e0051.	0.8	12
9	Publication integrity in orthopaedic journals: the self-citation in orthopaedic research (SCOR) threshold. European Journal of Orthopaedic Surgery and Traumatology, 2020, 30, 629-635.	0.6	11
10	Estimated glomerular filtration rate is a prognosticator of adverse outcomes after primary total knee arthroplasty among patients with chronic kidney disease and glomerular hyperfiltration. Knee, 2021, 28, 36-44.	0.8	9
11	Selective Embolization Is Safe and Effective for Total Knee Arthroplasty-Associated Recurrent Hemarthroses: A Systematic Review and Meta-Analysis. Journal of Knee Surgery, 2019, 34, 877-885.	0.9	8
12	Venous thromboembolism rates remained unchanged in operative lower extremity orthopaedic trauma patients from 2008 to 2016. Injury, 2019, 50, 1620-1626.	0.7	8
13	Barbed sutures reduce arthrotomy closure duration and suture utilisation compared to interrupted conventional sutures for primary total hip arthroplasty: a randomised controlled trial. HIP International, 2021, 31, 582-588.	0.9	7
14	Proximal tibiofibular osteoarthritis presenting as pain after total knee arthroplasty treated successfully with fusion of the proximal tibial-fibular joint. Arthroplasty Today, 2018, 4, 139-142.	0.8	5
15	Cephalomedullary nailing versus sliding hip screws for Intertrochanteric and basicervical hip fractures: a propensity-matched study of short-term outcomes in over 17,000 patients. European Journal of Orthopaedic Surgery and Traumatology, 2020, 30, 243-250.	0.6	5
16	Total Hip Arthroplasty Outperforms Hemiarthroplasty in Patients Aged 65 Years and Older: A Propensity-Matched Study of Short-Term Outcomes. Geriatric Orthopaedic Surgery and Rehabilitation, 2019, 10, 215145931987685.	0.6	4
17	Total Joint Arthroplasty Outcomes in Patients With a Previously Failed Toxicology Screen: A Propensity Score–Matched Analysis. Journal of Arthroplasty, 2019, 34, 1909-1913.	1.5	1
18	Treatment of an Abscess of the Leg in a Febrile Child After Incidental Trauma from the Barb of a Freshwater Fish. JBJS Case Connector, 2020, 10, e0464-e0464.	0.1	1