

# William D Voorhees

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8904484/publications.pdf>

Version: 2024-02-01

15  
papers

1,130  
citations

840119

11  
h-index

996533

15  
g-index

15  
all docs

15  
docs citations

15  
times ranked

616  
citing authors

#	ARTICLE	IF	CITATIONS
1	Long-term Retrieval Success Rate Profile for the Günther Tulip Vena Cava Filter. <i>Journal of Vascular and Interventional Radiology</i> , 2009, 20, 871-877.	0.2	69
2	Short- and Long-term Retrieval of the Celect Vena Cava Filter: Results from a Multi-institutional Registry. <i>Journal of Vascular and Interventional Radiology</i> , 2009, 20, 1441-1448.	0.2	73
3	Clinical Evaluation of the Zilver Vascular Stent for Symptomatic Iliac Artery Disease. <i>Journal of Vascular and Interventional Radiology</i> , 2008, 19, 15-22. Comparison of neointimal formation in polymer-free paclitaxel stents versus stainless stents (from) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	0.2	21
4	clinical trials sponsored by the Cook Group, Inc., Bloomington, Indiana. Drs. Fearnot and Voorhees are employees of the MED Institute, a Cook company. Drs. KaÅ,uÅ¼a and Raizner served as core angiographic analysts for the 2 trials. Other investigators served in either of the trials.. <i>American Journal of Cardiology</i> , 2004, 94, 199-201.	0.7	18
5	The relationship between airway carbon dioxide excretion and cardiac output during cardiopulmonary resuscitation. <i>Resuscitation</i> , 1997, 34, 263-270.	1.3	10
6	The relationship of carbon dioxide excretion during cardiopulmonary resuscitation to regional blood flow and survival. <i>Resuscitation</i> , 1997, 35, 135-143.	1.3	8
7	Detection of Ventricular Tachycardia and Fibrillation Using Coronary Sinus Blood Temperature: A Feasibility Study. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1993, 16, 2266-2278.	0.5	4
8	Methylene blue as an inhibitor of superoxide generation by xanthine oxidase. <i>Biochemical Pharmacology</i> , 1991, 42, 499-506.	2.0	207
9	Changes in expired end-tidal carbon dioxide during cardiopulmonary resuscitation in dogs: A prognostic guide for resuscitation efforts. <i>Journal of the American College of Cardiology</i> , 1989, 13, 1184-1189.	1.2	101
10	Hyperthermia-induced vascular injury in normal and neoplastic tissue. <i>Cancer</i> , 1985, 56, 991-1000.	2.0	59
11	Intrapulmonary epinephrine during prolonged cardiopulmonary resuscitation: Improved regional blood flow and resuscitation in dogs. <i>Annals of Emergency Medicine</i> , 1984, 13, 79-86.	0.3	262
12	Right-side cardiac output determined with a newly developed catheter-tip resistivity probe using saline indicator.. <i>International Heart Journal</i> , 1984, 25, 105-111.	0.6	4
13	Theoretical feasibility of vasodilator-enhanced local tumor heating. <i>European Journal of Cancer &amp; Clinical Oncology</i> , 1982, 18, 1137-1146.	0.9	44
14	Hydralazine-enhanced selective heating of transmissible venereal tumor implants in dogs. <i>European Journal of Cancer &amp; Clinical Oncology</i> , 1982, 18, 1027-1033.	0.9	103
15	Regional blood flow during cardiopulmonary resuscitation in dogs. <i>Critical Care Medicine</i> , 1980, 8, 134-136.	0.4	147