Shimon Rachmilevitch

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8904629/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Leaf surface influence on potential water use in desert plants. Journal of Arid Environments, 2022, 198, 104694.	1.2	0
2	Leaf coordination between petiole vascular development and water demand in response to elevated CO 2 in tomato plants. Plant Direct, 2022, 6, e371.	0.8	0
3	Leveraging a graft collection to develop metabolome-based trait prediction for the selection of tomato rootstocks with enhanced salt tolerance. Horticulture Research, 2022, 9, uhac061.	2.9	2
4	Spectral monitoring of salinity stress in tomato plants. Biosystems Engineering, 2022, 217, 26-40.	1.9	6
5	Aeroponic systems: A unique tool for estimating plant water relations and NO ₃ uptake in response to salinity stress. Plant Direct, 2021, 5, e00312.	0.8	2
6	Dew water-uptake pathways in Negev desert plants: a study using stable isotope tracers. Oecologia, 2021, 196, 353-361.	0.9	5
7	Geodiversity impacts plant community structure in a semi-arid region. Scientific Reports, 2021, 11, 15259.	1.6	13
8	Strontium as a tracer for calcium: uptake, transport and partitioning within tomato plants. Plant and Soil, 2021, 466, 303-316.	1.8	10
9	Vertical microclimate heterogeneity and dew formation in semi-closed and naturally ventilated tomato greenhouses. Scientia Horticulturae, 2021, 288, 110271.	1.7	10
10	A novel approach for long-term spectral monitoring of desert shrubs affected by an oil spill. Environmental Pollution, 2021, 289, 117788.	3.7	5
11	Assessment of maize yield and phenology by drone-mounted superspectral camera. Precision Agriculture, 2020, 21, 51-76.	3.1	73
12	Potassium and storage root development: focusing on photosynthesis, metabolites and soluble carbohydrates in cassava. Physiologia Plantarum, 2020, 169, 169-178.	2.6	20
13	The role of different root orders in nutrient uptake. Environmental and Experimental Botany, 2020, 179, 104212.	2.0	14
14	Bacterial Community Structure Dynamics in <i>Meloidogyne incognita</i> -Infected Roots and Its Role in Worm-Microbiome Interactions. MSphere, 2020, 5, .	1.3	14
15	Modified Hiltner Dew Balance to Re-Estimate Dewfall Accumulation as a Reliable Water Source in the Negev Desert. Water (Switzerland), 2020, 12, 2952.	1.2	4
16	Optimizing root yield of cassava under fertigation and the masked effect of atmospheric temperature. Journal of the Science of Food and Agriculture, 2020, 100, 4592-4600.	1.7	0
17	Transgenic overexpression of rubisco subunits and the assembly factor RAF1 are beneficial to recovery from drought stress in maize. Environmental and Experimental Botany, 2020, 177, 104126.	2.0	8
18	Wide vessels sustain marginal transpiration flux and do not optimize inefficient gas exchange activity under impaired hydraulic control and salinity. Physiologia Plantarum, 2020, 170, 60-74.	2.6	4

Shimon Rachmilevitch

#	Article	IF	CITATIONS
19	Synergistic effects of abiotic stresses in plants: a case study of nitrogen limitation and saturating light intensity in Arabidopsis thaliana. Physiologia Plantarum, 2019, 165, 755-767.	2.6	16
20	CO2 and nitrogen interaction alters root anatomy, morphology, nitrogen partitioning and photosynthetic acclimation of tomato plants. Planta, 2019, 250, 1423-1432.	1.6	22
21	Phosphorus affects storage root yield of cassava through root numbers. Journal of Plant Nutrition, 2019, 42, 2070-2079.	0.9	4
22	High Nitrogen Availability Limits Photosynthesis and Compromises Carbohydrate Allocation to Storage in Roots of Manihot esculenta Crantz. Frontiers in Plant Science, 2019, 10, 1041.	1.7	18
23	Thermal Benefits From White Variegation of Silybum marianum Leaves. Frontiers in Plant Science, 2019, 10, 688.	1.7	12
24	The Phosphorus Economy of Mediterranean Oak Saplings Under Global Change. Frontiers in Plant Science, 2019, 10, 405.	1.7	8
25	Physiology and metabolism of grafted bell pepper in response to low root-zone temperature. Functional Plant Biology, 2019, 46, 339.	1.1	11
26	The effect of irrigation regimes on plum (Prunus cerasifera) root system development dynamics. Plant Biosystems, 2019, 153, 529-537.	0.8	8
27	Geodiversity effects on soil quality and geo-ecosystem functioning in drylands. Catena, 2019, 176, 372-380.	2.2	26
28	<i>Phelipanche aegyptiaca</i> parasitism impairs salinity tolerance in young leaves of tomato. Physiologia Plantarum, 2018, 164, 191-203.	2.6	2
29	The effects of elevated CO2 and nitrogen nutrition on root dynamics. Plant Science, 2018, 272, 294-300.	1.7	34
30	Tripartite symbiosis of plant-weevil-bacteria is a widespread phenomenon in the Negev Desert. Scientific Reports, 2018, 8, 2420.	1.6	6
31	Source-sink relations of sunflower plants as affected by a parasite modifies carbon allocations and leaf traits. Plant Science, 2018, 271, 100-107.	1.7	6
32	Smallâ€scale Geodiversity Regulates Functioning, Connectivity, and Productivity of Shrubby, Semiâ€arid Rangelands. Land Degradation and Development, 2018, 29, 205-209.	1.8	27
33	Geodiversity decreases shrub mortality and increases ecosystem tolerance to droughts and climate change. Earth Surface Processes and Landforms, 2018, 43, 2808-2817.	1.2	26
34	Nutrient use efficiency and harvest index of cassava decline as fertigation solution concentration increases. Journal of Plant Nutrition and Soil Science, 2018, 181, 644-654.	1.1	8
35	Grafting as a Method to Increase the Tolerance Response of Bell Pepper to Extreme Temperatures. Vadose Zone Journal, 2018, 17, 1-8.	1.3	8
36	Effects of photoselective netting on root growth and development of young grafted orange trees under semi-arid climate. Scientia Horticulturae, 2018, 238, 272-280.	1.7	27

#	Article	IF	CITATIONS
37	Grapevines hydraulic diversity – a critical consideration for irrigation management?. Acta Horticulturae, 2017, , 443-448.	0.1	1
38	Water deficit effects on the molecular processes, physiology and quality of grapevine. Acta Horticulturae, 2017, , 239-254.	0.1	3
39	A bell pepper cultivar tolerant to chilling enhanced nitrogen allocation and stressâ€related metabolite accumulation in the roots in response to low rootâ€zone temperature. Physiologia Plantarum, 2017, 161, 196-210.	2.6	23
40	Long and short term population dynamics of acacia trees via remote sensing and spatial analysis: Case study in the southern Negev Desert. Remote Sensing of Environment, 2017, 198, 95-104.	4.6	10
41	Plasticity of biomass allometry and root traits of two tomato cultivars under deficit irrigationÂ×Âchemically induced drought hardening by Paclobutrazol. Irrigation Science, 2017, 35, 501-514.	1.3	4
42	The potential of the spectral â€~water balance index' (<scp>WABI</scp>) for crop irrigation scheduling. New Phytologist, 2017, 216, 741-757.	3.5	24
43	Recognition of Orobanche cumana Below-Ground Parasitism Through Physiological and Hyper Spectral Measurements in Sunflower (Helianthus annuus L.). Frontiers in Plant Science, 2017, 8, 909.	1.7	16
44	Grapevine petioles are more sensitive to drought induced embolism than stems: evidence from <i>in vivo</i> MRI and microcomputed tomography observations of hydraulic vulnerability segmentation. Plant, Cell and Environment, 2016, 39, 1886-1894.	2.8	82
45	Paclobutrazol induces tolerance in tomato to deficit irrigation through diversified effects on plant morphology, physiology and metabolism. Scientific Reports, 2016, 6, 39321.	1.6	47
46	Low water availability and salinity effects on seedling viability of Bassia indica compared to B. iranica and B. prostrata (Amaranthaceae). Seed Science Research, 2016, 26, 77-83.	0.8	3
47	Modelling the impact of drought and heat stress on common bean with two different photosynthesis model approaches. Environmental Modelling and Software, 2016, 81, 111-121.	1.9	22
48	Tolerance to high soil temperature in foxtail millet (Setaria italica L.) is related to shoot and root growth and metabolism. Plant Physiology and Biochemistry, 2016, 106, 73-81.	2.8	56
49	Green roofs: what can we learn from desert plants?. Israel Journal of Ecology and Evolution, 2016, 62, 58-67.	0.2	14
50	Insights into root structure and function of Bassia indica: water redistribution and element dispersion. Functional Plant Biology, 2016, 43, 620.	1.1	8
51	The tomato plastidic fructokinase <i>Sl<scp>FRK</scp>3</i> plays a role in xylem development. New Phytologist, 2016, 209, 1484-1495.	3.5	35
52	Land use Change, a Case Study from Southern Italy: General Implications for Agricultural Subsidy Policies. Land Degradation and Development, 2016, 27, 868-870.	1.8	21
53	Photosynthesis and photoprotection under drought in the annual desert plant Anastatica hierochuntica. Photosynthetica, 2016, 54, 143-147.	0.9	6
54	Domestication of plants for sustainable agriculture in drylands: Experience from the Negev Desert. Arid Land Research and Management, 2016, 30, 209-228.	0.6	10

#	Article	IF	CITATIONS
55	Anastatica hierochuntica, an Arabidopsis Desert Relative, Is Tolerant to Multiple Abiotic Stresses and Exhibits Species-Specific and Common Stress Tolerance Strategies with Its Halophytic Relative, Eutrema (Thellungiella) salsugineum. Frontiers in Plant Science, 2016, 7, 1992.	1.7	24
56	REVIVAL OF THE EXTINCT BALM OF GILEAD IN ISRAEL: STUDYING ITS ANTI-CANCER ACTIVITY. Acta Horticulturae, 2015, , 509-514.	0.1	8
57	Metabolic and Physiological Responses of Shiraz and Cabernet Sauvignon (Vitis vinifera L.) to Near Optimal Temperatures of 25 and 35 °C. International Journal of Molecular Sciences, 2015, 16, 24276-24294.	1.8	52
58	Carbon Allocation Patterns into Proteins and Lipids Associated with Superior Tolerance of Perennial Grass to High Soil Temperature. Crop Science, 2015, 55, 2262-2269.	0.8	14
59	Plants Coping Abiotic and Biotic Stresses: A Tale of Diligent Management. BioMed Research International, 2015, 2015, 1-2.	0.9	8
60	Cultivar specific metabolic changes in grapevines berry skins in relation to deficit irrigation and hydraulic behavior. Plant Physiology and Biochemistry, 2015, 88, 42-52.	2.8	56
61	The role of dew in Negev Desert plants. Oecologia, 2015, 178, 317-327.	0.9	78
62	Combining leaf physiology, hyperspectral imaging and partial least squares-regression (PLS-R) for grapevine water status assessment. ISPRS Journal of Photogrammetry and Remote Sensing, 2015, 109, 88-97.	4.9	126
63	Responses of Arabidopsis and Wheat to Rising CO ₂ Depend on Nitrogen Source and Nighttime CO ₂ Levels. Plant Physiology, 2015, 168, 156-163.	2.3	55
64	The variability in the xylem architecture of grapevine petiole and its contribution to hydraulic differences. Functional Plant Biology, 2015, 42, 357.	1.1	35
65	The Effect of Differential Growth Rates across Plants on Spectral Predictions of Physiological Parameters. PLoS ONE, 2014, 9, e88930.	1.1	26
66	Root and rhizosphere processesââ,¬â€œhigh time to dig deeper. Frontiers in Plant Science, 2014, 5, 278.	1.7	3
67	Low induction of nonâ€photochemical quenching and high photochemical efficiency in the annual desert plant <i>Anastatica hierochuntica</i> . Physiologia Plantarum, 2014, 151, 544-558.	2.6	14
68	Salt uptake and evapotranspiration under arid conditions in horizontal subsurface flow constructed wetland planted with halophytes. Ecological Engineering, 2014, 70, 282-286.	1.6	45
69	Metabolite and transcript profiling of berry skin during fruit development elucidates differential regulation between Cabernet Sauvignon and Shiraz cultivars at branching points in the polyphenol pathway. BMC Plant Biology, 2014, 14, 188.	1.6	135
70	Increased root oxygen uptake in pea plants responding to non-self neighbors. Planta, 2013, 238, 577-586.	1.6	34
71	Belowground dynamics in two olive varieties as affected by saline irrigation. Scientia Horticulturae, 2013, 162, 313-319.	1.7	13
72	Metabolite profiling and network analysis reveal coordinated changes in grapevine water stress response. BMC Plant Biology, 2013, 13, 184.	1.6	158

#	Article	IF	CITATIONS
73	Role of Plants in a Constructed Wetland: Current and New Perspectives. Water (Switzerland), 2013, 5, 405-419.	1.2	156
74	Near isohydric grapevine cultivar displays higher photosynthetic efficiency and photorespiration rates under drought stress as compared with near anisohydric grapevine cultivar. Physiologia Plantarum, 2013, 147, 443-452.	2.6	89
75	Adaptive Plasticity of Salt-Stressed Root Systems. , 2013, , 169-201.		37
76	On the distribution and evaluation of Na, Mg and Cl in leaves of selected halophytes. Nuclear Instruments & Methods in Physics Research B, 2013, 306, 144-149.	0.6	14
77	The response of Hordeum spontaneum desert ecotype to drought and excessive light intensity is characterized by induction of O2 dependent photochemical activity and anthocyanin accumulation. Plant Science, 2013, 201-202, 74-80.	1.7	12
78	Physiological Conjunction of Allelochemicals and Desert Plants. PLoS ONE, 2013, 8, e81580.	1.1	16
79	Tri-Party Underground Symbiosis between a Weevil, Bacteria and a Desert Plant. PLoS ONE, 2013, 8, e76588.	1.1	19
80	<i>¹2</i> -Caryophyllene, a Compound Isolated from the Biblical Balm of Gilead (<i>Commiphora) Tj ETQq0 0 0 rg and Alternative Medicine, 2012, 2012, 1-8.</i>	BT /Overlo; 0.5	rck 10 Tf 50 4 93
81	Phenotypic plasticity and water flux rates of Citrus root orders under salinity. Journal of Experimental Botany, 2012, 63, 2717-2727.	2.4	64
82	Root carbon and protein metabolism associated with heat tolerance. Journal of Experimental Botany, 2012, 63, 3455-3465.	2.4	137
83	The use of Bassia indica for salt phytoremediation in constructed wetlands. Water Research, 2012, 46, 3967-3976.	5.3	84
84	CO ₂ enrichment inhibits shoot nitrate assimilation in C ₃ but not C ₄ plants and slows growth under nitrate in C ₃ plants. Ecology, 2012, 93, 355-367.	1.5	132
85	Root taxa identification in plant mixtures – current techniques and future challenges. Plant and Soil, 2012, 359, 165-182.	1.8	69
86	SALT STRESS EFFECTS ON ROOT SYSTEMS OF TWO MATURE OLIVE CULTIVARS. Acta Horticulturae, 2011, , 109-118.	0.1	8
87	A root is a root is a root? Water uptake rates of <i>Citrus</i> root orders. Plant, Cell and Environment, 2011, 34, 33-42.	2.8	128
88	Influence of saline drip-irrigation on fine root and sap-flow densities of two mature olive varieties. Environmental and Experimental Botany, 2011, 72, 107-114.	2.0	23
89	Physiological parameters of plants as indicators of water quality in a constructed wetland. Environmental Science and Pollution Research, 2011, 18, 1234-1242.	2.7	12
90	Survival of Schismus arabicus seedlings exposed to desiccation depends on annual periodicity. Planta, 2010, 231, 1475-1482.	1.6	8

#	Article	IF	CITATIONS
91	Root halotropism: Salinity effects on <i>Bassia indica</i> root. Plant Biosystems, 2010, 144, 471-478.	0.8	33
92	The cultivation of medicinal desert plants. Planta Medica, 2010, 76, .	0.7	0
93	LeFRK2 is required for phloem and xylem differentiation and the transport of both sugar and water. Planta, 2009, 230, 795-805.	1.6	62
94	Establishment of a constructed wetland in extreme dryland. Environmental Science and Pollution Research, 2009, 16, 862-875.	2.7	11
95	Short-term and long-term root respiratory acclimation to elevated temperatures associated with root thermotolerance for two Agrostis grass species. Journal of Experimental Botany, 2008, 59, 3803-3809.	2.4	25
96	Cytochrome and alternative pathway activity in roots of thermal and non-thermal Agrostis species in response to high soil temperature. Physiologia Plantarum, 2007, 129, 163-174.	2.6	49
97	An Elicitor from Botrytis cinerea Induces the Hypersensitive Response in Arabidopsis thaliana and Other Plants and Promotes the Gray Mold Disease. Phytopathology, 2006, 96, 299-307.	1.1	112
98	Physiological and Biochemical Indicators for Stress Tolerance. , 2006, , 321-355.		9
99	Assimilation and allocation of carbon and nitrogen of thermal and nonthermal Agrostis species in response to high soil temperature. New Phytologist, 2006, 170, 479-490.	3.5	55
100	Root respiratory characteristics associated with plant adaptation to high soil temperature for geothermal and turf-type Agrostis species. Journal of Experimental Botany, 2006, 57, 623-631.	2.4	74
101	TransientAgrobacterium-mediated gene expression in theArabidopsis hydroponics root system for subcellular localization studies. Plant Molecular Biology Reporter, 2005, 23, 179-184.	1.0	12
102	Nitrate assimilation in plant shoots depends on photorespiration. Proceedings of the National Academy of Sciences of the United States of America, 2004, 101, 11506-11510.	3.3	279
103	Enhanced photosynthesis and growth of transgenic plants that expressictB, a gene involved in HCO3â^'accumulation in cyanobacteria. Plant Biotechnology Journal, 2003, 1, 43-50.	4.1	94
104	Effects of photorespiration, the cytochrome pathway, and the alternative pathway on the triple isotopic composition of atmospheric O2. Global Biogeochemical Cycles, 2003, 17, .	1.9	93
105	Seasonal and diurnal variations in gene expression in the desert legume Retama raetam. Plant, Cell and Environment, 2002, 25, 1627-1638.	2.8	23
106	Double antisense plants lacking ascorbate peroxidase and catalase are less sensitive to oxidative stress than single antisense plants lacking ascorbate peroxidase or catalase. Plant Journal, 2002, 32, 329-342.	2.8	308
107	Living under a â€~dormant' canopy: a molecular acclimation mechanism of the desert plantRetama raetam. Plant Journal, 2001, 25, 407-416.	2.8	109
108	The high oxygen atmosphere toward the endâ€Cretaceous; a possible contributing factor to the K/T boundary extinctions and to the emergence of C4 species. Journal of Experimental Botany, 2001, 52, 801-809.	2.4	17

#	Article	IF	CITATIONS
109	Short communication. A high level of atmospheric oxygen, as occurred toward the end of the Cretaceous period, increases leaf diffusion conductance. Journal of Experimental Botany, 1999, 50, 869-872.	2.4	4
110	MONITORING TREE POPULATION DYNAMICS IN ARID ZONE THROUGH MULTIPLE TEMPORAL SCALES: INTEGRATION OF SPATIAL ANALYSIS, CHANGE DETECTION AND FIELD LONG TERM MONITORING. International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives, 0, XLI-B7, 513-515.	0.2	1