

# Vera A Morgan

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8904785/publications.pdf>

Version: 2024-02-01

87  
papers

4,399  
citations

304743

22  
h-index

128289

60  
g-index

90  
all docs

90  
docs citations

90  
times ranked

4457  
citing authors

#	ARTICLE	IF	CITATIONS
1	Patterns of psychiatric admission in Australian pregnant and childbearing women. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2022, 57, 611-621.	3.1	1
2	Characteristics of people on community treatment orders in Australia: Data from the 2010 National Survey of High Impact Psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2022, 56, 788-799.	2.3	1
3	Obstructive Sleep Apnea Is Treatable With Continuous Positive Airway Pressure in People With Schizophrenia and Other Psychotic Disorders. <i>Schizophrenia Bulletin</i> , 2022, 48, 437-446.	4.3	5
4	Health-related quality of life in people with psychotic disorders: The role of loneliness and its contributors. <i>Australian and New Zealand Journal of Psychiatry</i> , 2022, 56, 1421-1433.	2.3	2
5	Mapping genomic loci implicates genes and synaptic biology in schizophrenia. <i>Nature</i> , 2022, 604, 502-508.	27.8	929
6	Age of onset by sex in schizophrenia: Proximal and distal characteristics. <i>Journal of Psychiatric Research</i> , 2022, 151, 454-460.	3.1	7
7	Health-Related Quality of Life, Functioning and Social Experiences in People with Psychotic Disorders. <i>Applied Research in Quality of Life</i> , 2021, 16, 1767-1783.	2.4	7
8	Reproductive planning, vitamin knowledge and use, and lifestyle risks of women attending pregnancy care with a severe mental illness. <i>Scandinavian Journal of Primary Health Care</i> , 2021, 39, 60-66.	1.5	6
9	The impact of maternal prenatal mental health disorders on stillbirth and infant mortality: a systematic review and meta-analysis. <i>Archives of Women's Mental Health</i> , 2021, 24, 543-555.	2.6	22
10	Evidence of Quantitative Measures of Preferences Over Health States in Schizophrenia. <i>Value in Health</i> , 2021, 24, 602.	0.3	0
11	Characteristics of people on long-acting injectable antipsychotics in Australia: Data from the 2010 National Survey of High Impact Psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021, 55, 958-975.	2.3	4
12	Factors that contribute to urban-rural gradients in risk of schizophrenia: Comparing Danish and Western Australian registers. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021, 55, 1157-1165.	2.3	4
13	A comparison of trajectories of offending among people with psychotic disorders, other mental disorders and no mental disorders: Evidence from a whole-population birth cohort study. <i>Criminal Behaviour and Mental Health</i> , 2021, 31, 231-247.	0.8	2
14	Proposing a causal pathway for health-related quality of life in people with psychotic disorders. <i>Journal of Psychiatric Research</i> , 2021, 138, 550-559.	3.1	7
15	Loneliness, social isolation and suicide risk in people with psychotic disorders. <i>Schizophrenia Research</i> , 2021, 233, 60-61.	2.0	4
16	274Early adversity scale for schizophrenia (EAS-SZ) constructed and validated using linked register data. <i>International Journal of Epidemiology</i> , 2021, 50, .	1.9	1
17	Validated, easy to use and free™: top three requests for mobile device applications (apps™) from mental health consumers and clinicians. <i>Advances in Mental Health</i> , 2020, 18, 106-114.	0.7	17
18	The association between gestational diabetes mellitus, antipsychotics and severe mental illness in pregnancy: A multicentre study. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2020, 60, 63-69.	1.0	33

#	ARTICLE	IF	CITATIONS
19	Effects of parental mental illness on children's physical health: systematic review and meta-analysis. <i>British Journal of Psychiatry</i> , 2020, 217, 354-363.	2.8	88
20	Impact of substance use and other risk factor exposures on conviction rates by people with a psychotic illness and other mental disorders. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2020, 55, 517-525.	3.1	1
21	Examining which factors influence age of onset in males and females with schizophrenia. <i>Schizophrenia Research</i> , 2020, 223, 265-270.	2.0	15
22	The assertive cardiac care trial: A randomised controlled trial of a coproduced assertive cardiac care intervention to reduce absolute cardiovascular disease risk in people with severe mental illness in the primary care setting. <i>Contemporary Clinical Trials</i> , 2020, 97, 106143.	1.8	3
23	Mental health recovery and physical health outcomes in psychotic illness: Longitudinal data from the Western Australian survey of high impact psychosis catchments. <i>Australian and New Zealand Journal of Psychiatry</i> , 2020, 55, 000486742095426.	2.3	13
24	Role of maternal mental health disorders on stillbirth and infant mortality risk: a protocol for a systematic review and meta-analysis. <i>BMJ Open</i> , 2020, 10, e036280.	1.9	3
25	Loneliness and its association with health service utilization in people with a psychotic disorder. <i>Schizophrenia Research</i> , 2020, 223, 105-111.	2.0	14
26	Parsing components of risk of premature mortality in the children of mothers with severe mental illness. <i>Schizophrenia Research</i> , 2020, 218, 180-187.	2.0	2
27	Changes over time in prevalence rates of past-year cannabis use by men and women with a psychotic disorder. <i>Schizophrenia Research</i> , 2020, 224, 198-200.	2.0	1
28	Invited response to commentary. Small numbers are not predictive: Congenital blindness may or may not be protective for schizophrenia. <i>Schizophrenia Research</i> , 2019, 209, 272-273.	2.0	0
29	Are familial liability for schizophrenia and obstetric complications independently associated with risk of psychotic illness, after adjusting for other environmental stressors in childhood?. <i>Australian and New Zealand Journal of Psychiatry</i> , 2019, 53, 1105-1115.	2.3	9
30	S64. EXAMINING THE CHARACTERISTICS AND PREDICTORS OF AGE OF ONSET BY SEX IN SCHIZOPHRENIA. <i>Schizophrenia Bulletin</i> , 2019, 45, S331-S331.	4.3	0
31	Policy Impacts of the Australian National Perinatal Depression Initiative: Psychiatric Admission in the First Postnatal Year. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2019, 46, 277-287.	2.1	11
32	Loneliness in psychotic illness and its association with cardiometabolic disorders. <i>Schizophrenia Research</i> , 2019, 204, 90-95.	2.0	20
33	Sex differences in the cardiometabolic health of cannabis users with a psychotic illness. <i>Drug and Alcohol Dependence</i> , 2019, 194, 447-452.	3.2	6
34	Assessment of Cognition and Personality as Potential Endophenotypes in the Western Australian Family Study of Schizophrenia. <i>Schizophrenia Bulletin</i> , 2018, 44, 908-921.	4.3	12
35	Counting up the risks: How common are risk factors for morbidity and mortality in young people with psychosis?. <i>Microbial Biotechnology</i> , 2018, 12, 1045-1051.	1.7	7
36	Comorbid Diabetes and Depression in a National Sample of Adults With Psychosis. <i>Schizophrenia Bulletin</i> , 2018, 44, 84-92.	4.3	10

#	ARTICLE	IF	CITATIONS
37	Treating body, treating mind: The experiences of people with psychotic disorders and their general practitioners â€“ Findings from the Australian National Survey of High Impact Psychosis. Australian and New Zealand Journal of Psychiatry, 2018, 52, 561-572.	2.3	7
38	Hallucinations in Indigenous and non-Indigenous Australians: Findings from the second Australian national survey of psychosis. Schizophrenia Research, 2018, 197, 581-582.	2.0	5
39	Intellectual Disability and Psychotic Disorders in Children: Association With Maternal Severe Mental Illness and Exposure to Obstetric Complications in a Whole-Population Cohort. American Journal of Psychiatry, 2018, 175, 1232-1242.	7.2	13
40	Mental health consultations in the perinatal period: a cost-analysis of Medicare services provided to women during a period of intense mental health reform in Australia. Australian Health Review, 2018, 42, 514.	1.1	8
41	Congenital blindness is protective for schizophrenia and other psychotic illness. A whole-population study.. Schizophrenia Research, 2018, 202, 414-416.	2.0	22
42	Health-Related Quality of Life in People Living with Psychotic Illness and Factors Associated with Its Variation. Value in Health, 2018, 21, 1002-1009.	0.3	21
43	Academic Performance in Children of Mothers With Schizophrenia and Other Severe Mental Illness, and Risk for Subsequent Development of Psychosis: A Population-Based Study. Schizophrenia Bulletin, 2017, 43, 205-213.	4.3	23
44	Responding to challenges for people with psychotic illness: Updated evidence from the Survey of High Impact Psychosis. Australian and New Zealand Journal of Psychiatry, 2017, 51, 124-140.	2.3	81
45	The impact of current cannabis use on general cognitive function in people with psychotic illness. Schizophrenia Research, 2017, 190, 164-171.	2.0	6
46	The role of arterial elasticity and cardiovascular peripheral resistance as clinically relevant indices of health status in people with psychosis. Schizophrenia Research, 2017, 184, 88-95.	2.0	2
47	Exome array analysis suggests an increased variant burden in families with schizophrenia. Schizophrenia Research, 2017, 185, 9-16.	2.0	18
48	The 2016 RANZCP Guidelines for the Management of Schizophrenia and Related Disorders â€“ whatâ€™s next?. Australasian Psychiatry, 2017, 25, 600-602.	0.7	6
49	Men and women with psychosis and the impact of illness-duration on sex-differences: The second Australian national survey of psychosis. Psychiatry Research, 2017, 256, 130-143.	3.3	15
50	Barbara Fish and a Short History of the Neurodevelopmental Hypothesis of Schizophrenia. Schizophrenia Bulletin, 2017, 43, 1158-1163.	4.3	22
51	The value of counting WHO-defined cardiovascular risk factors for death and disability in a national sample of adults with psychosis. Schizophrenia Research, 2017, 182, 13-18.	2.0	3
52	Psychotropic Medication and Substance Use during Pregnancy by Women with Severe Mental Illness. Frontiers in Psychiatry, 2017, 8, 28.	2.6	4
53	Risk Factors for Obstructive Sleep Apnea Are Prevalent in People with Psychosis and Correlate with Impaired Social Functioning and Poor Physical Health. Frontiers in Psychiatry, 2016, 7, 139.	2.6	15
54	Sociodemographic, clinical and childhood correlates of adult violent victimisation in a large, national survey sample of people with psychotic disorders. Social Psychiatry and Psychiatric Epidemiology, 2016, 51, 269-279.	3.1	22

#	ARTICLE	IF	CITATIONS
55	Awareness of Pre-diabetes or Diabetes and Associated Factors in People With Psychosis. <i>Schizophrenia Bulletin</i> , 2016, 42, 1280-1289.	4.3	9
56	Evidence or ideology? Let the Debate Continue â€¦ More evaluation please!. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016, 50, 495-496.	2.3	2
57	The National Perinatal Depression Initiative: An evaluation of access to general practitioners, psychologists and psychiatrists through the Medicare Benefits Schedule. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016, 50, 264-274.	2.3	11
58	Common familial risk factors for schizophrenia and diabetes mellitus. <i>Australian and New Zealand Journal of Psychiatry</i> , 2016, 50, 488-494.	2.3	21
59	Predictors of post-sentence mental health service use in a population cohort of first-time adult offenders in Western Australia. <i>Criminal Behaviour and Mental Health</i> , 2015, 25, 355-374.	0.8	7
60	Maternal mental health and risk of child protection involvement: mental health diagnoses associated with increased risk. <i>Journal of Epidemiology and Community Health</i> , 2015, 69, 1175-1183.	3.7	61
61	Cardiovascular risk factor associations in adults with psychosis and adults in a national comparator sample. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015, 49, 714-723.	2.3	11
62	No additive effect of cannabis on cognition in schizophrenia. <i>Schizophrenia Research</i> , 2015, 168, 245-251.	2.0	14
63	Loneliness in psychotic disorders and its association with cognitive function and symptom profile. <i>Schizophrenia Research</i> , 2015, 169, 268-273.	2.0	109
64	Effect of age, family history of diabetes, and antipsychotic drug treatment on risk of diabetes in people with psychosis: a population-based cross-sectional study. <i>Lancet Psychiatry</i> , 2015, 2, 1092-1098.	7.4	22
65	Intact speed of processing in a community-based sample of adults with high schizotypy: A marker of reduced psychosis risk?. <i>Psychiatry Research</i> , 2015, 228, 531-537.	3.3	13
66	A comparison of schizophrenia, schizoaffective disorder, and bipolar disorder: Results from the Second Australian national psychosis survey. <i>Journal of Affective Disorders</i> , 2015, 172, 30-37.	4.1	44
67	Inadequate fruit and vegetable intake in people with psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2014, 48, 1025-1035.	2.3	40
68	The effect of drug use on the age at onset of psychotic disorders in an Australian cohort. <i>Schizophrenia Research</i> , 2014, 156, 211-216.	2.0	28
69	Prevalence and impact of childhood abuse in people with a psychotic illness. Data from the second Australian national survey of psychosis. <i>Schizophrenia Research</i> , 2014, 159, 20-26.	2.0	32
70	Age at initiation of amphetamine use and age at onset of psychosis: The Australian Survey of High Impact Psychosis. <i>Schizophrenia Research</i> , 2014, 152, 300-302.	2.0	19
71	Cardiometabolic Risk Indicators That Distinguish Adults with Psychosis from the General Population, by Age and Gender. <i>PLoS ONE</i> , 2013, 8, e82606.	2.5	41
72	Cardiometabolic risk factors in people with psychotic disorders: The second Australian national survey of psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2012, 46, 753-761.	2.3	166

#	ARTICLE	IF	CITATIONS
73	Medication for psychosis – consumption and consequences: The second Australian national survey of psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2012, 46, 762-773.	2.3	51
74	Intellectual disability and other neuropsychiatric outcomes in high-risk children of mothers with schizophrenia, bipolar disorder and unipolar major depression. <i>British Journal of Psychiatry</i> , 2012, 200, 282-289.	2.8	67
75	People living with psychotic illness in 2010: The second Australian national survey of psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2012, 46, 735-752.	2.3	405
76	Cohort Profile: Pathways of risk from conception to disease: the Western Australian schizophrenia high-risk e-Cohort. <i>International Journal of Epidemiology</i> , 2011, 40, 1477-1485.	1.9	20
77	From inventory to benchmark: quality of psychiatric case registers in research. <i>British Journal of Psychiatry</i> , 2010, 197, 8-10.	2.8	25
78	Do Women Express and Experience Psychosis Differently from Men? Epidemiological Evidence from the Australian National Study of Low Prevalence (Psychotic) Disorders. <i>Australian and New Zealand Journal of Psychiatry</i> , 2008, 42, 74-82.	2.3	161
79	Intellectual disability co-occurring with schizophrenia and other psychiatric illness: population-based study. <i>British Journal of Psychiatry</i> , 2008, 193, 364-372.	2.8	264
80	Modifiable Risk Factors for Hospitalization Among People with Psychosis: Evidence from the National Study of Low Prevalence (Psychotic) Disorders. <i>Australian and New Zealand Journal of Psychiatry</i> , 2006, 40, 683-690.	2.3	9
81	The epidemiology of bipolar disorder: sociodemographic, disability and service utilization data from the Australian National Study of Low Prevalence (Psychotic) Disorders. <i>Bipolar Disorders</i> , 2005, 7, 326-337.	1.9	111
82	Pregnancy, Delivery, and Neonatal Complications in a Population Cohort of Women With Schizophrenia and Major Affective Disorders. <i>American Journal of Psychiatry</i> , 2005, 162, 79-91.	7.2	619
83	Psychiatric out-patients seen once only in South Verona and Western Australia: a comparative case-register study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2005, 39, 414-422.	2.3	2
84	Revisiting the Journal Impact Factor. <i>Australasian Psychiatry</i> , 2000, 8, 230-235.	0.7	13
85	Psychotic Disorders in Urban Areas: An Overview of the Study on Low Prevalence Disorders. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000, 34, 221-236.	2.3	372
86	Hospital inpatient admissions of children of mothers with severe mental illness: A Western Australian cohort study. <i>Australian and New Zealand Journal of Psychiatry</i> , 0, , 000486742211001.	2.3	0
87	Development and initial validation of a multivariable predictive Early Adversity Scale for Schizophrenia (EAS-Sz) using register data to quantify environmental risk for adult schizophrenia diagnosis after childhood exposure to adversity. <i>Psychological Medicine</i> , 0, , 1-11.	4.5	1