

Akira Togayachi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8904790/akira-togayachi-publications-by-year.pdf>

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

76
papers

3,307
citations

36
h-index

57
g-index

79
ext. papers

3,595
ext. citations

4.6
avg, IF

4.13
L-index

#	Paper	IF	Citations
76	O-glycosylated HBsAg peptide can induce specific antibody neutralizing HBV infection. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2022 , 1866, 130020	4	0
75	Glycogene Expression Profiling of Hepatic Cells by RNA-Seq Analysis for Glyco-Biomarker Identification. <i>Frontiers in Oncology</i> , 2020 , 10, 1224	5.3	3
74	Identification of Polylactosamine Carrier Glycoprotein and Its Molecular Function. <i>Trends in Glycoscience and Glycotechnology</i> , 2019 , 31, SJ65-SJ66	0.1	
73	Identification of Polylactosamine Carrier Glycoprotein and Its Molecular Function. <i>Trends in Glycoscience and Glycotechnology</i> , 2019 , 31, SE65-SE66	0.1	
72	Heterotopic production of ceruloplasmin by lung adenocarcinoma is significantly correlated with prognosis. <i>Lung Cancer</i> , 2018 , 118, 97-104	5.9	14
71	Identification of Poly-N-Acetyllactosamine-Carrying Glycoproteins from HL-60 Human Promyelocytic Leukemia Cells Using a Site-Specific Glycome Analysis Method, Glyco-RIDGE. <i>Journal of the American Society for Mass Spectrometry</i> , 2018 , 29, 1138-1152	3.5	12
70	Current Technologies for Complex Glycoproteomics and Their Applications to Biology/Disease-Driven Glycoproteomics. <i>Journal of Proteome Research</i> , 2018 , 17, 4097-4112	5.6	40
69	HEG1 is a novel mucin-like membrane protein that serves as a diagnostic and therapeutic target for malignant mesothelioma. <i>Scientific Reports</i> , 2017 , 7, 45768	4.9	32
68	Glycobiomarker, Fucosylated Short-Form Secretogranin III Levels Are Increased in Serum of Patients with Small Cell Lung Carcinoma. <i>Journal of Proteome Research</i> , 2017 , 16, 4495-4505	5.6	10
67	Contribution of Lewis X Carbohydrate Structure to Neuropathogenic Murine Coronaviral Spread. <i>Japanese Journal of Infectious Diseases</i> , 2016 , 69, 405-13	2.7	4
66	Identification and characterization of sulfated glycoproteins from small cell lung carcinoma cells assisted by management of molecular charges. <i>Glycoconjugate Journal</i> , 2016 , 33, 917-926	3	4
65	Comparison of analytical methods for profiling N- and O-linked glycans from cultured cell lines : HUPO Human Disease Glycomics/Proteome Initiative multi-institutional study. <i>Glycoconjugate Journal</i> , 2016 , 33, 405-415	3	23
64	A novel glycobiomarker, Wisteria floribunda agglutinin macrophage colony-stimulating factor receptor, for predicting carcinogenesis of liver cirrhosis. <i>International Journal of Cancer</i> , 2016 , 138, 1462-71	7.5	11
63	Formation of fibroblastic reticular network in the brain after infection with neurovirulent murine coronavirus. <i>Neuropathology</i> , 2016 , 36, 513-526	2	12
62	Large-Scale Identification of N-Glycan Glycoproteins Carrying Lewis x and Site-Specific N-Glycan Alterations in Fut9 Knockout Mice. <i>Journal of Proteome Research</i> , 2015 , 14, 3823-34	5.6	27
61	A novel serum marker, glycosylated Wisteria floribunda agglutinin-positive Mac-2 binding protein (WFA(+)-M2BP), for assessing liver fibrosis. <i>Journal of Gastroenterology</i> , 2015 , 50, 76-84	6.9	128
60	Wisteria floribunda agglutinin positive human Mac-2-binding protein as a predictor of hepatocellular carcinoma development in chronic hepatitis C patients. <i>Hepatology Research</i> , 2015 , 45, E82-8	5.1	48

59	Serum Wisteria Floribunda Agglutinin-Positive Mac-2 Binding Protein Values Predict the Development of Hepatocellular Carcinoma among Patients with Chronic Hepatitis C after Sustained Virological Response. <i>PLoS ONE</i> , 2015 , 10, e0129053	3.7	55
58	RNAi screening of human glycogene orthologs in the nematode <i>Caenorhabditis elegans</i> and the construction of the <i>C. elegans</i> glycogene database. <i>Glycobiology</i> , 2015 , 25, 8-20	5.8	11
57	Polylactosamine and Immunity 2015 , 691-698		2
56	Glycoproteomics approach for identifying Glycobiomarker candidate molecules for tissue type classification of non-small cell lung carcinoma. <i>Journal of Proteome Research</i> , 2014 , 13, 4705-16	5.6	29
55	Elevated serum levels of Wisteria floribunda agglutinin-positive human Mac-2 binding protein predict the development of hepatocellular carcinoma in hepatitis C patients. <i>Hepatology</i> , 2014 , 60, 1563-70	11.2	167
54	Novel glycobiomarker for ovarian cancer that detects clear cell carcinoma. <i>Journal of Proteome Research</i> , 2014 , 13, 1624-35	5.6	29
53	Application of a glycoproteomics-based biomarker development method: alteration in glycan structure on colony stimulating factor 1 receptor as a possible glycobiomarker candidate for evaluation of liver cirrhosis. <i>Journal of Proteome Research</i> , 2014 , 13, 1428-37	5.6	25
52	Mice lacking α 1,3-fucosyltransferase 9 exhibit modulation of in vivo immune responses against pathogens. <i>Pathology International</i> , 2014 , 64, 199-208	1.8	8
51	Polylactosamine and Immunity 2014 , 1-8		
50	UDP-GlcNAc: BetaGal Beta-1,3-N-Acetylglucosaminyltransferase 4 (B3GNT4) 2014 , 303-310		
49	UDP-GlcNAc: Beta-Gal Beta1,3-N-Acetylglucosaminyltransferase 6 (B3GNT6) (Core 3 Synthase, C3GnT) 2014 , 321-330		
48	UDP-GlcNAc: BetaGal Beta-1,3-N-Acetylglucosaminyltransferase 5 (B3GNT5, Lc3Cer Synthase) 2014 , 311-320		
47	UDP-GlcNAc: BetaGal Beta-1,3-N-Acetylglucosaminyltransferase 2 (B3GNT2) 2014 , 283-294		
46	UDP-Gal: BetaGlcNAc Beta 1,3-Galactosyltransferase, Polypeptide 5 (B3GALT5) 2014 , 89-99		1
45	Beta1,3-N-Acetylgalactosaminyltransferase 2 (B3GALNT2) 2014 , 439-445		
44	UDP-GlcNAc: BetaGal Beta-1,3-N-Acetylglucosaminyltransferase 8 (B3GNT8) 2014 , 337-345		
43	Glycoproteomic discovery of serological biomarker candidates for HCV/HBV infection-associated liver fibrosis and hepatocellular carcinoma. <i>Journal of Proteome Research</i> , 2013 , 12, 2630-40	5.6	45
42	The Lewis X-related α 1,3-fucosyltransferase, Fut10, is required for the maintenance of stem cell populations. <i>Journal of Biological Chemistry</i> , 2013 , 288, 28859-68	5.4	17

41	A chemoenzymatic approach toward the identification of fucosylated glycoproteins and mapping of N-glycan sites. <i>Glycobiology</i> , 2012 , 22, 630-7	5.8	14
40	Functional Analysis of β 1,3-N-Acetylglucosaminyltransferases and Regulation of Immunological Function by Polylactosamine. <i>Trends in Glycoscience and Glycotechnology</i> , 2012 , 24, 95-111	9.1	11
39	Chondroitin sulfate N-acetylgalactosaminyltransferase 1 is necessary for normal endochondral ossification and aggrecan metabolism. <i>Journal of Biological Chemistry</i> , 2011 , 286, 5803-12	5.4	56
38	Strong antibody reaction against glycosphingolipids injected in liposome-embedded forms in beta3GN-T5 knockout mice. <i>Nagoya Journal of Medical Science</i> , 2011 , 73, 137-46	0.7	4
37	Lack of lacto/neolacto-glycolipids enhances the formation of glycolipid-enriched microdomains, facilitating B cell activation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 11900-5	11.5	31
36	Beta3GnT2 (B3GNT2), a major polylactosamine synthase: analysis of B3GNT2-deficient mice. <i>Methods in Enzymology</i> , 2010 , 479, 185-204	1.7	41
35	Identification of a novel human UDP-GalNAc transferase with unique catalytic activity and expression profile. <i>Biochemical and Biophysical Research Communications</i> , 2010 , 402, 680-6	3.4	37
34	Glycosphingolipids are not pivotal receptors for Subtilase cytotoxin in vivo: sensitivity analysis with glycosylation-defective mutant mice. <i>Biochemical and Biophysical Research Communications</i> , 2009 , 378, 179-81	3.4	12
33	β 1,3-glycosyltransferase Gene Family and IGnT Gene Family 2008 , 24-29		1
32	Polylactosamine on glycoproteins influences basal levels of lymphocyte and macrophage activation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 15829-34	11.5	95
31	Mice lacking alpha1,3-fucosyltransferase IX demonstrate disappearance of Lewis x structure in brain and increased anxiety-like behaviors. <i>Glycobiology</i> , 2007 , 17, 1-9	5.8	148
30	A novel strategy for mammalian cell surface glycome profiling using lectin microarray. <i>Glycobiology</i> , 2007 , 17, 1138-46	5.8	143
29	Cloning and Characterization of β 1,3-Glycosyltransferase Family with a β GT Motifs. <i>Trends in Glycoscience and Glycotechnology</i> , 2007 , 19, 29-40	0.1	3
28	Comprehensive enzymatic characterization of glycosyltransferases with a beta3GT or beta4GT motif. <i>Methods in Enzymology</i> , 2006 , 416, 91-102	1.7	39
27	Molecular cloning and characterization of a novel human beta1,3-glycosyltransferase, which is localized at the endoplasmic reticulum and glucosylates O-linked fucosylglycan on thrombospondin type 1 repeat domain. <i>Glycobiology</i> , 2006 , 16, 1194-206	5.8	64
26	Molecular cloning and characterization of a novel UDP-Gal:GalNAc β peptide β 1,3-galactosyltransferase (C1Gal-T2), an enzyme synthesizing a core 1 structure of O-glycan. VOLUME 277 (2002) PAGES 47724-47731. <i>Journal of Biological Chemistry</i> , 2006 , 281, 24999	5.4	
25	A novel beta1,3-N-acetylglucosaminyltransferase (beta3Gn-T8), which synthesizes poly-N-acetylactosamine, is dramatically upregulated in colon cancer. <i>FEBS Letters</i> , 2005 , 579, 71-8	3.8	81
24	Core 3 synthase is down-regulated in colon carcinoma and profoundly suppresses the metastatic potential of carcinoma cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 4572-7	11.5	117

23	Normal embryonic and germ cell development in mice lacking alpha 1,3-fucosyltransferase IX (Fut9) which show disappearance of stage-specific embryonic antigen 1. <i>Molecular and Cellular Biology</i> , 2004 , 24, 4221-8	4.8	62
22	A novel human beta1,3-N-acetylgalactosaminyltransferase that synthesizes a unique carbohydrate structure, GalNAcbeta1-3GlcNAc. <i>Journal of Biological Chemistry</i> , 2004 , 279, 14087-95	5.4	44
21	Differential roles of two N-acetylgalactosaminyltransferases, CSGalNAcT-1, and a novel enzyme, CSGalNAcT-2. Initiation and elongation in synthesis of chondroitin sulfate. <i>Journal of Biological Chemistry</i> , 2003 , 278, 3063-71	5.4	86
20	Chondroitin sulfate synthase-2. Molecular cloning and characterization of a novel human glycosyltransferase homologous to chondroitin sulfate glucuronyltransferase, which has dual enzymatic activities. <i>Journal of Biological Chemistry</i> , 2003 , 278, 30235-47	5.4	66
19	Alpha1,3-fucosyltransferase IX (Fut9) determines Lewis X expression in brain. <i>Glycobiology</i> , 2003 , 13, 445-55	5.8	61
18	Initiation of O-glycan synthesis in IgA1 hinge region is determined by a single enzyme, UDP-N-acetyl-alpha-D-galactosamine:polypeptide N-acetylgalactosaminyltransferase 2. <i>Journal of Biological Chemistry</i> , 2003 , 278, 5613-21	5.4	79
17	A novel I-branching beta-1,6-N-acetylglucosaminyltransferase involved in human blood group I antigen expression. <i>Blood</i> , 2003 , 101, 2870-6	2.2	69
16	Cloning and characterization of a novel UDP-GalNAc:polypeptide N-acetylgalactosaminyltransferase, pp-GalNAc-T14. <i>Biochemical and Biophysical Research Communications</i> , 2003 , 300, 738-44	3.4	76
15	Chondroitin sulfate synthase-3. Molecular cloning and characterization. <i>Journal of Biological Chemistry</i> , 2003 , 278, 39711-25	5.4	62
14	Cloning and characterization of a new human UDP-N-acetyl-alpha-D-galactosamine:polypeptide N-acetylgalactosaminyltransferase, designated pp-GalNAc-T13, that is specifically expressed in neurons and synthesizes GalNAc alpha-serine/threonine antigen. <i>Journal of Biological Chemistry</i> , 2003 , 278, 573-84	5.4	104
13	Lewis type 1 antigen synthase (beta3Gal-T5) is transcriptionally regulated by homeoproteins. <i>Journal of Biological Chemistry</i> , 2003 , 278, 36611-20	5.4	36
12	Molecular cloning and characterization of a novel human beta 1,4-N-acetylgalactosaminyltransferase, beta 4GalNAc-T3, responsible for the synthesis of N,NSdiacetylactosediamine, galNAc beta 1-4GlcNAc. <i>Journal of Biological Chemistry</i> , 2003 , 278, 47534-44	5.4	74
11	Molecular cloning and characterization of a novel UDP-Gal:GalNAc(alpha) peptide beta 1,3-galactosyltransferase (C1Gal-T2), an enzyme synthesizing a core 1 structure of O-glycan. <i>Journal of Biological Chemistry</i> , 2002 , 277, 47724-31	5.4	57
10	Enzymatic synthesis of chondroitin with a novel chondroitin sulfate N-acetylgalactosaminyltransferase that transfers N-acetylgalactosamine to glucuronic acid in initiation and elongation of chondroitin sulfate synthesis. <i>Journal of Biological Chemistry</i> , 2002 , 277, 38189-96	5.4	62
9	Molecular cloning and characterization of a novel UDP-GlcNAc:GalNAc-peptide beta1,3-N-acetylglucosaminyltransferase (beta 3Gn-T6), an enzyme synthesizing the core 3 structure of O-glycans. <i>Journal of Biological Chemistry</i> , 2002 , 277, 12802-9	5.4	133
8	Molecular cloning and characterization of a novel chondroitin sulfate glucuronyltransferase that transfers glucuronic acid to N-acetylgalactosamine. <i>Journal of Biological Chemistry</i> , 2002 , 277, 38179-88	5.4	64
7	Characterization of a novel human UDP-GalNAc transferase, pp-GalNAc-T10. <i>FEBS Letters</i> , 2002 , 531, 115-21	3.8	52
6	Identification and characterization of three novel beta 1,3-N-acetylglucosaminyltransferases structurally related to the beta 1,3-galactosyltransferase family. <i>Journal of Biological Chemistry</i> , 2001 , 276, 3498-507	5.4	111

5	Molecular cloning and characterization of UDP-GlcNAc:lactosylceramide beta 1,3-N-acetylglucosaminyltransferase (beta 3Gn-T5), an essential enzyme for the expression of HNK-1 and Lewis X epitopes on glycolipids. <i>Journal of Biological Chemistry</i> , 2001 , 276, 22032-40	5.4	100
4	Expression of cutaneous lymphocyte-associated antigen regulated by a set of glycosyltransferases in human T cells: involvement of alpha1, 3-fucosyltransferase VII and beta1,4-galactosyltransferase I. <i>Journal of Investigative Dermatology</i> , 2000 , 115, 299-306	4.3	33
3	Cloning, expression, and characterization of a novel UDP-galactose:beta-N-acetylglucosamine beta1,3-galactosyltransferase (beta3Gal-T5) responsible for synthesis of type 1 chain in colorectal and pancreatic epithelia and tumor cells derived therefrom. <i>Journal of Biological Chemistry</i> , 1999 , 274, 12499-507	5.4	109
2	Up-regulation of Lewis enzyme (Fuc-III) and plasma-type alpha1,3fucosyltransferase (Fuc-TVI) expression determines the augmented expression of sialyl Lewis x antigen in non-small cell lung cancer. <i>International Journal of Cancer</i> , 1999 , 83, 70-9	7.5	26
1	Expression cloning and characterization of a novel murine alpha1, 3-fucosyltransferase, mFuc-TIX, that synthesizes the Lewis x (CD15) epitope in brain and kidney. <i>Journal of Biological Chemistry</i> , 1998 , 273, 26729-38	5.4	86