

Min H Kang

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8906073/min-h-kang-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

86
papers

3,517
citations

31
h-index

58
g-index

86
ext. papers

3,912
ext. citations

4.4
avg, IF

5.4
L-index

#	Paper	IF	Citations
86	Bcl-2 inhibitors: targeting mitochondrial apoptotic pathways in cancer therapy. <i>Clinical Cancer Research</i> , 2009 , 15, 1126-32	12.9	771
85	Initial testing of the aurora kinase A inhibitor MLN8237 by the Pediatric Preclinical Testing Program (PPTP). <i>Pediatric Blood and Cancer</i> , 2010 , 55, 26-34	3	177
84	A phase I trial of depsipeptide (FR901228) in patients with advanced cancer. <i>Journal of Experimental Therapeutics and Oncology</i> , 2002 , 2, 325-32	0.8	170
83	Activity of vincristine, L-ASP, and dexamethasone against acute lymphoblastic leukemia is enhanced by the BH3-mimetic ABT-737 in vitro and in vivo. <i>Blood</i> , 2007 , 110, 2057-66	2.2	130
82	Mechanism of synergy of N-(4-hydroxyphenyl)retinamide and ABT-737 in acute lymphoblastic leukemia cell lines: Mcl-1 inactivation. <i>Journal of the National Cancer Institute</i> , 2008 , 100, 580-95	9.7	110
81	Phase I study of infusional paclitaxel in combination with the P-glycoprotein antagonist PSC 833. <i>Journal of Clinical Oncology</i> , 2001 , 19, 832-42	2.2	86
80	Synergistic activity of PARP inhibition by talazoparib (BMN 673) with temozolomide in pediatric cancer models in the pediatric preclinical testing program. <i>Clinical Cancer Research</i> , 2015 , 21, 819-32	12.9	85
79	Stage 2 combination testing of rapamycin with cytotoxic agents by the Pediatric Preclinical Testing Program. <i>Molecular Cancer Therapeutics</i> , 2010 , 9, 101-12	6.1	84
78	Initial testing (stage 1) of AZD6244 (ARRY-142886) by the Pediatric Preclinical Testing Program. <i>Pediatric Blood and Cancer</i> , 2010 , 55, 668-77	3	82
77	Efficacy and pharmacokinetic/pharmacodynamic evaluation of the Aurora kinase A inhibitor MLN8237 against preclinical models of pediatric cancer. <i>Cancer Chemotherapy and Pharmacology</i> , 2011 , 68, 1291-304	3.5	80
76	Initial testing of a monoclonal antibody (IMC-A12) against IGF-1R by the Pediatric Preclinical Testing Program. <i>Pediatric Blood and Cancer</i> , 2010 , 54, 921-6	3	79
75	DNA-PK as an Emerging Therapeutic Target in Cancer. <i>Frontiers in Oncology</i> , 2019 , 9, 635	5.3	78
74	National Cancer Institute pediatric preclinical testing program: model description for in vitro cytotoxicity testing. <i>Pediatric Blood and Cancer</i> , 2011 , 56, 239-49	3	74
73	Initial testing (stage 1) of LCL161, a SMAC mimetic, by the Pediatric Preclinical Testing Program. <i>Pediatric Blood and Cancer</i> , 2012 , 58, 636-9	3	66
72	Activity of MM-398, nanoliposomal irinotecan (nal-IRI), in Ewing's family tumor xenografts is associated with high exposure of tumor to drug and high SLFN11 expression. <i>Clinical Cancer Research</i> , 2015 , 21, 1139-50	12.9	65
71	Phase I trial of fenretinide delivered orally in a novel organized lipid complex in patients with relapsed/refractory neuroblastoma: a report from the New Approaches to Neuroblastoma Therapy (NANT) consortium. <i>Pediatric Blood and Cancer</i> , 2013 , 60, 1801-8	3	62
70	Initial testing of the replication competent Seneca Valley virus (NTX-010) by the pediatric preclinical testing program. <i>Pediatric Blood and Cancer</i> , 2010 , 55, 295-303	3	56

69	Initial testing (stage 1) of the PARP inhibitor BMN 673 by the pediatric preclinical testing program: PALB2 mutation predicts exceptional in vivo response to BMN 673. <i>Pediatric Blood and Cancer</i> , 2015 , 62, 91-8	3	55
68	Modulation of Glucocorticoid Resistance in Pediatric T-cell Acute Lymphoblastic Leukemia by Increasing BIM Expression with the PI3K/mTOR Inhibitor BEZ235. <i>Clinical Cancer Research</i> , 2016 , 22, 621-329	12.9	51
67	Initial testing of the MDM2 inhibitor RG7112 by the Pediatric Preclinical Testing Program. <i>Pediatric Blood and Cancer</i> , 2013 , 60, 633-41	3	49
66	Initial testing (stage 1) of the multi-targeted kinase inhibitor sorafenib by the pediatric preclinical testing program. <i>Pediatric Blood and Cancer</i> , 2010 , 55, 1126-33	3	47
65	Pharmacokinetic modeling of an induction regimen for in vivo combined testing of novel drugs against pediatric acute lymphoblastic leukemia xenografts. <i>PLoS ONE</i> , 2012 , 7, e33894	3.7	46
64	A Phase I New Approaches to Neuroblastoma Therapy Study of Buthionine Sulfoximine and Melphalan With Autologous Stem Cells for Recurrent/Refractory High-Risk Neuroblastoma. <i>Pediatric Blood and Cancer</i> , 2016 , 63, 1349-56	3	46
63	Evaluation of Alternative In Vivo Drug Screening Methodology: A Single Mouse Analysis. <i>Cancer Research</i> , 2016 , 76, 5798-5809	10.1	44
62	Role of OCT4 in cancer stem-like cells and chemotherapy resistance. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2020 , 1866, 165432	6.9	41
61	Initial testing (stage 1) of the Akt inhibitor GSK690693 by the pediatric preclinical testing program. <i>Pediatric Blood and Cancer</i> , 2010 , 55, 1329-37	3	40
60	Broad Spectrum Activity of the Checkpoint Kinase 1 Inhibitor Prexasertib as a Single Agent or Chemopotentiator Across a Range of Preclinical Pediatric Tumor Models. <i>Clinical Cancer Research</i> , 2019 , 25, 2278-2289	12.9	38
59	Synergistic activity of rapamycin and dexamethasone in vitro and in vivo in acute lymphoblastic leukemia via cell-cycle arrest and apoptosis. <i>Leukemia Research</i> , 2012 , 36, 342-9	2.7	35
58	Clinical development of fenretinide as an antineoplastic drug: Pharmacology perspectives. <i>Experimental Biology and Medicine</i> , 2017 , 242, 1178-1184	3.7	34
57	Initial testing (stage 1) of the cyclin dependent kinase inhibitor SCH 727965 (dinaciclib) by the pediatric preclinical testing program. <i>Pediatric Blood and Cancer</i> , 2012 , 59, 1266-74	3	34
56	Initial testing of topotecan by the pediatric preclinical testing program. <i>Pediatric Blood and Cancer</i> , 2010 , 54, 707-15	3	34
55	Initial testing (stage 1) by the pediatric preclinical testing program of RO4929097, a β -secretase inhibitor targeting notch signaling. <i>Pediatric Blood and Cancer</i> , 2012 , 58, 815-8	3	31
54	C22:0- and C24:0-dihydroceramides confer mixed cytotoxicity in T-cell acute lymphoblastic leukemia cell lines. <i>PLoS ONE</i> , 2013 , 8, e74768	3.7	30
53	Testing of the Akt/PKB inhibitor MK-2206 by the Pediatric Preclinical Testing Program. <i>Pediatric Blood and Cancer</i> , 2012 , 59, 518-24	3	29
52	Initial testing (stage 1) of the mTOR kinase inhibitor AZD8055 by the pediatric preclinical testing program. <i>Pediatric Blood and Cancer</i> , 2012 , 58, 191-9	3	28

51	Initial testing of the CENP-E inhibitor GSK923295A by the pediatric preclinical testing program. <i>Pediatric Blood and Cancer</i> , 2012 , 58, 916-23	3	28
50	Initial testing of the hypoxia-activated prodrug PR-104 by the pediatric preclinical testing program. <i>Pediatric Blood and Cancer</i> , 2011 , 57, 443-53	3	27
49	Reactive Oxygen Species-Mediated Synergism of Fenretinide and Romidepsin in Preclinical Models of T-cell Lymphoid Malignancies. <i>Molecular Cancer Therapeutics</i> , 2017 , 16, 649-661	6.1	26
48	Initial testing of the investigational NEDD8-activating enzyme inhibitor MLN4924 by the pediatric preclinical testing program. <i>Pediatric Blood and Cancer</i> , 2012 , 59, 246-53	3	26
47	Fenretinide metabolism in humans and mice: utilizing pharmacological modulation of its metabolic pathway to increase systemic exposure. <i>British Journal of Pharmacology</i> , 2011 , 163, 1263-75	8.6	24
46	Phase I study of vorinostat in combination with isotretinoin in patients with refractory/recurrent neuroblastoma: A new approaches to Neuroblastoma Therapy (NANT) trial. <i>Pediatric Blood and Cancer</i> , 2018 , 65, e27023	3	22
45	Initial testing (Stage 1) of the antibody-maytansinoid conjugate, IMGN901 (Lorvotuzumab mertansine), by the pediatric preclinical testing program. <i>Pediatric Blood and Cancer</i> , 2013 , 60, 1860-7	3	21
44	Initial Testing (Stage 1) of MK-8242-A Novel MDM2 Inhibitor-by the Pediatric Preclinical Testing Program. <i>Pediatric Blood and Cancer</i> , 2016 , 63, 1744-52	3	20
43	Phase I Study of Fenretinide Delivered Intravenously in Patients with Relapsed or Refractory Hematologic Malignancies: A California Cancer Consortium Trial. <i>Clinical Cancer Research</i> , 2017 , 23, 4550-4555	12.9	18
42	Metabolic characteristics of 13-cis-retinoic acid (isotretinoin) and anti-tumour activity of the 13-cis-retinoic acid metabolite 4-oxo-13-cis-retinoic acid in neuroblastoma. <i>British Journal of Pharmacology</i> , 2014 , 171, 5330-44	8.6	18
41	Initial testing of JNJ-26854165 (Serdemetan) by the pediatric preclinical testing program. <i>Pediatric Blood and Cancer</i> , 2012 , 59, 329-32	3	18
40	Pharmacodynamic and genomic markers associated with response to the XPO1/CRM1 inhibitor selinexor (KPT-330): A report from the pediatric preclinical testing program. <i>Pediatric Blood and Cancer</i> , 2016 , 63, 276-86	3	17
39	Ceramide synthase-6 confers resistance to chemotherapy by binding to CD95/Fas in T-cell acute lymphoblastic leukemia. <i>Cell Death and Disease</i> , 2018 , 9, 925	9.8	17
38	P450 inhibitor ketoconazole increased the intratumor drug levels and antitumor activity of fenretinide in human neuroblastoma xenograft models. <i>International Journal of Cancer</i> , 2017 , 141, 405-413	7.5	16
37	Initial testing (stage 1) of the investigational mTOR kinase inhibitor MLN0128 by the pediatric preclinical testing program. <i>Pediatric Blood and Cancer</i> , 2014 , 61, 1486-9	3	16
36	Initial testing (stage 1) of SGI-1776, a PIM1 kinase inhibitor, by the pediatric preclinical testing program. <i>Pediatric Blood and Cancer</i> , 2012 , 59, 749-52	3	16
35	Initial testing (stage 1) of the polyamine analog PG11047 by the pediatric preclinical testing program. <i>Pediatric Blood and Cancer</i> , 2011 , 57, 268-74	3	15
34	Initial testing (stage 1) of the anti-microtubule agents cabazitaxel and docetaxel, by the pediatric preclinical testing program. <i>Pediatric Blood and Cancer</i> , 2015 , 62, 1897-905	3	13

33	Fenretinide via NOXA Induction, Enhanced Activity of the BCL-2 Inhibitor Venetoclax in High BCL-2-Expressing Neuroblastoma Preclinical Models. <i>Molecular Cancer Therapeutics</i> , 2019 , 18, 2270-2282	6.1	13
32	Prion protein modulates endothelial to mesenchyme-like transition in trabecular meshwork cells: Implications for primary open angle glaucoma. <i>Scientific Reports</i> , 2019 , 9, 13090	4.9	12
31	Testing of the topoisomerase 1 inhibitor Genz-644282 by the pediatric preclinical testing program. <i>Pediatric Blood and Cancer</i> , 2012 , 58, 200-9	3	12
30	Initial testing (Stage 1) of AT13387, an HSP90 inhibitor, by the pediatric preclinical testing program. <i>Pediatric Blood and Cancer</i> , 2012 , 59, 185-8	3	12
29	Initial testing (stage 1) of the curaxin CBL0137 by the pediatric preclinical testing program. <i>Pediatric Blood and Cancer</i> , 2017 , 64, e26263	3	11
28	Initial testing (stage 1) of ganetespib, an Hsp90 inhibitor, by the Pediatric Preclinical Testing Program. <i>Pediatric Blood and Cancer</i> , 2013 , 60, E42-5	3	10
27	Initial testing of aplidin by the pediatric pre-clinical testing program. <i>Pediatric Blood and Cancer</i> , 2009 , 53, 509-12	3	10
26	MYC transcription activation mediated by OCT4 as a mechanism of resistance to 13-cisRA-mediated differentiation in neuroblastoma. <i>Cell Death and Disease</i> , 2020 , 11, 368	9.8	8
25	Caspase-dependent Mcl-1 cleavage and effect of Mcl-1 phosphorylation in ABT-737-induced apoptosis in human acute lymphoblastic leukemia cell lines. <i>Experimental Biology and Medicine</i> , 2014 , 239, 1390-402	3.7	8
24	Evaluation of arsenic trioxide by the pediatric preclinical testing program with a focus on Ewing sarcoma. <i>Pediatric Blood and Cancer</i> , 2012 , 59, 753-5	3	8
23	Cytotoxicity and molecular activity of fenretinide and metabolites in T-cell lymphoid malignancy, neuroblastoma, and ovarian cancer cell lines in physiological hypoxia. <i>Anti-Cancer Drugs</i> , 2019 , 30, 117-127	2.4	8
22	Preservation of high glycolytic phenotype by establishing new acute lymphoblastic leukemia cell lines at physiologic oxygen concentration. <i>Experimental Cell Research</i> , 2015 , 334, 78-89	4.2	7
21	Antineoplastic Agents Targeting Sphingolipid Pathways. <i>Frontiers in Oncology</i> , 2020 , 10, 833	5.3	7
20	Probable fatal drug interaction between intravenous fenretinide, ceftriaxone, and acetaminophen: a case report from a New Approaches to Neuroblastoma (NANT) Phase I study. <i>BMC Research Notes</i> , 2014 , 7, 256	2.3	7
19	Methotrexate and aminopterin exhibit similar in vitro and in vivo preclinical activity against acute lymphoblastic leukaemia and lymphoma. <i>British Journal of Haematology</i> , 2009 , 145, 389-93	4.5	7
18	Tumor-Associated Macrophages as Multifaceted Regulators of Breast Tumor Growth. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	7
17	Assessing combinations of cytotoxic agents using leukemia cell lines. <i>Current Drug Targets</i> , 2007 , 8, 765-71	3	5
16	pH gradient-liquid chromatography tandem mass spectrometric assay for determination of underivatized polyamines in cancer cells. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2018 , 1085, 21-29	3.2	4

15	Initial testing of lenalidomide by the pediatric preclinical testing program. <i>Pediatric Blood and Cancer</i> , 2011 , 57, 606-11	3	4
14	Phase I Trial of Fenretinide (4-HPR) Intravenous Emulsion for Hematologic Malignancies.. <i>Blood</i> , 2007 , 110, 2581-2581	2.2	4
13	Mithramycin induces promoter reprogramming and differentiation of rhabdoid tumor. <i>EMBO Molecular Medicine</i> , 2021 , 13, e12640	12	4
12	Cytotoxic activity of difluoromethylornithine compared with fenretinide in neuroblastoma cell lines. <i>Pediatric Blood and Cancer</i> , 2018 , 65, e27447	3	4
11	A phase I study of intravenous fenretinide (4-HPR) for patients with malignant solid tumors. <i>Cancer Chemotherapy and Pharmacology</i> , 2021 , 87, 525-532	3.5	4
10	Hydrophilic interaction liquid chromatography-tandem mass spectrometric approach for simultaneous determination of safangol and D-erythro-sphinganine in human plasma. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2019 , 1112, 16-23	3.2	3
9	c-Abl is an upstream regulator of acid sphingomyelinase in apoptosis induced by inhibition of integrins $\alpha 5 \beta 1$ and $\alpha 5 \beta 3$. <i>PLoS ONE</i> , 2012 , 7, e42291	3.7	3
8	Vorinostat and fenretinide synergize in preclinical models of T-cell lymphoid malignancies. <i>Anti-Cancer Drugs</i> , 2021 , 32, 34-43	2.4	3
7	Analysis of fenretinide and its metabolites in human plasma by liquid chromatography-tandem mass spectrometry and its application to clinical pharmacokinetics. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017 , 132, 117-124	3.5	2
6	Phase I trial of fenretinide (4-HPR) intravenous emulsion in hematologic malignancies: A California Cancer Consortium study (PhI-42).. <i>Journal of Clinical Oncology</i> , 2012 , 30, 8073-8073	2.2	2
5	Fenretinide cytotoxicity is independent of both constitutive and pharmacologically modulated glutathione levels in pediatric acute lymphoblastic leukemia cells cultured at hypoxia. <i>Pediatric Blood and Cancer</i> , 2012 , 58, 994-7	3	1
4	Simultaneous Determination of Safingol and d-erythro-Sphinganine in Human Plasma by LC with Fluorescence Detection. <i>Chromatographia</i> , 2010 , 71, 1087-1091	2.1	1
3	Development of cell-based high throughput luminescence assay for drug discovery in inhibiting OCT4/DNA-PKcs and OCT4-MK2 interactions. <i>Biotechnology and Bioengineering</i> , 2021 , 118, 1987-2000	4.9	1
2	PPE decontamination to overcome PPE shortage in rural area during pandemic. <i>Infection Prevention in Practice</i> , 2021 , 3, 100145	2.1	0
1	Initial Testing of NSC 750854, a Novel Purine Analog, Against Pediatric Tumor Models by the Pediatric Preclinical Testing Program. <i>Pediatric Blood and Cancer</i> , 2016 , 63, 443-50	3	