

# Ã-zcan Gaygusuz

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/890788/publications.pdf>

Version: 2024-02-01

32  
papers

460  
citations

933447

10  
h-index

752698

20  
g-index

32  
all docs

32  
docs citations

32  
times ranked

424  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Length-weight relationship of fishes from the Marmara region (NW-Turkey). Journal of Applied Ichthyology, 2006, 22, 271-273.   | 0.7 | 79        |
| 2  | Are introduced gibel carp <i>Carassius gibelio</i> in Turkey more invasive in artificial than in natural waters?. Fisheries Management and Ecology, 2012, 19, 178-187.   | 2.0 | 50        |
| 3  | Circumstantial evidence of gibel carp, <i>Carassius gibelio,</i> reproductive competition exerted on native fish species in a mesotrophic reservoir. Fisheries Management and Ecology, 2012, 19, 167-177.            | 2.0 | 45        |
| 4  | THE BITTERLING-MUSSEL COEVOLUTIONARY RELATIONSHIP IN AREAS OF RECENT AND ANCIENT SYMPATRY. Evolution; International Journal of Organic Evolution, 2010, 64, no-no.   | 2.3 | 42        |
| 5  | Changes in the fish community of the Ã–merli Reservoir (Turkey) following the introduction of non-native gibel carp Carassius gibelio (Bloch, 1782) and other human impacts. Aquatic Invasions, 2007, 2, 117-120.    | 1.6 | 33        |
| 6  | A review and metaâ€analysis of growth and lifeâ€history traits of a declining European freshwater fish, crucian carp Carassius carassius. Aquatic Conservation: Marine and Freshwater Ecosystems, 2016, 26, 212-224. | 2.0 | 26        |
| 7  | The Diel Changes in Feeding Activity, Microhabitat Preferences and Abundance of Two Freshwater Fish Species in Small Temperate Streams (Omerli, Istanbul). Ekoloji, 2010, 19, 15-24.                                 | 0.4 | 21        |
| 8  | Length-weight relationships of freshwater fishes from the western part of Anatolia, Turkey. Journal of Applied Ichthyology, 2013, 29, 285-287.   | 0.7 | 17        |
| 9  | Heavy Metal Concentrations in Trachurus Mediterraneanus and Merlangius Merlangus Captured from Marmara Sea, Turkey and Associated Health Risks. Environmental Management, 2021, 67, 522-531.                         | 2.7 | 15        |
| 10 | Longâ€term growth patterns in a pondâ€dwelling population of crucian carp, <i>Carassius carassius</i>: environmental and densityâ€related factors. Fisheries Management and Ecology, 2011, 18, 375-383.              | 2.0 | 13        |
| 11 | Preference of Zebra Mussel, Dreissena polymorpha in the Diet and Effect on Growth of Gobiids: A Comparative Study Between Two Different Ecosystems. Ekoloji, 2007, , 1-6.  | 0.4 | 13        |
| 12 | Invasion of freshwater bodies in the Marmara region (northwestern Turkey) by nonnative gibel carp, Carassius gibelio (Bloch, 1782). Turkish Journal of Zoology, 0, , .   | 0.9 | 12        |
| 13 | The ecology of freshwater bivalves in the Lake Sapanca basin, Turkey. Turkish Journal of Zoology, 2013, 37, 730-738.   | 0.9 | 11        |
| 14 | Length-weight relationships of six freshwater fishes from small streams flowing into Lake Sapanca, NW Turkey. Journal of Applied Ichthyology, 2009, 25, 230-231.   | 0.7 | 10        |
| 15 | Title is missing!. Turkish Journal of Fisheries and Aquatic Sciences, 2015, 15, .  | 0.9 | 10        |
| 16 | The role of the European bitterling (Rhodeus amarus, Cyprinidae) in parasite accumulation and transmission in riverine ecosystems. Aquatic Ecology, 2011, 45, 377-387.   | 1.5 | 9         |
| 17 | Interannual Variability of Fecundity and Egg Size of an Invasive Cyprinid, Carassius gibelio: Effects of Density-Dependent and Density-Independent Factors. Journal of Freshwater Ecology, 2007, 22, 11-17.          | 1.2 | 7         |
| 18 | Title is missing!. Turkish Journal of Fisheries and Aquatic Sciences, 2019, 19, .  | 0.9 | 7         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Zooplankton Biodiversity in Reservoirs of Different Geographical Regions of Turkey: Composition and Distribution Related with Some Environmental Conditions. Aquatic Sciences and Engineering, 2019, 34, 29-38.      | 0.8 | 7         |
| 20 | Development of empirical standard weight equation for Pursak chub <i>Squalius pursakensis</i> , an endemic cyprinid species of Northwest Anatolia. Turkish Journal of Zoology, 2014, 38, 582-589.                    | 0.9 | 5         |
| 21 | New record and range extension of the big-scale sand smelt <i>Atherina boyeri</i> Risso, 1810 (Atherinidae) in the Devegeçidi Dam Lake, Tigris River basin, Turkey. Journal of Applied Ichthyology, 2017, 33, 63-68. | 0.7 | 5         |
| 22 | Length-weight relationship of seven freshwater fish species from Turkish Thrace. Journal of Applied Ichthyology, 2019, 35, 808-811.  | 0.7 | 5         |
| 23 | Characteristics of a Eurasian cyprinid, <i>Shemaya</i> , <i>Chalcalburnus chalcoides</i> (Günther, 1859), in a mesotrophic water reservoir. Zoology in the Middle East, 2005, 35, 49-60.                             | 0.6 | 4         |
| 24 | Presence of an Invasive Fish Species, <i>Carassius gibelio</i> (Bloch, 1782) in the Diet of the Dice Snake, <i>Natrix tessellata</i> (Laurenti, 1768). Journal of Fisheries and Aquatic Science, 2006, 1, 213-217.   | 0.1 | 4         |
| 25 | Threatened fishes of the world: <i>Salmo platycephalus</i> Behnke, 1968 (Salmonidae). Environmental Biology of Fishes, 2008, 81, 371-372.  | 1.0 | 3         |
| 26 | Relationships between Body Size, Weight and Fecundity of the Endangered Fish <i>Alburnus carinatus</i> Battalgi, 1941 in the Manyas Lake (Turkey). Aquatic Sciences and Engineering, 2019, 35, 27-30.                | 0.8 | 2         |
| 27 | Reoccurrence of <i>Salmo trutta macrostigma</i> (Dumeril, 1858) in Lake Sapanca Basin (Sakarya, Turkey): Implications for Conservation. Journal of Fisheries and Aquatic Science, 2007, 3, 87-91.                    | 0.1 | 2         |
| 28 | In Memory of Fahire Battalgazi; Bringing Back a Fish Collection to Life. , 0, , .  |     | 1         |
| 29 | Effects of physicochemical factors and Chlorophyll a on diel changes in vertical distribution of zooplankton in a eutrophic reservoir (Tahtalı Reservoir, NW Turkey). Su Özerin Dergisi, 2014, 31, 167-179.          | 0.3 | 1         |
| 30 | A NEW LOCALITY FOR THE ENDEMIC <i>Gobio sakaryaensis</i> TURAN, EKMEKÇİ, LUSKOVA & MENDEL, 2012 IN THE MARMARA REGION (TURKEY) AND THE LENGTH-WEIGHT RELATIONSHIP OF THE SPECIES. Aquatic Research, 0, , 36-40.      | 0.7 | 1         |
| 31 | Threatened fishes of the world: <i>Hemigrammocapoeta kemali</i> Hanko, 1924 (Cyprinidae). Environmental Biology of Fishes, 2009, 84, 339-340.  | 1.0 | 0         |
| 32 | The ichthyofaunal diversity of freshwater ecosystems in Göksu Island (NW Turkey) under the pressure of non-native species. Turkish Journal of Zoology, 0, , .  | 0.9 | 0         |