

Douglas Gouvea

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8908072/douglas-gouvea-publications-by-year.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

87
papers

1,610
citations

23
h-index

38
g-index

89
ext. papers

1,764
ext. citations

3.7
avg. IF

4.56
L-index

#	Paper	IF	Citations
87	Synthesis of TiO ₂ microspheres by ultrasonic spray pyrolysis and photocatalytic activity evaluation. <i>Ceramics International</i> , 2022 , 48, 9739-9745	5.1	0
86	Interfacial segregation in Cl-doped nano-ZnO polycrystalline semiconductors and its effect on electrical properties. <i>Ceramics International</i> , 2021 , 47, 24860-24860	5.1	0
85	Interface excess on Sb-doped TiO ₂ photocatalysts and its influence on photocatalytic activity. <i>Ceramics International</i> , 2021 , 47, 619-625	5.1	1
84	Energetics of CO and HO adsorption on alkaline earth metal doped TiO. <i>Physical Chemistry Chemical Physics</i> , 2020 , 22, 15600-15607	3.6	8
83	Simultaneous segregation of lanthanum to surfaces and grain boundaries in MgAl ₂ O ₄ nanocrystals. <i>Applied Surface Science</i> , 2020 , 529, 147145	6.7	13
82	Fe ₂ O ₃ -doped SnO ₂ membranes with enhanced mechanical resistance for ultrafiltration application. <i>Journal of the European Ceramic Society</i> , 2020 , 40, 5959-5966	6	3
81	Ulcer pressure prevention and opportunity for innovation during the COVID-19 crisis. <i>Clinics</i> , 2020 , 75, e2292	2.3	3
80	Interface excess on Li ₂ O-doped Al ₂ O ₃ nanoparticles. <i>Ceramics International</i> , 2020 , 46, 10555-10560	5.1	2
79	Li ₂ O-doped MgAl ₂ O ₄ nanopowders: Energetics of interface segregation. <i>Journal of the American Ceramic Society</i> , 2020 , 103, 2835-2844	3.8	3
78	TiO ₂ Surface Engineering to Improve Nanostability: The Role of Interface Segregation. <i>Journal of Physical Chemistry C</i> , 2019 , 123, 4949-4960	3.8	14
77	Effect of segregation on particle size stability and SPS sintering of Li ₂ O-Doped magnesium aluminate spinel. <i>Journal of the European Ceramic Society</i> , 2019 , 39, 3213-3220	6	4
76	Development of Sodium Hydroxide-Activated Metakaolin with Nanocarbon Materials as Synthetic Ceramic Proppants. <i>Materials Science Forum</i> , 2018 , 912, 251-256	0.4	1
75	Surface and grain boundary excess of ZnO-doped TiO ₂ anatase nanopowders. <i>Ceramics International</i> , 2018 , 44, 11390-11396	5.1	12
74	Proppants Development and the Shale Oil and Gas Market Perspective. <i>Materials Science Forum</i> , 2018 , 930, 37-42	0.4	
73	Surface and grain-boundary excess of ZnO-doped SnO ₂ nanopowders by the selective lixiviation method. <i>Journal of the American Ceramic Society</i> , 2017 , 100, 4331-4340	3.8	11
72	Direct measurement of interface energies of magnesium aluminate spinel and a brief sintering analysis. <i>Journal of the European Ceramic Society</i> , 2017 , 37, 4051-4058	6	13
71	Thermoluminescence and optical absorption properties of glass from natural diopside and of synthetic diopside glass. <i>Journal of Non-Crystalline Solids</i> , 2017 , 456, 22-26	3.9	2

70	Sintering and Nanostability: The Thermodynamic Perspective. <i>Journal of the American Ceramic Society</i> , 2016 , 99, 1105-1121	3.8	57
69	Flash sintering of ionic conductors: The need of a reversible electrochemical reaction. <i>Journal of the European Ceramic Society</i> , 2016 , 36, 1253-1260	6	31
68	Nanocrystalline yttria-doped zirconia sintered by fast firing. <i>Materials Letters</i> , 2016 , 166, 196-200	3.3	24
67	Synthesis of Ca-doped spinel by Ultrasonic Spray Pyrolysis. <i>Materials Letters</i> , 2016 , 171, 232-235	3.3	11
66	Segregaõ superficial de MgO em nanopartículas de TiO ₂ . <i>Ceramica</i> , 2016 , 62, 400-404	1	2
65	The Nanocrystalline SnO ₂ /TiO ₂ System-Part I: Structural Features. <i>Journal of the American Ceramic Society</i> , 2016 , 99, 631-637	3.8	10
64	The Nanocrystalline SnO ₂ /TiO ₂ System-Part II: Surface Energies and Thermodynamic Stability. <i>Journal of the American Ceramic Society</i> , 2016 , 99, 638-644	3.8	11
63	Using bone ash as an additive in porcelain sintering. <i>Ceramics International</i> , 2015 , 41, 487-496	5.1	15
62	A simple flash sintering setup under applied mechanical stress and controlled atmosphere. <i>MethodsX</i> , 2015 , 2, 392-8	1.9	10
61	Influence of Ti ⁴⁺ on the Energetics and Microstructure of SnO ₂ Nanoparticles. <i>Ceramic Engineering and Science Proceedings</i> , 2015 , 145-152	0.1	
60	Energetics of CO ₂ and H ₂ O adsorption on zinc oxide. <i>Langmuir</i> , 2014 , 30, 9091-7	4	39
59	Segregation and Color Change on (Cr,Ca) Codoped Nanocrystalline Tin Dioxide. <i>Advances in Science and Technology</i> , 2014 , 87, 73-78	0.1	
58	Evaluation of Industrial Rejects of Mineral and Metallurgical Processing as Ceramic Synthetic Proppants. <i>Materials Science Forum</i> , 2014 , 798-799, 503-508	0.4	1
57	Direct calorimetric measurement of enthalpy of adsorption of carbon dioxide on CD-MOF-2, a green metal-organic framework. <i>Journal of the American Chemical Society</i> , 2013 , 135, 6790-3	16.4	120
56	Spin-glass-like behavior of uncompensated surface spins in NiO nanoparticulated powder. <i>Physica B: Condensed Matter</i> , 2012 , 407, 2601-2605	2.8	36
55	ELECTRORHEOLOGY OF DISPERSIONS OF Ba _x Sr _(1-x) TiO ₃ IN SILICONE OIL UNDER AC OR DC ELECTRIC FIELD. <i>International Journal of Modern Physics B</i> , 2012 , 26, 1250081	1.1	1
54	Modificaõ da estabilidade dos polimorfos de TiO ₂ nanométrico pelo excesso de superfície de SnO ₂ . <i>Ceramica</i> , 2012 , 58, 53-57	1	
53	Consolidaõ de pastas cimentícias contendo policarboxilatos um estudo calorimétrico e reológico. <i>Ceramica</i> , 2012 , 58, 137-143	1	1

52	Structural and hyperfine properties of Ni-doped SnO ₂ nanoparticles. <i>Hyperfine Interactions</i> , 2012 , 211, 77-82	0.8	7
51	Surface Segregation in Chromium-Doped Nanocrystalline Tin Dioxide Pigments. <i>Journal of the American Ceramic Society</i> , 2012 , 95, 170-176	3.8	11
50	Efeito da calcinaço do resduo de bauxita nas caractersticas reolgicas e no estado endurecido de suspenses com cimento Portland. <i>Ambiente Construido</i> , 2012 , 12, 53-61	0.4	0
49	Obteno de BaTiO ₃ livre de resduos de carbonato de brio pelo mtodo dos precursores polimricos. <i>Ceramica</i> , 2011 , 57, 338-347	1	1
48	Effects of particle size on the structural and hyperfine properties of tin dioxide nanoparticles. <i>Hyperfine Interactions</i> , 2011 , 202, 73-79	0.8	8
47	Evidences of the evolution from solid solution to surface segregation in Ni-doped SnO ₂ nanoparticles using Raman spectroscopy. <i>Journal of Raman Spectroscopy</i> , 2011 , 42, 1081-1086	2.3	54
46	Yttria-stabilized zirconia closed end tubes prepared by electrophoretic deposition. <i>Ceramics International</i> , 2011 , 37, 273-277	5.1	12
45	Quantification of MgO surface excess on the SnO ₂ nanoparticles and relationship with nanostability and growth. <i>Applied Surface Science</i> , 2011 , 257, 4219-4226	6.7	41
44	Efeito da modificao da composio qumica na sinterizao e microestrutura de porcelanas de ossos bovinos. <i>Ceramica</i> , 2010 , 56, 393-398	1	
43	Effects of Dependence between Solid Solution and Surface Excess in Nanoparticles. <i>Materials Science Forum</i> , 2010 , 660-661, 995-1000	0.4	1
42	Structural and hyperfine properties of Cr-doped SnO ₂ nanoparticles. <i>Journal of Physics: Conference Series</i> , 2010 , 217, 012079	0.3	11
41	Structural and magnetic properties of pure and nickel doped SnO ₂ nanoparticles. <i>Journal of Physics Condensed Matter</i> , 2010 , 22, 496003	1.8	38
40	Experimental study of the structural, microscopy and magnetic properties of Ni-doped SnO ₂ nanoparticles. <i>Journal of Non-Crystalline Solids</i> , 2010 , 356, 2960-2964	3.9	23
39	Interface Energy Measurement of MgO and ZnO: Understanding the Thermodynamic Stability of Nanoparticles. <i>Chemistry of Materials</i> , 2010 , 22, 2502-2509	9.6	44
38	Microstructural effects of Sn addition to Fe ₂ O ₃ thin films. <i>Journal of Nanoscience and Nanotechnology</i> , 2010 , 10, 1338-42	1.3	4
37	Caracterizao superficial de nanopartculas de BaTiO ₃ preparado pelo mtodo dos precursores polimricos. <i>Ceramica</i> , 2010 , 56, 228-236	1	5
36	Electrophoretic deposition of ZrO ₂ /TiO ₂ : a bi-component study concerning self-assemblies. <i>Journal of Materials Science</i> , 2009 , 44, 1851-1857	4.3	5
35	Colloidal Processing of Glass/Ceramics for Laminated Object Manufacturing. <i>Journal of the American Ceramic Society</i> , 2009 , 92, 1186-1191	3.8	24

34	Surface modification of bovine bone ash prepared by milling and acid washing process. <i>Ceramics International</i> , 2009 , 35, 3043-3049	5.1	3
33	Uso de ossos bovinos calcinados como aditivo de sinterizaçã na fabricaçã de porcelanas. <i>Ceramica</i> , 2009 , 55, 252-256	1	
32	Quantificaçã da segregaçã de MgO em pã nanomãtricos de SnO ₂ preparados por mãtodo quãtico. <i>Ceramica</i> , 2009 , 55, 393-399	1	1
31	Determinaçã das energias de superfãcie do SnO ₂ puro e dopado. <i>Ceramica</i> , 2009 , 55, 342-348	1	
30	Interface Excess and Polymorphic Stability of Nanosized Zirconia-Magnesia. <i>Chemistry of Materials</i> , 2008 , 20, 3505-3511	9.6	29
29	Relationship between surface segregation and rapid propane electrical response in Cd-doped SnO ₂ nanomaterials. <i>Sensors and Actuators B: Chemical</i> , 2008 , 133, 263-269	8.5	23
28	The rheological behavior and surface charging of gelcasting alumina suspensions. <i>Ceramics International</i> , 2008 , 34, 237-241	5.1	8
27	Surface modification of SnO ₂ nanoparticles containing Mg or Fe: Effects on sintering. <i>Applied Surface Science</i> , 2007 , 253, 4581-4585	6.7	35
26	Surface reactivity and electrophoretic deposition of ZrO ₂ /MgO mechanical mixture. <i>Journal of Materials Science</i> , 2007 , 42, 6946-6950	4.3	10
25	Surface Energy and Thermodynamic Stability of α -Alumina: Effect of Dopants and Water. <i>Chemistry of Materials</i> , 2006 , 18, 1867-1872	9.6	84
24	A new method for obtaining adsorption isotherms on colloidal suspensions via electrokinetic sonic amplitude measurement. <i>Langmuir</i> , 2005 , 21, 11645-50	4	
23	Surface Segregation and Consequent SO ₂ Sensor Response in SnO ₂ /NiO. <i>Chemistry of Materials</i> , 2005 , 17, 4149-4153	9.6	108
22	Effect of Cobalt(II) Oxide and Manganese(IV) Oxide on Sintering of Tin(IV) Oxide. <i>Journal of the American Ceramic Society</i> , 2005 , 79, 799-804	3.8	144
21	Translucent Tin Dioxide Ceramics Obtained by Natural Sintering. <i>Journal of the American Ceramic Society</i> , 2005 , 80, 2735-2736	3.8	11
20	Densification and electrical conductivity of fast fired manganese-doped ceria ceramics. <i>Materials Letters</i> , 2005 , 59, 1195-1199	3.3	44
19	Surface Segregation in SnO ₂ /Fe ₂ O ₃ Nanopowders and Effects in Mãssbauer Spectroscopy. <i>European Journal of Inorganic Chemistry</i> , 2005 , 2005, 2134-2138	2.3	48
18	Quantifying adsorption of heparin on a PVC substrate using ATR-FTIR. <i>Polymer International</i> , 2005 , 54, 209-214	3.3	13
17	Doped Tin Oxide Nanometric Films for Environment Monitoring. <i>Materials Science Forum</i> , 2005 , 498-499, 636-641	0.4	2

16	Influence of Tin Oxide Addition in the Morphologic Characteristics of Zinc Oxide Powders Synthesized by Pechini's Method. <i>Materials Science Forum</i> , 2005 , 498-499, 704-709	0.4	
15	Particle Size Distribution Analysis of an Alumina Powder: Influence of Some Dispersants, pH and Supersonic Vibration. <i>Materials Science Forum</i> , 2005 , 498-499, 73-78	0.4	4
14	Transport properties of La _{0.6} Y _{0.1} Ca _{0.3} MnO ₃ compounds with different interfaces. <i>Journal of the European Ceramic Society</i> , 2004 , 24, 1271-1275	6	17
13	Influence of the acidBasic character of oxide surfaces in dispersants effectiveness. <i>Ceramics International</i> , 2004 , 30, 2215-2221	5.1	16
12	Effect of fluorine doping on the properties of tin oxide based powders prepared via Pechini's method. <i>Applied Surface Science</i> , 2004 , 229, 24-29	6.7	20
11	Microstructure and structure of NiO/SnO ₂ and Fe ₂ O ₃ /SnO ₂ systems. <i>Applied Surface Science</i> , 2003 , 214, 172-177	6.7	80
10	Sintering: the role of interface energies. <i>Applied Surface Science</i> , 2003 , 217, 194-201	6.7	30
9	The influence of the Chitosan adsorption on the stability of SnO ₂ suspensions. <i>Journal of the European Ceramic Society</i> , 2003 , 23, 897-903	6	16
8	Transport properties and phase separation in La _{0.6} Y _{0.1} Ca _{0.3} MnO ₃ ceramics. <i>Physica Status Solidi A</i> , 2003 , 199, 255-264		7
7	Surface segregation of additives on SnO ₂ based powders and their relationship with macroscopic properties. <i>Applied Surface Science</i> , 2002 , 195, 277-283	6.7	43
6	Engineering surface and electrophoretic deposition of SiC powder. <i>Materials Letters</i> , 2001 , 50, 115-119	3.3	8
5	Surface tension of polyethylene used in thermal coating. <i>Polymer Engineering and Science</i> , 2000 , 40, 1663-1671	3.3	15
4	Modification of surface properties of alumina by plasma treatment. <i>Journal of Materials Chemistry</i> , 2000 , 10, 259-261		10
3	Densification and coarsening of SnO ₂ -based materials containing manganese oxide. <i>Journal of the European Ceramic Society</i> , 1998 , 18, 345-351	6	27
2	Polymeric Precursor Synthesis of Alumina Containing Manganese Oxide. <i>Materials Science Forum</i> , 1998 , 299-300, 91-98	0.4	6
1	The Effect of Additives on the Sintering of Tin Oxide. <i>Solid State Phenomena</i> , 1992 , 25-26, 259-268	0.4	9