

Fernanda Genre

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8910190/publications.pdf>

Version: 2024-02-01

59
papers

861
citations

567144

15
h-index

552653

26
g-index

60
all docs

60
docs citations

60
times ranked

1448
citing authors

#	ARTICLE	IF	CITATIONS
1	Cardiovascular risk assessment in patients with rheumatoid arthritis: The relevance of clinical, genetic and serological markers. <i>Autoimmunity Reviews</i> , 2016, 15, 1013-1030.	2.5	107
2	Integrative Analysis Reveals a Molecular Stratification of Systemic Autoimmune Diseases. <i>Arthritis and Rheumatology</i> , 2021, 73, 1073-1085.	2.9	81
3	A genome-wide association study suggests the HLA Class II region as the major susceptibility locus for IgA vasculitis. <i>Scientific Reports</i> , 2017, 7, 5088.	1.6	44
4	Brief Report: Association of HLA-DRB1*01 With IgA Vasculitis (Henoch-Schönlein). <i>Arthritis and Rheumatology</i> , 2015, 67, 823-827.	2.9	35
5	Expression of osteoprotegerin and its ligands, RANKL and TRAIL, in rheumatoid arthritis. <i>Scientific Reports</i> , 2016, 6, 29713.	1.6	34
6	Adipokines, Biomarkers of Endothelial Activation, and Metabolic Syndrome in Patients with Ankylosing Spondylitis. <i>BioMed Research International</i> , 2014, 2014, 1-11.	0.9	33
7	Association of HLA-B*41:02 with Henoch-Schönlein Purpura (IgA Vasculitis) in Spanish individuals irrespective of the HLA-DRB1 status. <i>Arthritis Research and Therapy</i> , 2015, 17, 102.	1.6	33
8	Independent Relationship of Osteoprotegerin Concentrations with Endothelial Activation and Carotid Atherosclerosis in Patients with Severe Rheumatoid Arthritis. <i>Journal of Rheumatology</i> , 2014, 41, 429-436.	1.0	32
9	The ZC3HC1 rs11556924 polymorphism is associated with increased carotid intima-media thickness in patients with rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2013, 15, R152.	1.6	26
10	Osteoprotegerin Concentrations Relate Independently to Established Cardiovascular Disease in Rheumatoid Arthritis. <i>Journal of Rheumatology</i> , 2015, 42, 39-45.	1.0	26
11	Anti-TNF- α therapy reduces endothelial cell activation in non-diabetic ankylosing spondylitis patients. <i>Rheumatology International</i> , 2015, 35, 2069-2078.	1.5	25
12	Rapid beneficial effect of the IL-6 receptor blockade on insulin resistance and insulin sensitivity in non-diabetic patients with rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 2019, 37, 465-473.	0.4	19
13	Angiopietin-2 serum levels correlate with severity, early onset and cardiovascular disease in patients with rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 2013, 31, 761-6.	0.4	18
14	Endothelial Progenitor Cells as a Potential Biomarker in Interstitial Lung Disease Associated with Rheumatoid Arthritis. <i>Journal of Clinical Medicine</i> , 2020, 9, 4098.	1.0	16
15	Cardiovascular risk stratification in axial spondyloarthritis: carotid ultrasound is more sensitive than coronary artery calcification score to detect high-cardiovascular risk axial spondyloarthritis patients. <i>Clinical and Experimental Rheumatology</i> , 2018, 36, 73-80.	0.4	16
16	Leptin and visfatin serum levels in non-diabetic ankylosing spondylitis patients undergoing TNF- α antagonist therapy. <i>Clinical and Experimental Rheumatology</i> , 2013, 31, 538-45.	0.4	15
17	Antitumour necrosis factor α treatment reduces retinol-binding protein 4 serum levels in non-diabetic ankylosing spondylitis patients. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 941-943.	0.5	14
18	Protein tyrosine phosphatase non-receptor 22 and C-Src tyrosine kinase genes are down-regulated in patients with rheumatoid arthritis. <i>Scientific Reports</i> , 2017, 7, 10525.	1.6	14

#	ARTICLE	IF	CITATIONS
19	Omentin: a biomarker of cardiovascular risk in individuals with axial spondyloarthritis. <i>Scientific Reports</i> , 2020, 10, 9636.	1.6	13
20	Adiponectin and resistin serum levels in non-diabetic ankylosing spondylitis patients undergoing TNF- $\hat{\pm}$ antagonist therapy. <i>Clinical and Experimental Rheumatology</i> , 2013, 31, 365-71.	0.4	13
21	SMAD3 rs17228212 Gene Polymorphism Is Associated with Reduced Risk to Cerebrovascular Accidents and Subclinical Atherosclerosis in Anti-CCP Negative Spanish Rheumatoid Arthritis Patients. <i>PLoS ONE</i> , 2013, 8, e77695.	1.1	12
22	Association of circulating calprotectin with lipid profile in axial spondyloarthritis. <i>Scientific Reports</i> , 2018, 8, 13728.	1.6	12
23	Influence of MUC5B gene on antisynthetase syndrome. <i>Scientific Reports</i> , 2020, 10, 1415.	1.6	12
24	Osteoprotegerin correlates with disease activity and endothelial activation in non-diabetic ankylosing spondylitis patients undergoing TNF- $\hat{\pm}$ antagonist therapy. <i>Clinical and Experimental Rheumatology</i> , 2014, 32, 640-6.	0.4	12
25	Role of PTPN22 and CSK gene polymorphisms as predictors of susceptibility and clinical heterogeneity in patients with Henoch-SchÅ¶nlein purpura (IgA vasculitis). <i>Arthritis Research and Therapy</i> , 2015, 17, 286.	1.6	11
26	Asymmetric dimethylarginine but not osteoprotegerin correlates with disease severity in patients with moderate-to-severe psoriasis undergoing anti-tumor necrosis factor- $\hat{\pm}$ therapy. <i>Journal of Dermatology</i> , 2016, 43, 389-394.	0.6	11
27	Significant sE-Selectin levels reduction after 6 months of anti-TNF- $\hat{\pm}$ therapy in non-diabetic patients with moderate-to-severe psoriasis. <i>Journal of Dermatological Treatment</i> , 2017, 28, 726-730.	1.1	11
28	Disease Activity Influences Cardiovascular Risk Reclassification Based on Carotid Ultrasound in Patients with Psoriatic Arthritis. <i>Journal of Rheumatology</i> , 2020, 47, 1344-1353.	1.0	11
29	Antitumor necrosis factor- $\hat{\pm}$ therapy modulates angiotensin-2 serum levels in non-diabetic ankylosing spondylitis patients. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, 1265-1267.	0.5	10
30	Endothelial Progenitor Cells: Relevant Players in the Vasculopathy and Lung Fibrosis Associated with the Presence of Interstitial Lung Disease in Systemic Sclerosis Patients. <i>Biomedicines</i> , 2021, 9, 847.	1.4	10
31	Osteoprotegerin CGA Haplotype Protection against Cerebrovascular Complications in Anti-CCP Negative Patients with Rheumatoid Arthritis. <i>PLoS ONE</i> , 2014, 9, e106823.	1.1	10
32	Lack of Association between <i>JAK3</i> Gene Polymorphisms and Cardiovascular Disease in Spanish Patients with Rheumatoid Arthritis. <i>BioMed Research International</i> , 2015, 2015, 1-11.	0.9	9
33	Asymmetric dimethylarginine serum levels in non-diabetic ankylosing spondylitis patients undergoing TNF- $\hat{\pm}$ antagonist therapy. <i>Clinical and Experimental Rheumatology</i> , 2013, 31, 749-55.	0.4	9
34	Proprotein convertase subtilisin/kexin type 9 in rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 2016, 34, 1013-1019.	0.4	9
35	Irisin as a Novel Biomarker of Subclinical Atherosclerosis, Cardiovascular Risk and Severe Disease in Axial Spondyloarthritis. <i>Frontiers in Immunology</i> , 0, 13, .	2.2	9
36	Patients with Ankylosing Spondylitis and Low Disease Activity because of Anti-TNF-Alpha Therapy Have Higher TRAIL Levels Than Controls: A Potential Compensatory Effect. <i>Mediators of Inflammation</i> , 2014, 2014, 1-6.	1.4	8

#	ARTICLE	IF	CITATIONS
37	HLA association with the susceptibility to anti-synthetase syndrome. <i>Joint Bone Spine</i> , 2021, 88, 105115.	0.8	8
38	Vaspin in atherosclerotic disease and cardiovascular risk in axial spondyloarthritis: a genetic and serological study. <i>Arthritis Research and Therapy</i> , 2021, 23, 111.	1.6	7
39	Relationship between endothelial dysfunction and osteoprotegerin, vitamin D, and bone mineral density in patients with rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 2015, 33, 241-9.	0.4	6
40	TNF-related apoptosis-inducing ligand and cardiovascular disease in rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 2015, 33, 491-7.	0.4	6
41	IGF-1 and ADMA Levels Are Inversely Correlated in Nondiabetic Ankylosing Spondylitis Patients Undergoing Anti-TNF-Alpha Therapy. <i>BioMed Research International</i> , 2014, 2014, 1-6.	0.9	5
42	Relative Risk Chart Score for the Assessment of the Cardiovascular Risk in Young Patients with Ankylosing Spondylitis. <i>International Journal of Rheumatology</i> , 2018, 2018, 1-6.	0.9	5
43	BAFF, APRIL and BAFFR on the pathogenesis of Immunoglobulin-A vasculitis. <i>Scientific Reports</i> , 2021, 11, 11510.	1.6	5
44	Implication of osteoprotegerin and sclerostin in axial spondyloarthritis cardiovascular disease: study of 163 Spanish patients. <i>Clinical and Experimental Rheumatology</i> , 2018, 36, 302-309.	0.4	5
45	Reclassification into very-high cardiovascular risk after carotid ultrasound in patients with axial spondyloarthritis. <i>Clinical and Experimental Rheumatology</i> , 2020, 38, 724-731.	0.4	5
46	Epidemiological and genetic features of anti-3-hydroxy-3-methylglutaryl-CoA reductase necrotizing myopathy: Single-center experience and literature review. <i>European Journal of Internal Medicine</i> , 2022, 101, 86-92.	1.0	5
47	Apelin serum levels in non-diabetic ankylosing spondylitis patients undergoing TNF- α antagonist therapy. <i>Clinical and Experimental Rheumatology</i> , 2013, 31, 532-7.	0.4	4
48	Correlation between insulin resistance and serum ghrelin in non-diabetic ankylosing spondylitis patients undergoing anti-TNF- α therapy. <i>Clinical and Experimental Rheumatology</i> , 2013, 31, 913-8.	0.4	4
49	Role of VEGF Polymorphisms in the Susceptibility and Severity of Interstitial Lung Disease. <i>Biomedicines</i> , 2021, 9, 458.	1.4	3
50	Angiogenic T Cells: Potential Biomarkers for the Early Diagnosis of Interstitial Lung Disease in Autoimmune Diseases?. <i>Biomedicines</i> , 2022, 10, 851.	1.4	3
51	Obesity and response to biological therapy in rheumatoid arthritis: the role of body mass index and adipose tissue cytokines. <i>Clinical and Experimental Rheumatology</i> , 0, , .	0.4	3
52	Detection of high cardiovascular risk patients with ankylosing spondylitis based on the assessment of abdominal aortic calcium as compared to carotid ultrasound. <i>Arthritis Research and Therapy</i> , 2018, 20, 195.	1.6	2
53	Serum leptin concentration is associated with the attainment of clinical outcomes in patients with axial spondyloarthritis treated with TNF inhibitors. <i>Clinical and Experimental Rheumatology</i> , 2022, , .	0.4	2
54	O31â€¦Integrative analysis reveals a molecular stratification of systemic autoimmune diseases. , 2020, , .		1

#	ARTICLE	IF	CITATIONS
55	Role of the IL33 and IL1RL1 pathway in the pathogenesis of Immunoglobulin A vasculitis. Scientific Reports, 2021, 11, 16163.	1.6	1
56	Role of adiponectin in non-diabetic patients with rheumatoid arthritis undergoing anti-IL-6 therapy. Clinical and Experimental Rheumatology, 0, , .	0.4	1
57	Role of IRF5 in the pathogenesis of immunoglobulin-A vasculitis. Clinical and Experimental Rheumatology, 2020, 38 Suppl 124, 182-187.	0.4	0
58	Role of adiponectin in non-diabetic patients with rheumatoid arthritis undergoing anti-IL-6 therapy. Clinical and Experimental Rheumatology, 2021, , .	0.4	0
59	Obesity and response to biological therapy in rheumatoid arthritis: the role of body mass index and adipose tissue cytokines.. Clinical and Experimental Rheumatology, 2022, , .	0.4	0