

Leandro Sastre

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8910901/leandro-sastre-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

38
papers

530
citations

14
h-index

21
g-index

38
ext. papers

612
ext. citations

4
avg, IF

3.33
L-index

#	Paper	IF	Citations
38	Comparison of Colorectal Cancer Stem Cells and Oxaliplatin-Resistant Cells Unveils Functional Similarities.. <i>Cells</i> , 2022 , 11,	7.9	1
37	GSE4-loaded nanoparticles a potential therapy for lung fibrosis that enhances pneumocyte growth, reduces apoptosis and DNA damage. <i>FASEB Journal</i> , 2021 , 35, e21422	0.9	4
36	Structure of Dictyostelium discoideum telomeres. Analysis of possible replication mechanisms. <i>PLoS ONE</i> , 2019 , 14, e0222909	3.7	2
35	GSE4 peptide suppresses oxidative and telomere deficiencies in ataxia telangiectasia patient cells. <i>Cell Death and Differentiation</i> , 2019 , 26, 1998-2014	12.7	13
34	Genetic analyses of aplastic anemia and idiopathic pulmonary fibrosis patients with short telomeres, possible implication of DNA-repair genes. <i>Orphanet Journal of Rare Diseases</i> , 2019 , 14, 82	4.2	11
33	Role of Dusp6 Phosphatase as a Tumor Suppressor in Non-Small Cell Lung Cancer. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	11
32	Dyskerin Mutations Present in Dyskeratosis Congenita Patients Increase Oxidative Stress and DNA Damage Signalling in. <i>Cells</i> , 2019 , 8,	7.9	3
31	Molecular Diagnosis and Precision Therapeutic Approaches for Telomere Biology Disorders 2016 ,		2
30	Biological Activity of the Alternative Promoters of the Dictyostelium discoideum Adenylyl Cyclase A Gene. <i>PLoS ONE</i> , 2016 , 11, e0148533	3.7	2
29	GSE4, a Small Dyskerin- and GSE24.2-Related Peptide, Induces Telomerase Activity, Cell Proliferation and Reduces DNA Damage, Oxidative Stress and Cell Senescence in Dyskerin Mutant Cells. <i>PLoS ONE</i> , 2015 , 10, e0142980	3.7	9
28	Expression of the genetic suppressor element 24.2 (GSE24.2) decreases DNA damage and oxidative stress in X-linked dyskeratosis congenita cells. <i>PLoS ONE</i> , 2014 , 9, e101424	3.7	15
27	Exome sequencing: what clinicians need to know. <i>Advances in Genomics and Genetics</i> , 2014 , 15		3
26	Cancer stem cells and cisplatin-resistant cells isolated from non-small-lung cancer cell lines constitute related cell populations. <i>Cancer Medicine</i> , 2014 , 3, 1099-111	4.8	57
25	Mef2A, a homologue of animal Mef2 transcription factors, regulates cell differentiation in Dictyostelium discoideum. <i>BMC Developmental Biology</i> , 2013 , 13, 12	3.1	5
24	Defects in mTR stability and telomerase activity produced by the Dkc1 A353V mutation in dyskeratosis congenita are rescued by a peptide from the dyskerin TruB domain. <i>Clinical and Translational Oncology</i> , 2012 , 14, 755-63	3.6	10
23	The dual-specificity protein phosphatase MkpB, homologous to mammalian MKP phosphatases, is required for D. discoideum post-aggregative development and cisplatin response. <i>Differentiation</i> , 2011 , 81, 199-207	3.5	3
22	New DNA sequencing technologies open a promising era for cancer research and treatment. <i>Clinical and Translational Oncology</i> , 2011 , 13, 301-6	3.6	14

21	The Dictyostelium discoideum acaA gene is transcribed from alternative promoters during aggregation and multicellular development. <i>PLoS ONE</i> , 2010 , 5, e13286	3.7	15
20	Structural and functional studies of a family of Dictyostelium discoideum developmentally regulated, prestalk genes coding for small proteins. <i>BMC Microbiology</i> , 2008 , 8, 1	4.5	109
19	SrfB, a member of the Serum Response Factor family of transcription factors, regulates starvation response and early development in Dictyostelium. <i>Developmental Biology</i> , 2008 , 316, 260-74	3.1	13
18	A dyskerin motif reactivates telomerase activity in X-linked dyskeratosis congenita and in telomerase-deficient human cells. <i>Blood</i> , 2008 , 111, 2606-14	2.2	19
17	Role of SP65 in assembly of the Dictyostelium discoideum spore coat. <i>Eukaryotic Cell</i> , 2007 , 6, 1137-49		2
16	Identification of genes dependent on the MADS box transcription factor SrfA in Dictyostelium discoideum development. <i>Eukaryotic Cell</i> , 2004 , 3, 564-6		17
15	The MADS-box transcription factor SrfA is required for actin cytoskeleton organization and spore coat stability during Dictyostelium sporulation. <i>Mechanisms of Development</i> , 2004 , 121, 51-6	1.7	19
14	Regulation of promoter occupancy during activation of cryptobiotic embryos from the crustacean Artemia franciscana. <i>Journal of Experimental Biology</i> , 2003 , 206, 1565-73	3	2
13	Dictyostelium discoideum developmentally regulated genes whose expression is dependent on MADS box transcription factor SrfA. <i>Eukaryotic Cell</i> , 2003 , 2, 1327-35		16
12	Transactivation domains are not functionally conserved between vertebrate and invertebrate serum response factors. <i>FEBS Journal</i> , 2002 , 269, 3669-77		
11	Regulated expression of the MADS-box transcription factor SrfA mediates activation of gene expression by protein kinase A during Dictyostelium sporulation. <i>Mechanisms of Development</i> , 2002 , 117, 201-8	1.7	11
10	Characterization of a functional serum response element in the Actin403 gene promoter from the crustacean Artemia franciscana. <i>FEBS Journal</i> , 2001 , 268, 2587-92		5
9	The MADS-box gene srfA is expressed in a complex pattern under the control of alternative promoters and is essential for different aspects of Dictyostelium development. <i>Developmental Biology</i> , 2001 , 235, 314-29	3.1	19
8	High DNA sequence variability at the alpha 1 Na/K-ATPase locus of Artemia franciscana (brine shrimp): polymorphism in a gene for salt-resistance in a salt-resistant organism. <i>Molecular Biology and Evolution</i> , 2000 , 17, 235-50	8.3	13
7	A serum response factor homologue is expressed in ectodermal tissues during development of the crustacean Artemia franciscana. <i>Mechanisms of Development</i> , 2000 , 96, 229-32	1.7	3
6	Isolation and characterization of the gene coding for Artemia franciscana TATA-binding protein: expression in cryptobiotic and developing embryos. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1999 , 1445, 271-82		5
5	Polymorphism and structure of the gene coding for the alpha 1 subunit of the Artemia franciscana Na/K-ATPase. <i>Biochemical Journal</i> , 1997 , 321 (Pt 2), 509-18	3.8	13
4	Actin gene structure in two Artemia species, A. franciscana and A. parthenogenetica. <i>Journal of Molecular Evolution</i> , 1996 , 43, 224-35	3.1	15

3	Gene expression after resumption of development of <i>Artemia franciscana</i> cryptobiotic embryos. <i>Biochemistry and Cell Biology</i> , 1994 , 72, 78-83	3.6	22
2	Cloning of a cDNA encoding an <i>Artemia franciscana</i> Na/K ATPase alpha-subunit. <i>Gene</i> , 1991 , 105, 197-204.	3.8	23
1	Isolation of cDNA clones coding for mitochondrial 16S ribosomal RNA from the crustacean <i>Artemia</i> . <i>Gene</i> , 1988 , 68, 239-48	3.8	24