

Thomas J Schnoeller

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8912547/thomas-j-schnoeller-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

16
papers

535
citations

10
h-index

23
g-index

24
ext. papers

628
ext. citations

3.2
avg, IF

3.11
L-index

#	Paper	IF	Citations
16	Enzalutamide in castration-resistant prostate cancer patients progressing after docetaxel and abiraterone. <i>European Urology</i> , 2014 , 65, 30-6	10.2	208
15	Detecting predictive androgen receptor modifications in circulating prostate cancer cells. <i>Oncotarget</i> , 2019 , 10, 4213-4223	3.3	76
14	Upper urinary tract recurrence after radical cystectomy for bladder cancer--who is at risk?. <i>Journal of Urology</i> , 2009 , 182, 2632-7	2.5	64
13	High CRP values predict poor survival in patients with penile cancer. <i>BMC Cancer</i> , 2013 , 13, 223	4.8	29
12	The role of histologic subtype, p16(INK4a) expression, and presence of human papillomavirus DNA in penile squamous cell carcinoma. <i>BMC Cancer</i> , 2015 , 15, 220	4.8	26
11	Circulating free testosterone is an independent predictor of advanced disease in patients with clinically localized prostate cancer. <i>World Journal of Urology</i> , 2013 , 31, 253-9	4	25
10	Neoadjuvant therapy of renal cell carcinoma: a novel treatment option in the era of targeted therapy?. <i>International Journal of Urology</i> , 2012 , 19, 903-7	2.3	22
9	Survival advantage of partial over radical nephrectomy in patients presenting with localized renal cell carcinoma. <i>BMC Cancer</i> , 2014 , 14, 372	4.8	21
8	Elevated C-reactive protein values predict nodal metastasis in patients with penile cancer. <i>BMC Urology</i> , 2013 , 13, 53	2.2	20
7	Corpulence is the crucial factor: association of testosterone and/or obesity with prostate cancer stage. <i>International Journal of Urology</i> , 2014 , 21, 980-6	2.3	10
6	Do preoperative serum C-reactive protein levels predict the definitive pathological stage in patients with clinically localized prostate cancer?. <i>International Urology and Nephrology</i> , 2015 , 47, 765-70 ^{2.3}		8
5	Partial nephrectomy using porcine small intestinal submucosa. <i>World Journal of Surgical Oncology</i> , 2011 , 9, 126	3.4	8
4	The retourethral transobturator sling suspension in the treatment of male urinary stress incontinence: results of a single institution experience. <i>ISRN Urology</i> , 2012 , 2012, 304205		3
3	Serum 17 β -estradiol fails as a marker in identification of aggressive tumour disease in patients with localized prostate cancer. <i>World Journal of Urology</i> , 2015 , 33, 1979-84	4	1
2	Clinical value of transrectal ultrasound in the diagnosis of suspected neoplasia in the small pelvis. <i>Ultraschall in Der Medizin</i> , 2007 , 28, 195-200	3.8	1
1	Association of the prostate cancer risk mutation G84E in HOXB13 with the subtype of ETS fusion negative adenocarcinoma with early age of diagnosis.. <i>Journal of Clinical Oncology</i> , 2015 , 33, 5021-5021 ^{2.2}	2.2	