## Thomas J Schnoeller

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/8912547/thomas-j-schnoeller-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

16<br/>papers535<br/>citations10<br/>h-index23<br/>g-index24<br/>ext. papers628<br/>ext. citations3.2<br/>avg, IF3.11<br/>L-index

#	Paper	IF	Citations
16	Detecting predictive androgen receptor modifications in circulating prostate cancer cells. <i>Oncotarget</i> , <b>2019</b> , 10, 4213-4223	3.3	76
15	Do preoperative serum C-reactive protein levels predict the definitive pathological stage in patients with clinically localized prostate cancer?. <i>International Urology and Nephrology</i> , <b>2015</b> , 47, 765-7	02.3	8
14	The role of histologic subtype, p16(INK4a) expression, and presence of human papillomavirus DNA in penile squamous cell carcinoma. <i>BMC Cancer</i> , <b>2015</b> , 15, 220	4.8	26
13	Serum 17Eestradiol fails as a marker in identification of aggressive tumour disease in patients with localized prostate cancer. <i>World Journal of Urology</i> , <b>2015</b> , 33, 1979-84	4	1
12	Association of the prostate cancer risk mutation G84E in HOXB13 with the subtype of ETS fusion negative adenocarcinoma with early age of diagnosis <i>Journal of Clinical Oncology</i> , <b>2015</b> , 33, 5021-5021	2.2	
11	Survival advantage of partial over radical nephrectomy in patients presenting with localized renal cell carcinoma. <i>BMC Cancer</i> , <b>2014</b> , 14, 372	4.8	21
10	Corpulence is the crucial factor: association of testosterone and/or obesity with prostate cancer stage. <i>International Journal of Urology</i> , <b>2014</b> , 21, 980-6	2.3	10
9	Enzalutamide in castration-resistant prostate cancer patients progressing after docetaxel and abiraterone. <i>European Urology</i> , <b>2014</b> , 65, 30-6	10.2	208
8	High CRP values predict poor survival in patients with penile cancer. <i>BMC Cancer</i> , <b>2013</b> , 13, 223	4.8	29
7	Circulating free testosterone is an independent predictor of advanced disease in patients with clinically localized prostate cancer. <i>World Journal of Urology</i> , <b>2013</b> , 31, 253-9	4	25
6	Elevated C-reactive protein values predict nodal metastasis in patients with penile cancer. <i>BMC Urology</i> , <b>2013</b> , 13, 53	2.2	20
5	Neoadjuvant therapy of renal cell carcinoma: a novel treatment option in the era of targeted therapy?. <i>International Journal of Urology</i> , <b>2012</b> , 19, 903-7	2.3	22
4	The retrourethral transobturator sling suspension in the treatment of male urinary stress incontinence: results of a single institution experience. <i>ISRN Urology</i> , <b>2012</b> , 2012, 304205		3
3	Partial nephrectomy using porcine small intestinal submucosa. <i>World Journal of Surgical Oncology</i> , <b>2011</b> , 9, 126	3.4	8
2	Upper urinary tract recurrence after radical cystectomy for bladder cancerwho is at risk?. <i>Journal of Urology</i> , <b>2009</b> , 182, 2632-7	2.5	64
1	Clinical value of transrectal ultrasound in the diagnosis of suspected neoplasia in the small pelvis. <i>Ultraschall in Der Medizin</i> , <b>2007</b> , 28, 195-200	3.8	1