

Nobuhiro Haga

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8913222/nobuhiro-haga-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

40
papers

309
citations

9
h-index

16
g-index

43
ext. papers

386
ext. citations

2.5
avg, IF

2.62
L-index

#	Paper	IF	Citations
40	Editorial Comment to Myosteatosis as a novel predictor of urinary incontinence after robot-assisted radical prostatectomy. <i>International Journal of Urology</i> , 2021 , 29, 40	2.3	0
39	Successful Fowler-Stephens Orchiopexy for an Abdominal Testis Associated With Continuous Type of Splenogondal Fusion: A Case Report. <i>Urology</i> , 2021 , 156, e137-e140	1.6	0
38	Comprehensive approach for preserving cavernous nerves and erectile function after radical prostatectomy in the era of robotic surgery. <i>International Journal of Urology</i> , 2021 , 28, 360-368	2.3	1
37	The effect of Adrenoceptor gene polymorphisms on lower urinary tract function in males. <i>World Journal of Urology</i> , 2021 , 39, 3035-3040	4	0
36	ASO Author Reflections: Increase of Circulating Tumor Cells After Open Radical Nephrectomy Compared with Other Surgical Modalities. <i>Annals of Surgical Oncology</i> , 2020 , 27, 1282-1283	3.1	0
35	Transient renal dysfunction due to rhabdomyolysis after robot-assisted radical prostatectomy. <i>International Urology and Nephrology</i> , 2020 , 52, 1877-1884	2.3	2
34	Perioperative Detection of Circulating Tumor Cells in Radical or Partial Nephrectomy for Renal Cell Carcinoma. <i>Annals of Surgical Oncology</i> , 2020 , 27, 1272-1281	3.1	11
33	Increase in Circulating Tumor Cells in Invasive Bladder Cancer After Transurethral Resection of Bladder Tumor. <i>Anticancer Research</i> , 2020 , 40, 4299-4307	2.3	1
32	The preoperative pad test as a predictor of urinary incontinence and quality of life after robot-assisted radical prostatectomy: a prospective, observational, clinical study. <i>International Urology and Nephrology</i> , 2020 , 52, 67-76	2.3	1
31	The association between local arteriosclerosis of the prostatic arteries and chronic inflammation in human benign prostatic enlargement. <i>Prostate</i> , 2019 , 79, 574-582	4.2	5
30	Usefulness of a novel classification based on perioperative changes of membranous urethral length using hierarchical cluster analysis of urinary incontinence and overactive bladder symptoms after robot-assisted radical prostatectomy: A prospective observational study. <i>Neurourology and Urodynamics</i> , 2019 , 38, 2200-2208	2.3	2
29	Atherosclerosis as a predictor of transient exacerbation of overactive bladder symptoms after robot-assisted laparoscopic radical prostatectomy. <i>International Journal of Urology</i> , 2019 , 26, 234-240	2.3	1
28	The impact of nerve-sparing robot-assisted radical prostatectomy on lower urinary tract function: Prospective assessment of patient-reported outcomes and frequency volume charts. <i>Neurourology and Urodynamics</i> , 2018 , 37, 322-330	2.3	8
27	Effects of barbed suture during robot-assisted radical prostatectomy on postoperative tissue damage and longitudinal changes in lower urinary tract outcome. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2018 , 32, 145-153	5.2	7
26	A state-of-the-art pediatric urology: robot-assisted surgery. <i>Japanese Journal of Pediatric Nephrology</i> , 2018 , 31, 114-122	0	0
25	The association between local atherosclerosis of the prostatic artery and benign prostatic enlargement in humans: Putative mechanism of chronic ischemia for prostatic enlargement. <i>Prostate</i> , 2018 , 78, 1001-1012	4.2	9
24	Apparent diffusion coefficient on magnetic resonance imaging (MRI) in bladder cancer: relations with recurrence/progression risk. <i>Fukushima Journal of Medical Sciences</i> , 2017 , 63, 90-99	0.9	3

23	Comprehensive approach for post-prostatectomy incontinence in the era of robot-assisted radical prostatectomy. <i>Fukushima Journal of Medical Sciences</i> , 2017 , 63, 46-56	0.9	6
22	Case of possible multiple system atrophy with a characteristic imaging finding of open bladder neck during storage phase as an initial sign. <i>International Journal of Urology</i> , 2017 , 24, 816-819	2.3	0
21	Overriding TKI resistance of renal cell carcinoma by combination therapy with IL-6 receptor blockade. <i>Oncotarget</i> , 2017 , 8, 55230-55245	3.3	32
20	Postoperative urinary incontinence exacerbates nocturia-specific quality of life after robot-assisted radical prostatectomy. <i>International Journal of Urology</i> , 2016 , 23, 873-878	2.3	4
19	Atherosclerosis as a predictor of delayed recovery from lower urinary tract dysfunction after robot-assisted laparoscopic radical prostatectomy. <i>Neurourology and Urodynamics</i> , 2016 , 35, 920-925	2.3	3
18	Author's Response to Akin et al. <i>Journal of Endourology</i> , 2016 , 30, 360	2.7	
17	The Effect of the Vesical Adaptation Response to Diuresis on Lower Urinary Tract Symptoms after Robot-Assisted Laparoscopic Radical Prostatectomy: A Pilot Proof of Concept Study. <i>PLoS ONE</i> , 2016 , 11, e0159514	3.7	3
16	Evaluating the Imbalance Between Increasing Hemodialysis Patients and Medical Staff Shortage After the Great East Japan Earthquake: Report From a Hemodialysis Center Near the Fukushima Nuclear Power Plants. <i>Therapeutic Apheresis and Dialysis</i> , 2016 , 20, 127-34	1.9	2
15	Laparoscopic modified bypass pyeloplasty: a simple procedure for straightforward ureteral spatulation and intracorporeal suturing. <i>International Urology and Nephrology</i> , 2015 , 47, 1933-8	2.3	3
14	Timing of Urinary Pad Exchanges Was the Most Important Factor Affecting Quality of Life in the Early Postoperative Period After Robot-Assisted Laparoscopic Radical Prostatectomy. <i>Journal of Endourology</i> , 2015 , 29, 1044-51	2.7	13
13	Factors Contributing to Early Recovery of Urinary Continence Analyzed by Pre- and Postoperative Pelvic Anatomical Features at Robot-Assisted Laparoscopic Radical Prostatectomy. <i>Journal of Endourology</i> , 2015 , 29, 683-90	2.7	22
12	Pelvic arterial occlusive disease affects the RhoA/Rho-kinase pathway in bladder smooth muscle. <i>Journal of Urology</i> , 2015 , 193, 706-13	2.5	9
11	Association between postoperative pelvic anatomic features on magnetic resonance imaging and lower tract urinary symptoms after radical prostatectomy. <i>Urology</i> , 2014 , 84, 642-9	1.6	22
10	Robotic-assisted laparoscopic reconstructive surgery in the lower urinary tract. <i>Current Urology Reports</i> , 2013 , 14, 333-41	2.9	39
9	The Great East Japan Earthquake affected the laboratory findings of hemodialysis patients in Fukushima. <i>BMC Nephrology</i> , 2013 , 14, 239	2.7	7
8	Blood pressure in hemodialysis patients after Great East Japan earthquake in Fukushima: the effect of tsunami and nuclear power accident. <i>Journal of Hypertension</i> , 2013 , 31, 1724-6	1.9	4
7	New classification for men with lower urinary tract symptoms: cluster analysis using the International Prostate Symptom Score. <i>BJU International</i> , 2012 , 110, 408-12	5.6	7
6	The Association between Severity of Atherosclerosis and Lower Urinary Tract Function in Male Patients with Lower Urinary Tract Symptoms. <i>LUTS: Lower Urinary Tract Symptoms</i> , 2012 , 4, 9-13	1.9	19

5	Does periprostatic local anesthesia for prostate biopsy affect the operative difficulty of open radical prostatectomy? A prospective randomized trial. <i>International Urology and Nephrology</i> , 2012 , 44, 1611-6	2.3	1
4	Long-term administration of prazosin improves bladder storage function: results from a study in spontaneously hypertensive rats. <i>International Journal of Urology</i> , 2011 , 18, 785-91	2.3	5
3	Alpha1-adrenoceptor antagonists improve bladder storage function through reduction of afferent activity in rats with bladder outlet obstruction. <i>Neurourology and Urodynamics</i> , 2011 , 30, 461-7	2.3	34
2	Effect of long-term prazosin and yohimbine administration on c-Fos expression in spinal neurons: inhibitory effect of alpha-1 and alpha-2 adrenoceptors on afferents from the lower urinary tract. <i>Urologia Internationalis</i> , 2011 , 87, 230-7	1.9	3
1	Effect of long-term oxybutynin administration on c-Fos expression in spinal neurons: inhibition of antimuscarinics on bladder afferents in conscious rats. <i>Urology</i> , 2009 , 73, 200-4	1.6	20