

# Xiao-jing Yang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8914102/publications.pdf>

Version: 2024-02-01

150  
papers

6,934  
citations

61984

43  
h-index

66911

78  
g-index

157  
all docs

157  
docs citations

157  
times ranked

8706  
citing authors

#	ARTICLE	IF	CITATIONS
1	Ultrathin hexagonal boron nitride as a van der Waals <sup>TM</sup> force initiator activated graphene for engineering efficient non-metal electrocatalysts of Li-CO <sub>2</sub> battery. Nano Research, 2022, 15, 1171-1177.	10.4	18
2	Biomass-derived hierarchical N, P codoped porous 3D-carbon framework@TiO <sub>2</sub> hybrids as advanced anode for lithium ion batteries. Journal of Colloid and Interface Science, 2022, 606, 577-587.	9.4	38
3	Catalytic graphitization assisted synthesis of Fe <sub>3</sub> C/Fe/graphitic carbon with advanced pseudocapacitance. RSC Advances, 2022, 12, 7935-7940.	3.6	7
4	Two-dimensional ultrathin networked CoP derived from Co(OH) <sub>2</sub> as efficient electrocatalyst for hydrogen evolution. Advanced Composites and Hybrid Materials, 2022, 5, 2421-2428.	21.1	29
5	Soft-chemistry synthesis, solubility and interlayer spacing of carbon nano-onions. RSC Advances, 2021, 11, 6850-6858.	3.6	14
6	Cultured Diatoms Suitable for the Advanced Anode of Lithium Ion Batteries. ACS Sustainable Chemistry and Engineering, 2021, 9, 844-852.	6.7	12
7	A novel layered rare-earth hydroxides/polyvinyl alcohol hydrogel with multicolor photoluminescence behavior. European Polymer Journal, 2021, 147, 110324.	5.4	6
8	Vacancy-defects turn off conjugated $\pi$ -bond shield activated catalytic molecular adsorption process. Applied Surface Science, 2021, 543, 148790.	6.1	4
9	Improved electrochemical performance of CoOx-NiO/Ti <sub>3</sub> C <sub>2</sub> T <sub>x</sub> MXene nanocomposites by atomic layer deposition towards high capacitance supercapacitors. Journal of Alloys and Compounds, 2021, 862, 158546.	5.5	38
10	Eu <sup>3+</sup> -doped layered gadolinium hydroxides as drug carriers and their bactericidal behavior. Materials Science and Engineering C, 2021, 127, 112213.	7.3	3
11	MnO <sub>2</sub> nanoshells/Ti <sub>3</sub> C <sub>2</sub> T <sub>x</sub> MXene hybrid film as supercapacitor electrode. Applied Surface Science, 2021, 560, 150040.	6.1	30
12	Enhanced photoluminescence of layered terbium hydroxides by graphene quantum dots in-situ synthesized in the interlayer. Optical Materials, 2021, 120, 111424.	3.6	1
13	The pseudo-capacitance of graphitic nanoribbons aerogel with encapsulated Fe nanoparticles. Journal of Alloys and Compounds, 2021, 883, 160742.	5.5	1
14	The optical sensitive detection of molybdate ions by layered europium hydroxides. Optical Materials, 2020, 100, 109597.	3.6	11
15	Amorphous TiO <sub>2</sub> nanofilm interface coating on mesoporous carbon as efficient sulfur host for Lithium-Sulfur batteries. Electrochimica Acta, 2020, 332, 135458.	5.2	26
16	Facile synthesis of TiO <sub>2</sub> /Ag <sub>3</sub> PO <sub>4</sub> composites with co-exposed high-energy facets for efficient photodegradation of rhodamine B solution under visible light irradiation. RSC Advances, 2020, 10, 24555-24569.	3.6	12
17	Hydrothermal Synthesis of Carbon Nano-Onions from Citric Acid. Chemistry - an Asian Journal, 2020, 15, 3428-3431.	3.3	16
18	$\sigma$ -Lewis Base-Hungry $\sigma$ -Amorphous $\sigma$ -Crystalline Nickel Borate $\sigma$ -Nickel Sulfide Heterostructures by In Situ Structural Engineering as Effective Bifunctional Electrocatalysts toward Overall Water Splitting. ACS Applied Materials & Interfaces, 2020, 12, 23896-23903.	8.0	53

#	ARTICLE	IF	CITATIONS
19	Hollow Square RodLike Microtubes Composed of Anatase Nanocuboids with Coexposed {100}, {010}, and {001} Facets for Improved Photocatalytic Performance. ACS Omega, 2020, 5, 14147-14156.	3.5	9
20	Crepe Cake Structured Layered Double Hydroxide/Sulfur/Graphene as a Positive Electrode Material for Liâ€S Batteries. ACS Nano, 2020, 14, 8220-8231.	14.6	73
21	Engineering Lithium Ions Embedded in NiFe Layered Double Hydroxide Lattices To Activate Laminated Ni <sup>2+</sup> Sites as Highâ€Efficiency Oxygen Evolution Reaction Catalysts. Chemistry - A European Journal, 2020, 26, 7244-7249.	3.3	25
22	Platinum Nanoparticle-Deposited Ti <sub>3</sub> C <sub>2</sub> T <sub>x</sub> MXene for Hydrogen Evolution Reaction. Industrial & Engineering Chemistry Research, 2020, 59, 1822-1828.	3.7	79
23	Li-clipping for edge S-vacancy MoS <sub>2</sub> quantum dots as an efficient bifunctional electrocatalyst enabling discharge growth of amorphous Li <sub>2</sub> O <sub>2</sub> film. Nano Energy, 2019, 65, 103996.	16.0	56
24	Facile Formation of Anatase/Rutile TiO <sub>2</sub> Nanocomposites with Enhanced Photocatalytic Activity. Molecules, 2019, 24, 2996.	3.8	142
25	Lithium storage performance of {010}-faceted and [111]-faceted anatase TiO <sub>2</sub> nanocrystals. Journal of Central South University, 2019, 26, 1530-1539.	3.0	14
26	Needle grass-like cobalt hydrogen phosphate on Ni foam as an effective and stable electrocatalyst for the oxygen evolution reaction. Chemical Communications, 2019, 55, 9729-9732.	4.1	33
27	Selective Lithiationâ€Expansionâ€Microexplosion Synthesis of Two-Dimensional Fluoride-Free Mxene. , 2019, 1, 628-632.		64
28	An <i>in situ</i> constructed topological rich vacancy-defect nitrogen-doped nanocarbon as a highly-effective metal-free oxygen catalyst for Liâ€O <sub>2</sub> batteries. Journal of Materials Chemistry A, 2019, 7, 21918-21926.	10.3	18
29	Engineering borate modified NiFe layer double hydroxide nanoarrays as â€hydroxyl ions hungryâ€ electrocatalysts for enhanced oxygen evolution. Chemical Communications, 2019, 55, 1334-1337.	4.1	39
30	Graphene-Based Mesoporous SnO <sub>2</sub> Nanosheets as Multifunctional Hosts for High-Performance Lithiumâ€Sulfur Batteries. ACS Applied Energy Materials, 2019, 2, 5009-5018.	5.1	23
31	Perovskite La <sub>0.5</sub> Sr <sub>0.5</sub> CoO <sub>3</sub> Grown on Ti <sub>3</sub> C <sub>2</sub> T <sub>x</sub> MXene Nanosheets as Bifunctional Efficient Hybrid Catalysts for Liâ€Oxygen Batteries. ACS Applied Energy Materials, 2019, 2, 4144-4150.	5.1	26
32	Synthesis of Anatase TiO <sub>2</sub> Nanocrystals with Defined Morphologies from Exfoliated Nanoribbons: Photocatalytic Performance and Application in Dyeâ€sensitized Solar Cell. ChemistrySelect, 2019, 4, 4443-4457.	1.5	16
33	3D Porous Amorphous $\gamma$ -CrOOH on Ni Foam as Bifunctional Electrocatalyst for Overall Water Splitting. Inorganic Chemistry, 2019, 58, 4014-4018.	4.0	44
34	Orientation of (Hetero)aromatic Anions in the LEuH Interlayer and Enhanced Photoluminescence. Journal of Physical Chemistry C, 2019, 123, 7467-7474.	3.1	10
35	Enhanced photoluminescence of LEuH nanosheets: 2D photonic crystals self-assembled by coreâ€shell SiO <sub>2</sub> @LEuH spheres. RSC Advances, 2019, 9, 8131-8136.	3.6	0
36	Microwave-Assisted Synthesis of High-Energy Faceted TiO <sub>2</sub> Nanocrystals Derived from Exfoliated Porous Metatitanic Acid Nanosheets with Improved Photocatalytic and Photovoltaic Performance. Materials, 2019, 12, 3614.	2.9	19

#	ARTICLE	IF	CITATIONS
37	Energy transfer between rare earths in layered rare-earth hydroxides. RSC Advances, 2018, 8, 3592-3598.	3.6	12
38	Ion exchange for ZnAl-LDHs using ammonium salt method in aqueous medium. Micro and Nano Letters, 2018, 13, 104-107.	1.3	1
39	Facile Synthesis of {101}, {010} and [111]-Faceted Anatase TiO <sub>2</sub> Nanocrystals Derived from Porous Metatitanic Acid H <sub>2</sub> TiO <sub>3</sub> for Enhanced Photocatalytic Performance. ChemistrySelect, 2018, 3, 2867-2876.	1.5	15
40	Amorphous Boron Oxide Coated NiCo Layered Double Hydroxide Nanoarrays for Highly Efficient Oxygen Evolution Reaction. ACS Sustainable Chemistry and Engineering, 2018, 6, 14257-14263.	6.7	40
41	Synthesis, Transformation Mechanism and Photocatalytic Properties of Various Morphologies Anatase TiO <sub>2</sub> Nanocrystals Derived From Tetratitanate Nanobelts. ChemistrySelect, 2018, 3, 9953-9959.	1.5	8
42	A Route to Synthesize MgAl-Layered Double Hydroxides via Topotactic Reaction of Mg <sup>2+</sup> with Al(OH) <sub>3</sub> . European Journal of Inorganic Chemistry, 2018, 2018, 2900-2904.	2.0	1
43	Two-dimensional $\gamma$ -cobalt hydroxide phase transition exfoliated to atom layers as efficient catalyst for lithium-oxygen batteries. Electrochimica Acta, 2018, 281, 420-428.	5.2	14
44	Conformal carbon coated TiO <sub>2</sub> aerogel as superior anode for lithium-ion batteries. Chemical Engineering Journal, 2018, 351, 825-831.	12.7	60
45	Enhanced lithium storage properties of graphene-based metal oxides by coating with amorphous TiO <sub>2</sub> nanofilms. Journal of Alloys and Compounds, 2018, 769, 293-300.	5.5	9
46	A unique delaminated MoS <sub>4</sub> /OS-LEuH composite exhibiting turn-on luminescence sensing for detection of water in formamide. Dalton Transactions, 2017, 46, 3110-3114.	3.3	14
47	Tunable and purified luminescence via energy transfer and delamination of LRH (R = Tb, Y) composites with 8-hydroxypyrene-1,3,6-trisulphonate. Journal of Colloid and Interface Science, 2017, 496, 353-363.	9.4	10
48	Enhanced Tb <sup>3+</sup> luminescence in layered terbium hydroxide by intercalation of benzenepolycarboxylic species. Materials Research Bulletin, 2017, 88, 301-307.	5.2	20
49	Ultrathin amorphous TiO <sub>2</sub> nanofilm-coated graphene with superior electrochemical performance for lithium-ion batteries. Journal of Alloys and Compounds, 2017, 716, 13-20.	5.5	13
50	Hydrothermal synthesis and formation mechanism of the anatase nanocrystals with co-exposed high-energy {001}, {010} and [111]-facets for enhanced photocatalytic performance. RSC Advances, 2017, 7, 24616-24627.	3.6	28
51	Novel synthesis of metal sulfides-loaded porous carbon as anode materials for lithium-ion batteries. Chemical Engineering Journal, 2017, 314, 19-26.	12.7	36
52	Modification and Restacking of Layered Terbium Hydroxide 2D Crystals. European Journal of Inorganic Chemistry, 2017, 2017, 4861-4865.	2.0	8
53	Isolation and Stabilization of LDH 2D Crystals with Ultrahigh Surface Exposure via Polymer Gel Formation. Advanced Materials Interfaces, 2017, 4, 1700740.	3.7	4
54	Nanocomposite Hydrogels: Isolation and Stabilization of LDH 2D Crystals with Ultrahigh Surface Exposure via Polymer Gel Formation (Adv. Mater. Interfaces 20/2017). Advanced Materials Interfaces, 2017, 4, .	3.7	0

#	ARTICLE	IF	CITATIONS
55	Structure, Delamination and Luminescence of Layered Dysprosium Hydroxides and the Generation of White Light with 2D Crystals. <i>ChemistrySelect</i> , 2016, 1, 17-22.	1.5	5
56	Organic-Base-Driven Intercalation and Delamination for the Production of Functionalized Titanium Carbide Nanosheets with Superior Photothermal Therapeutic Performance. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 14569-14574.	13.8	480
57	Organic-Base-Driven Intercalation and Delamination for the Production of Functionalized Titanium Carbide Nanosheets with Superior Photothermal Therapeutic Performance. <i>Angewandte Chemie</i> , 2016, 128, 14789-14794.	2.0	167
58	FeNi <sub>3</sub> alloy nanocrystals grown on graphene: Controllable synthesis, in-depth characterization and enhanced electromagnetic performance. <i>Journal of Alloys and Compounds</i> , 2016, 678, 468-477.	5.5	39
59	Ultrathin NiO/NiFe <sub>2</sub> O <sub>4</sub> Nanoplates Decorated Graphene Nanosheets with Enhanced Lithium Storage Properties. <i>Electrochimica Acta</i> , 2016, 194, 17-25.	5.2	36
60	Delaminated layered rare-earth hydroxide composites with ortho-coumaric acid: color-tunable luminescence and blue emission due to energy transfer. <i>Journal of Materials Chemistry C</i> , 2015, 3, 7143-7152.	5.5	22
61	Efficient Uranium Capture by Polysulfide/Layered Double Hydroxide Composites. <i>Journal of the American Chemical Society</i> , 2015, 137, 3670-3677.	13.7	404
62	Delithiation, Exfoliation, and Transformation of Rock-Salt-Structured Li <sub>2</sub> TiO <sub>3</sub> to Highly Exposed {010}-Faceted Anatase. <i>ACS Applied Materials &amp; Interfaces</i> , 2015, 7, 7995-8004.	8.0	17
63	Intercalation of coumaric acids into layered rare-earth hydroxides: controllable structure and photoluminescence properties. <i>Journal of Materials Chemistry C</i> , 2015, 3, 4742-4750.	5.5	21
64	Synthesis, characterization and electromagnetic performance of nanocomposites of graphene with $\text{LiFeO}_2$ and $\text{LiFe}_5\text{O}_8$ . <i>Journal of Materials Chemistry C</i> , 2015, 3, 5457-5466.	5.5	27
65	Direct Synthesis of Unilamellar MgAl-LDH Nanosheets and Stacking in Aqueous Solution. <i>Langmuir</i> , 2015, 31, 12464-12471.	3.5	57
66	Controllable luminescence of layered rare-earth hydroxide composites with a fluorescent molecule: blue emission by delamination in formamide. <i>Chemical Communications</i> , 2015, 51, 2514-2517.	4.1	28
67	Highly Efficient Iodine Capture by Layered Double Hydroxides Intercalated with Polysulfides. <i>Chemistry of Materials</i> , 2014, 26, 7114-7123.	6.7	132
68	Intercalation of Diverse Organic Guests into Layered Europium Hydroxides – Structural Tuning and Photoluminescence Behavior. <i>European Journal of Inorganic Chemistry</i> , 2014, 2014, 559-566.	2.0	25
69	Eu <sup>3+</sup> luminescence enhancement by intercalation of benzenepolycarboxylic guests into Eu <sup>3+</sup> -doped layered gadolinium hydroxide. <i>Materials Research Bulletin</i> , 2014, 53, 234-239.	5.2	22
70	Fabrication of graphene-encapsulated CoO/CoFe <sub>2</sub> O <sub>4</sub> composites derived from layered double hydroxides and their application as anode materials for lithium-ion batteries. <i>Journal of Materials Science</i> , 2014, 49, 8031-8039.	3.7	17
71	Photocatalytic and Dye-Sensitized Solar Cell Performances of {010}-Faceted and [111]-Faceted Anatase TiO <sub>2</sub> Nanocrystals Synthesized from Tetratitanate Nanoribbons. <i>ACS Applied Materials &amp; Interfaces</i> , 2014, 6, 16007-16019.	8.0	39
72	Nanocage Structure Derived from Sulfonated $\beta$ -Cyclodextrin Intercalated Layered Double Hydroxides and Selective Adsorption for Phenol Compounds. <i>Inorganic Chemistry</i> , 2014, 53, 1521-1529.	4.0	66

#	ARTICLE	IF	CITATIONS
73	Efficient Hg Vapor Capture with Polysulfide Intercalated Layered Double Hydroxides. <i>Chemistry of Materials</i> , 2014, 26, 5004-5011.	6.7	64
74	Highly selective and efficient heavy metal capture with polysulfide intercalated layered double hydroxides. <i>Journal of Materials Chemistry A</i> , 2014, 2, 10280-10289.	10.3	172
75	Graphene-encapsulated mesoporous SnO <sub>2</sub> composites as high performance anodes for lithium-ion batteries. <i>Journal of Materials Science</i> , 2013, 48, 3870-3876.	3.7	60
76	Intercalation of Ga <sup>3+</sup> -salicylidene-amino acid Schiff base complexes into layered double hydroxides: Synthesis, characterization, acid resistant property, in vitro release kinetics and antimicrobial activity. <i>Applied Clay Science</i> , 2013, 83-84, 182-190.	5.2	15
77	Sandwich-structural graphene-based metal oxides as anode materials for lithium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2013, 1, 6928.	10.3	68
78	Hybrid of Europium-Doped Layered Yttrium Hydroxide and Organic Sensitizer – Effect of Solvent on Structure and Luminescence Behavior. <i>European Journal of Inorganic Chemistry</i> , 2013, 2013, 32-38.	2.0	28
79	Structural transformation and photoluminescence behavior during calcination of the layered europium-doped yttrium hydroxide intercalate with organic-sensitizer. <i>Materials Research Bulletin</i> , 2013, 48, 4460-4468.	5.2	15
80	Novel hybrids of Cu <sup>2+</sup> ternary complexes of salicylidene-amino acid Schiff base with phenanthroline (or bipyridine) intercalated in Mg/Al-NO <sub>3</sub> -layered double hydroxide. <i>Chinese Chemical Letters</i> , 2013, 24, 593-596.	9.0	10
81	A new method for fast intercalation of bulk crown ether guest into LDH. <i>Journal of Colloid and Interface Science</i> , 2013, 393, 29-35.	9.4	15
82	Influence of Al <sup>3+</sup> ions on the morphology and structure of layered LiMn <sub>1-x</sub> Al <sub>x</sub> O <sub>2</sub> cathode materials for the lithium ion battery. <i>Journal of Alloys and Compounds</i> , 2013, 569, 67-75.	5.5	9
83	Graphene-Based Mesoporous SnO <sub>2</sub> with Enhanced Electrochemical Performance for Lithium-Ion Batteries. <i>Advanced Functional Materials</i> , 2013, 23, 3570-3576.	14.9	253
84	Structural and photoluminescent investigation of LTbH/LEuH nanosheets and their color-tunable colloidal hybrids. <i>Journal of Materials Chemistry C</i> , 2013, 1, 3584.	5.5	68
85	A facile synthesis of mesoporous graphene-tin composites as high-performance anodes for lithium-ion batteries. <i>Materials Research Bulletin</i> , 2013, 48, 1575-1580.	5.2	34
86	In situ growth of Sn, SnO on graphene nanosheets and their application as anode materials for lithium-ion batteries. <i>Electrochimica Acta</i> , 2013, 92, 412-420.	5.2	68
87	Enhancing the Electromagnetic Performance of Co through the Phase-Controlled Synthesis of Hexagonal and Cubic Co Nanocrystals Grown on Graphene. <i>ACS Applied Materials &amp; Interfaces</i> , 2013, 5, 12716-12724.	8.0	190
88	Intercalation of Azamacrocyclic Crown Ether into Layered Rare-Earth Hydroxide (LRH): Secondary Host-Guest Reaction and Efficient Heavy Metal Removal. <i>Inorganic Chemistry</i> , 2013, 52, 14010-14017.	4.0	46
89	Strategy for Lowering Li Source Dosage While Keeping High Reactivity in Solvothermal Synthesis of LiMnO <sub>2</sub> Nanocrystals. <i>ACS Sustainable Chemistry and Engineering</i> , 2013, 1, 570-573.	6.7	11
90	Co-Assembly of LDH Nanosheets with Crown Ethers: Structural Transformation and Water Adsorption Behavior. <i>European Journal of Inorganic Chemistry</i> , 2013, 2013, 1363-1370.	2.0	10

#	ARTICLE	IF	CITATIONS
91	Synthesis and characterization of negative thermal expansion $\text{HfW}_2\text{O}_8/\text{Zr}_2\text{O}_7$ solid solutions. <i>Journal of Solid State Chemistry</i> , 2012, 196, 119-124.	2.9	3
92	Hexagonal and cubic Ni nanocrystals grown on graphene: phase-controlled synthesis, characterization and their enhanced microwave absorption properties. <i>Journal of Materials Chemistry</i> , 2012, 22, 15190.	6.7	249
93	Structural change from homogenous structure to staging in benzoic acid intercalated LDH: experimental and molecular dynamics simulation insights. <i>Physical Chemistry Chemical Physics</i> , 2012, 14, 9067.	2.8	17
94	Pore length control of mesoporous $\text{Co}_3\text{O}_4$ and its influence on the capacity of porous electrodes for lithium-ion batteries. <i>RSC Advances</i> , 2012, 2, 1794-1797.	3.6	32
95	Structure and luminescence behaviour of as-synthesized, calcined, and restored $\text{MgAlEu-LDH}$ with high crystallinity. <i>Dalton Transactions</i> , 2012, 41, 12175.	3.3	31
96	Well-defined crystallites autoclaved from the nitrate/ $\text{NH}_4\text{OH}$ reaction system as the precursor for $(\text{Y,Eu})_2\text{O}_3$ red phosphor: Crystallization mechanism, phase and morphology control, and luminescent property. <i>Journal of Solid State Chemistry</i> , 2012, 192, 229-237.	2.9	39
97	Intercalation of Amino Acids into $\text{Eu}^{3+}$ -Doped Layered Gadolinium Hydroxide and Quenching of $\text{Eu}^{3+}$ Luminescence. <i>European Journal of Inorganic Chemistry</i> , 2012, 2012, 4407-4412.	2.0	33
98	Intercalation of organic sensitizers into layered europium hydroxide and enhanced luminescence property. <i>Dalton Transactions</i> , 2012, 41, 7409.	3.3	74
99	Synthesis of Graphene Peroxide and Its Application in Fabricating Super Extensible and Highly Resilient Nanocomposite Hydrogels. <i>ACS Nano</i> , 2012, 6, 8194-8202.	14.6	185
100	A facile green strategy for rapid reduction of graphene oxide by metallic zinc. <i>RSC Advances</i> , 2012, 2, 8827.	3.6	213
101	Well-crystallized $\text{Co}_3\text{O}_4$ -type $\text{LiAl-LDH}$ from Urea Hydrolysis of an Aqueous Chloride Solution. <i>European Journal of Inorganic Chemistry</i> , 2012, 2012, 3859-3865.	2.0	18
102	Preparation of graphene-encapsulated mesoporous metal oxides and their application as anode materials for lithium-ion batteries. <i>Journal of Materials Chemistry</i> , 2012, 22, 16318.	6.7	87
103	Solvothermal synthesis of monodispersed $\text{CoZr}_4(\text{PO}_4)_6$ microspheres and their application as microwave absorber. <i>Materials Research Bulletin</i> , 2012, 47, 602-607.	5.2	3
104	Fluorescence of $\text{Zn-Al-Eu}$ ternary layered hydroxide response to phenylalanine. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2012, 86, 625-630.	3.9	17
105	Structural adjustment during intercalation of macrocyclic crown ether into LDH via swelling/restoration reaction: staging formation and mechanism insights. <i>Dalton Transactions</i> , 2011, 40, 9835.	3.3	29
106	A rapid, one-step, variable-valence metal ion assisted reduction method for graphene oxide. <i>Nanotechnology</i> , 2011, 22, 405602.	2.6	31
107	Synthesis and characterization of lithium manganese oxides with core-shell $\text{Li}_4\text{Mn}_5\text{O}_{12}@\text{Li}_2\text{MnO}_3$ structure as lithium battery electrode materials. <i>Solid State Ionics</i> , 2011, 196, 34-40.	2.7	21
108	Preparation and electrochemical properties of Li-rich spinel-type lithium manganate coated $\text{LiMn}_2\text{O}_4$ . <i>Materials Research Bulletin</i> , 2011, 46, 2450-2455.	5.2	8

#	ARTICLE	IF	CITATIONS
109	Structural and optical properties of ZnS/niobate composites synthesized by exfoliation/self-assembly processing. <i>Journal of Solid State Chemistry</i> , 2010, 183, 823-828.	2.9	9
110	Origin of CO <sub>3</sub> <sup>2-</sup> Shortage in MgAl Layered Double Hydroxides with Mg/Al < 2. <i>European Journal of Inorganic Chemistry</i> , 2010, 2010, 2079-2083.	2.0	27
111	High adsorption selectivity of ZnAl layered double hydroxides and the calcined materials toward phosphate. <i>Journal of Colloid and Interface Science</i> , 2010, 343, 225-231.	9.4	121
112	Intercalation of Bulk Guest into LDH via Osmotic Swelling/Restoration Reaction: Control of the Arrangements of Thiocalix[4]arene Anion Intercalates. <i>Chemistry of Materials</i> , 2010, 22, 1870-1877.	6.7	46
113	Structure and photoluminescence of ZnO/niobate composites self-assembled from solution with different pH and contents. <i>Journal of Non-Crystalline Solids</i> , 2010, 356, 509-516.	3.1	3
114	Structure and optical property of CdS/niobate composite synthesized by exfoliation/self-assembly processing. <i>Journal of Non-Crystalline Solids</i> , 2010, 356, 1272-1276.	3.1	7
115	Synthesis of New Zn-containing Derivative by Multi-step Ion-exchanges. <i>Wuji Cailiao Xuebao/Journal of Inorganic Materials</i> , 2010, 25, 806-810.	1.3	0
116	Phase transition behavior for ZrW <sub>2</sub> xMoxO <sub>8</sub> compositions at elevated temperatures. <i>Journal of Solid State Chemistry</i> , 2009, 182, 2030-2035.	2.9	11
117	Intercalation of Macrocyclic Crown Ether into Well-Crystallized LDH: Formation of Staging Structure and Secondary Host-Guest Reaction. <i>Chemistry of Materials</i> , 2009, 21, 3602-3610.	6.7	94
118	Effect of Yb substitution on microstructure, physical and mechanical properties of negative thermal expansion Zr <sub>1-x</sub> Y <sub>x</sub> W <sub>2</sub> Mo <sub>8</sub> O <sub>28</sub> (x=0-0.05) ceramic. <i>Journal of Alloys and Compounds</i> , 2009, 470, 379-382.	5.5	11
119	Coassembly of Inorganic Macromolecule of Exfoliated LDH Nanosheets with Cellulose. <i>Journal of Physical Chemistry C</i> , 2009, 113, 9157-9163.	3.1	80
120	Topotactic intercalation of a bulky organic anion (thiocalix[4]arene) into LDH through an osmotic swelling/restoration reaction in formamide. <i>Chemical Communications</i> , 2009, , 331-333.	4.1	33
121	Crystal Structures and Magnetic Properties of 2D Supramolecular Architectures Assembled from Benzimidazolecarboxylato-Bridged 1D Double-Stranded Coordinating Chains Featuring Metallomacrocycles as Subunits. <i>European Journal of Inorganic Chemistry</i> , 2008, 2008, 3776-3785.	2.0	5
122	Structure and dehydration of layered perovskite niobate with bilayer hydrates prepared by exfoliation/self-assembly process. <i>Journal of Solid State Chemistry</i> , 2008, 181, 1684-1694.	2.9	41
123	Crystal structure and magnetic property of a metal-organic framework (MOF) containing double-stranded chain with metallomacrocycles and dinuclear Mn(II) subunits. <i>Journal of Molecular Structure</i> , 2008, 891, 357-363.	3.6	12
124	Highly Swollen Layered Nickel Oxide with a Trilayer Hydrate Structure. <i>Chemistry of Materials</i> , 2008, 20, 479-485.	6.7	44
125	Novel Trigonal ZrW <sub>2</sub> Mo <sub>8</sub> O <sub>28</sub> Structure and Its Transformations. <i>Chemistry of Materials</i> , 2008, 20, 1733-1740.	6.7	7
126	A novel route to synthesize cubic ZrW <sub>2</sub> xMoxO <sub>8</sub> (x=0-1.3) solid solutions and their negative thermal expansion properties. <i>Journal of Solid State Chemistry</i> , 2007, 180, 3160-3165.	2.9	17



#	ARTICLE	IF	CITATIONS
127	Urea Coordinated Titanium Trichloride Till[OC(NH) <sub>2</sub> ] <sub>6</sub> Cl <sub>3</sub> :Â A Single Molecular Precursor Yielding Highly Visible Light Responsive TiO <sub>2</sub> Nanocrystallites. Journal of Physical Chemistry B, 2006, 110, 14611-14618.	2.6	26
128	Preparation and Alkali Metal Ion Exchange Properties of Protonated Rb <sub>8</sub> Nb <sub>2</sub> O <sub>5</sub> Compound.. ChemInform, 2006, 37, no.	0.0	0
129	Preparation and Alkali Metal Ion Exchange Properties of Protonated Rb <sub>8</sub> Nb <sub>2</sub> O <sub>5</sub> Compound. Chemistry of Materials, 2005, 17, 5420-5427.	6.7	13
130	Structural Characterization of Self-Assembled MnO <sub>2</sub> Nanosheets from Birnessite Manganese Oxide Single Crystals. Chemistry of Materials, 2004, 16, 5581-5588.	6.7	198
131	Intercalation of cobaltamine complex ions into layered manganese oxide. Journal of Colloid and Interface Science, 2003, 265, 115-120.	9.4	17
132	Preparation of Î <sup>2</sup> -MnO <sub>2</sub> nanocrystal/acetylene black composites for lithium batteries. Journal of Materials Chemistry, 2003, 13, 2989-2995.	6.7	62
133	Single Crystal Growth of Birnessite- and Hollandite-Type Manganese Oxides by a Flux Method. Crystal Growth and Design, 2003, 3, 409-415.	3.0	45
134	Novel Synthesis of Layered Graphite Oxide~Birnessite Manganese Oxide Nanocomposite. Chemistry of Materials, 2003, 15, 1228-1231.	6.7	56
135	Improved Cycleability of Li-Birnessite by Coprecipitation with Nafion. Chemistry Letters, 2003, 32, 1160-1161.	1.3	6
136	Preparation and Selective Lithium Extraction from Li <sub>2</sub> Mn <sub>1-x</sub> Ti <sub>x</sub> O <sub>4</sub> (x.LEQ.0.5) in an H <sub>2</sub> SO <sub>4</sub> Solution. Journal of Ion Exchange, 2003, 14, 117-120.	0.3	0
137	Co-Precipitation Synthesis of Acetylene Black/Li-Birnessite Composite Suitable for a Li-Rechargeable Battery. Electrochemical and Solid-State Letters, 2002, 5, A191.	2.2	9
138	Synthesis of a New Layered Manganese Oxide Nanocomposite through a Delamination/Reassembling Process. Chemistry Letters, 2002, 31, 680-681.	1.3	17
139	Preparation of fine single crystals of spinel-type lithium manganese oxide by LiCl flux method for rechargeable lithium batteries. Part 1. LiMn <sub>2</sub> O <sub>4</sub> . Journal of Materials Chemistry, 2002, 12, 2991-2997.	6.7	44
140	Preparation of a Polycation-Intercalated Layered Manganese Oxide Nanocomposite by a Delamination/Reassembling Process. Chemistry of Materials, 2002, 14, 4800-4806.	6.7	109
141	Hydrothermal Syntheses of Layered Lithium Nickel Manganese Oxides from Mixed Layered Ni(OH) <sub>2</sub> ~Manganese Oxides. Chemistry of Materials, 2002, 14, 3844-3851.	6.7	44
142	Intercalation of Organic Ammonium Ions into Layered Graphite Oxide. Langmuir, 2002, 18, 4926-4932.	3.5	245
143	Synthesis of lithium-rich Li <sub>x</sub> Mn <sub>2</sub> O <sub>4</sub> spinels by lithiation and heat-treatment of defective spinels. Journal of Materials Chemistry, 2002, 12, 489-495.	6.7	32
144	Synthesis of Thermally Stable Silica-Pillared Layered Manganese Oxide by an Intercalation/Solvothermal Reaction. Chemistry of Materials, 2001, 13, 473-478.	6.7	57

#	ARTICLE	IF	CITATIONS
145	New Route for Preparation of Layered Manganese Oxides with Multivalent Metals in the Interlayer. Chemistry Letters, 2001, 30, 612-613.	1.3	6
146	Formation and Growth of Spinel-type $\text{LiMn}_2\text{O}_4$ Single Crystals by $\text{LiCl}$ - $\text{MnCl}_2$ Flux Evaporation. Chemistry Letters, 2001, 30, 524-525.	1.3	10
147	Lithium Magnesium Manganese Oxides Prepared from Mg-Birnessite or Mg-Todorokite by a $\text{LiNO}_3$ Flux Method. Chemistry Letters, 2000, 29, 1192-1193.	1.3	0
148	Synthesis of $\text{Li}_{1.33}\text{Mn}_{1.67}\text{O}_4$ spinels with different morphologies and their ion adsorptivities after delithiation. Journal of Materials Chemistry, 2000, 10, 1903-1909.	6.7	89
149	Preparation of Plate-Form Manganese Oxide by Selective Lithium Extraction from Monoclinic $\text{Li}_2\text{MnO}_3$ under Hydrothermal Conditions. Chemistry of Materials, 2000, 12, 3271-3279.	6.7	86
150	Synthesis of lithium manganese oxide in different lithium-containing fluxes. Journal of Materials Chemistry, 1999, 9, 2683-2690.	6.7	63