

# Andrew J Yee

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8915767/publications.pdf>

Version: 2024-02-01

113  
papers

2,666  
citations

236612

25  
h-index

205818

48  
g-index

113  
all docs

113  
docs citations

113  
times ranked

3688  
citing authors

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | Oral Selinexor + Dexamethasone for Triple-Class Refractory Multiple Myeloma. <i>New England Journal of Medicine</i> , 2019, 381, 727-738.   | 13.9 | 460       |
| 2  | Pembrolizumab plus pomalidomide and dexamethasone for patients with relapsed or refractory multiple myeloma (KEYNOTE-183): a randomised, open-label, phase 3 trial. <i>Lancet Haematology</i> , 2019, 6, e459-e469. | 2.2  | 174       |
| 3  | Triplet Therapy, Transplantation, and Maintenance until Progression in Myeloma. <i>New England Journal of Medicine</i> , 2022, 387, 132-147.  | 13.9 | 173       |
| 4  | Ricolinostat plus lenalidomide, and dexamethasone in relapsed or refractory multiple myeloma: a multicentre phase 1b trial. <i>Lancet Oncology</i> , 2016, 17, 1569-1578.   | 5.1  | 164       |
| 5  | Ibrutinib Monotherapy in Symptomatic, Treatment-Naïve Patients With Waldenström Macroglobulinemia. <i>Journal of Clinical Oncology</i> , 2018, 36, 2755-2761.   | 0.8  | 142       |
| 6  | Genetic interrogation of circulating multiple myeloma cells at single-cell resolution. <i>Science Translational Medicine</i> , 2016, 8, 363ra147.   | 5.8  | 126       |
| 7  | A phase 2 study of modified lenalidomide, bortezomib and dexamethasone in transplant-ineligible multiple myeloma. <i>British Journal of Haematology</i> , 2018, 182, 222-230.                                       | 1.2  | 118       |
| 8  | Assessment of Safety and Immunogenicity of PVX-410 Vaccine With or Without Lenalidomide in Patients With Smoldering Multiple Myeloma. <i>JAMA Oncology</i> , 2018, 4, e183267.                                      | 3.4  | 63        |
| 9  | Myeloma and Bone Disease. <i>Current Osteoporosis Reports</i> , 2017, 15, 483-498.  | 1.5  | 55        |
| 10 | Early Detection of Multiorgan Light-Chain Amyloidosis by Whole-Body <sup>18</sup> F-Fluorbetapir PET/CT. <i>Journal of Nuclear Medicine</i> , 2019, 60, 1234-1239.  | 2.8  | 54        |
| 11 | Integrated safety profile of selinexor in multiple myeloma: experience from 437 patients enrolled in clinical trials. <i>Leukemia</i> , 2020, 34, 2430-2440.  | 3.3  | 54        |
| 12 | Panobinostat and Multiple Myeloma in 2018. <i>Oncologist</i> , 2018, 23, 516-517.   | 1.9  | 51        |
| 13 | Long-term follow-up of ibrutinib monotherapy in treatment-naïve patients with Waldenström macroglobulinemia. <i>Leukemia</i> , 2022, 36, 532-539.   | 3.3  | 50        |
| 14 | Consensus guidelines and recommendations for infection prevention in multiple myeloma: a report from the International Myeloma Working Group. <i>Lancet Haematology</i> , 2022, 9, e143-e161.                       | 2.2  | 44        |
| 15 | Genomic discovery and clonal tracking in multiple myeloma by cell-free DNA sequencing. <i>Leukemia</i> , 2018, 32, 1838-1841.   | 3.3  | 42        |
| 16 | Successful anti-CD19 CAR T-cell therapy in HIV-infected patients with refractory high-grade B-cell lymphoma. <i>Cancer</i> , 2019, 125, 3692-3698.  | 2.0  | 42        |
| 17 | Prognostic indicators in primary plasma cell leukaemia: a multicentre retrospective study of 117 patients. <i>British Journal of Haematology</i> , 2018, 180, 831-839.  | 1.2  | 41        |
| 18 | Improved Quantification of Cardiac Amyloid Burden in Systemic Light Chain Amyloidosis. <i>JACC: Cardiovascular Imaging</i> , 2020, 13, 1325-1336.   | 2.3  | 41        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Phase 1, First-in-Human Study of MEDI2228, a BCMA-Targeted ADC in Patients with Relapsed/Refractory Multiple Myeloma. <i>Blood</i> , 2020, 136, 26-27.   | 0.6 | 40        |
| 20 | Outcomes in patients with relapsed or refractory multiple myeloma in a phase I study of everolimus in combination with lenalidomide. <i>British Journal of Haematology</i> , 2014, 166, 401-409.   | 1.2 | 35        |
| 21 | Biomarkers of Bone Remodeling in Multiple Myeloma Patients to Tailor Bisphosphonate Therapy. <i>Clinical Cancer Research</i> , 2014, 20, 3955-3961.  | 3.2 | 33        |
| 22 | Cutaneous involvement in multiple myeloma: a multi-institutional retrospective study of 53 patients. <i>Leukemia and Lymphoma</i> , 2016, 57, 2071-2076.   | 0.6 | 30        |
| 23 | Denosumab, a RANK ligand inhibitor, for the management of bone loss in cancer patients. <i>Clinical Interventions in Aging</i> , 2012, 7, 331.   | 1.3 | 29        |
| 24 | A Phase I/II Study of Evofosfamide, A Hypoxia-activated Prodrug with or without Bortezomib in Subjects with Relapsed/Refractory Multiple Myeloma. <i>Clinical Cancer Research</i> , 2019, 25, 478-486.                                     | 3.2 | 29        |
| 25 | Denosumab for the treatment of bone disease in solid tumors and multiple myeloma. <i>Future Oncology</i> , 2018, 14, 195-203.  | 1.1 | 27        |
| 26 | How to Treat High-Risk Myeloma at Diagnosis and Relapse. <i>American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting</i> , 2021, 41, 291-309.   | 1.8 | 27        |
| 27 | Delineating the mTOR Kinase Pathway Using a Dual TORC1/2 Inhibitor, AZD8055, in Multiple Myeloma. <i>Molecular Cancer Therapeutics</i> , 2014, 13, 2489-2500.  | 1.9 | 23        |
| 28 | Successful Recovery After an Overdose of Argatroban. <i>Annals of Pharmacotherapy</i> , 2006, 40, 336-339.   | 0.9 | 22        |
| 29 | Dynamic transcriptional reprogramming leads to immunotherapeutic vulnerabilities in myeloma. <i>Nature Cell Biology</i> , 2021, 23, 1199-1211.   | 4.6 | 22        |
| 30 | Selinexor and Low Dose Dexamethasone (Sd) in Patients with Lenalidomide, Pomalidomide, Bortezomib, Carfilzomib and Anti-CD38 Ab Refractory Multiple Myeloma (MM): STORM Study. <i>Blood</i> , 2016, 128, 491-491.                          | 0.6 | 21        |
| 31 | Vemurafenib in Patients With Relapsed Refractory Multiple Myeloma Harboring <i>BRAF</i> <sup>V600</sup> Mutations: A Cohort of the Histology-Independent VE-BASKET Study. <i>JCO Precision Oncology</i> , 2018, 2, 1-9.                    | 1.5 | 20        |
| 32 | Phase II Trial of Combination of Elotuzumab, Lenalidomide, and Dexamethasone in High-Risk Smoldering Multiple Myeloma. <i>Blood</i> , 2018, 132, 154-154.  | 0.6 | 19        |
| 33 | Single-Cell Profiling Reveals Metabolic Reprogramming as a Resistance Mechanism in <i>BRAF</i> -Mutated Multiple Myeloma. <i>Clinical Cancer Research</i> , 2021, 27, 6432-6444.   | 3.2 | 18        |
| 34 | ACY-241, a Novel, HDAC6 Selective Inhibitor: Synergy with Immunomodulatory (IMiD <sup>®</sup> ) Drugs in Multiple Myeloma (MM) Cells and Early Clinical Results (ACE-MM-200 Study). <i>Blood</i> , 2015, 126, 3040-3040.                   | 0.6 | 18        |
| 35 | Results of the Pivotal STORM Study (Part 2) in Penta-Refractory Multiple Myeloma (MM): Deep and Durable Responses with Oral Selinexor Plus Low Dose Dexamethasone in Patients with Penta-Refractory MM. <i>Blood</i> , 2018, 132, 598-598. | 0.6 | 17        |
| 36 | Updated Results of a Phase 2 Study of Modified Lenalidomide, Bortezomib, and Dexamethasone (RVd-lite) in Transplant-Ineligible Multiple Myeloma. <i>Blood</i> , 2019, 134, 3178-3178.  | 0.6 | 17        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Phase II Trial of Combination of Elotuzumab, Lenalidomide, and Dexamethasone in High-Risk Smoldering Multiple Myeloma. <i>Blood</i> , 2016, 128, 976-976.   | 0.6 | 17        |
| 38 | Selective HDAC6 Inhibitor ACY-241, an Oral Tablet, Combined with Pomalidomide and Dexamethasone: Safety and Efficacy of Escalation and Expansion Cohorts in Patients with Relapsed or Relapsed-and-Refractory Multiple Myeloma (ACE-MM-200 Study). <i>Blood</i> , 2016, 128, 3307-3307.   | 0.6 | 16        |
| 39 | Phase 1 study of CART-ddBCMA for the treatment of subjects with relapsed and refractory multiple myeloma. <i>Blood Advances</i> , 2023, 7, 768-777.   | 2.5 | 15        |
| 40 | Quantitative [18F]florbetapir PET/CT may identify lung involvement in patients with systemic AL amyloidosis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 47, 1998-2009.   | 3.3 | 14        |
| 41 | Pembrolizumab plus dinaciclib in patients with hematologic malignancies: the phase 1b KEYNOTE-155 study. <i>Blood Advances</i> , 2022, 6, 1232-1242.  | 2.5 | 14        |
| 42 | Phase IB study of cabozantinib in patients with relapsed and/or refractory multiple myeloma. <i>Blood</i> , 2016, 127, 2355-2356.   | 0.6 | 13        |
| 43 | Response to Therapy and the Effectiveness of Treatment with Selinexor and Dexamethasone in Patients with Penta-Exposed Triple-Class Refractory Myeloma Who Had Plasmacytomas. <i>Blood</i> , 2019, 134, 3140-3140.  | 0.6 | 13        |
| 44 | Cell-free DNA for the detection of emerging treatment failure in relapsed/ refractory multiple myeloma. <i>Leukemia</i> , 2022, 36, 1078-1087.  | 3.3 | 13        |
| 45 | Clinical Grade $\alpha$ SNAPshot $\beta$ -Genetic Mutation Profiling in Multiple Myeloma. <i>EBioMedicine</i> , 2015, 2, 71-73.   | 2.7 | 12        |
| 46 | Quality of life, psychological distress, and prognostic perceptions in patients with multiple myeloma. <i>Cancer</i> , 2022, 128, 1996-2004.  | 2.0 | 12        |
| 47 | The role of carfilzomib in relapsed/refractory multiple myeloma. <i>Therapeutic Advances in Hematology</i> , 2021, 12, 204062072110196.   | 1.1 | 11        |
| 48 | Lifestyle considerations in multiple myeloma. <i>Blood Cancer Journal</i> , 2021, 11, 172.  | 2.8 | 11        |
| 49 | A Phase II Study of Modified Lenalidomide, Bortezomib, and Dexamethasone (RVD lite) for Transplant-Ineligible Patients with Newly Diagnosed Multiple Myeloma. <i>Blood</i> , 2014, 124, 3454-3454.  | 0.6 | 10        |
| 50 | Treatment of Smoldering Multiple Myeloma: Ready for Prime Time?. <i>Cancers</i> , 2020, 12, 1223.   | 1.7 | 9         |
| 51 | Vemurafenib (VEM) in Relapsed Refractory Multiple Myeloma Harboring BRAFV600 Mutations (V600m): A Cohort of the Histology-Independent VE-Basket Study. <i>Blood</i> , 2015, 126, 4263-4263.   | 0.6 | 9         |
| 52 | Minimal residual disease in multiple myeloma: why, when, where. <i>Hematology American Society of Hematology Education Program</i> , 2021, 2021, 37-45.   | 0.9 | 9         |
| 53 | ACY-1215, a Selective Histone Deacetylase (HDAC) 6 Inhibitor, In Combination With Lenalidomide and Dexamethasone (dex), Is Well Tolerated Without Dose Limiting Toxicity (DLT) In Patients (Pts) With Multiple Myeloma (MM) At Doses Demonstrating Biologic Activity: Interim Results Of a Phase 1b Trial. <i>Blood</i> , 2013, 122, 3190-3190. | 0.6 | 8         |
| 54 | A Phase 1 Study of CFT7455, a Novel Degradar of IKZF1/3, in Multiple Myeloma and Non-Hodgkin Lymphoma. <i>Blood</i> , 2021, 138, 1675-1675.   | 0.6 | 8         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Ricolinostat (ACY-1215), a Selective HDAC6 Inhibitor, in Combination with Lenalidomide and Dexamethasone: Results of a Phase 1b Trial in Relapsed and Relapsed Refractory Multiple Myeloma. <i>Blood</i> , 2014, 124, 4772-4772.                                   | 0.6 | 7         |
| 56 | Sequencing of nontransplant treatments in multiple myeloma patients with active disease. <i>Hematology American Society of Hematology Education Program</i> , 2016, 2016, 495-503.   | 0.9 | 6         |
| 57 | How We Approach Smoldering Multiple Myeloma. <i>Journal of Clinical Oncology</i> , 2020, 38, 1119-1125.  | 0.8 | 6         |
| 58 | Phase 1 Study of CART-ddBCMA, a CAR-T therapy utilizing a novel synthetic binding domain, for the treatment of subjects with relapsed and refractory multiple myeloma.. <i>Journal of Clinical Oncology</i> , 2021, 39, 8015-8015.                                 | 0.8 | 6         |
| 59 | A Phase II Study of Elotuzumab in Combination with Pomalidomide, Bortezomib, and Dexamethasone in Relapsed and Refractory Multiple Myeloma. <i>Blood</i> , 2019, 134, 3169-3169.   | 0.6 | 6         |
| 60 | A Phase II Study of Daratumumab in Patients with High-Risk MGUS and Low-Risk Smoldering Multiple Myeloma: First Report of Efficacy and Safety. <i>Blood</i> , 2019, 134, 1898-1898.  | 0.6 | 6         |
| 61 | Phase 1 Dose-Escalation Study of Sotatercept (ACE-011) in Combination with Lenalidomide and Dexamethasone in Patients with Relapsed and/or Refractory Multiple Myeloma. <i>Blood</i> , 2015, 126, 4241-4241.   | 0.6 | 6         |
| 62 | Myocardial Composition in Light-Chain Cardiac Amyloidosis More Than 1 Year After Successful Therapy. <i>JACC: Cardiovascular Imaging</i> , 2022, 15, 594-603.  | 2.3 | 6         |
| 63 | Ricolinostat (ACY-1215), the First Selective HDAC6 Inhibitor, in Combination with Lenalidomide and Dexamethasone in Patients with Relapsed and Relapsed-and-Refractory Multiple Myeloma: Phase 1b Results (ACE-MM-101 Study). <i>Blood</i> , 2015, 126, 3055-3055. | 0.6 | 5         |
| 64 | Analysis of Hospitalization and Readmissions after CAR T Cell Therapy. <i>Blood</i> , 2018, 132, 2301-2301.  | 0.6 | 3         |
| 65 | The Prognostic Impact of t(14;16) in Multiple Myeloma: A Multicenter Retrospective Study of 213 Patients. Is It Time to Revise the Revised ISS?. <i>Blood</i> , 2018, 132, 4452-4452.  | 0.6 | 3         |
| 66 | Influence of Cytogenetics in Patients with Relapsed Refractory Multiple Myeloma Treated with Oral Selinexor and Dexamethasone: A Post-Hoc Analysis of the STORM Study. <i>Blood</i> , 2019, 134, 1872-1872.  | 0.6 | 3         |
| 67 | Role of Selective HDAC6 Inhibition On Multiple Myeloma Bone Disease. <i>Blood</i> , 2012, 120, 328-328.  | 0.6 | 3         |
| 68 | Initial Results of a Phase 1/2a, Dose Escalation Study of PVX-410 Multi-Peptide Cancer Vaccine in Patients with Smoldering Multiple Myeloma (SMM). <i>Blood</i> , 2014, 124, 4737-4737.  | 0.6 | 3         |
| 69 | Infectious Complications in Patients Treated with Idecabtagene Vicleucel for Relapsed and Refractory Multiple Myeloma. <i>Blood</i> , 2021, 138, 3839-3839.  | 0.6 | 3         |
| 70 | Phase 2 studies of lenalidomide, subcutaneous bortezomib, and dexamethasone as induction therapy in patients with newly diagnosed multiple myeloma. <i>American Journal of Hematology</i> , 2022, 97, 562-573.   | 2.0 | 3         |
| 71 | Progressive Onset of Extracardiac and Myocardial Symptoms. <i>Circulation</i> , 2015, 132, 59-67.  | 1.6 | 2         |
| 72 | Biomarker Correlation with Outcomes in Patients with Relapsed or Refractory Multiple Myeloma on a Phase I Study of Everolimus in Combination with Lenalidomide,. <i>Blood</i> , 2011, 118, 3966-3966.  | 0.6 | 2         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Updated Results of a Phase 1/2a, Dose Escalation Study of Pvx-410 Multi-Peptide Cancer Vaccine in Patients with Smoldering Multiple Myeloma (SMM). <i>Blood</i> , 2015, 126, 4246-4246.  | 0.6 | 2         |
| 74 | Final Results of a Phase 1/2a, Dose Escalation Study of Pvx-410 Multi-Peptide Cancer Vaccine in Patients with Smoldering Multiple Myeloma (SMM). <i>Blood</i> , 2016, 128, 2124-2124.  | 0.6 | 2         |
| 75 | A Phase 1/2 Trial of TH-302 and Dexamethasone without or with Bortezomib (TBoRD) in Patients with Relapsed/Refractory Multiple Myeloma. <i>Blood</i> , 2014, 124, 2142-2142.   | 0.6 | 2         |
| 76 | Early Mortality in Newly Diagnosed Multiple Myeloma in the Context of Novel Drugs. <i>Blood</i> , 2015, 126, 3315-3315.  | 0.6 | 2         |
| 77 | Outcomes of Patients with t(11;14) Multiple Myeloma: An International Myeloma Working Group Multicenter Study. <i>Blood</i> , 2019, 134, 3066-3066.  | 0.6 | 2         |
| 78 | Real-World Observations and Practical Considerations of Subcutaneous Daratumumab Administration in Multiple Myeloma. <i>Blood</i> , 2021, 138, 5018-5018.  | 0.6 | 2         |
| 79 | Single-Cell RNA-Sequencing Identifies Immune Biomarkers of Response to Immunotherapy in Patients with High-Risk Smoldering Myeloma. <i>Blood</i> , 2021, 138, 330-330.   | 0.6 | 2         |
| 80 | 448â€¦Lemzoparlimab (TJ011133), an anti-CD47 antibody, with/without dexamethasone plus anti-myeloma regimens for relapsed/refractory multiple myeloma: a phase 1b dose escalation and expansion study. , 2021, 9, A476-A476.   |     | 2         |
| 81 | A Phase II Study of Daratumumab in Patients with High-Risk MGUS and Low-Risk Smoldering Multiple Myeloma. <i>Blood</i> , 2021, 138, 1649-1649.   | 0.6 | 2         |
| 82 | Abstract CT186: Pharmacokinetic (PK) profile of a novel IKZF1/3 degrader, CFT7455, enables significant potency advantage over other IKZF1/3 degraders in models of multiple myeloma (MM) and the results of the initial treatment cohort from a first-in-human (FIH) phase 1/2 study of CFT7455 in MM. <i>Cancer Research</i> , 2022, 82, CT186-CT186. | 0.4 | 2         |
| 83 | A phase II study of daratumumab with weekly carfilzomib, pomalidomide, and dexamethasone in relapsed and refractory multiple myeloma.. <i>Journal of Clinical Oncology</i> , 2022, 40, 8012-8012.  | 0.8 | 2         |
| 84 | Associations Between Amplification (1q) and Prior Cancer in a Real-World De Novo Myeloma Cohort. <i>JNCI Cancer Spectrum</i> , 2021, 5, pkaa111.   | 1.4 | 1         |
| 85 | Final Results of a Phase 1/2 Open-Label Study to Assess the Safety, Tolerability and Preliminary Efficacy of Evofosfamide, a Hypoxia-Activated Prodrug, and Dexamethasone with or without Bortezomib in Subjects with Relapsed/Refractory Multiple Myeloma. <i>Blood</i> , 2016, 128, 2122-2122.   | 0.6 | 1         |
| 86 | Concomitant Suppression of IKZF1, IRF4 and MYC Contribute to the Anti-Tumor Activity of the BET Inhibitor, Cpi-0610, in Disease Models of Multiple Myeloma. <i>Blood</i> , 2016, 128, 3320-3320.   | 0.6 | 1         |
| 87 | Increased Sclerostin Secretion in Multiple Myeloma Plays a Central Role in Osteolytic Bone Disease. <i>Blood</i> , 2012, 120, 3989-3989.   | 0.6 | 1         |
| 88 | A Novel Brutonâ€™s Tyrosine Kinase Inhibitor CC-292 In Combination With The Proteasome Inhibitor Carfilzomib Impacts Multiple Myeloma Bone Microenvironment With Resultant Anti-Myeloma Activity. <i>Blood</i> , 2013, 122, 682-682.   | 0.6 | 1         |
| 89 | A Phase II Study of the Efficacy and Safety of Lenalidomide, Subcutaneous Bortezomib and Dexamethasone (RVD) Combination Therapy for Patients with Newly Diagnosed Multiple Myeloma: Promising Activity and Manageable Toxicity, Including in High Risk Disease. <i>Blood</i> , 2018, 132, 1981-1981.  | 0.6 | 1         |
| 90 | COVID-19 Vaccine Responsiveness in Patients with Multiple Myeloma and Waldenström Macroglobulinemia. <i>Blood</i> , 2021, 138, 3801-3801.  | 0.6 | 1         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Quality of Life, Psychological Distress, and Prognostic Awareness in Caregivers of Patients with Multiple Myeloma. <i>Blood</i> , 2021, 138, 3044-3044.  | 0.6 | 1         |
| 92  | Molecular Features and Clinical Outcomes of Extramedullary Plasmacytomas. <i>Blood</i> , 2021, 138, 398-398.   | 0.6 | 1         |
| 93  | A Phase II Study of Lenalidomide, Ixazomib, Dexamethasone, and Daratumumab in Transplant-Ineligible Patients with Newly Diagnosed Multiple Myeloma (AFT-41). <i>Blood</i> , 2021, 138, 4776-4776.  | 0.6 | 1         |
| 94  | Minimal HLA Disparity and KIR Ligand Compatibility in Host Versus Graft Direction May Facilitate Donor Engraftment Following In Vivo and Ex Vivo T Cell Depleted (TCD) Nonmyeloablative Haploidentical Stem Cell Transplantation for Hematologic Malignancies.. <i>Blood</i> , 2005, 106, 3668-3668. | 0.6 | 0         |
| 95  | KIR Ligand Incompatibility in HLA-Identical Sibling Nonmyeloablative Hematopoietic Stem Cell Transplantation for Hematologic Malignancies.. <i>Blood</i> , 2006, 108, 5371-5371.   | 0.6 | 0         |
| 96  | Non-Myeloablative T-Cell Depleted (TCD) Haploidentical Hematopoietic Cell Transplantation (HCT) Followed by Donor Leukocyte Infusion(s) for Hematologic Malignancies: The MGH Experience.. <i>Blood</i> , 2007, 110, 5088-5088.  | 0.6 | 0         |
| 97  | The Type of Upfront Induction Therapy for Newly Diagnosed Multiple Myeloma Patients Has No Significant Impact on Clinical Outcomes after Autologous Hematopoietic Stem Cell Transplantation.. <i>Blood</i> , 2007, 110, 5128-5128.   | 0.6 | 0         |
| 98  | Mutational Profiling of Multiple Myeloma Bone Marrow Aspirates As a Clinical Tool for Personalized Treatment of Myeloma. <i>Blood</i> , 2012, 120, 3990-3990.  | 0.6 | 0         |
| 99  | Biomarkers of Bone Remodeling in Multiple Myeloma Patients to Tailor Bisphosphonate Therapy. <i>Blood</i> , 2012, 120, 3965-3965.  | 0.6 | 0         |
| 100 | Combinational Therapy of Lenalidomide with Activin A Neutralizing Antibody; Preclinical Rationale for a Novel Anti-Myeloma Strategy. <i>Blood</i> , 2012, 120, 1871-1871.  | 0.6 | 0         |
| 101 | Rational Combination Treatment of a Novel Selective mTOR Kinase Inhibitor AZD8055 with IGF-1R Inhibitors in Multiple Myeloma. <i>Blood</i> , 2012, 120, 4023-4023.   | 0.6 | 0         |
| 102 | AVL-292, a Bruton's Tyrosine Kinase Inhibitor Impacts Bone Resorption by Abrogating Osteoclast Sealing Zone Formation in Multiple Myeloma. <i>Blood</i> , 2012, 120, 1822-1822.  | 0.6 | 0         |
| 103 | Comprehensive Genetic Interrogation of Circulating Multiple Myeloma Cells at Single Cell Resolution. <i>Blood</i> , 2016, 128, 800-800.  | 0.6 | 0         |
| 104 | The Prognostic Impact of t(14;20) in Multiple Myeloma - a Multicenter Retrospective Study of 26 Patients. <i>Blood</i> , 2018, 132, 5600-5600.   | 0.6 | 0         |
| 105 | Circulating Tumor DNA in the Peripheral Blood As Early Predictor of Clinical Outcome in Relapsed/Refractory Multiple Myeloma. <i>Blood</i> , 2019, 134, 4350-4350.   | 0.6 | 0         |
| 106 | Determining Resistance Mechanisms in BRAF-mutated Multiple Myeloma. <i>Blood</i> , 2019, 134, 316-316.   | 0.6 | 0         |
| 107 | Chromosome 1q Amplification Is Associated with a History of Prior Malignancies Among Patients Newly Diagnosed with Multiple Myeloma. <i>Blood</i> , 2019, 134, 2193-2193.  | 0.6 | 0         |
| 108 | Defining the Differentiation States of Multiple Myeloma at Single Cell Resolution Reveals Opportunities for Immunotherapy. <i>Blood</i> , 2019, 134, 3091-3091.  | 0.6 | 0         |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Pomalidomide-Dexamethasone Effectiveness in t(11;14) Positive Relapsed Multiple Myeloma in Real-World Setting. Blood, 2021, 138, 3803-3803.                                     | 0.6 | 0         |
| 110 | Quality of Life, Psychological Distress, and Prognostic Awareness in Patients with Multiple Myeloma. Blood, 2021, 138, 4082-4082.   | 0.6 | 0         |
| 111 | A Phase II Study of Once Weekly Carfilzomib, Lenalidomide, Dexamethasone, and Isatuximab in Newly Diagnosed, Transplant-Eligible Multiple Myeloma. Blood, 2021, 138, 5043-5043. | 0.6 | 0         |
| 112 | Comparison of Denosumab Versus Intravenous (IV) Bisphosphonate Use for Hypercalcemia in Multiple Myeloma. Blood, 2020, 136, 14-16.  | 0.6 | 0         |
| 113 | Extending Dosing Intervals of Denosumab As a Maintenance Strategy in Multiple Myeloma: A Real-World Experience at a Large Academic Cancer Center. Blood, 2020, 136, 13-13.      | 0.6 | 0         |