

Alon Chen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8916795/alon-chen-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

154
papers

7,161
citations

49
h-index

81
g-index

174
ext. papers

8,599
ext. citations

9.5
avg. IF

6.12
L-index

#	Paper	IF	Citations
154	The co-chaperone FKBP51 modulates HPA axis activity and age-related maladaptation of the stress system in pituitary proopiomelanocortin cells.. <i>Psychoneuroendocrinology</i> , 2022 , 138, 105670	5	1
153	Mediobasal hypothalamic FKBP51 acts as a molecular switch linking autophagy to whole-body metabolism.. <i>Science Advances</i> , 2022 , 8, eabi4797	14.3	1
152	CB1 receptors in corticotropin-releasing factor neurons selectively control the acoustic startle response in male mice. <i>Genes, Brain and Behavior</i> , 2021 , 20, e12775	3.6	
151	miR-323a regulates ERBB4 and is involved in depression. <i>Molecular Psychiatry</i> , 2021 , 26, 4191-4204	15.1	12
150	The neural circuitry of social homeostasis: Consequences of acute versus chronic social isolation. <i>Cell</i> , 2021 , 184, 1500-1516	56.2	8
149	The co-chaperone Fkbp5 shapes the acute stress response in the paraventricular nucleus of the hypothalamus of male mice. <i>Molecular Psychiatry</i> , 2021 , 26, 3060-3076	15.1	16
148	Loss of the psychiatric risk factor SLC6A15 is associated with increased metabolic functions in primary hippocampal neurons. <i>European Journal of Neuroscience</i> , 2021 , 53, 390-401	3.5	0
147	Genetic Dissection of Neuropeptide Circuits Mediating Psychosocial Stress 2021 , 1-19		
146	Single-cell molecular profiling of all three components of the HPA axis reveals adrenal ABCB1 as a regulator of stress adaptation. <i>Science Advances</i> , 2021 , 7,	14.3	10
145	Circulating microRNA Expression in Cushing's Syndrome. <i>Frontiers in Endocrinology</i> , 2021 , 12, 620012	5.7	2
144	Stress-related emotional and behavioural impact following the first COVID-19 outbreak peak. <i>Molecular Psychiatry</i> , 2021 ,	15.1	7
143	The role of TET proteins in stress-induced neuroepigenetic and behavioural adaptations. <i>Neurobiology of Stress</i> , 2021 , 15, 100352	7.6	0
142	Oligonucleotides as therapeutic tools for brain disorders: Focus on major depressive disorder and Parkinson's disease. <i>Pharmacology & Therapeutics</i> , 2021 , 227, 107873	13.9	3
141	Structural correlates of trauma-induced hyperarousal in mice. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021 , 111, 110404	5.5	
140	Stress-Mediated Regulation of the DNA Methylome 2021 , 37-47		
139	Wireless Optogenetic Stimulation of Oxytocin Neurons in a Semi-natural Setup Dynamically Elevates Both Pro-social and Agonistic Behaviors. <i>Neuron</i> , 2020 , 107, 644-655.e7	13.9	22
138	INSPIRE: A European training network to foster research and training in cardiovascular safety pharmacology. <i>Journal of Pharmacological and Toxicological Methods</i> , 2020 , 105, 106889	1.7	0

137	Sex differences: Transcriptional signatures of stress exposure in male and female brains. <i>Genes, Brain and Behavior</i> , 2020 , 19, e12643	3.6	36
136	Hippocampal neurons with stable excitatory connectivity become part of neuronal representations. <i>PLoS Biology</i> , 2020 , 18, e3000928	9.7	9
135	Social dominance mediates behavioral adaptation to chronic stress in a sex-specific manner. <i>ELife</i> , 2020 , 9,	8.9	10
134	The role of the CRF-urocortin system in stress resilience 2020 , 233-256		
133	Increased circulatory IL-6 during 8-week fluoxetine treatment is a risk factor for suicidal behaviors in youth. <i>Brain, Behavior, and Immunity</i> , 2020 , 87, 301-308	16.6	11
132	An increase in IL-6 levels at 6-month follow-up visit is associated with SSRI-emergent suicidality in high-risk children and adolescents treated with fluoxetine. <i>European Neuropsychopharmacology</i> , 2020 , 40, 61-69	1.2	4
131	Multi-omics analysis identifies mitochondrial pathways associated with anxiety-related behavior. <i>PLoS Genetics</i> , 2019 , 15, e1008358	6	20
130	Stress and glucocorticoid modulation of feeding and metabolism. <i>Neurobiology of Stress</i> , 2019 , 11, 1001716	7.16	5
129	Adenosine-to-Inosine RNA Editing Within Corticolimbic Brain Regions Is Regulated in Response to Chronic Social Defeat Stress in Mice. <i>Frontiers in Psychiatry</i> , 2019 , 10, 277	5	8
128	Longitudinal Two-Photon Imaging of Dorsal Hippocampal CA1 in Live Mice. <i>Journal of Visualized Experiments</i> , 2019 ,	1.6	5
127	Glucocorticoid-induced leucine zipper "quantifies" stressors and increases male susceptibility to PTSD. <i>Translational Psychiatry</i> , 2019 , 9, 178	8.6	11
126	Identity domains capture individual differences from across the behavioral repertoire. <i>Nature Neuroscience</i> , 2019 , 22, 2023-2028	25.5	33
125	m6A mRNA Methylation in the Mammalian Brain: Distribution, Function and Implications for Brain Functions. <i>RNA Technologies</i> , 2019 , 377-398	0.2	
124	ASL Metabolically Regulates Tyrosine Hydroxylase in the Nucleus Locus Coeruleus. <i>Cell Reports</i> , 2019 , 29, 2144-2153.e7	10.6	8
123	Social context and dominance status contribute to sleep patterns and quality in groups of freely-moving mice. <i>Scientific Reports</i> , 2019 , 9, 15190	4.9	9
122	Placental miR-340 mediates vulnerability to activity based anorexia in mice. <i>Nature Communications</i> , 2018 , 9, 1596	17.4	16
121	Exposure to air pollution interacts with obesogenic nutrition to induce tissue-specific response patterns. <i>Environmental Pollution</i> , 2018 , 239, 532-543	9.3	14
120	Cross-disorder risk gene CACNA1C differentially modulates susceptibility to psychiatric disorders during development and adulthood. <i>Molecular Psychiatry</i> , 2018 , 23, 533-543	15.1	78

119	The emerging role of mRNA methylation in normal and pathological behavior. <i>Genes, Brain and Behavior</i> , 2018 , 17, e12428	3.6	48
118	The Role of mA/m-RNA Methylation in Stress Response Regulation. <i>Neuron</i> , 2018 , 99, 389-403.e9	13.9	170
117	Inferior olive CRF plays a role in motor performance under challenging conditions. <i>Translational Psychiatry</i> , 2018 , 8, 107	8.6	5
116	Hypothalamic miR-219 regulates individual metabolic differences in response to diet-induced weight cycling. <i>Molecular Metabolism</i> , 2018 , 9, 176-186	8.8	6
115	The Corticotropin-Releasing Factor Family: Physiology of the Stress Response. <i>Physiological Reviews</i> , 2018 , 98, 2225-2286	47.9	112
114	An exploratory study of adolescent response to fluoxetine using psychological and biological predictors. <i>PeerJ</i> , 2018 , 6, e4240	3.1	1
113	Stress at its best: the 1st Munich Winter Conference On Stress. <i>Stress</i> , 2018 , 21, 382-383	3	1
112	The CRF Family of Neuropeptides and their Receptors - Mediators of the Central Stress Response. <i>Current Molecular Pharmacology</i> , 2018 , 11, 4-31	3.7	66
111	Sex dependent impact of gestational stress on predisposition to eating disorders and metabolic disease. <i>Molecular Metabolism</i> , 2018 , 17, 1-16	8.8	10
110	Chronic CRH depletion from GABAergic, long-range projection neurons in the extended amygdala reduces dopamine release and increases anxiety. <i>Nature Neuroscience</i> , 2018 , 21, 803-807	25.5	53
109	Cerebellar Learning Properties Are Modulated by the CRF Receptor. <i>Journal of Neuroscience</i> , 2018 , 38, 6751-6765	6.6	4
108	Forebrain glutamatergic, but not GABAergic, neurons mediate anxiogenic effects of the glucocorticoid receptor. <i>Molecular Psychiatry</i> , 2017 , 22, 466-475	15.1	35
107	Hypothalamic CRFR1 is essential for HPA axis regulation following chronic stress. <i>Nature Neuroscience</i> , 2017 , 20, 385-388	25.5	46
106	Control of chronic excessive alcohol drinking by genetic manipulation of the Edinger-Westphal nucleus urocortin-1 neuropeptide system. <i>Translational Psychiatry</i> , 2017 , 7, e1021	8.6	13
105	Neural Circuitry of Stress, Fear, and Anxiety 2017 , 83-96		2
104	A Methyl-Balanced Diet Prevents CRF-Induced Prenatal Stress-Triggered Predisposition to Binge Eating-like Phenotype. <i>Cell Metabolism</i> , 2017 , 25, 1269-1281.e6	24.6	20
103	Using N-Metabolic Labeling for Quantitative Proteomic Analyses. <i>Methods in Molecular Biology</i> , 2017 , 1546, 235-243	1.4	4
102	Heterozygosity for the Mood Disorder-Associated Variant Gln460Arg Alters P2X7 Receptor Function and Sleep Quality. <i>Journal of Neuroscience</i> , 2017 , 37, 11688-11700	6.6	26

101	Stress-responsive FKBP51 regulates AKT2-AS160 signaling and metabolic function. <i>Nature Communications</i> , 2017 , 8, 1725	17.4	49
100	The Role of MicroRNAs in Stress-Induced Psychopathologies 2017 , 117-126		1
99	Genetically dissecting P2rx7 expression within the central nervous system using conditional humanized mice. <i>Purinergic Signalling</i> , 2017 , 13, 153-170	3.8	55
98	CRF receptor type 2 neurons in the posterior bed nucleus of the stria terminalis critically contribute to stress recovery. <i>Molecular Psychiatry</i> , 2017 , 22, 1691-1700	15.1	48
97	Late-Onset Cognitive Impairments after Early-Life Stress Are Shaped by Inherited Differences in Stress Reactivity. <i>Frontiers in Cellular Neuroscience</i> , 2017 , 11, 9	6.1	9
96	The effect of magnesium sulfate on the placental corticotropin-releasing factor (CRF) and CRF binding protein mRNA expression in perfused human placental cotyledon. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2016 , 29, 376-9	2	1
95	Region-specific roles of the corticotropin-releasing factor-urocortin system in stress. <i>Nature Reviews Neuroscience</i> , 2016 , 17, 636-51	13.5	137
94	Ucn3 and CRF-R2 in the medial amygdala regulate complex social dynamics. <i>Nature Neuroscience</i> , 2016 , 19, 1489-1496	25.5	52
93	Amygdalar MicroRNA-15a Is Essential for Coping with Chronic Stress. <i>Cell Reports</i> , 2016 , 17, 1882-1891	10.6	51
92	Stable isotope metabolic labeling suggests differential turnover of the DPYSL protein family. <i>Proteomics - Clinical Applications</i> , 2016 , 10, 1269-1272	3.1	8
91	Pharmacogenetics of citalopram-related side effects in children with depression and/or anxiety disorders. <i>Journal of Neural Transmission</i> , 2016 , 123, 1347-1354	4.3	17
90	The Relationship Between Plasma Cytokine Levels and Response to Selective Serotonin Reuptake Inhibitor Treatment in Children and Adolescents with Depression and/or Anxiety Disorders. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2016 , 26, 727-732	2.9	41
89	Prenatal Exposure to Maternal Obesity Alters Anxiety and Stress Coping Behaviors in Aged Mice. <i>Neuroendocrinology</i> , 2016 , 103, 354-68	5.6	22
88	Dnmt3a in the Medial Prefrontal Cortex Regulates Anxiety-Like Behavior in Adult Mice. <i>Journal of Neuroscience</i> , 2016 , 36, 730-40	6.6	43
87	Overshadowed by the amygdala: the bed nucleus of the stria terminalis emerges as key to psychiatric disorders. <i>Molecular Psychiatry</i> , 2016 , 21, 450-63	15.1	330
86	SLC6A15, a novel stress vulnerability candidate, modulates anxiety and depressive-like behavior: involvement of the glutamatergic system. <i>Stress</i> , 2016 , 19, 83-90	3	15
85	Local Optogenetic Induction of Fast (20-40 Hz) Pyramidal-Interneuron Network Oscillations in the In Vitro and In Vivo CA1 Hippocampus: Modulation by CRF and Enforcement of Perirhinal Theta Activity. <i>Frontiers in Cellular Neuroscience</i> , 2016 , 10, 108	6.1	6
84	Neuro-Epigenetic Indications of Acute Stress Response in Humans: The Case of MicroRNA-29c. <i>PLoS ONE</i> , 2016 , 11, e0146236	3.7	23

83	Knockdown of corticotropin-releasing factor 1 receptors in the ventral tegmental area enhances conditioned fear. <i>European Neuropsychopharmacology</i> , 2016 , 26, 1533-1540	1.2	6
82	CRFR1 in AgRP Neurons Modulates Sympathetic Nervous System Activity to Adapt to Cold Stress and Fasting. <i>Cell Metabolism</i> , 2016 , 23, 1185-1199	24.6	40
81	Prefrontal Cortex Corticotropin-Releasing Factor Receptor 1 Conveys Acute Stress-Induced Executive Dysfunction. <i>Biological Psychiatry</i> , 2016 , 80, 743-753	7.9	46
80	Genetic predisposition for high stress reactivity amplifies effects of early-life adversity. <i>Psychoneuroendocrinology</i> , 2016 , 70, 85-97	5	25
79	Genetic Dissection of the Neuroendocrine and Behavioral Responses to Stressful Challenges. <i>Research and Perspectives in Endocrine Interactions</i> , 2016 , 69-79		2
78	SSRI-Induced Activation Syndrome in Children and Adolescents—What Is Next?. <i>Current Treatment Options in Psychiatry</i> , 2015 , 2, 28-37	3.1	16
77	Pharmacological Inhibition of the Psychiatric Risk Factor FKBP51 Has Anxiolytic Properties. <i>Journal of Neuroscience</i> , 2015 , 35, 9007-16	6.6	55
76	Determining the role of microRNAs in psychiatric disorders. <i>Nature Reviews Neuroscience</i> , 2015 , 16, 201-215	13.5	216
75	GABA receptors in a state of fear. <i>Nature Neuroscience</i> , 2015 , 18, 1194-6	25.5	2
74	MicroRNA-19b associates with Ago2 in the amygdala following chronic stress and regulates the adrenergic receptor beta 1. <i>Journal of Neuroscience</i> , 2014 , 34, 15070-82	6.6	50
73	Diurnal suppression of EGFR signalling by glucocorticoids and implications for tumour progression and treatment. <i>Nature Communications</i> , 2014 , 5, 5073	17.4	42
72	Knockdown of CRF1 receptors in the ventral tegmental area attenuates cue- and acute food deprivation stress-induced cocaine seeking in mice. <i>Journal of Neuroscience</i> , 2014 , 34, 11560-70	6.6	31
71	MicroRNA 135 is essential for chronic stress resiliency, antidepressant efficacy, and intact serotonergic activity. <i>Neuron</i> , 2014 , 83, 344-360	13.9	270
70	Increased anxiety in corticotropin-releasing factor type 2 receptor-null mice requires recent acute stress exposure and is associated with dysregulated serotonergic activity in limbic brain areas. <i>Biology of Mood & Anxiety Disorders</i> , 2014 , 4, 1		17
69	Sex differences in corticotropin-releasing factor receptor-1 action within the dorsal raphe nucleus in stress responsivity. <i>Biological Psychiatry</i> , 2014 , 75, 873-83	7.9	58
68	Postnatal ablation of POMC neurons induces an obese phenotype characterized by decreased food intake and enhanced anxiety-like behavior. <i>Molecular Endocrinology</i> , 2013 , 27, 1091-102		48
67	Overexpression of corticotropin-releasing factor receptor type 2 in the bed nucleus of stria terminalis improves posttraumatic stress disorder-like symptoms in a model of incubation of fear. <i>Biological Psychiatry</i> , 2013 , 74, 827-36	7.9	38
66	Altered brain-derived neurotrophic factor expression in the ventral tegmental area, but not in the hippocampus, is essential for antidepressant-like effects of electroconvulsive therapy. <i>Biological Psychiatry</i> , 2013 , 74, 305-12	7.9	36

65	Hypothalamic neuronal toll-like receptor 2 protects against age-induced obesity. <i>Scientific Reports</i> , 2013 , 3, 1254	4.9	29
64	Hypothalamic corticotropin-releasing factor is centrally involved in learning under moderate stress. <i>Neuropsychopharmacology</i> , 2013 , 38, 1825-32	8.7	5
63	Adipose tissue foam cells are present in human obesity. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, 1173-81	5.6	94
62	Physiologic corticosterone oscillations regulate murine hematopoietic stem/progenitor cell proliferation and CXCL12 expression by bone marrow stromal progenitors. <i>Leukemia</i> , 2013 , 27, 2006-15	10.7	43
61	High-order social interactions in groups of mice. <i>ELife</i> , 2013 , 2, e00759	8.9	101
60	Homeodomain protein otp and activity-dependent splicing modulate neuronal adaptation to stress. <i>Neuron</i> , 2012 , 73, 279-91	13.9	47
59	Site-specific genetic manipulation of amygdala corticotropin-releasing factor reveals its imperative role in mediating behavioral response to challenge. <i>Biological Psychiatry</i> , 2012 , 71, 317-26	7.9	74
58	Chronic activation of corticotropin-releasing factor type 2 receptors reveals a key role for 5-HT1A receptor responsiveness in mediating behavioral and serotonergic responses to stressful challenge. <i>Biological Psychiatry</i> , 2012 , 72, 437-47	7.9	27
57	Neuropeptide Regulation of Stress-Induced Behavior: Insights from the CRF/Urocortin Family 2012 , 355-375		3
56	Urocortins: CRFB siblings and their potential role in anxiety, depression and alcohol drinking behavior. <i>Alcohol</i> , 2012 , 46, 349-57	2.7	44
55	ACTH-dependent regulation of microRNA as endogenous modulators of glucocorticoid receptor expression in the adrenal gland. <i>Endocrinology</i> , 2012 , 153, 212-22	4.8	42
54	Minireview: CRF and Wylie Vale: a story of 41 amino acids and a Texan with grit. <i>Endocrinology</i> , 2012 , 153, 2556-61	4.8	17
53	Trisomy of the G protein-coupled K ⁺ channel gene, <i>Kcnj6</i> , affects reward mechanisms, cognitive functions, and synaptic plasticity in mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 2642-7	11.5	55
52	Susceptibility to PTSD-like behavior is mediated by corticotropin-releasing factor receptor type 2 levels in the bed nucleus of the stria terminalis. <i>Journal of Neuroscience</i> , 2012 , 32, 6906-16	6.6	79
51	Urocortin-dependent effects on adrenal morphology, growth, and expression of steroidogenic enzymes in vivo. <i>Journal of Molecular Endocrinology</i> , 2012 , 48, 159-67	4.5	4
50	Resilience to chronic stress is mediated by hippocampal brain-derived neurotrophic factor. <i>Journal of Neuroscience</i> , 2011 , 31, 4475-83	6.6	196
49	Protein tyrosine phosphatase epsilon affects body weight by downregulating leptin signaling in a phosphorylation-dependent manner. <i>Cell Metabolism</i> , 2011 , 13, 562-72	24.6	44
48	Topographical distribution of corticotropin-releasing factor type 2 receptor-like immunoreactivity in the rat dorsal raphe nucleus: co-localization with tryptophan hydroxylase. <i>Neuroscience</i> , 2011 , 183, 47-63	3.9	27

47	Enhancement of consolidated long-term memory by overexpression of protein kinase Mzeta in the neocortex. <i>Science</i> , 2011 , 331, 1207-10	33.3	143
46	Chronic stress induces sex-specific alterations in methylation and expression of corticotropin-releasing factor gene in the rat. <i>PLoS ONE</i> , 2011 , 6, e28128	3.7	117
45	Prolonged and site-specific over-expression of corticotropin-releasing factor reveals differential roles for extended amygdala nuclei in emotional regulation. <i>Molecular Psychiatry</i> , 2011 , 16, 714-28	15.1	90
44	Urocortin 3 transgenic mice exhibit a metabolically favourable phenotype resisting obesity and hyperglycaemia on a high-fat diet. <i>Diabetologia</i> , 2011 , 54, 2392-403	10.3	35
43	MicroRNA as repressors of stress-induced anxiety: the case of amygdalar miR-34. <i>Journal of Neuroscience</i> , 2011 , 31, 14191-203	6.6	195
42	Expression and regulation of corticotropin-releasing factor receptor type 2 in developing and mature mouse skeletal muscle. <i>Molecular Endocrinology</i> , 2011 , 25, 157-69		16
41	An anxiolytic role for CRF receptor type 1 in the globus pallidus. <i>Journal of Neuroscience</i> , 2011 , 31, 17416-24	6.74	39
40	Urocortin-1 and -2 double-deficient mice show robust anxiolytic phenotype and modified serotonergic activity in anxiety circuits. <i>Molecular Psychiatry</i> , 2010 , 15, 426-41, 339	15.1	52
39	The anxiolytic effect of environmental enrichment is mediated via amygdalar CRF receptor type 1. <i>Molecular Psychiatry</i> , 2010 , 15, 905-17	15.1	113
38	Anxiolytic phenotype and modified serotonergic activity in Urocortin1 and 2 double-deficient mice. <i>Molecular Psychiatry</i> , 2010 , 15, 339-339	15.1	4
37	Resilience to social stress coincides with functional DNA methylation of the Crf gene in adult mice. <i>Nature Neuroscience</i> , 2010 , 13, 1351-3	25.5	354
36	An environmental enrichment model for mice. <i>Nature Protocols</i> , 2010 , 5, 1535-9	18.8	80
35	Perifornical Urocortin-3 mediates the link between stress-induced anxiety and energy homeostasis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 8393-8	11.5	55
34	A triple urocortin knockout mouse model reveals an essential role for urocortins in stress recovery. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 19020-5	11.5	76
33	miRNA malfunction causes spinal motor neuron disease. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 13111-6	11.5	245
32	Genetic approach for intracerebroventricular delivery. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 4424-9	11.5	24
31	Circadian Corticosterone Levels Regulate and Integrate Hematopoietic Stem and Progenitor Cell Function and Bone Remodeling Via Notch1 Signaling. <i>Blood</i> , 2010 , 116, 840-840	2.2	
30	A novel corticotropin-releasing factor receptor splice variant exhibits dominant negative activity: a putative link to stress-induced heart disease. <i>FASEB Journal</i> , 2009 , 23, 2186-96	0.9	22

29	Amelioration of brain pathology and behavioral dysfunction in mice with lupus following treatment with a tolerogenic peptide. <i>Arthritis and Rheumatism</i> , 2009 , 60, 3744-54		27
28	Urocortins: emerging metabolic and energy homeostasis perspectives. <i>Trends in Endocrinology and Metabolism</i> , 2008 , 19, 122-9	8.8	69
27	Cocaine- and amphetamine-regulated transcript is localized in pituitary lactotropes and is regulated during lactation. <i>Endocrinology</i> , 2006 , 147, 1213-23	4.8	19
26	Urocortin 2-deficient mice exhibit gender-specific alterations in circadian hypothalamus-pituitary-adrenal axis and depressive-like behavior. <i>Journal of Neuroscience</i> , 2006 , 26, 5500-10	6.6	84
25	Urocortin 2 modulates glucose utilization and insulin sensitivity in skeletal muscle. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 16580-5	11.5	53
24	A soluble mouse brain splice variant of type 2alpha corticotropin-releasing factor (CRF) receptor binds ligands and modulates their activity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 2620-5	11.5	80
23	Mouse corticotropin-releasing factor receptor type 2alpha gene: isolation, distribution, pharmacological characterization and regulation by stress and glucocorticoids. <i>Molecular Endocrinology</i> , 2005 , 19, 441-58		79
22	Cocaine- and amphetamine-regulated transcript activates the hypothalamic-pituitary-adrenal axis through a corticotropin-releasing factor receptor-dependent mechanism. <i>Endocrinology</i> , 2004 , 145, 5202-9	4.8	89
21	Urocortin-II and urocortin-III are cardioprotective against ischemia reperfusion injury: an essential endogenous cardioprotective role for corticotropin releasing factor receptor type 2 in the murine heart. <i>Endocrinology</i> , 2004 , 145, 24-35; discussion 21-3	4.8	117
20	Specificity and regulation of extracellularly regulated kinase1/2 phosphorylation through corticotropin-releasing factor (CRF) receptors 1 and 2beta by the CRF/urocortin family of peptides. <i>Endocrinology</i> , 2004 , 145, 1718-29	4.8	87
19	Urocortin II gene is highly expressed in mouse skin and skeletal muscle tissues: localization, basal expression in corticotropin-releasing factor receptor (CRFR) 1- and CRFR2-null mice, and regulation by glucocorticoids. <i>Endocrinology</i> , 2004 , 145, 2445-57	4.8	61
18	Urocortin III is expressed in pancreatic beta-cells and stimulates insulin and glucagon secretion. <i>Endocrinology</i> , 2003 , 144, 3216-24	4.8	107
17	Glucocorticoids regulate the expression of the mouse urocortin II gene: a putative connection between the corticotropin-releasing factor receptor pathways. <i>Molecular Endocrinology</i> , 2003 , 17, 1622-39		42
16	Receptor-mediated targeting of a photosensitizer by its conjugation to gonadotropin-releasing hormone analogues. <i>Journal of Medicinal Chemistry</i> , 2003 , 46, 3965-74	8.3	47
15	The transcription of the hGnRH-I and hGnRH-II genes in human neuronal cells is differentially regulated by estrogen. <i>Journal of Molecular Neuroscience</i> , 2002 , 18, 67-76	3.3	18
14	The neuropeptides GnRH-II and GnRH-I are produced by human T cells and trigger laminin receptor gene expression, adhesion, chemotaxis and homing to specific organs. <i>Nature Medicine</i> , 2002 , 8, 1421-6	50.5	97
13	Two forms of gonadotropin-releasing hormone (GnRH) are expressed in human breast tissue and overexpressed in breast cancer: a putative mechanism for the antiproliferative effect of GnRH by down-regulation of acidic ribosomal phosphoproteins P1 and P2. <i>Cancer Research</i> , 2002 , 62, 1036-44	10.1	55
12	Two isoforms of gonadotropin-releasing hormone are coexpressed in neuronal cell lines. <i>Endocrinology</i> , 2001 , 142, 830-7	4.8	21

11	Transcriptional regulation of the human GnRH II gene is mediated by a putative cAMP response element. <i>Endocrinology</i> , 2001 , 142, 3483-92	4.8	28
10	The gonadotropin-releasing hormone family of neuropeptides in the brain of human, bovine and rat: identification of a third isoform. <i>FEBS Letters</i> , 1999 , 463, 289-94	3.8	49
9	Identification of a novel family of targets of PYK2 related to Drosophila retinal degeneration B (rdgB) protein. <i>Molecular and Cellular Biology</i> , 1999 , 19, 2278-88	4.8	125
8	A second isoform of gonadotropin-releasing hormone is present in the brain of human and rodents. <i>FEBS Letters</i> , 1998 , 435, 199-203	3.8	72
7	Molecular identification and analysis of a novel human corticotropin-releasing factor (CRF) receptor: the CRF2gamma receptor. <i>Molecular Endocrinology</i> , 1998 , 12, 1077-85		213
6	Two Isoforms of Gonadotropin-Releasing Hormone Are Coexpressed in Neuronal Cell Lines*This work was supported by the Israel Science Foundation, administered by the Israel Academy of Sciences and Humanities.		6
5	The neuropeptides GnRH-II and GnRH-I are produced by human T cells and trigger laminin receptor gene expression, adhesion, chemotaxis and homing to specific organs		13
4	The role of m6A-RNA methylation in stress response regulation		6
3	Sexually divergent effects of social dominance on chronic stress outcomes in mice		1
2	Hypothalamic glucocorticoid receptor in CRF neurons is essential for HPA axis habituation to repeated stressor		2
1	Stress-related emotional and behavioural impact following the first COVID-19 outbreak peak		1