## Fayssal Mostafa Farahat

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/89171/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	IFN-α2a or IFN-β1a in combination with ribavirin to treat Middle East respiratory syndrome coronavirus pneumonia: a retrospective study. Journal of Antimicrobial Chemotherapy, 2015, 70, 2129-2132.	1.3	182
2	Neurobehavioural effects among workers occupationally exposed to organophosphorous pesticides. Occupational and Environmental Medicine, 2003, 60, 279-286.	1.3	169
3	Neurobehavioral effects among inhabitants around mobile phone base stations. NeuroToxicology, 2007, 28, 434-440.	1.4	156
4	Biomarkers of Chlorpyrifos Exposure and Effect in Egyptian Cotton Field Workers. Environmental Health Perspectives, 2011, 119, 801-806.	2.8	83
5	Development of the Behavioral Assessment and Research System (BARS) to Detect and Characterize Neurotoxicity in Humans. NeuroToxicology, 2003, 24, 523-531.	1.4	75
6	Chlorpyrifos exposures in Egyptian cotton field workers. NeuroToxicology, 2010, 31, 297-304.	1.4	58
7	Psychobehavioural responses to the 2014 Middle East respiratory syndrome-novel corona virus (MERS) Tj ETQq1 Health Journal, 2016, 22, 817-823.	1 0.78431 0.3	4 rgBT /Ove 50
8	Pattern of Drug Overdose and Chemical Poisoning Among Patients Attending an Emergency Department, Western Saudi Arabia. Journal of Community Health, 2015, 40, 57-61.	1.9	40
9	Predictors and outcomes of Candida bloodstream infection: eight-year surveillance, western Saudi Arabia. International Journal of Infectious Diseases, 2014, 21, 5-9.	1.5	38
10	Pattern and determinants of poisoning in a teaching hospital in Riyadh, Saudi Arabia. Saudi Pharmaceutical Journal, 2011, 19, 57-63.	1.2	34
11	Contributions of inhalation and dermal exposure to chlorpyrifos dose in Egyptian cotton field workers. International Journal of Occupational and Environmental Health, 2012, 18, 198-209.	1.2	32
12	Characterization of α-cypermethrin exposure in Egyptian agricultural workers. International Journal of Hygiene and Environmental Health, 2014, 217, 538-545.	2.1	32
13	HCV Infection among Saudi Population: High Prevalence of Genotype 4 and Increased Viral Clearance Rate. PLoS ONE, 2012, 7, e29781.	1.1	31
14	Longitudinal assessment of occupational exposures to the organophosphorous insecticides chlorpyrifos and profenofos in Egyptian cotton field workers. International Journal of Hygiene and Environmental Health, 2015, 218, 203-211.	2.1	28
15	Experimental strategy for translational studies of organophosphorus pesticide neurotoxicity based on real-world occupational exposures to chlorpyrifos. NeuroToxicology, 2012, 33, 660-668.	1.4	25
16	Measures of Short-Term Test–Retest Reliability of Computerized Neurobehavioral Tests. NeuroToxicology, 2003, 24, 513-521.	1.4	24
17	Metabolism of profenofos to 4-bromo-2-chlorophenol, a specific and sensitive exposure biomarker. Toxicology, 2013, 306, 35-39.	2.0	23
18	Burden and treatment patterns of invasive fungal infections in hospitalized patients in the Middle East: real-world data from Saudi Arabia and Lebanon. Infection and Drug Resistance, 2017, Volume 10, 35-41.	1.1	21

#	Article	IF	CITATIONS
19	Challenges Facing Female Physicians in Egypt. Archives of Environmental and Occupational Health, 2009, 64, 121-128.	0.7	20
20	Magnitude of behavioral deficits varies with job-related chlorpyrifos exposure levels among Egyptian pesticide workers. NeuroToxicology, 2020, 77, 216-230.	1.4	17
21	Factors associated with non-urgent visits to the emergency department in a tertiary care centre, western Saudi Arabia: cross-sectional study. BMJ Open, 2020, 10, e035951.	0.8	16
22	Evaluation of an educational intervention for farming families to protect their children from pesticide exposure. Eastern Mediterranean Health Journal, 2009, 15, 47-56.	0.3	16
23	Illness anxiety disorder and perception of disease and distress among medical students in western Saudi Arabia. Journal of King Abdulaziz University, Islamic Economics, 2019, 40, 1144-1149.	0.5	13
24	Incidence of diabetic ketoacidosis in newly diagnosed type 1 diabetes children in western Saudi Arabia: 11-year experience. Journal of Pediatric Endocrinology and Metabolism, 2019, 32, 857-862.	0.4	12
25	The prevalence of comorbidities among adult people diagnosed with HIV infection in a tertiary care hospital in western Saudi Arabia. Journal of Infection and Public Health, 2020, 13, 1699-1704.	1.9	12
26	Patients′ attitudes towards the participation of medical students in clinical examination and care in Western Saudi Arabia. Journal of Family and Community Medicine, 2016, 23, 172.	0.5	12
27	Drug poisoning and associated factors in Western Saudi Arabia: A five-year retrospective chart review (2011–2016). Pakistan Journal of Medical Sciences, 2017, 33, 1188-1193.	0.3	11
28	Prevalence and Predictors of Depression Among Medical Residents in Western Saudi Arabia. Journal of Clinical Psychology in Medical Settings, 2020, 27, 746-752.	0.8	11
29	Predictors of European League Against Rheumatism (EULAR) good response, DAS-28 remission and sustained responses to TNF-inhibitors in rheumatoid arthritis: a prospective study in refractory disease. SpringerPlus, 2015, 4, 207.	1.2	10
30	Epidemiology and outcome of invasive fungal infections and methicillin-resistant Staphylococcus aureus (MRSA) pneumonia and complicated skin and soft tissue infections (cSSTI) in Lebanon and Saudi Arabia. Journal of Infection and Public Health, 2017, 10, 849-854.	1.9	10
31	Prevalence of Postpartum Depression and Associated Risk Factors Among Women in Jeddah, Western Saudi Arabia. Cureus, 2021, 13, e14603.	0.2	10
32	Bloodstream infection at hemodialysis facilities in Jeddah: a medical record review. Annals of Saudi Medicine, 2019, 39, 258-264.	0.5	9
33	Meningococcal Disease and Immunization Activities in Hajj and Umrah Pilgrimage: a review. Infectious Diseases and Therapy, 2022, 11, 1343-1369.	1.8	9
34	Impact of rehabilitation programs on dependency and functional performance of patients with major lower limb amputations. Journal of King Abdulaziz University, Islamic Economics, 2016, 37, 1109-1113.	0.5	8
35	Prevalence and preventability of sentinel events in Saudi Arabia: analysis of reports from 2012 to 2015. Eastern Mediterranean Health Journal, 2017, 23, 492-499.	0.3	8
36	Post-vaccination SARS-CoV-2 infection among healthcare workers in tertiary care hospitals in Saudi Arabia: A case series. Journal of Infection and Public Health, 2022, 15, 10-12.	1.9	8

#	Article	IF	CITATIONS
37	Molecular Detection of Influenza A and B Viruses in Four Consecutive Influenza Seasons 2015–16 to 2018–19 in a Tertiary Center in Western Saudi Arabia. Journal of Epidemiology and Global Health, 2021, 11, 208.	1.1	7
38	The Epidemiology of Invasive Meningococcal Disease in the Kingdom of Saudi Arabia: A Narrative Review with Updated Analysis. Infectious Diseases and Therapy, 2021, 10, 2035-2049.	1.8	7
39	Outcomes of single dose COVID-19 vaccines: Eight month follow-up of a large cohort in Saudi Arabia. Journal of Infection and Public Health, 2022, 15, 573-577.	1.9	7
40	Pattern of disability among patients attending Taif rehabilitation center, Saudi Arabia. Disability and Rehabilitation, 2008, 30, 884-890.	0.9	6
41	Knowledge and Practices of Healthcare Workers in Relation to Bloodborne Pathogens in a Tertiary Care Hospital, Western Saudi Arabia. Journal of Community Health, 2014, 39, 959-964.	1.9	6
42	Treatment patterns, resource utilization, and outcomes among hospitalized patients with methicillin-resistant <em>Staphylococcus aureus</em> complicated skin and soft tissue infections in Lebanon and Saudi Arabia. Infection and Drug Resistance, 2017, Volume 10, 43-48.	1.1	6
43	The Association Between Maternal Age and the Prevalence of Congenital Heart Disease in Newborns from 2016 to 2018 in Single Cardiac Center in Jeddah, Saudi Arabia. Cureus, 2020, 12, e7463.	0.2	6
44	Epidemiology, clinical characteristics and risk factors of COVID-19 among children in Saudi Arabia: a multicenter chart review study. BMC Pediatrics, 2022, 22, 86.	0.7	6
45	Association between type 2 diabetes mellitus and Helicobacter pylori infection among Saudi patients attending National Guard Primary Health Care Centers in the Western Region, 2018. Journal of Family and Community Medicine, 2020, 27, 8.	0.5	6
46	Clinical characteristics and outcomes of community-acquired pneumonia in western Saudi Arabia: A four-year retrospective analysis of medical records. Journal of Infection and Public Health, 2021, 14, 960-966.	1.9	5
47	Burden of methicillin-resistant <em>Staphylococcus aureus</em> pneumonia among hospitalized patients in Lebanon and Saudi Arabia. Infection and Drug Resistance, 2017, Volume 10, 49-55.	1.1	4
48	Lifestyle habits and well-being among primary health physicians in western Saudi Arabia. Zeitschrift Fur Gesundheitswissenschaften, 2019, 27, 57-62.	0.8	4
49	Prevalence of Obesity and Overweight among School-Aged Children in Saudi Arabia and Its Association with Vitamin D Status. Acta Biomedica, 2020, 91, e2020133.	0.2	4
50	Risk of COVID-19 in healthcare workers working in intensive care setting. American Journal of Infection Control, 2022, 50, 988-993.	1.1	4
51	Behavioral-Based Educational Intervention Directed toward Egyptian Agricultural Families to Protect Children from Pesticide Exposure. International Quarterly of Community Health Education, 2008, 28, 97-108.	0.4	3
52	Overall survival of adult acute myeloid leukemia based on cytogenetic and molecular abnormalities during 5 years in a single center study. Journal of King Abdulaziz University, Islamic Economics, 2019, 40, 1171-1176.	0.5	3
53	Epidemiological characteristics of cervical cancer in a tertiary care hospital, western Saudi Arabia. Journal of King Abdulaziz University, Islamic Economics, 2021, 42, 338-341.	0.5	3
54	Patients' Attendance to The Virtual Compared to The In-person Complimentary Outpatient Clinics at a		3

 $\label{eq:patientsa} \ensuremath{\mathbb{P}} \ensure$ 54

#	Article	IF	CITATIONS
55	Early switch/early discharge opportunities for hospitalized patients with methicillin resistant Staphylococcus aureus complicated skin and soft tissue infections: Saudi Arabia and United Arab Emirates. Journal of Infection and Public Health, 2020, 13, 1126-1133.	1.9	2
56	Cross-sectional seroprevalence study of antibody to Bordetella pertussis toxin in western Saudi Arabia: is there a need for a vaccine booster dose for adolescents and young adults?. BMJ Open, 2021, 11, e042711.	0.8	2
57	Association between type 2 diabetes mellitus and infection among Saudi patients attending National Guard Primary Health Care Centers in the Western Region, 2018. Journal of Family and Community Medicine, 2020, 27, 8-14.	0.5	2
58	Challenges of infection control capacity in the Middle Eastern countries; time to be actively involved. Journal of Infection and Public Health, 2022, 15, 448-449.	1.9	2
59	Assessing the Accuracy of Different Clucometers Based on the Laboratory Reference Method. Clinical Laboratory, 2020, 66, .	0.2	1
60	Factors Contributing to Poor Asthma Control in Children. Journal of Allergy and Clinical Immunology, 2015, 135, AB189.	1.5	0
61	984 hospital length of stay and associated factors among confirmed influenza patients admitted in king abdulaziz medical city, western saudi arabia. , 2018, , .		0
62	35â€Risk factors for acquisition of multidrug-resistant gram-negative bacteria in a tertiary care hospital in saudi arabia: a case-control study. , 2019, , .		0
63	Pattern of Work Risk Assessment among Physicians in Tertiary Care Hospitals , Taif , Saudi Arabia. The Egyptian Journal of Community Medicine, 2014, 32, 1-12.	0.1	0
64	Pattern and Factors Associated With the Utilization of Herbs As Medications Among Patients in a Tertiary Care Hospital in Western Saudi Arabia. Cureus, 2021, 13, e19502.	0.2	0
65	Assessing the Effectiveness of Antibiotic Therapy Against Common Gram-Negative Bacteria in a Saudi Arabian Hospital Using the Drug Resistance Index. Cureus, 2022, 14, e22168.	0.2	0
66	A Retrospective Chart Review of Skin Cancer Pattern and Clinical Outcomes Among Saudi Patients Visiting a Tertiary Care Hospital in Western Saudi Arabia From 1987–2016. Cureus, 2021, 13, e20666.	0.2	0
67	Prevalence of overt and subclinical hypothyroidism during pregnancy in antenatal care - cross-sectional study, Jeddah, Saudi Arabia. , 2022, 20, .		0