## Jorge M Blando

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8918120/publications.pdf

Version: 2024-02-01

25 papers 4,057 citations

567281 15 h-index 25 g-index

28 all docs

28 docs citations

times ranked

28

7665 citing authors

#	Article	IF	CITATIONS
1	B cells and tertiary lymphoid structures promote immunotherapy response. Nature, 2020, 577, 549-555.	27.8	1,421
2	Neoadjuvant immune checkpoint blockade in high-risk resectable melanoma. Nature Medicine, 2018, 24, 1649-1654.	30.7	592
3	Fecal microbiota transplantation for refractory immune checkpoint inhibitor-associated colitis. Nature Medicine, 2018, 24, 1804-1808.	30.7	521
4	Efficacy, Safety, and Biomarkers of Response to Azacitidine and Nivolumab in Relapsed/Refractory Acute Myeloid Leukemia: A Nonrandomized, Open-Label, Phase II Study. Cancer Discovery, 2019, 9, 370-383.	9.4	380
5	Anti-CTLA-4 Immunotherapy Does Not Deplete FOXP3+ Regulatory T Cells (Tregs) in Human Cancers. Clinical Cancer Research, 2019, 25, 1233-1238.	7.0	260
6	Anti–CTLA-4 Immunotherapy Does Not Deplete FOXP3+ Regulatory T Cells (Tregs) in Human Cancers—Response. Clinical Cancer Research, 2019, 25, 3469-3470.	7.0	151
7	Image Analysis–based Assessment of PD-L1 and Tumor-Associated Immune Cells Density Supports Distinct Intratumoral Microenvironment Groups in Non–small Cell Lung Carcinoma Patients. Clinical Cancer Research, 2016, 22, 6278-6289.	7.0	130
8	Robust Antitumor Responses Result from Local Chemotherapy and CTLA-4 Blockade. Cancer Immunology Research, 2018, 6, 189-200.	3.4	102
9	<i>ARID1A $<$ /i> mutation plus CXCL13 expression act as combinatorial biomarkers to predict responses to immune checkpoint therapy in mUCC. Science Translational Medicine, 2020, 12, .	12.4	82
10	Comprehensive Molecular Characterization Identifies Distinct Genomic and Immune Hallmarks of Renal Medullary Carcinoma. Cancer Cell, 2020, 37, 720-734.e13.	16.8	74
11	Protein Kinase C Epsilon Cooperates with PTEN Loss for Prostate Tumorigenesis through the CXCL13-CXCR5 Pathway. Cell Reports, 2017, 19, 375-388.	6.4	72
12	Immunologic Correlates of Pathologic Complete Response to Preoperative Immunotherapy in Hepatocellular Carcinoma. Cancer Immunology Research, 2019, 7, 1390-1395.	3.4	54
13	COX-2 mediates pro-tumorigenic effects of PKCε in prostate cancer. Oncogene, 2018, 37, 4735-4749.	5.9	48
14	High OX-40 expression in the tumor immune infiltrate is a favorable prognostic factor of overall survival in non-small cell lung cancer., 2019, 7, 351.		39
15	A Phase II Trial of Nivolumab Combined with Ibrutinib for Patients with Richter Transformation. Blood, 2018, 132, 296-296.	1.4	27
16	Final results of a randomized, open label, perioperative phase II study evaluating nivolumab alone or nivolumab plus ipilimumab in patients with resectable HCC Journal of Clinical Oncology, 2020, 38, 4599-4599.	1.6	18
17	A pilot presurgical study evaluating anti-PD-L1 durvalumab (durva) plus anti-CTLA-4 tremelimumab (treme) in patients (pts) with high-risk muscle-invasive bladder carcinoma (MIBC) who are ineligible for cisplatin-based neoadjuvant chemotherapy (NAC) Journal of Clinical Oncology, 2019, 37, 4551-4551.	1.6	14
18	Safety, Efficacy, and Biomarkers of Response to Azacitidine (AZA) with Nivolumab (Nivo) and AZA with Nivo and Ipilimumab (Ipi) in Relapsed/Refractory Acute Myeloid Leukemia: A Non-Randomized, Phase 2 Study. Blood, 2018, 132, 906-906.	1.4	13

#	Article	IF	CITATIONS
19	A pilot randomized study evaluating nivolumab (nivo) or nivo + bevacizumab (bev) or nivo + ipilimumab (ipi) in patients with metastatic renal cell carcinoma (MRCC) eligible for cytoreductive nephrectomy, metastasectomy or post-treatment biopsy (Bx) Journal of Clinical Oncology, 2019, 37, 4501-4501.	1.6	9
20	Association of PIK3CA mutations (mut) with immune engagement and clinical benefit from immunotherapy in microsatellite stable (MSS) colorectal cancer (CRC) patients (pts) Journal of Clinical Oncology, 2019, 37, 3604-3604.	1.6	8
21	A Randomized Phase II Study of MEDI0680 in Combination with Durvalumab versus Nivolumab Monotherapy in Patients with Advanced or Metastatic Clear-cell Renal Cell Carcinoma. Clinical Cancer Research, 2022, 28, 3032-3041.	7.0	7
22	Randomized, open-label, perioperative phase II study evaluating nivolumab alone or nivolumab plus ipilimumab in patients with resectable HCC Journal of Clinical Oncology, 2020, 38, 486-486.	1.6	6
23	Randomized, open-label, perioperative phase II study evaluating nivolumab alone or nivolumab plus ipilimumab in patients with resectable HCC Journal of Clinical Oncology, 2019, 37, 4098-4098.	1.6	3
24	Levels of CD8+ tumor infiltrating lymphocytes correlate with disease burden in bone marrow of therapy NaÃve multiple myeloma patients. Annals of Diagnostic Pathology, 2019, 40, 174-175.	1.3	0
25	Abstract 1711: A multi-modal analysis approach leveraging multiplexed spatial phenotyping and multi-omics analysis to better understand the prognostic value of tertiary lymphoid structures in non-small cell lung cancer. Cancer Research, 2022, 82, 1711-1711.	0.9	0