

Subramaniam Pennathur

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8918136/subramaniam-pennathur-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

169
papers

13,378
citations

54
h-index

113
g-index

178
ext. papers

15,485
ext. citations

7.6
avg, IF

6.12
L-index

#	Paper	IF	Citations
169	Inflammation, Hyperglycemia, and Adverse Outcomes in Individuals With Diabetes Mellitus Hospitalized for COVID-19.. <i>Diabetes Care</i> , 2022 ,	14.6	3
168	Unsupervised machine learning for identifying important visual features through bag-of-words using histopathology data from chronic kidney disease.. <i>Scientific Reports</i> , 2022 , 12, 4832	4.9	0
167	Altered HDL Proteome Predicts Incident CVD in Chronic Kidney Disease Patients. <i>Journal of Lipid Research</i> , 2021 , 100135	6.3	3
166	Mitochondrial complex II in intestinal epithelial cells regulates T cell-mediated immunopathology. <i>Nature Immunology</i> , 2021 , 22, 1440-1451	19.1	6
165	Lipidomic approaches to dissect dysregulated lipid metabolism in kidney disease. <i>Nature Reviews Nephrology</i> , 2021 ,	14.9	6
164	Gene expression profiles of diabetic kidney disease and neuropathy in eNOS knockout mice: Predictors of pathology and RAS blockade effects. <i>FASEB Journal</i> , 2021 , 35, e21467	0.9	4
163	Cross-Sectional Estimation of Endogenous Biomarker Associations with Prenatal Phenols, Phthalates, Metals, and Polycyclic Aromatic Hydrocarbons in Single-Pollutant and Mixtures Analysis Approaches. <i>Environmental Health Perspectives</i> , 2021 , 129, 37007	8.4	7
162	Quantitative analysis of β -glutamylisoleucine, β -glutamylthreonine, and β -glutamylvaline in HeLa cells using UHPLC-MS/MS. <i>Journal of Separation Science</i> , 2021 , 44, 2898-2907	3.4	1
161	Renin-angiotensin system inhibition reverses the altered triacylglycerol metabolic network in diabetic kidney disease. <i>Metabolomics</i> , 2021 , 17, 65	4.7	2
160	Circulating Free Fatty Acid and Phospholipid Signature Predicts Early Rapid Kidney Function Decline in Patients With Type 1 Diabetes. <i>Diabetes Care</i> , 2021 , 44, 2098-2106	14.6	6
159	Deletion of bone marrow myeloperoxidase attenuates chronic kidney disease accelerated atherosclerosis. <i>Journal of Biological Chemistry</i> , 2021 , 296, 100120	5.4	1
158	Differential effects of minocycline on microvascular complications in murine models of type 1 and type 2 diabetes. <i>Journal of Translational Science</i> , 2021 , 7,	2.2	3
157	Direct Actions of AT (Type 1 Angiotensin) Receptors in Cardiomyocytes Do Not Contribute to Cardiac Hypertrophy. <i>Hypertension</i> , 2021 , 77, 393-404	8.5	7
156	Application of an analytical framework for multivariate mediation analysis of environmental data. <i>Nature Communications</i> , 2020 , 11, 5624	17.4	11
155	Impact of maternal overweight and obesity on milk composition and infant growth. <i>Maternal and Child Nutrition</i> , 2020 , 16, e12979	3.4	22
154	The Prevalence and Determinants of Cognitive Deficits and Traditional Diabetic Complications in the Severely Obese. <i>Diabetes Care</i> , 2020 , 43, 683-690	14.6	16
153	DESI-MSI and METASPACE indicates lipid abnormalities and altered mitochondrial membrane components in diabetic renal proximal tubules. <i>Metabolomics</i> , 2020 , 16, 11	4.7	12

152	Population-based comparison of chronic kidney disease prevalence and risk factors among adults living in the Punjab, Northern India and the USA (2013-2015). <i>BMJ Open</i> , 2020 , 10, e040444	3	1
151	Plasma lipidomic profiling identifies a novel complex lipid signature associated with ischemic stroke in chronic kidney disease. <i>Journal of Translational Science</i> , 2020 , 6,	2.2	3
150	Short- and long-term effects of perinatal phthalate exposures on metabolic pathways in the mouse liver. <i>Environmental Epigenetics</i> , 2020 , 6, dvaa017	2.4	1
149	Developmental programming: Prenatal bisphenol A treatment disrupts mediators of placental function in sheep. <i>Chemosphere</i> , 2020 , 243, 125301	8.4	10
148	TNF- α induces acyl-CoA synthetase 3 to promote lipid droplet formation in human endothelial cells. <i>Journal of Lipid Research</i> , 2020 , 61, 33-44	6.3	11
147	Soluble Urokinase Receptor (SuPAR) in COVID-19-Related AKI. <i>Journal of the American Society of Nephrology: JASN</i> , 2020 , 31, 2725-2735	12.7	45
146	Glycine-based treatment ameliorates NAFLD by modulating fatty acid oxidation, glutathione synthesis, and the gut microbiome. <i>Science Translational Medicine</i> , 2020 , 12,	17.5	32
145	Oxidative cross-linking of fibronectin confers protease resistance and inhibits cellular migration. <i>Science Signaling</i> , 2020 , 13,	8.8	6
144	A Targeted Multiomics Approach to Identify Biomarkers Associated with Rapid eGFR Decline in Type 1 Diabetes. <i>American Journal of Nephrology</i> , 2020 , 51, 839-848	4.6	3
143	Differential Effects of Empagliflozin on Microvascular Complications in Murine Models of Type 1 and Type 2 Diabetes. <i>Biology</i> , 2020 , 9,	4.9	6
142	COVID-19 and Diabetes: A Collision and Collusion of Two Diseases. <i>Diabetes</i> , 2020 , 69, 2549-2565	0.9	40
141	Elevated lipoxygenase and cytochrome P450 products predict progression of chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2020 , 35, 303-312	4.3	10
140	Maternal Exposure to Environmental Disruptors and Sexually Dimorphic Changes in Maternal and Neonatal Oxidative Stress. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	14
139	Mitochondrial uncoupling has no effect on microvascular complications in type 2 diabetes. <i>Scientific Reports</i> , 2019 , 9, 881	4.9	10
138	Ambient Air Pollution Is Associated With HDL (High-Density Lipoprotein) Dysfunction in Healthy Adults. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2019 , 39, 513-522	9.4	44
137	Response to Comment on Mathew et al. Therapeutic Lifestyle Changes Improve HDL Function by Inhibiting Myeloperoxidase-Mediated Oxidation in Patients With Metabolic Syndrome. <i>Diabetes Care</i> 2018;41:2431-2437. <i>Diabetes Care</i> , 2019 , 42, e26-e27	14.6	
136	Proposing a validation scheme for C metabolite tracer studies in high-resolution mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , 2019 , 411, 3103-3113	4.4	6
135	Host NLRP6 exacerbates graft-versus-host disease independent of gut microbial composition. <i>Nature Microbiology</i> , 2019 , 4, 800-812	26.6	27

134	Developmental programming: Changes in mediators of insulin sensitivity in prenatal bisphenol A-treated female sheep. <i>Reproductive Toxicology</i> , 2019 , 85, 110-122	3.4	9
133	Application of differential mobility-mass spectrometry for untargeted human plasma metabolomic analysis. <i>Analytical and Bioanalytical Chemistry</i> , 2019 , 411, 6297-6308	4.4	10
132	Differential network enrichment analysis reveals novel lipid pathways in chronic kidney disease. <i>Bioinformatics</i> , 2019 , 35, 3441-3452	7.2	15
131	Impaired Amino Acid and TCA Metabolism and Cardiovascular Autonomic Neuropathy Progression in Type 1 Diabetes. <i>Diabetes</i> , 2019 , 68, 2035-2044	0.9	17
130	New insights into the mechanisms of diabetic complications: role of lipids and lipid metabolism. <i>Diabetologia</i> , 2019 , 62, 1539-1549	10.3	107
129	Prenatal Testosterone Excess Disrupts Placental Function in a Sheep Model of Polycystic Ovary Syndrome. <i>Endocrinology</i> , 2019 , 160, 2663-2672	4.8	17
128	Increased lipogenesis and impaired β oxidation predict type 2 diabetic kidney disease progression in American Indians. <i>JCI Insight</i> , 2019 , 4,	9.9	32
127	Prediction and associations of preterm birth and its subtypes with eicosanoid enzymatic pathways and inflammatory markers. <i>Scientific Reports</i> , 2019 , 9, 17049	4.9	24
126	Asymmetrical flow field-flow fractionation for improved characterization of human plasma lipoproteins. <i>Analytical and Bioanalytical Chemistry</i> , 2019 , 411, 777-786	4.4	16
125	Lipidomics and Biomarker Discovery in Kidney Disease. <i>Seminars in Nephrology</i> , 2018 , 38, 127-141	4.8	25
124	Apolipoprotein A-1 mimetic peptide 4F promotes endothelial repairing and compromises reendothelialization impaired by oxidized HDL through SR-B1. <i>Redox Biology</i> , 2018 , 15, 228-242	11.3	18
123	Myeloperoxidase-derived oxidants damage artery wall proteins in an animal model of chronic kidney disease-accelerated atherosclerosis. <i>Journal of Biological Chemistry</i> , 2018 , 293, 7238-7249	5.4	19
122	Probing the application range and selectivity of a differential mobility spectrometry-mass spectrometry platform for metabolomics. <i>Analytical and Bioanalytical Chemistry</i> , 2018 , 410, 2865-2877	4.4	13
121	Distinct Lipidomic Landscapes Associated with Clinical Stages of Urothelial Cancer of the Bladder. <i>European Urology Focus</i> , 2018 , 4, 907-915	5.1	26
120	Sexually Dimorphic Impact of Chromium Accumulation on Human Placental Oxidative Stress and Apoptosis. <i>Toxicological Sciences</i> , 2018 , 161, 375-387	4.4	19
119	Impaired β -Oxidation and Altered Complex Lipid Fatty Acid Partitioning with Advancing CKD. <i>Journal of the American Society of Nephrology: JASN</i> , 2018 , 29, 295-306	12.7	69
118	Effect of Ambient Fine Particulate Matter Air Pollution and Colder Outdoor Temperatures on High-Density Lipoprotein Function. <i>American Journal of Cardiology</i> , 2018 , 122, 565-570	3	8
117	Lysine glycation of apolipoprotein A-I impairs its anti-inflammatory function in type 2 diabetes mellitus. <i>Journal of Molecular and Cellular Cardiology</i> , 2018 , 122, 47-57	5.8	12

116	Consent for Genetic Biobanking in a Diverse Multisite CKD Cohort. <i>Kidney International Reports</i> , 2018 , 3, 1267-1275	4.1	4
115	Myeloperoxidase mediated HDL oxidation and HDL proteome changes do not contribute to dysfunctional HDL in Chinese subjects with coronary artery disease. <i>PLoS ONE</i> , 2018 , 13, e0193782	3.7	12
114	Shared and distinct lipid-lipid interactions in plasma and affected tissues in a diabetic mouse model. <i>Journal of Lipid Research</i> , 2018 , 59, 173-183	6.3	20
113	Gut Microbial Product Predicts Cardiovascular Risk in Chronic Kidney Disease Patients. <i>American Journal of Nephrology</i> , 2018 , 48, 269-277	4.6	21
112	Therapeutic Lifestyle Changes Improve HDL Function by Inhibiting Myeloperoxidase-Mediated Oxidation in Patients With Metabolic Syndrome. <i>Diabetes Care</i> , 2018 , 41, 2431-2437	14.6	15
111	Circulating Modified Metabolites and a Risk of ESRD in Patients With Type 1 Diabetes and Chronic Kidney Disease. <i>Diabetes Care</i> , 2017 , 40, 383-390	14.6	56
110	Comparative RNA-Seq transcriptome analyses reveal distinct metabolic pathways in diabetic nerve and kidney disease. <i>Journal of Cellular and Molecular Medicine</i> , 2017 , 21, 2140-2152	5.6	33
109	Lupus high-density lipoprotein induces proinflammatory responses in macrophages by binding lectin-like oxidised low-density lipoprotein receptor 1 and failing to promote activating transcription factor 3 activity. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 602-611	2.4	34
108	Deficiency of Cholesteryl Ester Transfer Protein Protects Against Atherosclerosis in Rabbits. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2017 , 37, 1068-1075	9.4	38
107	Inflammatory stimuli induce acyl-CoA thioesterase 7 and remodeling of phospholipids containing unsaturated long (n-7)-acyl chains in macrophages. <i>Journal of Lipid Research</i> , 2017 , 58, 1174-1185	6.3	16
106	Kidney triglyceride accumulation in the fasted mouse is dependent upon serum free fatty acids. <i>Journal of Lipid Research</i> , 2017 , 58, 1132-1142	6.3	24
105	Structured lifestyle intervention in patients with the metabolic syndrome mitigates oxidative stress but fails to improve measures of cardiovascular autonomic neuropathy. <i>Journal of Diabetes and Its Complications</i> , 2017 , 31, 1437-1443	3.2	12
104	Urinary Polycyclic Aromatic Hydrocarbon Metabolite Associations with Biomarkers of Inflammation, Angiogenesis, and Oxidative Stress in Pregnant Women. <i>Environmental Science & Technology</i> , 2017 , 51, 4652-4660	10.3	52
103	Myeloperoxidase Levels and Its Product 3-Chlorotyrosine Predict Chronic Kidney Disease Severity and Associated Coronary Artery Disease. <i>American Journal of Nephrology</i> , 2017 , 46, 73-81	4.6	26
102	Developmental Programming: Impact of Gestational Steroid and Metabolic Milieus on Mediators of Insulin Sensitivity in Prenatal Testosterone-Treated Female Sheep. <i>Endocrinology</i> , 2017 , 158, 2783-2798	4.8	24
101	Left ventricular metabolism, function, and sympathetic innervation in men and women with type 1 diabetes. <i>Journal of Nuclear Cardiology</i> , 2016 , 23, 960-969	2.1	10
100	Association of Hypoalbuminemia With Osteoporosis: Analysis of the National Health and Nutrition Examination Survey. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016 , 101, 2468-74	5.6	21
99	Oxidative Modifications of Protein Tyrosyl Residues Are Increased in Plasma of Human Subjects with Interstitial Lung Disease. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2016 , 193, 861-8	10.2	26

98	Gut microbiome-derived metabolites modulate intestinal epithelial cell damage and mitigate graft-versus-host disease. <i>Nature Immunology</i> , 2016 , 17, 505-513	19.1	366
97	A novel anti-inflammatory mechanism of high density lipoprotein through up-regulating annexin A1 in vascular endothelial cells. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2016 , 1861, 501-12	5	24
96	Hypoalbuminemia and Osteoporosis: Reappraisal of a Controversy. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016 , 101, 167-75	5.6	17
95	Tissue-specific metabolic reprogramming drives nutrient flux in diabetic complications. <i>JCI Insight</i> , 2016 , 1, e86976	9.9	132
94	The Impact of Myeloperoxidase and Activated Macrophages on Metaphase II Mouse Oocyte Quality. <i>PLoS ONE</i> , 2016 , 11, e0151160	3.7	16
93	Evaluation of coverage, retention patterns, and selectivity of seven liquid chromatographic methods for metabolomics. <i>Analytical and Bioanalytical Chemistry</i> , 2016 , 408, 6079-91	4.4	55
92	Mass Spectrometry Imaging Reveals Elevated Glomerular ATP/AMP in Diabetes/obesity and Identifies Sphingomyelin as a Possible Mediator. <i>EBioMedicine</i> , 2016 , 7, 121-34	8.8	65
91	Aldose Reductase Acts as a Selective Derepressor of PPAR α and the Retinoic Acid Receptor. <i>Cell Reports</i> , 2016 , 15, 181-196	10.6	16
90	Lipidomic Signature of Progression of Chronic Kidney Disease in the Chronic Renal Insufficiency Cohort. <i>Kidney International Reports</i> , 2016 , 1, 256-268	4.1	50
89	Metabolomics and diabetes: analytical and computational approaches. <i>Diabetes</i> , 2015 , 64, 718-32	0.9	110
88	Impact of gestational bisphenol A on oxidative stress and free fatty acids: Human association and interspecies animal testing studies. <i>Endocrinology</i> , 2015 , 156, 911-22	4.8	44
87	The macrophage phagocytic receptor CD36 promotes fibrogenic pathways on removal of apoptotic cells during chronic kidney injury. <i>American Journal of Pathology</i> , 2015 , 185, 2232-45	5.8	42
86	Evidence for a link between gut microbiota and hypertension in the Dahl rat. <i>Physiological Genomics</i> , 2015 , 47, 187-97	3.6	233
85	Antioxidants Complement the Requirement for Protein Chaperone Function to Maintain ECell Function and Glucose Homeostasis. <i>Diabetes</i> , 2015 , 64, 2892-904	0.9	39
84	Altered Metabolic Profile With Sodium-Restricted Dietary Approaches to Stop Hypertension Diet in Hypertensive Heart Failure With Preserved Ejection Fraction. <i>Journal of Cardiac Failure</i> , 2015 , 21, 963-7	3.3	30
83	The balance of powers: Redox regulation of fibrogenic pathways in kidney injury. <i>Redox Biology</i> , 2015 , 6, 495-504	11.3	60
82	High density lipoprotein promotes proliferation of adipose-derived stem cells via S1P1 receptor and Akt, ERK1/2 signal pathways. <i>Stem Cell Research and Therapy</i> , 2015 , 6, 95	8.3	17
81	Targeted Lipidomic and Transcriptomic Analysis Identifies Dysregulated Renal Ceramide Metabolism in a Mouse Model of Diabetic Kidney Disease. <i>Journal of Proteomics and Bioinformatics</i> , 2015 , Suppl 14,	2.1	19

80	Metabolomic Profiling of Arginine Metabolome Links Altered Methylation to Chronic Kidney Disease Accelerated Atherosclerosis. <i>Journal of Proteomics and Bioinformatics</i> , 2015 , Suppl 14,	2.1	5
79	The Metabolic Syndrome and Microvascular Complications in a Murine Model of Type 2 Diabetes. <i>Diabetes</i> , 2015 , 64, 3294-304	0.9	41
78	Perhexiline activates KLF14 and reduces atherosclerosis by modulating ApoA-I production. <i>Journal of Clinical Investigation</i> , 2015 , 125, 3819-30	15.9	55
77	Melatonin prevents myeloperoxidase heme destruction and the generation of free iron mediated by self-generated hypochlorous acid. <i>PLoS ONE</i> , 2015 , 10, e0120737	3.7	11
76	Systematic evaluation of coding variation identifies a candidate causal variant in TM6SF2 influencing total cholesterol and myocardial infarction risk. <i>Nature Genetics</i> , 2014 , 46, 345-51	36.3	213
75	mTORC1-independent reduction of retinal protein synthesis in type 1 diabetes. <i>Diabetes</i> , 2014 , 63, 3077-80	9.9	19
74	Uremic solutes and risk of end-stage renal disease in type 2 diabetes: metabolomic study. <i>Kidney International</i> , 2014 , 85, 1214-24	9.9	141
73	Disruption of heme-peptide covalent cross-linking in mammalian peroxidases by hypochlorous acid. <i>Journal of Inorganic Biochemistry</i> , 2014 , 140, 245-54	4.2	8
72	Testing the role of myeloid cell glucose flux in inflammation and atherosclerosis. <i>Cell Reports</i> , 2014 , 7, 356-365	10.6	55
71	Neutrophil extracellular trap-derived enzymes oxidize high-density lipoprotein: an additional proatherogenic mechanism in systemic lupus erythematosus. <i>Arthritis and Rheumatology</i> , 2014 , 66, 2532-2544	9.5	134
70	Alterations in the ubiquitin proteasome system in persistent but not reversible proteinuric diseases. <i>Journal of the American Society of Nephrology: JASN</i> , 2014 , 25, 2511-25	12.7	22
69	Establishing 3-nitrotyrosine as a biomarker for the vasculopathy of Fabry disease. <i>Kidney International</i> , 2014 , 86, 58-66	9.9	57
68	Long-chain acyl coenzyme A synthetase 1 overexpression in primary cultured Schwann cells prevents long chain fatty acid-induced oxidative stress and mitochondrial dysfunction. <i>Antioxidants and Redox Signaling</i> , 2014 , 21, 588-600	8.4	32
67	Unbiased Metabolic Profiling Uncovers a Crucial Role for the Microbial Metabolite Butyrate in Modulating GI Epithelial Cell Damage from Gvhd. <i>Blood</i> , 2014 , 124, 536-536	2.2	4
66	Kinetic studies on the reaction between dicyanocobinamide and hypochlorous acid. <i>PLoS ONE</i> , 2014 , 9, e110595	3.7	10
65	Myeloperoxidase acts as a source of free iron during steady-state catalysis by a feedback inhibitory pathway. <i>Free Radical Biology and Medicine</i> , 2013 , 63, 90-8	7.8	35
64	Autophagy deficiency by hepatic FIP200 deletion uncouples steatosis from liver injury in NAFLD. <i>Molecular Endocrinology</i> , 2013 , 27, 1643-54		77
63	High-density lipoprotein nitration and chlorination catalyzed by myeloperoxidase impair its effect of promoting endothelial repair. <i>Free Radical Biology and Medicine</i> , 2013 , 60, 272-81	7.8	28

62	Decreased glycolytic and tricarboxylic acid cycle intermediates coincide with peripheral nervous system oxidative stress in a murine model of type 2 diabetes. <i>Journal of Endocrinology</i> , 2013 , 216, 1-11	4.7	154
61	How to find a prognostic biomarker for progressive diabetic nephropathy. <i>Kidney International</i> , 2013 , 83, 996-8	9.9	9
60	High density lipoprotein is targeted for oxidation by myeloperoxidase in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 1725-31	2.4	46
59	NETs are a source of citrullinated autoantigens and stimulate inflammatory responses in rheumatoid arthritis. <i>Science Translational Medicine</i> , 2013 , 5, 178ra40	17.5	726
58	Endothelial acyl-CoA synthetase 1 is not required for inflammatory and apoptotic effects of a saturated fatty acid-rich environment. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013 , 33, 232-40	4.4	24
57	Acyl-CoA synthetase 1 is induced by Gram-negative bacteria and lipopolysaccharide and is required for phospholipid turnover in stimulated macrophages. <i>Journal of Biological Chemistry</i> , 2013 , 288, 9957-9970	5.7	41
56	A tripeptide Diapin effectively lowers blood glucose levels in male type 2 diabetes mice by increasing blood levels of insulin and GLP-1. <i>PLoS ONE</i> , 2013 , 8, e83509	3.7	11
55	Perspectives on systems biology applications in diabetic kidney disease. <i>Journal of Cardiovascular Translational Research</i> , 2012 , 5, 491-508	3.3	26
54	NADPH oxidase-derived reactive oxygen species increases expression of monocyte chemotactic factor genes in cultured adipocytes. <i>Journal of Biological Chemistry</i> , 2012 , 287, 10379-10393	5.4	130
53	Marking renal injury: can we move beyond serum creatinine?. <i>Translational Research</i> , 2012 , 159, 277-89	11	81
52	Type I interferons modulate vascular function, repair, thrombosis, and plaque progression in murine models of lupus and atherosclerosis. <i>Arthritis and Rheumatism</i> , 2012 , 64, 2975-85		102
51	Diabetic HDL is dysfunctional in stimulating endothelial cell migration and proliferation due to down regulation of SR-BI expression. <i>PLoS ONE</i> , 2012 , 7, e48530	3.7	34
50	The reaction of HOCl and cyanocobalamin: corrin destruction and the liberation of cyanogen chloride. <i>Free Radical Biology and Medicine</i> , 2012 , 52, 616-625	7.8	32
49	Myeloperoxidase targets apolipoprotein A-I, the major high density lipoprotein protein, for site-specific oxidation in human atherosclerotic lesions. <i>Journal of Biological Chemistry</i> , 2012 , 287, 6375-86	5.4	129
48	Diabetes promotes an inflammatory macrophage phenotype and atherosclerosis through acyl-CoA synthetase 1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, E715-24	11.5	179
47	Urine glycoprotein profile reveals novel markers for chronic kidney disease. <i>International Journal of Proteomics</i> , 2011 , 2011, 214715		30
46	Metabolomic profiling reveals a role for androgen in activating amino acid metabolism and methylation in prostate cancer cells. <i>PLoS ONE</i> , 2011 , 6, e21417	3.7	65
45	Mechanism of hypochlorous acid-mediated heme destruction and free iron release. <i>Free Radical Biology and Medicine</i> , 2011 , 51, 364-73	7.8	36

44	Reaction of hemoglobin with HOCl: mechanism of heme destruction and free iron release. <i>Free Radical Biology and Medicine</i> , 2011 , 51, 374-86	7.8	53
43	Dose-dependent proteomic analysis of glioblastoma cancer stem cells upon treatment with Esecretase inhibitor. <i>Proteomics</i> , 2011 , 11, 4529-40	4.8	14
42	Dietary cholesterol exacerbates hepatic steatosis and inflammation in obese LDL receptor-deficient mice. <i>Journal of Lipid Research</i> , 2011 , 52, 1626-35	6.3	160
41	Quantitative analysis of amino Acid oxidation markers by tandem mass spectrometry. <i>Methods in Enzymology</i> , 2011 , 491, 73-89	1.7	37
40	Long-chain acyl-CoA synthetase 4 modulates prostaglandin E ₂ release from human arterial smooth muscle cells. <i>Journal of Lipid Research</i> , 2011 , 52, 782-93	6.3	79
39	Angiotensin II type 1A receptors in vascular smooth muscle cells do not influence aortic remodeling in hypertension. <i>Hypertension</i> , 2011 , 57, 577-85	8.5	48
38	Hypochlorous acid-induced heme degradation from lactoperoxidase as a novel mechanism of free iron release and tissue injury in inflammatory diseases. <i>PLoS ONE</i> , 2011 , 6, e27641	3.7	26
37	Modifying apolipoprotein A-I by malondialdehyde, but not by an array of other reactive carbonyls, blocks cholesterol efflux by the ABCA1 pathway. <i>Journal of Biological Chemistry</i> , 2010 , 285, 18473-84	5.4	94
36	Analytical approaches to metabolomics and applications to systems biology. <i>Seminars in Nephrology</i> , 2010 , 30, 500-11	4.8	98
35	The management of diabetic neuropathy in CKD. <i>American Journal of Kidney Diseases</i> , 2010 , 55, 365-85	7.4	37
34	Potent antioxidative activity of lycopene: A potential role in scavenging hypochlorous acid. <i>Free Radical Biology and Medicine</i> , 2010 , 49, 205-13	7.8	67
33	Oxidative Stress and Cardiovascular Fibrosis 2010 , 425-441		
32	Potent antioxidative activity of lycopene: a potential role in scavenging hypochlorous acid. <i>FASEB Journal</i> , 2010 , 24, 92.1	0.9	
31	The peroxisome proliferator-activated receptor gamma agonist pioglitazone improves cardiometabolic risk and renal inflammation in murine lupus. <i>Journal of Immunology</i> , 2009 , 183, 2729-40	5.3	39
30	CD36 regulates oxidative stress and inflammation in hypercholesterolemic CKD. <i>Journal of the American Society of Nephrology: JASN</i> , 2009 , 20, 495-505	12.7	108
29	Decreased nitric oxide bioavailability in a mouse model of Fabry disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2009 , 20, 1975-85	12.7	51
28	Dyslipidemia-induced neuropathy in mice: the role of oxLDL/LOX-1. <i>Diabetes</i> , 2009 , 58, 2376-85	0.9	186
27	Impact of rosiglitazone and glyburide on nitrosative stress and myocardial blood flow regulation in type 2 diabetes mellitus. <i>Metabolism: Clinical and Experimental</i> , 2009 , 58, 989-94	12.7	18

26	Metabolomic profiles delineate potential role for sarcosine in prostate cancer progression. <i>Nature</i> , 2009 , 457, 910-4	50.4	1636
25	NADPH oxidase-4 mediates myofibroblast activation and fibrogenic responses to lung injury. <i>Nature Medicine</i> , 2009 , 15, 1077-81	50.5	625
24	Enrichment of glycoproteins using nanoscale chelating concanavalin A monolithic capillary chromatography. <i>Analytical Chemistry</i> , 2009 , 81, 3776-83	7.8	64
23	Translation attenuation through eIF2alpha phosphorylation prevents oxidative stress and maintains the differentiated state in beta cells. <i>Cell Metabolism</i> , 2009 , 10, 13-26	24.6	272
22	Rosiglitazone reduces renal and plasma markers of oxidative injury and reverses urinary metabolite abnormalities in the amelioration of diabetic nephropathy. <i>American Journal of Physiology - Renal Physiology</i> , 2008 , 295, F1071-81	4.3	63
21	Combined statin and niacin therapy remodels the high-density lipoprotein proteome. <i>Circulation</i> , 2008 , 118, 1259-67	16.7	109
20	Antioxidants reduce endoplasmic reticulum stress and improve protein secretion. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 18525-30	11.5	518
19	Mass spectrometric quantification of amino acid oxidation products identifies oxidative mechanisms of diabetic end-organ damage. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2008 , 9, 275-87	10.5	22
18	Chop deletion reduces oxidative stress, improves beta cell function, and promotes cell survival in multiple mouse models of diabetes. <i>Journal of Clinical Investigation</i> , 2008 , 118, 3378-89	15.9	514
17	Mechanisms for oxidative stress in diabetic cardiovascular disease. <i>Antioxidants and Redox Signaling</i> , 2007 , 9, 955-69	8.4	124
16	Oxidative stress and endothelial dysfunction in vascular disease. <i>Current Diabetes Reports</i> , 2007 , 7, 257-64	6.4	117
15	Shotgun proteomics implicates protease inhibition and complement activation in the antiinflammatory properties of HDL. <i>Journal of Clinical Investigation</i> , 2007 , 117, 746-56	15.9	713
14	Detection of chronic kidney disease in patients with or at increased risk of cardiovascular disease: a science advisory from the American Heart Association Kidney And Cardiovascular Disease Council; the Councils on High Blood Pressure Research, Cardiovascular Disease in the Young, and Epidemiology and Prevention; and the Quality of Care and Outcomes Research Interdisciplinary	16.7	246
13	Myeloperoxidase generates 5-chlorouracil in human atherosclerotic tissue: a potential pathway for somatic mutagenesis by macrophages. <i>Journal of Biological Chemistry</i> , 2006 , 281, 3096-104	5.4	74
12	Ablation of the inflammatory enzyme myeloperoxidase mitigates features of Parkinson's disease in mice. <i>Journal of Neuroscience</i> , 2005 , 25, 6594-600	6.6	216
11	Reactive carbonyls and polyunsaturated fatty acids produce a hydroxyl radical-like species: a potential pathway for oxidative damage of retinal proteins in diabetes. <i>Journal of Biological Chemistry</i> , 2005 , 280, 22706-14	5.4	51
10	The myeloperoxidase product hypochlorous acid oxidizes HDL in the human artery wall and impairs ABCA1-dependent cholesterol transport. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004 , 101, 13032-7	11.5	360
9	Hyperlipidemia in concert with hyperglycemia stimulates the proliferation of macrophages in atherosclerotic lesions: potential role of glucose-oxidized LDL. <i>Diabetes</i> , 2004 , 53, 3217-25	0.9	88

8	Human atherosclerotic intima and blood of patients with established coronary artery disease contain high density lipoprotein damaged by reactive nitrogen species. <i>Journal of Biological Chemistry</i> , 2004 , 279, 42977-83	5.4	223
7	Mechanisms of oxidative stress in diabetes: implications for the pathogenesis of vascular disease and antioxidant therapy. <i>Frontiers in Bioscience - Landmark</i> , 2004 , 9, 565-74	2.8	49
6	NADPH oxidase of neutrophils elevates o,oRdityrosine cross-links in proteins and urine during inflammation. <i>Archives of Biochemistry and Biophysics</i> , 2001 , 395, 69-77	4.1	56
5	A hydroxyl radical-like species oxidizes cynomolgus monkey artery wall proteins in early diabetic vascular disease. <i>Journal of Clinical Investigation</i> , 2001 , 107, 853-60	15.9	121
4	p-hydroxyphenylacetaldehyde, an aldehyde generated by myeloperoxidase, modifies phospholipid amino groups of low density lipoprotein in human atherosclerotic intima. <i>Journal of Biological Chemistry</i> , 2000 , 275, 9957-62	5.4	57
3	Mass spectrometric quantification of 3-nitrotyrosine, ortho-tyrosine, and o,oRdityrosine in brain tissue of 1-methyl-4-phenyl-1,2,3, 6-tetrahydropyridine-treated mice, a model of oxidative stress in Parkinson's disease. <i>Journal of Biological Chemistry</i> , 1999 , 274, 34621-8	5.4	212
2	Mass spectrometric quantification of markers for protein oxidation by tyrosyl radical, copper, and hydroxyl radical in low density lipoprotein isolated from human atherosclerotic plaques. <i>Journal of Biological Chemistry</i> , 1997 , 272, 3520-6	5.4	300
1	Application of a novel analytical pipeline for high-dimensional multivariate mediation analysis of environmental data		2