

Eduardo Candelario-Jalil

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8919345/eduardo-candelario-jalil-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

91
papers

4,376
citations

38
h-index

65
g-index

101
ext. papers

5,161
ext. citations

5.8
avg, IF

5.73
L-index

#	Paper	IF	Citations
91	Neuroinflammation, Stroke, Blood-Brain Barrier Dysfunction, and Imaging Modalities.. <i>Stroke</i> , 2022 , 1011671	16.1	10
90	Neurovascular protection by adropin in experimental ischemic stroke through an endothelial nitric oxide synthase-dependent mechanism. <i>Redox Biology</i> , 2021 , 48, 102197	11.3	0
89	Regulation of post-ischemic inflammatory response: A novel function of the neuronal tyrosine phosphatase STEP. <i>Brain, Behavior, and Immunity</i> , 2021 , 93, 141-155	16.6	2
88	Emerging neuroprotective strategies for the treatment of ischemic stroke: An overview of clinical and preclinical studies. <i>Experimental Neurology</i> , 2021 , 335, 113518	5.7	53
87	Impact of aging and comorbidities on ischemic stroke outcomes in preclinical animal models: A translational perspective. <i>Experimental Neurology</i> , 2021 , 335, 113494	5.7	12
86	Altered cellular localisation and expression, together with unconventional protein trafficking, of prion protein, PrP, in type 1 diabetes. <i>Diabetologia</i> , 2021 , 64, 2279-2291	10.3	0
85	Adropin correlates with aging-related neuropathology in humans and improves cognitive function in aging mice. <i>Npj Aging and Mechanisms of Disease</i> , 2021 , 7, 23	5.5	2
84	Role of BET Proteins in Inflammation and CNS Diseases. <i>Frontiers in Molecular Biosciences</i> , 2021 , 8, 7484496	4.96	3
83	Expression of SARS-CoV-2 Entry Factors in the Pancreas of Normal Organ Donors and Individuals with COVID-19. <i>Cell Metabolism</i> , 2020 , 32, 1041-1051.e6	24.6	71
82	Genetic Deletion or Pharmacological Inhibition of Cyclooxygenase-2 Reduces Blood-Brain Barrier Damage in Experimental Ischemic Stroke. <i>Frontiers in Neurology</i> , 2020 , 11, 887	4.1	13
81	A positive allosteric modulator of mGluR5 promotes neuroprotective effects in mouse models of Alzheimer's disease. <i>Neuropharmacology</i> , 2019 , 160, 107785	5.5	9
80	Lipopolysaccharide-Induced Neuroinflammation as a Bridge to Understand Neurodegeneration. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	117
79	Neuroprotective effects of targeting BET proteins for degradation with dBET1 in aged mice subjected to ischemic stroke. <i>Neurochemistry International</i> , 2019 , 127, 94-102	4.4	18
78	Quantification of Protein Expression Changes in the PKC-epsilon/Ca2+/CaMKII-alpha Pathway after Early and Late Onset of Ischemic-reperfusion Injury in Adult Male Rats. <i>FASEB Journal</i> , 2019 , 33, 551.5	0.9	
77	Neuroinflammatory mechanisms of blood-brain barrier damage in ischemic stroke. <i>American Journal of Physiology - Cell Physiology</i> , 2019 , 316, C135-C153	5.4	212
76	Selective degradation of BET proteins with dBET1, a proteolysis-targeting chimera, potently reduces pro-inflammatory responses in lipopolysaccharide-activated microglia. <i>Biochemical and Biophysical Research Communications</i> , 2018 , 497, 410-415	3.4	32
75	Age-Dependent Decrease in Adropin is Associated with Reduced Levels of Endothelial Nitric Oxide Synthase and Increased Oxidative Stress in the Rat Brain 2018 , 9, 322-330		18

74	Protective Effects of L-902,688, a Prostanoid EP4 Receptor Agonist, against Acute Blood-Brain Barrier Damage in Experimental Ischemic Stroke. <i>Frontiers in Neuroscience</i> , 2018 , 12, 89	5.1	20
73	P2-178: REDUCED NEUROINFLAMMATION AND IMPROVED MEMORY IN OLD MALE C57BL/6J MICE OVEREXPRESSING ADROPIN 2018 , 14, P736-P736		
72	Targeting resolution of neuroinflammation after ischemic stroke with a lipoxin A analog: Protective mechanisms and long-term effects on neurological recovery. <i>Brain and Behavior</i> , 2017 , 7, e00688	3.4	37
71	Sustained Neurological Recovery After Stroke in Aged Rats Treated With a Novel Prostacyclin Analog. <i>Stroke</i> , 2017 , 48, 1948-1956	6.7	17
70	Role of Matrix Metalloproteinases in Brain Edema 2017 , 199-215		2
69	1-Trichloromethyl-1,2,3,4-tetrahydro-beta-carboline (TaClo) Alters Cell Cycle Progression in Human Neuroblastoma Cell Lines. <i>Neurotoxicity Research</i> , 2017 , 32, 649-660	4.3	7
68	Neuroprotective effects of intrastriatal injection of rapamycin in a mouse model of excitotoxicity induced by quinolinic acid. <i>Journal of Neuroinflammation</i> , 2017 , 14, 25	10.1	14
67	Spatiotemporal Changes in P-glycoprotein Levels in Brain and Peripheral Tissues Following Ischemic Stroke in Rats. <i>Journal of Experimental Neuroscience</i> , 2017 , 11, 1179069517701741	3.6	25
66	Selective Inhibition of Janus Kinase 3 Has No Impact on Infarct Size or Neurobehavioral Outcomes in Permanent Ischemic Stroke in Mice. <i>Frontiers in Neurology</i> , 2017 , 8, 363	4.1	6
65	Post-stroke angiotensin II type 2 receptor activation provides long-term neuroprotection in aged rats. <i>PLoS ONE</i> , 2017 , 12, e0180738	3.7	16
64	Abstract TP277: Adropin is Profoundly Neuroprotective in Experimental Ischemic Stroke. <i>Stroke</i> , 2017 , 48,	6.7	2
63	Neuroprotective effects of the anticancer drug NVP-BEZ235 (dactolisib) on amyloid- β -42 induced neurotoxicity and memory impairment. <i>Scientific Reports</i> , 2016 , 6, 25226	4.9	28
62	OS 32-03 ANGIOTENSIN II TYPE 2 RECEPTOR AGONIST EXERTS SUSTAINED NEUROPROTECTIVE EFFECTS IN AGED RATS. <i>Journal of Hypertension</i> , 2016 , 34, e390	1.9	
61	Adropin reduces paracellular permeability of rat brain endothelial cells exposed to ischemia-like conditions. <i>Peptides</i> , 2016 , 81, 29-37	3.8	24
60	Detrimental role of the EP1 prostanoid receptor in blood-brain barrier damage following experimental ischemic stroke. <i>Scientific Reports</i> , 2015 , 5, 17956	4.9	46
59	Neurovascular protection by post-ischemic intravenous injections of the lipoxin A4 receptor agonist, BML-111, in a rat model of ischemic stroke. <i>Journal of Neurochemistry</i> , 2014 , 129, 130-42	6	39
58	Fluorometric immunocapture assay for the specific measurement of matrix metalloproteinase-9 activity in biological samples: application to brain and plasma from rats with ischemic stroke. <i>Molecular Brain</i> , 2013 , 6, 14	4.5	20
57	Neuroprotective role of a brain-enriched tyrosine phosphatase, STEP, in focal cerebral ischemia. <i>Journal of Neuroscience</i> , 2013 , 33, 17814-26	6.6	30

56	Pharmacological inhibition of Akt and downstream pathways modulates the expression of COX-2 and mPGES-1 in activated microglia. <i>Journal of Neuroinflammation</i> , 2012 , 9, 2	10.1	46
55	Tissue inhibitor of metalloproteinases-3 mediates the death of immature oligodendrocytes via TNF- α /TACE in focal cerebral ischemia in mice. <i>Journal of Neuroinflammation</i> , 2011 , 8, 108	10.1	40
54	Matrix metalloproteinases are associated with increased blood-brain barrier opening in vascular cognitive impairment. <i>Stroke</i> , 2011 , 42, 1345-50	6.7	105
53	Brain Edema in Neurological Diseases. <i>Advances in Neurobiology</i> , 2011 , 125-168	2.1	2
52	Increased intranuclear matrix metalloproteinase activity in neurons interferes with oxidative DNA repair in focal cerebral ischemia. <i>Journal of Neurochemistry</i> , 2010 , 112, 134-49	6	97
51	Cyclooxygenase-1 and -2 differentially modulate lipopolysaccharide-induced blood-brain barrier disruption through matrix metalloproteinase activity. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2010 , 30, 370-80	7.3	48
50	Norepinephrine enhances the LPS-induced expression of COX-2 and secretion of PGE2 in primary rat microglia. <i>Journal of Neuroinflammation</i> , 2010 , 7, 2	10.1	32
49	Increased apparent diffusion coefficients on MRI linked with matrix metalloproteinases and edema in white matter after bilateral carotid artery occlusion in rats. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2009 , 29, 308-16	7.3	51
48	Opposite effects of anandamide and N-arachidonoyl dopamine in the regulation of prostaglandin E and 8-iso-PGF formation in primary glial cells. <i>Journal of Neurochemistry</i> , 2009 , 109, 452-64	6	27
47	Diverse roles of matrix metalloproteinases and tissue inhibitors of metalloproteinases in neuroinflammation and cerebral ischemia. <i>Neuroscience</i> , 2009 , 158, 983-94	3.9	406
46	Resveratrol inhibits prostaglandin formation in IL-1 β -stimulated SK-N-SH neuronal cells. <i>Journal of Neuroinflammation</i> , 2009 , 6, 26	10.1	25
45	Spatiotemporal correlations between blood-brain barrier permeability and apparent diffusion coefficient in a rat model of ischemic stroke. <i>PLoS ONE</i> , 2009 , 4, e6597	3.7	32
44	A role for cyclooxygenase-1 in beta-amyloid-induced neuroinflammation. <i>Aging</i> , 2009 , 1, 350-3	5.6	10
43	Injury and repair mechanisms in ischemic stroke: considerations for the development of novel neurotherapeutics. <i>Current Opinion in Investigational Drugs</i> , 2009 , 10, 644-54		117
42	Early beneficial effect of matrix metalloproteinase inhibition on blood-brain barrier permeability as measured by magnetic resonance imaging countered by impaired long-term recovery after stroke in rat brain. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2008 , 28, 431-8	7.3	93
41	Detrimental effects of tropisetron on permanent ischemic stroke in the rat. <i>BMC Neuroscience</i> , 2008 , 9, 19	3.2	9
40	Nimesulide as a promising neuroprotectant in brain ischemia: new experimental evidences. <i>Pharmacological Research</i> , 2008 , 57, 266-73	10.2	35
39	Mangiferin inhibits cyclooxygenase-2 expression and prostaglandin E2 production in activated rat microglial cells. <i>Archives of Biochemistry and Biophysics</i> , 2008 , 477, 253-8	4.1	67

38	Ischaemic and pharmacological preconditionings protect liver via adenosine and redox status following hepatic ischaemia/reperfusion in rats. <i>Clinical Science</i> , 2008 , 115, 69-77	6.5	12
37	Cyclooxygenase inhibition in ischemic brain injury. <i>Current Pharmaceutical Design</i> , 2008 , 14, 1401-18	3.3	81
36	Serotonin mediates PGE2 overexpression through 5-HT2A and 5-HT3 receptor subtypes in serum-free tissue culture of macrophage-like synovial cells. <i>Rheumatology International</i> , 2008 , 28, 1017-22	3.6	25
35	Regulation of prostaglandin E2 synthase expression in activated primary rat microglia: evidence for uncoupled regulation of mPGES-1 and COX-2. <i>Glia</i> , 2008 , 56, 844-55	9	67
34	Resveratrol potently reduces prostaglandin E2 production and free radical formation in lipopolysaccharide-activated primary rat microglia. <i>Journal of Neuroinflammation</i> , 2007 , 4, 25	10.1	156
33	Post-ischaemic treatment with the cyclooxygenase-2 inhibitor nimesulide reduces blood-brain barrier disruption and leukocyte infiltration following transient focal cerebral ischaemia in rats. <i>Journal of Neurochemistry</i> , 2007 , 100, 1108-20	6	99
32	Cyclooxygenase inhibition limits blood-brain barrier disruption following intracerebral injection of tumor necrosis factor-alpha in the rat. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2007 , 323, 488-98	4.7	135
31	Cyclooxygenase-2 regulation of brain lipid composition. <i>Future Lipidology</i> , 2007 , 2, 399-402		
30	Ascorbic acid enhances the inhibitory effect of aspirin on neuronal cyclooxygenase-2-mediated prostaglandin E2 production. <i>Journal of Neuroimmunology</i> , 2006 , 174, 39-51	3.5	29
29	Modulation of catecholamine release from rat striatal slices by the fixed combination of aspirin, paracetamol and caffeine. <i>Pharmacological Research</i> , 2006 , 53, 391-6	10.2	15
28	Interleukin-1 beta-induced expression of the prostaglandin E-receptor subtype EP3 in U373 astrocytoma cells depends on protein kinase C and nuclear factor-kappaB. <i>Journal of Neurochemistry</i> , 2006 , 96, 680-93	6	28
27	Effects of coffees before and after special treatment procedure on cell membrane potentials in stomach cells. <i>Methods and Findings in Experimental and Clinical Pharmacology</i> , 2006 , 28, 369-72		6
26	Effects of the cyclooxygenase-2 inhibitor nimesulide on cerebral infarction and neurological deficits induced by permanent middle cerebral artery occlusion in the rat. <i>Journal of Neuroinflammation</i> , 2005 , 2, 3	10.1	44
25	Regional distribution of the prostaglandin E2 receptor EP1 in the rat brain: accumulation in Purkinje cells of the cerebellum. <i>Journal of Molecular Neuroscience</i> , 2005 , 27, 303-10	3.3	30
24	Serotonin via 5-HT7 receptors activates p38 mitogen-activated protein kinase and protein kinase C epsilon resulting in interleukin-6 synthesis in human U373 MG astrocytoma cells. <i>Journal of Neurochemistry</i> , 2005 , 93, 549-59	6	57
23	Therapeutic efficacy of ozone in patients with diabetic foot. <i>European Journal of Pharmacology</i> , 2005 , 523, 151-61	5.3	135
22	The 5-HT3 receptor antagonist tropisetron inhibits T cell activation by targeting the calcineurin pathway. <i>Biochemical Pharmacology</i> , 2005 , 70, 369-80	6	73
21	Signal transduction pathways regulating cyclooxygenase-2 in lipopolysaccharide-activated primary rat microglia. <i>Glia</i> , 2005 , 51, 199-208	9	112

20	Expression of 5-HT _{3A} receptors in cells of the immune system. <i>Scandinavian Journal of Rheumatology</i> , 2004 , 33, 9-11	1.9	62
19	Effects of ozone oxidative preconditioning on nitric oxide generation and cellular redox balance in a rat model of hepatic ischaemia-reperfusion. <i>Liver International</i> , 2004 , 24, 55-62	7.9	82
18	Wide therapeutic time window for nimesulide neuroprotection in a model of transient focal cerebral ischemia in the rat. <i>Brain Research</i> , 2004 , 1007, 98-108	3.7	59
17	Tropisetron inhibits serotonin-induced PGE ₂ release from macrophage-like synovial cells in serum-free tissue culture. <i>Scandinavian Journal of Rheumatology</i> , 2004 , 33, 33-33	1.9	17
16	Antiinflammatory effects of 5-HT ₃ receptor antagonists in lipopolysaccharide-stimulated primary human monocytes. <i>Scandinavian Journal of Rheumatology</i> , 2004 , 33, 28-32	1.9	58
15	Effects of pyruvate administration on infarct volume and neurological deficits following permanent focal cerebral ischemia in rats. <i>Brain Research</i> , 2003 , 990, 1-7	3.7	34
14	Effects of nimesulide on kainate-induced in vitro oxidative damage in rat brain homogenates. <i>BMC Pharmacology</i> , 2003 , 3, 7		6
13	Assessment of the relative contribution of COX-1 and COX-2 isoforms to ischemia-induced oxidative damage and neurodegeneration following transient global cerebral ischemia. <i>Journal of Neurochemistry</i> , 2003 , 86, 545-55	6	158
12	Delayed treatment with nimesulide reduces measures of oxidative stress following global ischemic brain injury in gerbils. <i>Neuroscience Research</i> , 2003 , 47, 245-53	2.9	118
11	Neuroprotective efficacy of nimesulide against hippocampal neuronal damage following transient forebrain ischemia. <i>European Journal of Pharmacology</i> , 2002 , 453, 189-95	5.3	41
10	The highly selective cyclooxygenase-2 inhibitor DFU is neuroprotective when given several hours after transient cerebral ischemia in gerbils. <i>Brain Research</i> , 2002 , 927, 212-5	3.7	24
9	Similar protective effect of ischaemic and ozone oxidative preconditionings in liver ischaemia/reperfusion injury. <i>Pharmacological Research</i> , 2002 , 45, 333-9	10.2	69
8	Oxidative preconditioning affords protection against carbon tetrachloride-induced glycogen depletion and oxidative stress in rats. <i>Journal of Applied Toxicology</i> , 2001 , 21, 297-301	4.1	38
7	Selective vulnerability to kainate-induced oxidative damage in different rat brain regions. <i>Journal of Applied Toxicology</i> , 2001 , 21, 403-7	4.1	55
6	"Mangifera indica L. extract (QF808) reduces ischaemia-induced neuronal loss and oxidative damage in the gerbil brain". <i>Free Radical Research</i> , 2001 , 35, 465-73	4	39
5	Ozone treatment reduces markers of oxidative and endothelial damage in an experimental diabetes model in rats. <i>Pharmacological Research</i> , 2001 , 44, 391-6	10.2	60
4	Time course of oxidative damage in different brain regions following transient cerebral ischemia in gerbils. <i>Neuroscience Research</i> , 2001 , 41, 233-41	2.9	152
3	Nimesulide limits kainate-induced oxidative damage in the rat hippocampus. <i>European Journal of Pharmacology</i> , 2000 , 390, 295-8	5.3	38

2 ACE2 and SARS-CoV-2 Expression in the Normal and COVID-19 Pancreas. *SSRN Electronic Journal*, 1 2

1 ACE2 and SARS-CoV-2 Expression in the Normal and COVID-19 Pancreas 4