

Mario Luca Morieri

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/892001/publications.pdf>

Version: 2024-02-01

58
papers

1,452
citations

393982

19
h-index

344852

36
g-index

63
all docs

63
docs citations

63
times ranked

2953
citing authors

#	ARTICLE	IF	CITATIONS
1	In hospital risk factors for acute kidney injury and its burden in patients with Sars-Cov-2 infection: a longitudinal multinational study. <i>Scientific Reports</i> , 2022, 12, 3474.	1.6	8
2	Physiciansâ€™ misperceived cardiovascular risk and therapeutic inertia as determinants of low LDL-cholesterol targets achievement in diabetes. <i>Cardiovascular Diabetology</i> , 2022, 21, 57.	2.7	10
3	Performance assessment across different care settings of a heart failure hospitalisation risk-score for type 2 diabetes using administrative claims. <i>Scientific Reports</i> , 2022, 12, 7762.	1.6	1
4	Time-series analysis of multidimensional clinical-laboratory data by dynamic Bayesian networks reveals trajectories of COVID-19 outcomes. <i>Computer Methods and Programs in Biomedicine</i> , 2022, 221, 106873.	2.6	3
5	Serum Orotidine: A Novel Biomarker of Increased CVD Risk in Type 2 Diabetes Discovered Through Metabolomics Studies. <i>Diabetes Care</i> , 2022, 45, 1882-1892.	4.3	5
6	Heart Failure Burden in Diabetes: Can Fenofibrate Provide Additional Hope?. <i>Diabetes Care</i> , 2022, 45, 1500-1502.	4.3	1
7	Comparative effectiveness of dapagliflozin vs <sc>DPP</sc>â€4 inhibitors on a composite endpoint of <sc>HbA1c</sc>, body weight and blood pressure reduction in the real world. <i>Diabetes/Metabolism Research and Reviews</i> , 2021, 37, e3353.	1.7	17
8	The Toll of Lockdown Against COVID-19 on Diabetes Outpatient Care: Analysis From an Outbreak Area in Northeast Italy. <i>Diabetes Care</i> , 2021, 44, e18-e21.	4.3	31
9	Prevalence of hepatic steatosis in patients with type 2 diabetes and response to glucose-lowering treatments. A multicenter retrospective study in Italian specialist care. <i>Journal of Endocrinological Investigation</i> , 2021, 44, 1879-1889.	1.8	24
10	Improving statin treatment strategies to reduce LDL-cholesterol: factors associated with targetsâ€™ attainment in subjects with and without type 2 diabetes. <i>Cardiovascular Diabetology</i> , 2021, 20, 144.	2.7	17
11	Fenofibrate increases circulating haematopoietic stem cells in people with diabetic retinopathy: a randomised, placebo-controlled trial. <i>Diabetologia</i> , 2021, 64, 2334-2344.	2.9	9
12	Changes in markers of hepatic steatosis and fibrosis in patients with type 2 diabetes during treatment with glucagon-like peptide-1 receptor agonists. A multicenter retrospective longitudinal study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 3474-3483.	1.1	7
13	Why diabetes outpatient clinics should not close during pandemic crises. <i>Journal of Endocrinological Investigation</i> , 2021, 44, 1795-1798.	1.8	1
14	Trend 2010â€“2018 in the clinical use of GLP-1 receptor agonists for the treatment of type 2 diabetes in routine clinical practice: an observational study from Northeast Italy. <i>Acta Diabetologica</i> , 2020, 57, 367-375.	1.2	20
15	<p>Long-Acting Injectable GLP-1 Receptor Agonists for the Treatment of Adults with Type 2 Diabetes: Perspectives from Clinical Practice<p>. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2020, Volume 13, 4221-4234.	1.1	13
16	Cholesterol lowering therapies and achievement of targets for primary and secondary cardiovascular prevention in type 2 diabetes: unmet needs in a large population of outpatients at specialist clinics. <i>Cardiovascular Diabetology</i> , 2020, 19, 190.	2.7	22
17	Exposure to dipeptidylâ€peptidase 4 inhibitors and the risk of pneumonia among people with type 2 diabetes: Retrospective cohort study and metaâ€analysis. <i>Diabetes, Obesity and Metabolism</i> , 2020, 22, 1925-1934.	2.2	14
18	Insufficient Evidence for Interaction Between Haptoglobin Phenotypes andÂIntensive Glycemic Control on Cardiovascular Outcomes. <i>Journal of the American College of Cardiology</i> , 2020, 75, 2995-2996.	1.2	2

#	ARTICLE	IF	CITATIONS
19	Performance of the Steno type 1 risk engine for cardiovascular disease prediction in Italian patients with type 1 diabetes. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020, 30, 1813-1819.	1.1	15
20	Hyperglycemia, glucocorticoid therapy, and outcome of COVID-19. <i>Diabetes Research and Clinical Practice</i> , 2020, 168, 108449.	1.1	9
21	Newly-diagnosed diabetes and admission hyperglycemia predict COVID-19 severity by aggravating respiratory deterioration. <i>Diabetes Research and Clinical Practice</i> , 2020, 168, 108374.	1.1	147
22	Exposure to dipeptidylâ€peptidaseâ€4 inhibitors and COVID-19 among people with type 2 diabetes: A caseâ€control study. <i>Diabetes, Obesity and Metabolism</i> , 2020, 22, 1946-1950.	2.2	91
23	<i>PPARA</i> Polymorphism Influences the Cardiovascular Benefit of Fenofibrate in Type 2 Diabetes: Findings From ACCORD-Lipid. <i>Diabetes</i> , 2020, 69, 771-783.	0.3	28
24	Prevalence and impact of diabetes among people infected with SARS-CoV-2. <i>Journal of Endocrinological Investigation</i> , 2020, 43, 867-869.	1.8	371
25	Association of Hypomorphic P2X7 Receptor Genotype With Age. <i>Frontiers in Molecular Neuroscience</i> , 2020, 13, 8.	1.4	4
26	Effectiveness of dulaglutide vs liraglutide and exenatide once-weekly. A real-world study and meta-analysis of observational studies. <i>Metabolism: Clinical and Experimental</i> , 2020, 106, 154190.	1.5	20
27	Effectiveness of Dulaglutide in the Real World and in Special Populations of Type 2 Diabetic Patients. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, e2617-e2625.	1.8	17
28	Diabete e COVID-19: spunti di riflessione durante la pandemia da SARS-CoV2. <i>Il Diabete</i> , 2020, 32, .	0.0	0
29	Fixed versus flexible combination of GLPâ€1 receptor agonists with basal insulin in type 2 diabetes: A retrospective multicentre comparative effectiveness study. <i>Diabetes, Obesity and Metabolism</i> , 2019, 21, 2542-2552.	2.2	19
30	Uric acid within the â€normalâ€ range predict 9-year cardiovascular mortality in older individuals. The InCHIANTI study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2019, 29, 1061-1067.	1.1	15
31	Improved long-term cardiovascular outcomes after intensive versus standard screening of diabetic complications: an observational study. <i>Cardiovascular Diabetology</i> , 2019, 18, 117.	2.7	11
32	Paraoxonase-1 activities in individuals with different HDL circulating levels: Implication in reverse cholesterol transport and early vascular damage. <i>Atherosclerosis</i> , 2019, 285, 64-70.	0.4	27
33	Low-grade systemic inflammation is associated with functional disability in elderly people affected by dementia. <i>GeroScience</i> , 2018, 40, 61-69.	2.1	21
34	Genetic Variants in <i>HSD17B3</i> , <i>SMAD3</i> , and <i>IPO11</i> Impact Circulating Lipids in Response to Fenofibrate in Individuals With Type 2 Diabetes. <i>Clinical Pharmacology and Therapeutics</i> , 2018, 103, 712-721.	2.3	30
35	Modulation of GLP-1 Levels by a Genetic Variant That Regulates the Cardiovascular Effects of Intensive Glycemic Control in ACCORD. <i>Diabetes Care</i> , 2018, 41, 348-355.	4.3	16
36	Genetic Tools for Coronary Risk Assessment in Type 2 Diabetes: A Cohort Study From the ACCORD Clinical Trial. <i>Diabetes Care</i> , 2018, 41, 2404-2413.	4.3	32

#	ARTICLE	IF	CITATIONS
37	Lower Plasma Klotho Concentrations Are Associated with Vascular Dementia but Not Late-Onset Alzheimer's Disease. <i>Gerontology</i> , 2018, 64, 414-421.	1.4	27
38	Adipokines levels in HIV infected patients: lipocalin-2 and fatty acid binding protein-4 as possible markers of HIV and antiretroviral therapy-related adipose tissue inflammation. <i>BMC Infectious Diseases</i> , 2018, 18, 10.	1.3	8
39	Gene expression regional differences in human subcutaneous adipose tissue. <i>BMC Genomics</i> , 2017, 18, 202.	1.2	46
40	Obstructive Sleep Apnea syndrome in obese patients: Effects on metabolic and cardiovascular profile and impact of 6 months of behavioural therapy. <i>Atherosclerosis</i> , 2017, 263, e157-e158.	0.4	0
41	Gene expression profiling of gluteal adipose tissue after prolonged bedrest. <i>Atherosclerosis</i> , 2017, 263, e248-e249.	0.4	0
42	Gene expression regional differences in human subcutaneous adipose tissue. <i>Atherosclerosis</i> , 2017, 263, e249.	0.4	0
43	Effect of 14 days of experimental horizontal bed rest on circulating levels of irisin. <i>Atherosclerosis</i> , 2017, 263, e249.	0.4	0
44	Increase in apolipoprotein-A2 Levels is associated with lower cardiovascular risk in the accord lipid trial. <i>Atherosclerosis</i> , 2017, 263, e43.	0.4	0
45	Dietary composition may influence Nesfatin-1 plasma concentration in humans. <i>Atherosclerosis</i> , 2017, 263, e166.	0.4	1
46	Interleukin-6 α Trans-Signaling and Ischemic Vascular Disease: The Important Role of Soluble gp130. <i>Mediators of Inflammation</i> , 2017, 2017, 1-6.	1.4	31
47	Computerized cognitive training and brain derived neurotrophic factor during bed rest: mechanisms to protect individual during acute stress. <i>Aging</i> , 2017, 9, 393-407.	1.4	11
48	Combining LDL-C and HDL-C to predict survival in late life: The InChianti study. <i>PLoS ONE</i> , 2017, 12, e0185307.	1.1	14
49	Variants in ANGPTL4 and the Risk of Coronary Artery Disease. <i>New England Journal of Medicine</i> , 2016, 375, 2303-2306.	13.9	18
50	Age-related differences in plasma BDNF levels after prolonged bed rest. <i>Journal of Applied Physiology</i> , 2016, 120, 1118-1123.	1.2	17
51	Genetic Predictors of Cardiovascular Mortality During Intensive Glycemic Control in Type 2 Diabetes: Findings From the ACCORD Clinical Trial. <i>Diabetes Care</i> , 2016, 39, 1915-1924.	4.3	47
52	Disease Progression in HIV Late Presenters: the Role of HIV Clinical Indicator Diseases Prior to HIV Diagnosis. <i>Current HIV Research</i> , 2016, 14, 346-353.	0.2	0
53	Brain-Derived Neurotrophic Factor Plasma Levels: Relationship With Dementia and Diabetes in the Elderly Population. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2015, 70, 294-302.	1.7	58
54	Insulin resistance and systemic inflammation, but not metabolic syndrome phenotype, predict 9 years mortality in older adults. <i>Atherosclerosis</i> , 2014, 235, 538-545.	0.4	24

#	ARTICLE	IF	CITATIONS
55	Determinants and clinical significance of plasma oxidized LDLs in older individuals. A 9 years follow-up study. <i>Atherosclerosis</i> , 2013, 226, 201-207.	0.4	25
56	PPAR α Pro12Ala and ACE ID polymorphisms are associated with BMI and fat distribution, but not metabolic syndrome. <i>Cardiovascular Diabetology</i> , 2011, 10, 112.	2.7	39
57	First Case of 2 Intraductal Papillary Mucinous Tumors of Both Ventral and Dorsal Ducts in Pancreas Divisum. <i>Pancreas</i> , 2010, 39, 110-111.	0.5	8
58	Lung cancer presenting with gastrointestinal symptoms: A tricky diagnosis. <i>Digestive and Liver Disease</i> , 2010, 42, 527-528.	0.4	0