Tamas Szakmany

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8920166/publications.pdf

Version: 2024-02-01

87723 24179 12,949 155 38 110 citations h-index g-index papers 167 167 167 15585 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Epidemiology, Patterns of Care, and Mortality for Patients With Acute Respiratory Distress Syndrome in Intensive Care Units in 50 Countries. JAMA - Journal of the American Medical Association, 2016, 315, 788.	3.8	3,568
2	Mortality after surgery in Europe: a 7 day cohort study. Lancet, The, 2012, 380, 1059-1065.	6.3	1,614
3	Elective surgery cancellations due to the COVID-19 pandemic: global predictive modelling to inform surgical recovery plans. British Journal of Surgery, 2020, 107, 1440-1449.	0.1	931
4	Assessment of the worldwide burden of critical illness: the Intensive Care Over Nations (ICON) audit. Lancet Respiratory Medicine,the, 2014, 2, 380-386.	5.2	864
5	Noninvasive Ventilation of Patients with Acute Respiratory Distress Syndrome. Insights from the LUNG SAFE Study. American Journal of Respiratory and Critical Care Medicine, 2017, 195, 67-77.	2.5	456
6	Microalbuminuria does not reflect increased systemic capillary permeability in septic shock. Intensive Care Medicine, 2003, 29, 391-395.	3.9	447
7	Fluid challenges in intensive care: the FENICE study. Intensive Care Medicine, 2015, 41, 1529-1537.	3.9	442
8	Global patient outcomes after elective surgery: prospective cohort study in 27 low-, middle- and high-income countries. British Journal of Anaesthesia, 2016, 117, 601-609.	1.5	400
9	Candida bloodstream infections in intensive care units: Analysis of the extended prevalence of infection in intensive care unit study*. Critical Care Medicine, 2011, 39, 665-670.	0.4	342
10	Sepsis in Intensive Care Unit Patients: Worldwide Data From the Intensive Care over Nations Audit. Open Forum Infectious Diseases, 2018, 5, ofy313.	0.4	255
11	Prevalence of phenotypes of acute respiratory distress syndrome in critically ill patients with COVID-19: a prospective observational study. Lancet Respiratory Medicine, the, 2020, 8, 1209-1218.	5 . 2	174
12	Outcome of Hospitalization for COVID-19 in Patients with Interstitial Lung Disease. An International Multicenter Study. American Journal of Respiratory and Critical Care Medicine, 2020, 202, 1656-1665.	2.5	171
13	Effectiveness of a national quality improvement programme to improve survival after emergency abdominal surgery (EPOCH): a stepped-wedge cluster-randomised trial. Lancet, The, 2019, 393, 2213-2221.	6.3	123
14	Being Overweight Is Associated With Greater Survival in ICU Patients. Critical Care Medicine, 2015, 43, 2623-2632.	0.4	113
15	Hemodynamic and respiratory changes during lung recruitment and descending optimal positive end-expiratory pressure titration in patients with acute respiratory distress syndrome*. Critical Care Medicine, 2007, 35, 787-793.	0.4	111
16	Critical care admission following elective surgery was not associated with survival benefit: prospective analysis of data from 27 countries. Intensive Care Medicine, 2017, 43, 971-979.	3.9	108
17	Effect of Lower Tidal Volume Ventilation Facilitated by Extracorporeal Carbon Dioxide Removal vs Standard Care Ventilation on 90-Day Mortality in Patients With Acute Hypoxemic Respiratory Failure. JAMA - Journal of the American Medical Association, 2021, 326, 1013.	3.8	108
18	Comparison of European ICU patients in 2012 (ICON) versus 2002 (SOAP). Intensive Care Medicine, 2018, 44, 337-344.	3.9	105

#	Article	IF	Citations
19	Epidemiology of intra-abdominal infection and sepsis in critically ill patients: "AbSeSâ€; a multinational observational cohort study and ESICM Trials Group Project. Intensive Care Medicine, 2019, 45, 1703-1717.	3.9	103
20	Microbe-Specific Unconventional T Cells Induce Human Neutrophil Differentiation into Antigen Cross-Presenting Cells. Journal of Immunology, 2014, 193, 3704-3716.	0.4	93
21	Geo-economic variations in epidemiology, patterns of care, and outcomes in patients with acute respiratory distress syndrome: insights from the LUNG SAFE prospective cohort study. Lancet Respiratory Medicine, the, 2017, 5, 627-638.	5.2	93
22	The surgical safety checklist and patient outcomes after surgery: a prospective observational cohort study, systematic review and meta-analysis. British Journal of Anaesthesia, 2018, 120, 146-155.	1.5	92
23	Epidemiology and patterns of tracheostomy practice in patients with acute respiratory distress syndrome in ICUs across 50 countries. Critical Care, 2018, 22, 195.	2.5	91
24	Abdominal infections in the intensive care unit: characteristics, treatment and determinants of outcome. BMC Infectious Diseases, 2014, 14, 420.	1.3	88
25	Immunocompromised patients with acute respiratory distress syndrome: secondary analysis of the LUNG SAFE database. Critical Care, 2018, 22, 157.	2.5	84
26	Effect of early tracheostomy on resource utilization and clinical outcomes in critically ill patients: meta-analysis of randomized controlled trials. British Journal of Anaesthesia, 2015, 114, 396-405.	1.5	81
27	Impact of infection on the prognosis of critically ill cirrhotic patients: results from a large worldwide study. Liver International, 2014, 34, 1496-1503.	1.9	76
28	Spontaneous Breathing in Early Acute Respiratory Distress Syndrome: Insights From the Large Observational Study to UNderstand the Global Impact of Severe Acute Respiratory FailurE Study*. Critical Care Medicine, 2019, 47, 229-238.	0.4	68
29	Use of failure-to-rescue to identify international variation in postoperative care in low-, middle- and high-income countries: a 7-day cohort study of elective surgery. British Journal of Anaesthesia, 2017, 119, 258-266.	1.5	67
30	The influence of allogenic blood transfusion in patients having free-flap primary surgery for oral and oropharyngeal squamous cell carcinoma. British Journal of Cancer, 2006, 94, 647-653.	2.9	63
31	From blood transfusion to patient blood management: a new paradigm for patient care and cost assessment of blood transfusion practice. Internal Medicine Journal, 2012, 42, 332-338.	0.5	58
32	Fluid resuscitation with colloids of different molecular weight in septic shock. Intensive Care Medicine, 2004, 30, 1356-1360.	3.9	57
33	Defining sepsis on the wards: results of a multiâ€centre pointâ€prevalence study comparing two sepsis definitions. Anaesthesia, 2018, 73, 195-204.	1.8	54
34	Risk Factors for 1-Year Mortality and Hospital Utilization Patterns in Critical Care Survivors: A Retrospective, Observational, Population-Based Data Linkage Study*. Critical Care Medicine, 2019, 47, 15-22.	0.4	52
35	N-acetylcysteine for sepsis and systemic inflammatory response in adults. The Cochrane Library, 2018, 2018, CD006616.	1.5	50
36	Understanding and responding to COVID-19 in Wales: protocol for a privacy-protecting data platform for enhanced epidemiology and evaluation of interventions. BMJ Open, 2020, 10, e043010.	0.8	50

3

#	Article	IF	Citations
37	Targeting the TLR Co-Receptor CD14 with TLR2-Derived Peptides Modulates Immune Responses to Pathogens. Science Translational Medicine, 2013, 5, 185ra64.	5.8	49
38	Resolved versus confirmed ARDS after 24Âh: insights from the LUNG SAFE study. Intensive Care Medicine, 2018, 44, 564-577.	3.9	48
39	Reliability of frailty assessment in the critically ill: a multicentre prospective observational study. Anaesthesia, 2019, 74, 758-764.	1.8	43
40	Sepsis Prevalence and Outcome on the General Wards and Emergency Departments in Wales: Results of a Multi-Centre, Observational, Point Prevalence Study. PLoS ONE, 2016, 11, e0167230.	1.1	40
41	Increased glomerular permeability and pulmonary dysfunction following major surgery: correlation of microalbuminuria and PaO2/FiO2ratio. Acta Anaesthesiologica Scandinavica, 2004, 48, 704-710.	0.7	39
42	The impact of extracerebral organ failure on outcome of patients after cardiac arrest: an observational study from the ICON database. Critical Care, 2016, 20, 368.	2.5	38
43	Optimisation of Perioperative Cardiovascular Management to Improve Surgical Outcome II (OPTIMISE II) trial: study protocol for a multicentre international trial of cardiac output-guided fluid therapy with low-dose inotrope infusion compared with usual care in patients undergoing major elective gastrointestinal surgery. BMI Open. 2019. 9, e023455.	0.8	35
44	Microalbuminuria and serum procalcitonin levels following oesophagectomy. European Journal of Anaesthesiology, 2000, 17, 464-465.	0.7	34
45	A study of presbycardia, with gender differences favoring ageing women. International Journal of Cardiology, 2009, 137, 236-245.	0.8	34
46	Soluble Toll-like receptor 2 is a biomarker for sepsis in critically ill patients with multi-organ failure within 12Âh of ICU admission. Intensive Care Medicine Experimental, 2017, 5, 2.	0.9	29
47	Hyperoxemia and excess oxygen use in early acute respiratory distress syndrome: insights from the LUNG SAFE study. Critical Care, 2020, 24, 125.	2.5	29
48	Identifying associations between diabetes and acute respiratory distress syndrome in patients with acute hypoxemic respiratory failure: an analysis of the LUNG SAFE database. Critical Care, 2018, 22, 268.	2.5	28
49	Outcomes of Patients Presenting with Mild Acute Respiratory Distress Syndrome. Anesthesiology, 2019, 130, 263-283.	1.3	28
50	Feasibility of conservative fluid administration and deresuscitation compared with usual care in critical illness: the Role of Active Deresuscitation After Resuscitation-2 (RADAR-2) randomised clinical trial. Intensive Care Medicine, 2022, 48, 190-200.	3.9	28
51	930: IMPROVING MULTIDISCIPLINARY INVOLVEMENT AT THE CRITICAL CARE CONGRESS THROUGH SOCIAL MEDIA. Critical Care Medicine, 2016, 44, 308-308.	0.4	27
52	Effects of volumetric vs. pressure-guided fluid therapy on postoperative inflammatory response: a prospective, randomized clinical trial. Intensive Care Medicine, 2005, 31, 656-663.	3.9	26
53	Nonelective surgery at night and in-hospital mortality. European Journal of Anaesthesiology, 2015, 32, 477-485.	0.7	25
54	Haemodynamic Effects of Lung Recruitment Manoeuvres. BioMed Research International, 2015, 2015, 1-7.	0.9	25

#	Article	IF	Citations
55	Prophylactic N-acetylcysteine decreases serum CRP but not PCT levels and microalbuminuria following major abdominal surgery. A prospective, randomised, double-blinded, placebo-controlled clinical trial. Intensive Care Medicine, 2003, 29, 749-755.	3.9	24
56	Correlation between Extravascular Lung Water and Oxygenation in ALI/ARDS Patients in Septic Shock: Possible Role in the Development of Atelectasis?. Anaesthesia and Intensive Care, 2004, 32, 196-201.	0.2	23
57	Red-flag sepsis and SOFA identifies different patient population at risk of sepsis-related deaths on the general ward. Medicine (United States), 2018, 97, e13238.	0.4	22
58	Lack of Effect of Prophylactic N-acetylcysteine on Postoperative Organ Dysfunction following Major Abdominal Tumour Surgery: A Randomized, Placebo-controlled, Double-blinded Clinical Trial. Anaesthesia and Intensive Care, 2003, 31, 267-271.	0.2	20
59	Effects of IgM-Enriched Immunoglobulin Therapy in Septic-Shock–Induced Multiple Organ Failure: Pilot Study. Journal of Anesthesia, 2013, 27, 618-622.	0.7	20
60	Epidemiology of the First Wave of COVID-19 ICU Admissions in South Walesâ€"The Interplay Between Ethnicity and Deprivation. Frontiers in Medicine, 2020, 7, 569714.	1.2	20
61	Retrospective assessment of βâ€ <scp>d</scp> â€(1,3)â€glucan for presumptive diagnosis of fungal infections. Apmis, 2011, 119, 280-286.	0.9	19
62	Improving compliance with central venous catheter care bundles using electronic records. Nursing in Critical Care, 2015, 20, 196-203.	1.1	19
63	Developing a digital data collection platform to measure the prevalence of sepsis in Wales. Journal of the American Medical Informatics Association: JAMIA, 2016, 23, 1185-1189.	2.2	19
64	The clinical relevance of oliguria in the critically ill patient: analysis of a large observational database. Critical Care, 2020, 24, 171.	2.5	18
65	Use of Procalcitonin during the First Wave of COVID-19 in the Acute NHS Hospitals: A Retrospective Observational Study. Antibiotics, 2021, 10, 516.	1.5	18
66	Sepsis Patients with First and Second-Hit Infections Show Different Outcomes Depending on the Causative Organism. Frontiers in Microbiology, 2016, 7, 207.	1.5	17
67	Insertion rates and complications of central lines in the UK population: A pilot study. Journal of the Intensive Care Society, 2018, 19, 19-25.	1.1	17
68	Development of a Bioinformatics Framework for Identification and Validation of Genomic Biomarkers and Key Immunopathology Processes and Controllers in Infectious and Non-infectious Severe Inflammatory Response Syndrome. Frontiers in Immunology, 2020, 11, 380.	2.2	17
69	Frailty assessed by administrative tools and mortality in patients with pneumonia admitted to the hospital and ICU in Wales. Scientific Reports, 2021, 11, 13407.	1.6	17
70	Procalcitonin Increase Is Associated with the Development of Critical Care-Acquired Infections in COVID-19 ARDS. Antibiotics, 2021, 10, 1425.	1.5	17
71	Use of cisatracurium in critical care: a review of the literature. Minerva Anestesiologica, 2015, 81, 450-60.	0.6	17
72	Skill Development in Graduate Education. Molecular Cell, 2012, 46, 377-381.	4.5	16

#	Article	IF	Citations
73	Lessons Learned From Web- and Social Media-Based Educational Initiatives by Pulmonary, Critical Care, and Sleep Societies. Chest, 2019, 155, 671-679.	0.4	16
74	A worldwide perspective of sepsis epidemiology and survival according to age: Observational data from the ICON audit. Journal of Critical Care, 2019, 51, 122-132.	1.0	16
75	Probiotics for the Prevention of Ventilator-Associated Pneumonia: An Updated Systematic Review and Meta-Analysis of Randomised Controlled Trials. Nutrients, 2022, 14, 1600.	1.7	16
76	Short-Term Effects of N-Acetylcysteine and Ischemic Preconditioning in a Canine Model of Hepatic Ischemia-Reperfusion Injury. European Surgical Research, 2008, 41, 226-230.	0.6	15
77	Improving outcome of sepsis on the ward: introducing the â€~Sepsis Six' bundle. Nursing in Critical Care, 2019, 24, 33-39.	1.1	15
78	Perceived differences between intensivists and infectious diseases consultants facing antimicrobial resistance: a global cross-sectional survey. European Journal of Clinical Microbiology and Infectious Diseases, 2019, 38, 1235-1240.	1.3	15
79	Prospective observational cohort study on grading the severity of postoperative complications in global surgery research. British Journal of Surgery, 2019, 106, e73-e80.	0.1	13
80	Procalcitonin levels do not predict mortality following major abdominal surgery. Canadian Journal of Anaesthesia, 2003, 50, 1082-1083.	0.7	12
81	Microalbuminuria in severe sepsis: timing is difficult, "normal" levels are uncertain. Intensive Care Medicine, 2003, 29, 1395-1395.	3.9	12
82	Immunomodulation in sepsis-why blunting the response doesn't work?. Journal of Infection, 2015, 71, 147-149.	1.7	12
83	Clinical Risk Prediction Scores in Coronavirus Disease 2019: Beware of Low Validity and Clinical Utility., 2020, 2, e0253.		12
84	Sepsis-related deaths in the at-risk population on the wards: attributable fraction of mortality in a large point-prevalence study. BMC Research Notes, 2018, 11, 720.	0.6	10
85	Does transthoracic compared to transhiatal resection alter the early postoperative course of oesophagectomy?. Ecological Management and Restoration, 2005, 18, 155-159.	0.2	9
86	Real World Patterns of Antimicrobial Use and Microbiology Investigations in Patients with Sepsis outside the Critical Care Unit: Secondary Analysis of Three Nation-Wide Point Prevalence Studies. Journal of Clinical Medicine, 2019, 8, 1337.	1.0	9
87	Impact of introducing procalcitonin testing on antibiotic usage in acute NHS hospitals during the first wave of COVID-19 in the UK: a controlled interrupted time series analysis of organization-level data. Journal of Antimicrobial Chemotherapy, 2022, 77, 1189-1196.	1.3	9
88	The PANDORA Study: Prevalence and Outcome of Acute Hypoxemic Respiratory Failure in the Pre-COVID-19 Era., 2022, 4, e0684.		9
89	Issues in biomarker identification, validation and development for disease diagnostics in Public Health. Expert Review of Molecular Diagnostics, 2016, 16, 383-386.	1.5	8
90	Free Open Access Med(ical edu)cation for critical care practitioners. Journal of the Intensive Care Society, 2017, 18, 2-7.	1.1	8

#	Article	IF	Citations
91	A Snapshot of Compliance with the Sepsis Six Care Bundle in Two Acute Hospitals in the West Midlands, UK. Indian Journal of Critical Care Medicine, 2019, 23, 310-315.	0.3	8
92	Discrete-Event Simulation Modeling of Critical Care Flow: New Hospital, Old Challenges. , 2020, 2, e0174.		7
93	Prevalence and Outcomes of Acute Hypoxaemic Respiratory Failure in Wales: The PANDORA-WALES Study. Journal of Clinical Medicine, 2020, 9, 3521.	1.0	7
94	Differences in Inflammatory Marker Kinetics between the First and Second Wave of COVID-19 Patients Admitted to the ICU: A Retrospective, Single-Center Study. Journal of Clinical Medicine, 2021, 10, 3290.	1.0	7
95	Microalbuminuria and serum procalcitonin levels following oesophagectomy. European Journal of Anaesthesiology, 2000, 17, 464-5.	0.7	7
96	Microalbuminuria: timing is everything!. Intensive Care Medicine, 2003, 29, 1394-1394.	3.9	6
97	Sepsis in Wales on the general wards: results of a feasibility pilot. British Journal of Anaesthesia, 2015, 114, 1000-1001.	1.5	6
98	Preventing sepsis. Lancet Infectious Diseases, The, 2015, 15, 1259-1260.	4.6	6
99	Is HELICS the Right Way? Lack of Chest Radiography Limits Ventilator-Associated Pneumonia Surveillance in Wales. Frontiers in Microbiology, 2016, 7, 1271.	1.5	6
100	Introducing a new sedation policy in a large district general hospital: before and after cohort analysis. Anaesthesiology Intensive Therapy, 2019, 51, 4-10.	0.4	6
101	In-hospital clinical outcomes after upper gastrointestinal surgery: Data from an international observational study. European Journal of Surgical Oncology, 2017, 43, 2324-2332.	0.5	5
102	Quality of the discussion of asthma on twitter. Journal of Asthma, 2022, 59, 325-332.	0.9	5
103	Longâ€ŧerm trends in critical care admissions in Wales* *. Anaesthesia, 2021, 76, 1316-1325.	1.8	5
104	The medicolegal landscape through the lens of COVID-19: time for reform. Journal of the Royal Society of Medicine, 2021, 114, 55-59.	1.1	4
105	Growth of the Digital Footprint of the Society of Critical Care Medicine Annual Congress: 2014–2020. , 2020, 2, e0252.		4
106	Intravenous immunoglobulin in sepsis: can we find the right dose?. Minerva Anestesiologica, 2019, 85, 115-117.	0.6	3
107	Comparing the Digital Footprint of Pulmonary and Critical Care Conferences on Twitter. ATS Scholar, 2021, 2, 432-441.	0.5	3
108	947. Critical Care Medicine, 2014, 42, A1588.	0.4	2

#	Article	IF	CITATIONS
109	Preventing sepsis. Lancet Infectious Diseases, The, 2015, 15, 1260.	4.6	2
110	Quality of tracheostomy care is probably as important as timing. British Journal of Anaesthesia, 2016, 116, 301.	1.5	2
111	COVID-19: UK frontline intensivists' emerging learning. Journal of the Intensive Care Society, 2021, 22, 211-213.	1.1	2
112	Four consecutive yearly point-prevalence studies in Wales indicate lack of improvement in sepsis care on the wards. Scientific Reports, 2021, 11, 16222.	1.6	2
113	Factors influencing clinician's coherence with local antimicrobial guidelines in the management of sepsis. Anaesthesiology Intensive Therapy, 2018, 50, 82-84.	0.4	2
114	Haemodynamic monitoring during lung recruitment: ScvO2 or CO?. European Journal of Anaesthesiology, 2005, 22, 174.	0.7	1
115	A Respiratory Centre and Network Model for the Management of Severe Hypoxaemic Respiratory Failure. Journal of the Intensive Care Society, 2011, 12, 158-160.	1.1	1
116	COMPARING THE DIGITAL FOOTPRINTS OF PULMONARY AND CRITICAL CARE CONFERENCES. Chest, 2020, 158, A1302-A1303.	0.4	1
117	Do ventilatory parameters influence outcome in patients with severe acute respiratory infection? Secondary analysis of an international, multicentre14-day inception cohort study. Journal of Critical Care, 2021, 66, 78-85.	1.0	1
118	Microalbuminuria and serum procalcitonin levels following oesophagectomy. European Journal of Anaesthesiology, 2000, 17, 464-465.	0.7	1
119	Noninvasive ventilatory support in COVID-19: operating in the evidence free zone. Minerva Anestesiologica, 2020, 86, 1126-1128.	0.6	1
120	The Baby Boom and later life: is critical care fit for the future?. Anaesthesiology Intensive Therapy, 2017, 49, 441-444.	0.4	1
121	The Use of Different Sepsis Risk Stratification Tools on the Wards and in Emergency Departments Uncovers Different Mortality Risks: Results of the Three Welsh National Multicenter Point-Prevalence Studies., 2021, 3, e0558.		1
122	495. Critical Care Medicine, 2012, 40, 1-328.	0.4	1
123	Size of sepsis in Wales on the general wards: results of a feasibility pilot. British Journal of Anaesthesia, 2015, 115, .	1.5	1
124	Anesthesia and immunomodulation: from basic science to clinical trials. Minerva Anestesiologica, 2020, 86, 126-128.	0.6	1
125	Plasma IgM Levels Differentiate between Survivors and Non-Survivors of Culture-Positive and Culture-Negative Sepsis and SIRS: A Pilot Study. Journal of Clinical Medicine, 2021, 10, 5391.	1.0	1
126	Mechanical ventilation on ECMO: unfinished business. Minerva Anestesiologica, 2015, 81, 1153-5.	0.6	1

#	Article	IF	CITATIONS
127	SARS-CoV-2 infection risk among 77,587 healthcare workers: a national observational longitudinal cohort study in Wales, United Kingdom, April to November 2020. Journal of the Royal Society of Medicine, 0, , 014107682211071.	1.1	1
128	CVP does not reflect changes in preload when optimal PEEP is determined. Critical Care, 2005, 9, P53.	2.5	0
129	Peripheral oedema may not reflect capillary leak in severe sepsis: pilot study. Critical Care, 2005, 9, P413.	2.5	О
130	395. Critical Care Medicine, 2013, 41, A94-A95.	0.4	0
131	357. Critical Care Medicine, 2014, 42, A1446.	0.4	0
132	709. Critical Care Medicine, 2015, 43, 179.	0.4	O
133	901. Critical Care Medicine, 2015, 43, 227.	0.4	O
134	660. Critical Care Medicine, 2015, 43, 166-167.	0.4	0
135	1021. Critical Care Medicine, 2015, 43, 257.	0.4	О
136	TRACHEOSTOMY PRACTICE IN A UK DGH: ARE WE MOVING WITH THE TIMES?. Intensive Care Medicine Experimental, 2015, 3, A932.	0.9	0
137	Preventing sepsis. Nursing Management, 2016, 22, 21-21.	0.1	O
138	49: USE OF SESSION-SPECIFIC HASHTAGS TO ENHANCE THE REACH OF THE CRITICAL CARE CONGRESS IN SOCIAL MEDIA. Critical Care Medicine, 2016, 44, 99-99.	0.4	0
139	105: RISK FACTORS OF 30-DAY AND 1-YEAR MORTALITY IN CRITICAL CARE SURVIVORS IN WALES BETWEEN 2006-2015. Critical Care Medicine, 2016, 44, 104-104.	0.4	O
140	1176: IMMEDIATE COMPLICATIONS OF CVC INSERTIONS: FEASIBILITY PILOT OF A UK NATIONAL AUDIT (ICNAP). Critical Care Medicine, 2016, 44, 369-369.	0.4	0
141	Ventilator-associated events … perhaps not the answer. Journal of the Intensive Care Society, 2017, 18 263-264.	'1.1	O
142	Association between soluble Toll-like receptor 2 concentrations and confirmed diagnosis of sepsis: results of a case-control study. British Journal of Anaesthesia, 2018, 121, e26-e27.	1.5	0
143	Defining the high-risk patient. Journal of Emergency and Critical Care Medicine, 0, 3, 40-40.	0.7	O
144	PTU-017â€Sepsis outcomes in patients with liver disease. , 2019, , .		0

#	Article	IF	CITATIONS
145	HOW RELIABLE ARE THE MOST COMMONLY SHARED ASTHMA LINKS ON TWITTER?. Chest, 2019, 156, A1684-A1685.	0.4	0
146	EXPLORING THE GROWTH OF THE DIGITAL REACH OF THE CHEST CONFERENCE. Chest, 2020, 158, A1335-A133	6.0.4	0
147	Cytokine Blockade in Coronavirus Disease 2019: Keeping an Open Mind. , 2021, 3, e0424.		0
148	Cytokine inhibitors in COVID-19: looking back to move forward. Minerva Anestesiologica, 2021, 87, 848-850.	0.6	0
149	824. Critical Care Medicine, 2012, 40, 1-328.	0.4	0
150	141. Critical Care Medicine, 2012, 40, 1-328.	0.4	0
151	Lung protective ventilation strategies in routine anaesthetic practice: ready for prime time?. OA Anaesthetics, 2013, 1 , .	0.2	0
152	Cisatracurium for acute respiratory distress syndrome: review of current evidence. OA Critical Care, $2013, 1, \ldots$	0.6	0
153	Sepsis outcomes in patients with pre-existing liver disease. Clinical and Experimental Hepatology, 2021, 7, 358-363.	0.6	0
154	Reactive oxygen species metabolites in sepsis: markers and mediators. Minerva Anestesiologica, 2016, 82, 1253-1255.	0.6	0
155	P14 Procalcitonin evaluation of antibiotic use in COVID-19 hospitalized patients during the first wave of COVID-19: the PEACH study. JAC-Antimicrobial Resistance, 2022, 4, .	0.9	O