

# Tamas Szakmany

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/8920166/tamas-szakmany-publications-by-citations.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

127  
papers

8,601  
citations

36  
h-index

92  
g-index

167  
ext. papers

11,212  
ext. citations

6.4  
avg, IF

6.99  
L-index

#	Paper	IF	Citations
127	Epidemiology, Patterns of Care, and Mortality for Patients With Acute Respiratory Distress Syndrome in Intensive Care Units in 50 Countries. <i>JAMA - Journal of the American Medical Association</i> , <b>2016</b> , 315, 788-800	27.4	2131
126	Mortality after surgery in Europe: a 7 day cohort study. <i>Lancet, The</i> , <b>2012</b> , 380, 1059-65	40	1278
125	Assessment of the worldwide burden of critical illness: the intensive care over nations (ICON) audit. <i>Lancet Respiratory Medicine</i> , <b>2014</b> , 2, 380-6	35.1	566
124	Elective surgery cancellations due to the COVID-19 pandemic: global predictive modelling to inform surgical recovery plans. <i>British Journal of Surgery</i> , <b>2020</b> , 107, 1440-1449	5.3	509
123	Microalbuminuria does not reflect increased systemic capillary permeability in septic shock. <i>Intensive Care Medicine</i> , <b>2003</b> , 29, 391-5	14.5	441
122	Fluid challenges in intensive care: the FENICE study: A global inception cohort study. <i>Intensive Care Medicine</i> , <b>2015</b> , 41, 1529-37	14.5	295
121	Noninvasive Ventilation of Patients with Acute Respiratory Distress Syndrome. Insights from the LUNG SAFE Study. <i>American Journal of Respiratory and Critical Care Medicine</i> , <b>2017</b> , 195, 67-77	10.2	269
120	Candida bloodstream infections in intensive care units: analysis of the extended prevalence of infection in intensive care unit study. <i>Critical Care Medicine</i> , <b>2011</b> , 39, 665-70	1.4	265
119	Global patient outcomes after elective surgery: prospective cohort study in 27 low-, middle- and high-income countries. <i>British Journal of Anaesthesia</i> , <b>2016</b> , 117, 601-609	5.4	242
118	Sepsis in Intensive Care Unit Patients: Worldwide Data From the Intensive Care over Nations Audit. <i>Open Forum Infectious Diseases</i> , <b>2018</b> , 5, ofy313	1	120
117	Prevalence of phenotypes of acute respiratory distress syndrome in critically ill patients with COVID-19: a prospective observational study. <i>Lancet Respiratory Medicine</i> , <b>2020</b> , 8, 1209-1218	35.1	98
116	Hemodynamic and respiratory changes during lung recruitment and descending optimal positive end-expiratory pressure titration in patients with acute respiratory distress syndrome. <i>Critical Care Medicine</i> , <b>2007</b> , 35, 787-93	1.4	93
115	TRACHEOSTOMY PRACTICE IN A UK DGH: ARE WE MOVING WITH THE TIMES?. <i>Intensive Care Medicine Experimental</i> , <b>2015</b> , 3, A932	3.7	78
114	CVP does not reflect changes in preload when optimal PEEP is determined. <i>Critical Care</i> , <b>2005</b> , 9, P53	10.8	78
113	Peripheral oedema may not reflect capillary leak in severe sepsis: pilot study. <i>Critical Care</i> , <b>2005</b> , 9, P413	10.8	78
112	Being Overweight Is Associated With Greater Survival in ICU Patients: Results From the Intensive Care Over Nations Audit. <i>Critical Care Medicine</i> , <b>2015</b> , 43, 2623-32	1.4	73
111	Outcome of Hospitalization for COVID-19 in Patients with Interstitial Lung Disease. An International Multicenter Study. <i>American Journal of Respiratory and Critical Care Medicine</i> , <b>2020</b> , 202, 1656-1665	10.2	72

110	Comparison of European ICU patients in 2012 (ICON) versus 2002 (SOAP). <i>Intensive Care Medicine</i> , <b>2018</b> , 44, 337-344	14.5	71
109	Effectiveness of a national quality improvement programme to improve survival after emergency abdominal surgery (EPOCH): a stepped-wedge cluster-randomised trial. <i>Lancet, The</i> , <b>2019</b> , 393, 2213-2221	14.0	70
108	Microbe-specific unconventional T cells induce human neutrophil differentiation into antigen cross-presenting cells. <i>Journal of Immunology</i> , <b>2014</b> , 193, 3704-3716	5.3	69
107	Critical care admission following elective surgery was not associated with survival benefit: prospective analysis of data from 27 countries. <i>Intensive Care Medicine</i> , <b>2017</b> , 43, 971-979	14.5	68
106	Abdominal infections in the intensive care unit: characteristics, treatment and determinants of outcome. <i>BMC Infectious Diseases</i> , <b>2014</b> , 14, 420	4	64
105	Geo-economic variations in epidemiology, patterns of care, and outcomes in patients with acute respiratory distress syndrome: insights from the LUNG SAFE prospective cohort study. <i>Lancet Respiratory Medicine</i> , <b>2017</b> , 5, 627-638	35.1	63
104	Impact of infection on the prognosis of critically ill cirrhotic patients: results from a large worldwide study. <i>Liver International</i> , <b>2014</b> , 34, 1496-503	7.9	58
103	The influence of allogenic blood transfusion in patients having free-flap primary surgery for oral and oropharyngeal squamous cell carcinoma. <i>British Journal of Cancer</i> , <b>2006</b> , 94, 647-53	8.7	54
102	Fluid resuscitation with colloids of different molecular weight in septic shock. <i>Intensive Care Medicine</i> , <b>2004</b> , 30, 1356-60	14.5	54
101	Epidemiology and patterns of tracheostomy practice in patients with acute respiratory distress syndrome in ICUs across 50 countries. <i>Critical Care</i> , <b>2018</b> , 22, 195	10.8	53
100	Effect of early tracheostomy on resource utilization and clinical outcomes in critically ill patients: meta-analysis of randomized controlled trials. <i>British Journal of Anaesthesia</i> , <b>2015</b> , 114, 396-405	5.4	51
99	The surgical safety checklist and patient outcomes after surgery: a prospective observational cohort study, systematic review and meta-analysis. <i>British Journal of Anaesthesia</i> , <b>2018</b> , 120, 146-155	5.4	50
98	Immunocompromised patients with acute respiratory distress syndrome: secondary analysis of the LUNG SAFE database. <i>Critical Care</i> , <b>2018</b> , 22, 157	10.8	49
97	From blood transfusion to patient blood management: a new paradigm for patient care and cost assessment of blood transfusion practice. <i>Internal Medicine Journal</i> , <b>2012</b> , 42, 332-8	1.6	42
96	N-acetylcysteine for sepsis and systemic inflammatory response in adults. <i>The Cochrane Library</i> , <b>2012</b> , CD006616	5.2	42
95	Epidemiology of intra-abdominal infection and sepsis in critically ill patients: "AbSeS", a multinational observational cohort study and ESICM Trials Group Project. <i>Intensive Care Medicine</i> , <b>2019</b> , 45, 1703-1717	14.5	40
94	Spontaneous Breathing in Early Acute Respiratory Distress Syndrome: Insights From the Large Observational Study to UNderstand the Global Impact of Severe Acute Respiratory Failure Study. <i>Critical Care Medicine</i> , <b>2019</b> , 47, 229-238	1.4	38
93	Defining sepsis on the wards: results of a multi-centre point-prevalence study comparing two sepsis definitions. <i>Anaesthesia</i> , <b>2018</b> , 73, 195-204	6.6	37

92	Resolved versus confirmed ARDS after 24h: insights from the LUNG SAFE study. <i>Intensive Care Medicine</i> , <b>2018</b> , 44, 564-577	14.5	36
91	Targeting the TLR co-receptor CD14 with TLR2-derived peptides modulates immune responses to pathogens. <i>Science Translational Medicine</i> , <b>2013</b> , 5, 185ra64	17.5	35
90	A study of presbycardia, with gender differences favoring ageing women. <i>International Journal of Cardiology</i> , <b>2009</b> , 137, 236-45	3.2	30
89	Increased glomerular permeability and pulmonary dysfunction following major surgery: correlation of microalbuminuria and PaO <sub>2</sub> /FiO <sub>2</sub> ratio. <i>Acta Anaesthesiologica Scandinavica</i> , <b>2004</b> , 48, 704-10	1.9	30
88	Sepsis Prevalence and Outcome on the General Wards and Emergency Departments in Wales: Results of a Multi-Centre, Observational, Point Prevalence Study. <i>PLoS ONE</i> , <b>2016</b> , 11, e0167230	3.7	30
87	Risk Factors for 1-Year Mortality and Hospital Utilization Patterns in Critical Care Survivors: A Retrospective, Observational, Population-Based Data Linkage Study. <i>Critical Care Medicine</i> , <b>2019</b> , 47, 15-22	1.4	30
86	Effect of Lower Tidal Volume Ventilation Facilitated by Extracorporeal Carbon Dioxide Removal vs Standard Care Ventilation on 90-Day Mortality in Patients With Acute Hypoxemic Respiratory Failure: The REST Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , <b>2021</b> , 326, 1013-1023	27.4	30
85	Use of failure-to-rescue to identify international variation in postoperative care in low-, middle- and high-income countries: a 7-day cohort study of elective surgery. <i>British Journal of Anaesthesia</i> , <b>2017</b> , 119, 258-266	5.4	29
84	The impact of extracerebral organ failure on outcome of patients after cardiac arrest: an observational study from the ICON database. <i>Critical Care</i> , <b>2016</b> , 20, 368	10.8	27
83	Microalbuminuria and serum procalcitonin levels following oesophagectomy. <i>European Journal of Anaesthesiology</i> , <b>2000</b> , 17, 464-465	2.3	26
82	Reliability of frailty assessment in the critically ill: a multicentre prospective observational study. <i>Anaesthesia</i> , <b>2019</b> , 74, 758-764	6.6	25
81	930: IMPROVING MULTIDISCIPLINARY INVOLVEMENT AT THE CRITICAL CARE CONGRESS THROUGH SOCIAL MEDIA. <i>Critical Care Medicine</i> , <b>2016</b> , 44, 308-308	1.4	24
80	Effects of volumetric vs. pressure-guided fluid therapy on postoperative inflammatory response: a prospective, randomized clinical trial. <i>Intensive Care Medicine</i> , <b>2005</b> , 31, 656-63	14.5	23
79	Outcomes of Patients Presenting with Mild Acute Respiratory Distress Syndrome: Insights from the LUNG SAFE Study. <i>Anesthesiology</i> , <b>2019</b> , 130, 263-283	4.3	21
78	Optimisation of Perioperative Cardiovascular Management to Improve Surgical Outcome II (OPTIMISE II) trial: study protocol for a multicentre international trial of cardiac output-guided fluid therapy with low-dose inotrope infusion compared with usual care in patients undergoing major elective gastrointestinal surgery. <i>BMJ Open</i> , <b>2019</b> , 9, e023455	3	21
77	Correlation between extravascular lung water and oxygenation in ALI/ARDS patients in septic shock: possible role in the development of atelectasis?. <i>Anaesthesia and Intensive Care</i> , <b>2004</b> , 32, 196-201 <sup>1.1</sup>	1.1	20
76	Prophylactic N-acetylcysteine decreases serum CRP but not PCT levels and microalbuminuria following major abdominal surgery. A prospective, randomised, double-blinded, placebo-controlled clinical trial. <i>Intensive Care Medicine</i> , <b>2003</b> , 29, 749-55	14.5	20
75	Nonelective surgery at night and in-hospital mortality: Prospective observational data from the European Surgical Outcomes Study. <i>European Journal of Anaesthesiology</i> , <b>2015</b> , 32, 477-85	2.3	18

74	Lack of effect of prophylactic N-acetylcysteine on postoperative organ dysfunction following major abdominal tumour surgery: a randomized, placebo-controlled, double-blinded clinical trial. <i>Anaesthesia and Intensive Care</i> , <b>2003</b> , 31, 267-71	1.1	18
73	Red-flag sepsis and SOFA identifies different patient population at risk of sepsis-related deaths on the general ward. <i>Medicine (United States)</i> , <b>2018</b> , 97, e13238	1.8	18
72	Understanding and responding to COVID-19 in Wales: protocol for a privacy-protecting data platform for enhanced epidemiology and evaluation of interventions. <i>BMJ Open</i> , <b>2020</b> , 10, e043010	3	17
71	Developing a digital data collection platform to measure the prevalence of sepsis in Wales. <i>Journal of the American Medical Informatics Association: JAMIA</i> , <b>2016</b> , 23, 1185-1189	8.6	15
70	Haemodynamic Effects of Lung Recruitment Manoeuvres. <i>BioMed Research International</i> , <b>2015</b> , 2015, 478970	3	15
69	Retrospective assessment of ID-(1,3)-glucan for presumptive diagnosis of fungal infections. <i>Apmis</i> , <b>2011</b> , 119, 280-6	3.4	15
68	Identifying associations between diabetes and acute respiratory distress syndrome in patients with acute hypoxemic respiratory failure: an analysis of the LUNG SAFE database. <i>Critical Care</i> , <b>2018</b> , 22, 268	10.8	14
67	Use of cisatracurium in critical care: a review of the literature. <i>Minerva Anestesiologica</i> , <b>2015</b> , 81, 450-60	1.9	14
66	Effects of IgM-enriched immunoglobulin therapy in septic-shock-induced multiple organ failure: pilot study. <i>Journal of Anesthesia</i> , <b>2013</b> , 27, 618-22	2.2	13
65	Skill development in graduate education. <i>Molecular Cell</i> , <b>2012</b> , 46, 377-81	17.6	12
64	Short-term effects of N-acetylcysteine and ischemic preconditioning in a canine model of hepatic ischemia-reperfusion injury. <i>European Surgical Research</i> , <b>2008</b> , 41, 226-30	1.1	12
63	Epidemiology of the First Wave of COVID-19 ICU Admissions in South Wales-The Interplay Between Ethnicity and Deprivation. <i>Frontiers in Medicine</i> , <b>2020</b> , 7, 569714	4.9	12
62	Sepsis Patients with First and Second-Hit Infections Show Different Outcomes Depending on the Causative Organism. <i>Frontiers in Microbiology</i> , <b>2016</b> , 7, 207	5.7	12
61	Lessons Learned From Web- and Social Media-Based Educational Initiatives by Pulmonary, Critical Care, and Sleep Societies. <i>Chest</i> , <b>2019</b> , 155, 671-679	5.3	12
60	Improving compliance with central venous catheter care bundles using electronic records. <i>Nursing in Critical Care</i> , <b>2015</b> , 20, 196-203	2.7	11
59	Soluble Toll-like receptor 2 is a biomarker for sepsis in critically ill patients with multi-organ failure within 12h of ICU admission. <i>Intensive Care Medicine Experimental</i> , <b>2017</b> , 5, 2	3.7	10
58	Hyperoxemia and excess oxygen use in early acute respiratory distress syndrome: insights from the LUNG SAFE study. <i>Critical Care</i> , <b>2020</b> , 24, 125	10.8	10
57	Improving outcome of sepsis on the ward: introducing the Sepsis Six Bundle. <i>Nursing in Critical Care</i> , <b>2019</b> , 24, 33-39	2.7	10

56	Procalcitonin levels do not predict mortality following major abdominal surgery. <i>Canadian Journal of Anaesthesia</i> , <b>2003</b> , 50, 1082-3	3	10
55	Perceived differences between intensivists and infectious diseases consultants facing antimicrobial resistance: a global cross-sectional survey. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , <b>2019</b> , 38, 1235-1240	5.3	9
54	The clinical relevance of oliguria in the critically ill patient: analysis of a large observational database. <i>Critical Care</i> , <b>2020</b> , 24, 171	10.8	9
53	Insertion rates and complications of central lines in the UK population: A pilot study. <i>Journal of the Intensive Care Society</i> , <b>2018</b> , 19, 19-25	1.6	9
52	A worldwide perspective of sepsis epidemiology and survival according to age: Observational data from the ICON audit. <i>Journal of Critical Care</i> , <b>2019</b> , 51, 122-132	4	9
51	Real World Patterns of Antimicrobial Use and Microbiology Investigations in Patients with Sepsis outside the Critical Care Unit: Secondary Analysis of Three Nation-Wide Point Prevalence Studies. <i>Journal of Clinical Medicine</i> , <b>2019</b> , 8,	5.1	8
50	Development of a Bioinformatics Framework for Identification and Validation of Genomic Biomarkers and Key Immunopathology Processes and Controllers in Infectious and Non-infectious Severe Inflammatory Response Syndrome. <i>Frontiers in Immunology</i> , <b>2020</b> , 11, 380	8.4	8
49	Microalbuminuria in severe sepsis: timing is difficult, "normal" levels are uncertain. <i>Intensive Care Medicine</i> , <b>2003</b> , 29, 1395-1395	14.5	8
48	Does transthoracic compared to transhiatal resection alter the early postoperative course of oesophagectomy?. <i>Ecological Management and Restoration</i> , <b>2005</b> , 18, 155-9	3	8
47	Clinical Risk Prediction Scores in Coronavirus Disease 2019: Beware of Low Validity and Clinical Utility <b>2020</b> , 2, e0253		8
46	Use of Procalcitonin during the First Wave of COVID-19 in the Acute NHS Hospitals: A Retrospective Observational Study. <i>Antibiotics</i> , <b>2021</b> , 10,	4.9	8
45	Prospective observational cohort study on grading the severity of postoperative complications in global surgery research. <i>British Journal of Surgery</i> , <b>2019</b> , 106, e73-e80	5.3	8
44	Sepsis-related deaths in the at-risk population on the wards: attributable fraction of mortality in a large point-prevalence study. <i>BMC Research Notes</i> , <b>2018</b> , 11, 720	2.3	7
43	Microalbuminuria and serum procalcitonin levels following oesophagectomy. <i>European Journal of Anaesthesiology</i> , <b>2000</b> , 17, 464-5	2.3	7
42	Sepsis in Wales on the general wards: results of a feasibility pilot. <i>British Journal of Anaesthesia</i> , <b>2015</b> , 114, 1000-1	5.4	6
41	Preventing sepsis. <i>Lancet Infectious Diseases</i> , <b>2015</b> , 15, 1259-60	25.5	6
40	Microalbuminuria: timing is everything!. <i>Intensive Care Medicine</i> , <b>2003</b> , 29, 1394; author reply 1395	14.5	6
39	A Snapshot of Compliance with the Sepsis Six Care Bundle in Two Acute Hospitals in the West Midlands, UK. <i>Indian Journal of Critical Care Medicine</i> , <b>2019</b> , 23, 310-315	1.3	6

38	Frailty assessed by administrative tools and mortality in patients with pneumonia admitted to the hospital and ICU in Wales. <i>Scientific Reports</i> , <b>2021</b> , 11, 13407	4.9	6
37	Prevalence and Outcomes of Acute Hypoxaemic Respiratory Failure in Wales: The PANDORA-WALES Study. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9,	5.1	5
36	Procalcitonin Increase Is Associated with the Development of Critical Care-Acquired Infections in COVID-19 ARDS. <i>Antibiotics</i> , <b>2021</b> , 10,	4.9	4
35	Long-term trends in critical care admissions in Wales*. <i>Anaesthesia</i> , <b>2021</b> , 76, 1316-1325	6.6	4
34	Differences in Inflammatory Marker Kinetics between the First and Second Wave of COVID-19 Patients Admitted to the ICU: A Retrospective, Single-Center Study. <i>Journal of Clinical Medicine</i> , <b>2021</b> , 10,	5.1	4
33	Is HELICS the Right Way? Lack of Chest Radiography Limits Ventilator-Associated Pneumonia Surveillance in Wales. <i>Frontiers in Microbiology</i> , <b>2016</b> , 7, 1271	5.7	4
32	In-hospital clinical outcomes after upper gastrointestinal surgery: Data from an international observational study. <i>European Journal of Surgical Oncology</i> , <b>2017</b> , 43, 2324-2332	3.6	3
31	Growth of the Digital Footprint of the Society of Critical Care Medicine Annual Congress: 2014-2020 <b>2020</b> , 2, e0252		3
30	Insights into the Epidemiology of the First Wave of COVID-19 ICU Admissions in South Wales &ndash; the Interplay between Ethnicity and Deprivation		3
29	The medicolegal landscape through the lens of COVID-19: time for reform. <i>Journal of the Royal Society of Medicine</i> , <b>2021</b> , 114, 55-59	2.3	3
28	947. <i>Critical Care Medicine</i> , <b>2014</b> , 42, A1588	1.4	2
27	Preventing sepsis. <i>Lancet Infectious Diseases</i> , <b>2015</b> , 15, 1260	25.5	2
26	Impact of introducing procalcitonin testing on antibiotic usage in acute NHS hospitals during the first wave of COVID-19 in the UK: a controlled interrupted time series analysis of organization-level data.. <i>Journal of Antimicrobial Chemotherapy</i> , <b>2022</b> ,	5.1	2
25	Factors influencing clinician coherence with local antimicrobial guidelines in the management of sepsis. <i>Anaesthesiology Intensive Therapy</i> , <b>2018</b> , 50, 82-84	1.7	2
24	Discrete-Event Simulation Modeling of Critical Care Flow: New Hospital, Old Challenges <b>2020</b> , 2, e0174		2
23	Quality of tracheostomy care is probably as important as timing. <i>British Journal of Anaesthesia</i> , <b>2016</b> , 116, 301	5.4	1
22	A Respiratory Centre and Network Model for the Management of Severe Hypoxaemic Respiratory Failure. <i>Journal of the Intensive Care Society</i> , <b>2011</b> , 12, 158-160	1.6	1
21	N-acetylcysteine for sepsis and systemic inflammatory response in adults <b>2007</b> ,		1

20	Haemodynamic monitoring during lung recruitment: ScvO2 or CO?. <i>European Journal of Anaesthesiology</i> , <b>2005</b> , 22, 174	2.3	1
19	Introducing a new sedation policy in a large district general hospital: before and after cohort analysis. <i>Anaesthesiology Intensive Therapy</i> , <b>2019</b> , 51, 4-10	1.7	1
18	Microalbuminuria and serum procalcitonin levels following oesophagectomy. <i>European Journal of Anaesthesiology</i> , <b>2000</b> , 17, 464-465	2.3	1
17	Four consecutive yearly point-prevalence studies in Wales indicate lack of improvement in sepsis care on the wards. <i>Scientific Reports</i> , <b>2021</b> , 11, 16222	4.9	1
16	Comparing the Digital Footprint of Pulmonary and Critical Care Conferences on Twitter. <i>ATS Scholar</i> , <b>2021</b> , 2, 432-441	1.6	1
15	Feasibility of conservative fluid administration and deresuscitation compared with usual care in critical illness: the Role of Active Deresuscitation After Resuscitation-2 (RADAR-2) randomised clinical trial.. <i>Intensive Care Medicine</i> , <b>2021</b> , 48, 190	14.5	1
14	Quality of the discussion of asthma on twitter. <i>Journal of Asthma</i> , <b>2020</b> , 1-8	1.9	0
13	The Use of Different Sepsis Risk Stratification Tools on the Wards and in Emergency Departments Uncovers Different Mortality Risks: Results of the Three Welsh National Multicenter Point-Prevalence Studies <b>2021</b> , 3, e0558		0
12	COVID-19: UK frontline intensivists' emerging learning. <i>Journal of the Intensive Care Society</i> , <b>2021</b> , 22, 211-213	1.6	0
11	The PANDORA Study: Prevalence and Outcome of Acute Hypoxemic Respiratory Failure in the Pre-COVID-19 Era. <b>2022</b> , 4, e0684		0
10	Defining the high-risk patient. <i>Journal of Emergency and Critical Care Medicine</i> , <b>2019</b> , 3, 40-40	0.6	
9	Association between soluble Toll-like receptor 2 concentrations and confirmed diagnosis of sepsis: results of a case-control study. <i>British Journal of Anaesthesia</i> , <b>2018</b> , 121, e26-e27	5.4	
8	357. <i>Critical Care Medicine</i> , <b>2014</b> , 42, A1446	1.4	
7	Ventilator-associated events [perhaps not the answer]. <i>Journal of the Intensive Care Society</i> , <b>2017</b> , 18, 263-264	1.6	
6	395. <i>Critical Care Medicine</i> , <b>2013</b> , 41, A94-A95	1.4	
5	Sepsis outcomes in patients with pre-existing liver disease.. <i>Clinical and Experimental Hepatology</i> , <b>2021</b> , 7, 358-363	2.2	
4	Cytokine Blockade in Coronavirus Disease 2019: Keeping an Open Mind <b>2021</b> , 3, e0424		
3	Cytokine inhibitors in COVID-19: looking back to move forward. <i>Minerva Anestesiologica</i> , <b>2021</b> , 87, 848-850		



- 2 Do ventilatory parameters influence outcome in patients with severe acute respiratory infection? Secondary analysis of an international, multicentre 14-day inception cohort study. *Journal of Critical Care*, **2021**, 66, 78-85 4
- 1 Reactive oxygen species metabolites in sepsis: markers and mediators. *Minerva Anestesiologica*, **2016**, 82, 1253-1255 1.9