

Karoly Gulya

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/892162/publications.pdf>

Version: 2024-02-01

86
papers

3,372
citations

218677

26
h-index

149698

56
g-index

86
all docs

86
docs citations

86
times ranked

3449
citing authors

#	ARTICLE	IF	CITATIONS
1	Retinopathy induced in mice by targeted disruption of the rhodopsin gene. <i>Nature Genetics</i> , 1997, 15, 216-219.	21.4	552
2	The cholinergic system in Alzheimer's disease. <i>Progress in Neurobiology</i> , 1997, 52, 511-535.	5.7	362
3	Chronic ethanol ingestion decreases vasopressin mRNA in hypothalamic and extrahypothalamic nuclei of mouse brain. <i>Brain Research</i> , 1991, 557, 129-135.	2.2	223
4	Design and synthesis of conformationally constrained somatostatin analogs with high potency and specificity for μ opioid receptors. <i>Journal of Medicinal Chemistry</i> , 1986, 29, 2370-2375.	6.4	189
5	Activated MAO-B in the brain of Alzheimer patients, demonstrated by [^{11}C]-l-deprenyl using whole hemisphere autoradiography. <i>Neurochemistry International</i> , 2011, 58, 60-68.	3.8	171
6	Brain regional specificity and time-course of changes in the NMDA receptor-ionophore complex during ethanol withdrawal. <i>Brain Research</i> , 1991, 547, 130-134.	2.2	112
7	Cholinotoxic Effects of Aluminum in Rat Brain. <i>Journal of Neurochemistry</i> , 1990, 54, 1020-1026.	3.9	107
8	$\hat{\text{I}}^2$ -Amyloid(Phe(SO ^3H) $_{24}$) $_{25}$ in rat nucleus basalis induces behavioral dysfunctions, impairs learning and memory and disrupts cortical cholinergic innervation. <i>Behavioural Brain Research</i> , 1998, 90, 133-145.	2.2	101
9	Conformationally restricted analogs of somatostatin with high μ -opiate receptor specificity.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1985, 82, 236-239.	7.1	100
10	Cyclic somatostatin octapeptide analogues with high affinity and selectivity toward μ opioid receptors. <i>Life Sciences</i> , 1986, 38, 2221-2229.	4.3	92
11	A comparative autoradiography study in post mortem whole hemisphere human brain slices taken from Alzheimer patients and age-matched controls using two radiolabelled DAA1106 analogues with high affinity to the peripheral benzodiazepine receptor (PBR) system. <i>Neurochemistry International</i> , 2009, 54, 28-36.	3.8	66
12	$\hat{\text{I}}^2$ -Amyloid(1 $\hat{\text{A}}^{\text{E}}$ 42) affects cholinergic but not parvalbumin-containing neurons in the septal complex of the rat. <i>Brain Research</i> , 1995, 698, 270-274.	2.2	62
13	The norepinephrine transporter (NET) radioligand (S,S)-[^{18}F]FMeNER-D2 shows significant decreases in NET density in the human brain in Alzheimer's disease: A post-mortem autoradiographic study. <i>Neurochemistry International</i> , 2010, 56, 789-798.	3.8	62
14	Cholinotoxic effects of $\hat{\text{I}}^2$ -amyloid(1 $\hat{\text{A}}^{\text{E}}$ 42) peptide on cortical projections of the rat nucleus basalis magnocellularis. <i>Brain Research</i> , 1995, 695, 71-75.	2.2	61
15	Development of the microglial phenotype in culture. <i>Neuroscience</i> , 2013, 241, 280-295.	2.3	59
16	Central effects of the potent and highly selective $\hat{\text{I}}^{\frac{1}{4}}$ opioid antagonist (CTOP) in mice. <i>European Journal of Pharmacology</i> , 1988, 150, 355-360.	3.5	56
17	Calmodulin, and various ways to regulate its activity. <i>Life Sciences</i> , 2004, 74, 1065-1070.	4.3	46
18	[^3H]AF-DX 116 labels subsets of muscarinic cholinergic receptors in rat brain and heart. <i>Life Sciences</i> , 1987, 41, 1751-1760.	4.3	44

#	ARTICLE	IF	CITATIONS
19	Rosuvastatin enhances anti-inflammatory and inhibits pro-inflammatory functions in cultured microglial cells. <i>Neuroscience</i> , 2016, 314, 47-63.	2.3	43
20	Prodynorphin and vasopressin mRNA levels are differentially affected by chronic ethanol ingestion in the mouse. <i>Molecular Brain Research</i> , 1993, 20, 1-8.	2.3	40
21	AUTEN-67 (Autophagy Enhancer-67) Hampers the Progression of Neurodegenerative Symptoms in a <i>Drosophila</i> model of Huntington's Disease. <i>Journal of Huntington's Disease</i> , 2016, 5, 133-147.	1.9	39
22	The small molecule AUTEN-99 (autophagy enhancer-99) prevents the progression of neurodegenerative symptoms. <i>Scientific Reports</i> , 2017, 7, 42014.	3.3	37
23	Differential calmodulin gene expression in the rodent brain. <i>Life Sciences</i> , 2002, 70, 2829-2855.	4.3	33
24	Protective Effects of a Phosphatidylcholine-Enriched Diet in Lipopolysaccharide-Induced Experimental Neuroinflammation in the Rat. <i>Shock</i> , 2011, 36, 458-465.	2.1	30
25	Somatostatin analogs with affinity for opiate receptors in rat brain binding assay. <i>Peptides</i> , 1985, 6, 159-163.	2.4	28
26	Differential Distribution and Intracellular Targeting of mRNAs Corresponding to the Three Calmodulin Genes in Rat Brain: A Quantitative In Situ Hybridization Study. <i>Journal of Histochemistry and Cytochemistry</i> , 1999, 47, 583-600.	2.5	28
27	The opioid system in neurologic and psychiatric disorders and in their experimental models. , 1990, 46, 395-428.		27
28	The Role of Arginine Vasopressin in Alcohol Tolerance. <i>Annals of Medicine</i> , 1990, 22, 269-274.	3.8	26
29	Postnatal Development of the Acetylcholine System in Different Parts of the Rat Cerebellum. <i>Journal of Neurochemistry</i> , 1982, 39, 1726-1732.	3.9	24
30	A novel pleiotropic effect of aspirin: Beneficial regulation of pro- and anti-inflammatory mechanisms in microglial cells. <i>Brain Research Bulletin</i> , 2017, 132, 61-74.	3.0	24
31	A New Quantitative Film Autoradiographic Method of Quantifying mRNA Transcripts for In Situ Hybridization. <i>Journal of Histochemistry and Cytochemistry</i> , 1998, 46, 1141-1149.	2.5	23
32	Autoradiographic localization of [³ H][MePhe ³ ,D-Pro ⁴]morphiceptin ([³ H]PL017) to μ opioid receptors in rat brain. <i>European Journal of Pharmacology</i> , 1987, 133, 351-352.	3.5	22
33	Analgesic and tolerance-inducing effects of the highly selective μ opioid agonist enkephalin in mice. <i>European Journal of Pharmacology</i> , 1988, 150, 347-353.	3.5	22
34	Conformationally restricted cyclic analogues of substance P: Insight into the receptor binding process. <i>Biochemical and Biophysical Research Communications</i> , 1985, 127, 656-662.	2.1	21
35	Partial depletion of endogenous zinc level by (D-Pen ² ,D-Pen ⁵) enkephalin in the rat brain. <i>Life Sciences</i> , 1991, 48, PL57-PL62.	4.3	18
36	Posts ischemic calmodulin gene expression in the rat hippocampus. <i>Life Sciences</i> , 2001, 68, 2373-2381.	4.3	18

#	ARTICLE	IF	CITATIONS
37	Modulation of the Acetylcholine System in the Superior Cervical Ganglion of Rat: Effects of GABA and Hypoglossal Nerve Implantation After In Vivo GABA Treatment. <i>Journal of Neurochemistry</i> , 1985, 44, 1363-1372.	3.9	17
38	Autoradiographic localization of $\hat{\nu}$ opioid receptors in the rat brain using a highly selective bis-penicillamine cyclic enkephalin analog. <i>European Journal of Pharmacology</i> , 1985, 111, 285-286.	3.5	17
39	Adult rat hippocampal slices as in vitro models for neurodegeneration: Studies on cell viability and apoptotic processes. <i>Brain Research Bulletin</i> , 2011, 84, 39-44.	3.0	17
40	Water deprivation upregulates the three calmodulin genes in exclusively the supraoptic nucleus of the rat brain. <i>Molecular Brain Research</i> , 1999, 74, 111-116.	2.3	16
41	Multiple calmodulin genes exhibit systematically differential responses to chronic ethanol treatment and withdrawal in several regions of the rat brain. <i>Molecular Brain Research</i> , 2000, 83, 63-71.	2.3	15
42	Transport of muscarinic cholinergic receptors in the sciatic nerve of rat. <i>Neurochemistry International</i> , 1984, 6, 123-126.	3.8	14
43	Changes in acetylcholine content, release and muscarinic receptors in rat hippocampus under cold stress. <i>Life Sciences</i> , 1989, 45, 143-149.	4.3	14
44	Disparate changes in the expression of transient receptor potential vanilloid type 1 receptor mRNA and protein in dorsal root ganglion neurons following local capsaicin treatment of the sciatic nerve in the rat. <i>Neuroscience</i> , 2012, 201, 320-330.	2.3	14
45	Decrease of mGluR5 receptor density goes parallel with changes in enkephalin and substance P immunoreactivity in Huntington's disease: a preliminary investigation in the postmortem human brain. <i>Brain Structure and Function</i> , 2015, 220, 3043-3051.	2.3	14
46	Calmodulin inhibition regulates morphological and functional changes related to the actin cytoskeleton in pure microglial cells. <i>Brain Research Bulletin</i> , 2016, 120, 41-57.	3.0	14
47	Calculation of Maximal Hybridization Capacity (Hmax) for Quantitative In Situ Hybridization: A Case Study for Multiple Calmodulin mRNAs. <i>Journal of Histochemistry and Cytochemistry</i> , 2000, 48, 893-904.	2.5	12
48	Methods for quantification of in situ hybridization signals obtained by film autoradiography and phosphorimaging applied for estimation of regional levels of calmodulin mRNA classes in the rat brain. <i>Brain Research Protocols</i> , 2001, 8, 32-44.	1.6	12
49	Cellular and Molecular Effects of SARS-CoV-2 Linking Lung Infection to the Brain. <i>Frontiers in Immunology</i> , 2021, 12, 730088.	4.8	12
50	The effect of 4-(1-naphthylvinyl)-pyridine on the acetylcholine system and on the number of synaptic vesicles in the central nervous system of the rat. <i>Neurochemistry International</i> , 1982, 4, 185-193.	3.8	11
51	In Vivo Effects of β -Bungarotoxin on the Acetylcholine System in Different Brain Areas of the Rat. <i>Journal of Neurochemistry</i> , 1984, 43, 112-119.	3.9	10
52	Differential expression of multiple calmodulin genes in cells of the white matter of the rat spinal cord. <i>Molecular Brain Research</i> , 2002, 102, 28-34.	2.3	10
53	Ontogeny of calmodulin gene expression in rat brain. <i>Neuroscience</i> , 2002, 114, 301-316.	2.3	9
54	Intracellular Targeting of Calmodulin mRNAs in Primary Hippocampal Cells. <i>Journal of Histochemistry and Cytochemistry</i> , 2003, 51, 541-544.	2.5	9

#	ARTICLE	IF	CITATIONS
55	Repeated 4-aminopyridine seizures reduce parvalbumin content in the medial mammillary nucleus of the rat brain. <i>Molecular Brain Research</i> , 2004, 131, 110-118.	2.3	9
56	Direct projection from the visual associative cortex to the caudate nucleus in the feline brain. <i>Neuroscience Letters</i> , 2011, 503, 52-57.	2.1	8
57	Distribution and binding of 18F-labeled and 125I-labeled analogues of ACI-80, a prospective molecular imaging biomarker of disease: A whole hemisphere post mortem autoradiography study in human brains obtained from Alzheimer's disease patients. <i>Neurochemistry International</i> , 2012, 60, 153-162.	3.8	8
58	Sensitivity of Rodent Microglia to Kynurenines in Models of Epilepsy and Inflammation In Vivo and In Vitro: Microglia Activation Is Inhibited by Kynurenic Acid and the Synthetic Analogue SZR104. <i>International Journal of Molecular Sciences</i> , 2020, 21, 9333.	4.1	8
59	Ultrastructural changes and diffusion of acetylcholine in rat brain after microwave irradiation. <i>Journal of Neuroscience Methods</i> , 1982, 5, 215-220.	2.5	7
60	Calmodulin gene expression in the neural retina of the adult rat. <i>Life Sciences</i> , 2003, 73, 3213-3224.	4.3	7
61	Multiple calmodulin mRNAs are selectively transported to functionally different neuronal and glial compartments in the rat hippocampus. An electron microscopic in situ hybridization study. <i>Life Sciences</i> , 2005, 77, 1405-1415.	4.3	7
62	Differential calmodulin gene expression in the nuclei of the rat midbrain's brain stem region. <i>Acta Histochemica</i> , 2006, 108, 455-462.	1.8	7
63	Immunoblot analysis on whole human hemispheres from normal and Alzheimer diseased brains. <i>Neurochemistry International</i> , 2008, 53, 181-183.	3.8	7
64	Long-term effects of selective immunolesions of cholinergic neurons of the nucleus basalis magnocellularis on the ascending cholinergic pathways in the rat: A model for Alzheimer's disease. <i>Brain Research Bulletin</i> , 2013, 94, 9-16.	3.0	7
65	Kynurenic Acid and Its Analog SZR104 Exhibit Strong Antiinflammatory Effects and Alter the Intracellular Distribution and Methylation Patterns of H3 Histones in Immuno-challenged Microglia-Enriched Cultures of Newborn Rat Brains. <i>International Journal of Molecular Sciences</i> , 2022, 23, 1079.	4.1	7
66	Muscarinic cholinergic components in the carp brain. <i>Neurochemistry International</i> , 1989, 15, 511-516.	3.8	6
67	Muscarinic autoreceptors are differentially affected by selective muscarinic antagonists in rat hippocampus. <i>Neurochemistry International</i> , 1989, 15, 153-156.	3.8	6
68	[d-Pen2,d-Pen5]Enkephalin, a δ opioid agonist, reduces endogenous aluminum content in the rat central nervous system. <i>Neuroscience</i> , 1995, 66, 499-506.	2.3	6
69	Trans-synaptic regulation of calmodulin gene expression after experimentally induced orofacial inflammation and subsequent corticosteroid treatment in the principal sensory and motor trigeminal nuclei of the rat. <i>Neurochemistry International</i> , 2008, 52, 265-271.	3.8	6
70	Pharmacology of a new tritiated endomorphin-2 analog containing the proline mimetic cis-2-aminocyclohexanecarboxylic acid. <i>Peptides</i> , 2011, 32, 722-728.	2.4	6
71	Effects of ischemia on cholinergic neurotransmission and electrolyte content in newborn pig lumbar spinal cord. <i>Life Sciences</i> , 1990, 46, 811-817.	4.3	5
72	Cloning and characterization of rat importin 9: Implication for its neuronal function. <i>Molecular Brain Research</i> , 2005, 139, 103-114.	2.3	5

#	ARTICLE	IF	CITATIONS
73	Synthesis and pharmacological characterization of a novel, highly potent, peptidomimetic $\hat{\mu}$ -opioid radioantagonist, [3H]Tyr-Tic-(2S,3R)- $\hat{\mu}$ -MePhe-Phe-OH. <i>Neuropeptides</i> , 2008, 42, 57-67.	2.2	5
74	Orofacial skin inflammation increases the number of macrophages in the maxillary subregion of the rat trigeminal ganglion in a corticosteroid-reversible manner. <i>Cell and Tissue Research</i> , 2020, 382, 551-561.	2.9	5
75	Somato-dendritic synapses in the nucleus reticularis thalami of the rat. <i>Acta Biologica Hungarica</i> , 2002, 53, 33-41.	0.7	5
76	Slide-binding characterization and autoradiographic localization of delta opioid receptors in rat and mouse brains with the tetrapeptide antagonist [3H]TIPP. <i>Life Sciences</i> , 1998, 63, 1377-1385.	4.3	4
77	Dithranol abolishes UCH-L1 immunoreactivity in the nerve fibers of the rat orofacial skin. <i>Brain Research</i> , 2006, 1121, 216-220.	2.2	4
78	In Vitro Evidence for Competitive TSPO Binding of the Imaging Biomarker Candidates Vinpocetine and Two Iodinated DAA1106 Analogues in Post Mortem Autoradiography Experiments on Whole Hemisphere Human Brain Slices. <i>Current Radiopharmaceuticals</i> , 2009, 2, 42-48.	0.8	4
79	Epigenetic Consequences of in Utero Exposure to Rosuvastatin: Alteration of Histone Methylation Patterns in Newborn Rat Brains. <i>International Journal of Molecular Sciences</i> , 2021, 22, 3412.	4.1	4
80	Calmodulin gene expression in an immortalized striatal GABAergic cell line. <i>Acta Biologica Hungarica</i> , 2000, 51, 65-71.	0.7	4
81	A comprehensive study on the putative $\hat{\mu}$ -opioid receptor (sub)types using the highly selective $\hat{\mu}$ -antagonist, Tyr-Tic-(2S,3R)- $\hat{\mu}$ -MePhe-Phe-OH. <i>Neurochemistry International</i> , 2011, 59, 192-201.	3.8	3
82	Quantitative morphometric and cell-type-specific population analysis of microglia-enriched cultures subcloned to high purity from newborn rat brains. <i>IBRO Neuroscience Reports</i> , 2021, 10, 119-129.	1.6	3
83	Transport of Muscarinic Cholinergic Marker Protein Activities in Regenerating Sciatic Nerve of Rat. <i>Journal of Neurochemistry</i> , 1989, 53, 179-182.	3.9	2
84	Branching-pattern analysis of the dendritic arborization in the thalamic nuclei of the rat brain. <i>Acta Biologica Hungarica</i> , 2002, 53, 177-186.	0.7	2
85	Effect of a selective μ -opioid agonist, d-pen2-d-pen5 - enkephalin (DPDPE), on grooming and sniffing activity. <i>International Journal of Psychophysiology</i> , 1989, 7, 275-276.	1.0	0
86	Differential regulation of vasopressin gene expression in the hypothalamus of endotoxin-treated 14-day-old rat. <i>Life Sciences</i> , 1999, 65, PL47-PL52.	4.3	0