

# Kevin Kuhlmann Clausen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8921965/publications.pdf>

Version: 2024-02-01

33  
papers

481  
citations

687363

13  
h-index

713466

21  
g-index

37  
all docs

37  
docs citations

37  
times ranked

892  
citing authors

#	ARTICLE	IF	CITATIONS
1	Earlier Arctic springs cause phenological mismatch in long-distance migrants. <i>Oecologia</i> , 2013, 173, 1101-1112.	2.0	72
2	Highly dynamic wintering strategies in migratory geese: Coping with environmental change. <i>Global Change Biology</i> , 2018, 24, 3214-3225.	9.5	45
3	Using dark diversity and plant characteristics to guide conservation and restoration. <i>Journal of Applied Ecology</i> , 2017, 54, 1730-1741.	4.0	38
4	Impact of hunting along the migration corridor of pink-footed geese <i>Anser brachyrhynchus</i> – implications for sustainable harvest management. <i>Journal of Applied Ecology</i> , 2017, 54, 1563-1570.	4.0	26
5	Grazing management can counteract the impacts of climate change-induced sea level rise on salt marsh-dependent waterbirds. <i>Journal of Applied Ecology</i> , 2013, 50, 528-537.	4.0	24
6	Forecasting future drowning of coastal waterbird habitats reveals a major conservation concern. <i>Biological Conservation</i> , 2014, 171, 177-185.	4.1	23
7	Current and Potential Threats to Nordic Duck Populations – A Horizon Scanning Exercise. <i>Annales Zoologici Fennici</i> , 2015, 52, 193-220.	0.6	20
8	Carry-Over or Compensation? The Impact of Winter Harshness and Post-Winter Body Condition on Spring-Fattening in a Migratory Goose Species. <i>PLoS ONE</i> , 2015, 10, e0132312.	2.5	20
9	Foraging ecology and spatial behaviour of the red fox ( <i>Vulpes vulpes</i> ) in a wet grassland ecosystem. <i>Acta Theriologica</i> , 2014, 59, 377-389.	1.1	18
10	Energetic consequences of a major change in habitat use: endangered Brent Geese <i>Branta bernicla hrota</i> losing their main food resource. <i>Ibis</i> , 2012, 154, 803-814.	1.9	17
11	Philopatry in a changing world: response of pink-footed geese <i>Anser brachyrhynchus</i> to the loss of a key autumn staging area due to restoration of Filså Lake, Denmark. <i>Journal of Ornithology</i> , 2016, 157, 229-237.	1.1	16
12	Varying energetic costs of Brent Geese along a continuum from aquatic to agricultural habitats: the importance of habitat-specific energy expenditure. <i>Journal of Ornithology</i> , 2013, 154, 155-162.	1.1	15
13	Regulation of the hunting season as a tool for adaptive harvest management – first results for pink-footed geese <i>Anser brachyrhynchus</i> . <i>Wildlife Biology</i> , 2016, 22, 204-208.	1.4	15
14	Age-ratio bias among hunter-based surveys of Eurasian Wigeon <i>Anas penelope</i> based on wing vs. field samples. <i>Ibis</i> , 2015, 157, 391-395.	1.9	14
15	Maize stubble as foraging habitat for wintering geese and swans in northern Europe. <i>Agriculture, Ecosystems and Environment</i> , 2018, 259, 72-76.	5.3	13
16	Dark diversity reveals importance of biotic resources and competition for plant diversity across habitats. <i>Ecology and Evolution</i> , 2020, 10, 6078-6088.	1.9	13
17	Using integrated population models for insights into monitoring programs: An application using pink-footed geese. <i>Ecological Modelling</i> , 2020, 415, 108869.	2.5	12
18	Crippling ratio: A novel approach to assess hunting-induced wounding of wild animals. <i>Ecological Indicators</i> , 2017, 80, 242-246.	6.3	11

#	ARTICLE	IF	CITATIONS
19	Effects of neckbands on body condition of migratory geese. <i>Journal of Ornithology</i> , 2014, 155, 951-958.	1.1	10
20	What does three years of hunting great cormorants, <i>Phalacrocorax carbo</i> , tell us? Shooting autumn-staging birds as a means of reducing numbers locally. <i>Pest Management Science</i> , 2015, 71, 173-179.	3.4	8
21	Effectiveness of lasers to reduce goose grazing on agricultural grassland. <i>Wildlife Biology</i> , 2019, .	1.4	8
22	Seasonal variation in Eurasian Wigeon <i>Anas penelope</i> sex and age ratios from hunter-based surveys. <i>Journal of Ornithology</i> , 2013, 154, 769-774.	1.1	7
23	Measuring neck collar loss of Pink-footed Geese <i>Anser brachyrhynchus</i> . <i>Bird Study</i> , 2015, 62, 137-140.	1.0	6
24	Relationships between macro-fungal dark diversity and habitat parameters using LiDAR. <i>Fungal Ecology</i> , 2021, 51, 101054.	1.6	6
25	Barnacle goose <i>Branta leucopsis</i> derogation shooting effort in relation to abundance and vulnerable crops. <i>Agriculture, Ecosystems and Environment</i> , 2022, 325, 107746.	5.3	6
26	Body Mass Dynamics of Pink-Footed Geese ( <i>Anser brachyrhynchus</i> ) During Stopover on Autumn Migration in Norway. <i>Waterbirds</i> , 2017, 40, 353-362.	0.3	5
27	Sharing waters: the impact of recreational kayaking on moulting mute swans <i>Cygnus olor</i> . <i>Journal of Ornithology</i> , 2020, 161, 469-479.	1.1	4
28	Where to go goose hunting? Using pattern-oriented modeling to better understand human decision processes. <i>Human Dimensions of Wildlife</i> , 2018, 23, 533-551.	1.8	3
29	On the search for grasslands: long distance dispersal of spring-staging Barnacle Geese ( <i>Branta</i> ) Tj ETQq1 1 0.784314,rgBT /Oyerlock 10	1.1	3
30	Annual survival estimates of Taiga Anser <i>fabalis</i> and Tundra Bean Geese <i>A. serrirostris</i> wintering in The Netherlands, 1967-1987. <i>Journal of Ornithology</i> , 2021, 162, 925-929.	1.1	1
31	Waterfowl grazing on winter wheat: Quantifying yield loss and compensatory growth. <i>Agriculture, Ecosystems and Environment</i> , 2022, 332, 107936.	5.3	1
32	Mark-resight approach as a tool to estimate population size of one of the world's smallest goose populations. <i>Bird Study</i> , 2013, 60, 135-139.	1.0	0
33	Mapping important roost sites for waders to alleviate human-waterbird conflicts in the Danish Wadden Sea. <i>Ocean and Coastal Management</i> , 2022, 223, 106147.	4.4	0