

Irving H Zucker

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8922071/irving-h-zucker-publications-by-year.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

105 papers	1,832 citations	24 h-index	42 g-index
123 ext. papers	2,145 ext. citations	3.6 avg, IF	5.14 L-index

#	Paper	IF	Citations
105	Timeline of Multi-Organ Plasma Extravasation After Bleomycin-Induced Acute Lung Injury.. <i>Frontiers in Physiology</i> , 2022 , 13, 777072	4.6	0
104	Research Opportunities in Autonomic Neural Mechanisms of Cardiopulmonary Regulation: A Report From the National Heart, Lung, and Blood Institute and The National Institutes of Health Office of the Director Workshop.. <i>JACC Basic To Translational Science</i> , 2022 , 7, 265-293	8.7	2
103	Safety and efficacy of renal denervation in patients with heart failure with reduced ejection fraction (HFrEF): A systematic review and meta-analysis.. <i>Heliyon</i> , 2022 , 8, e08847	3.6	1
102	Macrophage activation in stellate ganglia contributes to lung injury-induced arrhythmogenesis in male rats. <i>Acta Physiologica</i> , 2021 , 232, e13657	5.6	1
101	Skeletal Muscle Nrf2 Contributes to Exercise-Evoked Systemic Antioxidant Defense Via Extracellular Vesicular Communication. <i>Exercise and Sport Sciences Reviews</i> , 2021 , 49, 213-222	6.7	1
100	Regulation of Nrf2 signaling pathway in heart failure: Role of extracellular vesicles and non-coding RNAs. <i>Free Radical Biology and Medicine</i> , 2021 , 167, 218-231	7.8	11
99	Extracellular vesicular MicroRNA-27a* contributes to cardiac hypertrophy in chronic heart failure. <i>Journal of Molecular and Cellular Cardiology</i> , 2020 , 143, 120-131	5.8	17
98	Guidelines for animal exercise and training protocols for cardiovascular studies. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2020 , 318, H1100-H1138	5.2	27
97	CORP: Assessing author compliance with data presentation guidelines for manuscript figures. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2020 , 318, H1051-H1058	5.2	0
96	Identification of Cardiac Expression Pattern of Transient Receptor Potential Vanilloid Type 1 (TRPV1) Receptor using a Transgenic Reporter Mouse Model. <i>Neuroscience Letters</i> , 2020 , 737, 135320	3.3	7
95	Quantification of Renal Sympathetic Vasomotion as a Novel End Point for Renal Denervation. <i>Hypertension</i> , 2020 , 76, 1247-1255	8.5	3
94	Functional, proteomic and bioinformatic analyses of Nrf2- and Keap1- null skeletal muscle. <i>Journal of Physiology</i> , 2020 , 598, 5427-5451	3.9	11
93	Overexpression of Central ACE2 (Angiotensin-Converting Enzyme 2) Attenuates the Pressor Response to Chronic Central Infusion of Ang II (Angiotensin II): A Potential Role for Nrf2 (Nuclear Factor [Erythroid-Derived 2]-Like 2). <i>Hypertension</i> , 2020 , 76, 1514-1525	8.5	5
92	Exercise training upregulates Nrf2 protein in the rostral ventrolateral medulla of mice with heart failure. <i>Journal of Applied Physiology</i> , 2019 , 127, 1349-1359	3.7	12
91	Upregulating Nrf2 in the RVLM ameliorates sympatho-excitation in mice with chronic heart failure. <i>Free Radical Biology and Medicine</i> , 2019 , 141, 84-92	7.8	17
90	Sympathoexcitation in response to cardiac and pulmonary afferent stimulation of TRPA1 channels is attenuated in rats with chronic heart failure. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2019 , 316, H862-H872	5.2	4
89	TRPV1 (Transient Receptor Potential Vanilloid 1) Cardiac Spinal Afferents Contribute to Hypertension in Spontaneous Hypertensive Rat. <i>Hypertension</i> , 2019 , 74, 910-920	8.5	7

88	Muscle Sensory Dysfunction in a Rat Model of Peripheral Arterial Disease: the Role of Macrophage Activation in Chronic Limb Pain. <i>FASEB Journal</i> , 2019 , 33, 540.5	0.9	
87	Proteomic and Functional Analyses of Keap1-Nrf2 Pathway in Skeletal Muscle. <i>FASEB Journal</i> , 2019 , 33, 868.30	0.9	1
86	Sympathomodulation in heart failure: A role for stellate ganglia Nrf2. <i>FASEB Journal</i> , 2019 , 33, 564.5	0.9	0
85	Therapeutic Effects of Nrf2 Activation by Bardoxolone Methyl in Chronic Heart Failure. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2019 , 371, 642-651	4.7	29
84	Curcumin improves exercise performance of mice with coronary artery ligation-induced HFrEF: Nrf2 and antioxidant mechanisms in skeletal muscle. <i>Journal of Applied Physiology</i> , 2019 , 126, 477-486	3.7	23
83	Integrative Physiological Aspects of Brain RAS in Hypertension. <i>Current Hypertension Reports</i> , 2018 , 20, 10	4.7	28
82	Myocardial infarction-induced microRNA-enriched exosomes contribute to cardiac Nrf2 dysregulation in chronic heart failure. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2018 , 314, H928-H939	5.2	78
81	Benefits of exercise training on cardiovascular dysfunction: molecular and integrative. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2018 , 315, H1027-H1031	5.2	7
80	Overexpression of Nrf2 Targeting Glutamatergic Neurons in the RVLM Ameliorates Sympathetic Regulation in Mice With Chronic Heart Failure. <i>FASEB Journal</i> , 2018 , 32, 593.3	0.9	
79	Exosomal MicroRNA-27a Passenger Strand Was Upregulated in Chronic Heart Failure. <i>FASEB Journal</i> , 2018 , 32, 903.7	0.9	
78	Superoxide-Dependent Redox Signaling in the Supraoptic Nucleus Is Associated with the Neuroendocrine Response to Water and Electrolyte Imbalance. <i>FASEB Journal</i> , 2018 , 32, 763.1	0.9	
77	TRPA1-Induced Pulmonary Spinal Sympathetic Afferent Activation is Attenuated in Rats with Chronic Heart Failure. <i>FASEB Journal</i> , 2018 , 32, 593.1	0.9	
76	Thoracic TRPV1 Receptor Spinal Afferent Ablation Prevents the Development and Progression of Hypertension in SHR but Not in Ang II-infused Rats. <i>FASEB Journal</i> , 2018 , 32, 885.4	0.9	
75	Bardoxolone activates cardiac Nrf2, increases antioxidant expression and lowers arterial pressure in rats with heart failure. <i>FASEB Journal</i> , 2018 , 32, 903.11	0.9	0
74	Sympatho-excitatory response to pulmonary chemosensitive spinal afferent activation in anesthetized, vagotomized rats. <i>Physiological Reports</i> , 2018 , 6, e13742	2.6	10
73	Cardiac sympathetic afferent reflex control of cardiac function in normal and chronic heart failure states. <i>Journal of Physiology</i> , 2017 , 595, 2519-2534	3.9	33
72	Selective Gene Deletion in the Rostral Ventrolateral Medulla Evokes Hypertension and Sympathoexcitation in Mice. <i>Hypertension</i> , 2017 , 69, 1198-1206	8.5	39
71	Central TrkB blockade attenuates ICV angiotensin II-hypertension and sympathetic nerve activity in male Sprague-Dawley rats. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2017 , 205, 77-86	2.4	8

70	A day of immersive physiology experiments increases knowledge and excitement towards physiology and scientific careers in Native American students. <i>American Journal of Physiology - Advances in Physiology Education</i> , 2017 , 41, 137-144	1.9	5
69	Eppur Si Muove: The dynamic nature of physiological control of renal blood flow by the renal sympathetic nerves. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2017 , 204, 17-24	2.4	8
68	Therapeutic microRNA-based strategies in cardiovascular disease discriminate sex and age difference. <i>Journal of Physiology</i> , 2016 , 594, 5731-5732	3.9	1
67	Renal nerves dynamically regulate renal blood flow in conscious, healthy rabbits. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2016 , 310, R156-66	3.2	4
66	Exercise training normalizes renal blood flow responses to acute hypoxia in experimental heart failure: role of the β -adrenergic receptor. <i>Journal of Applied Physiology</i> , 2016 , 120, 334-43	3.7	4
65	Horizontal gene transfer from macrophages to ischemic muscles upon delivery of naked DNA with Pluronic block copolymers. <i>Biomaterials</i> , 2016 , 75, 58-70	15.6	9
64	Influence of brain-derived neurotrophic factor-tyrosine receptor kinase B signalling in the nucleus tractus solitarius on baroreflex sensitivity in rats with chronic heart failure. <i>Journal of Physiology</i> , 2016 , 594, 5711-25	3.9	16
63	Data on macrophage mediated muscle transfection upon delivery of naked plasmid DNA with block copolymers. <i>Data in Brief</i> , 2016 , 7, 1269-82	1.2	
62	Central Angiotensin-II Increases Blood Pressure and Sympathetic Outflow via Rho Kinase Activation in Conscious Rabbits. <i>Hypertension</i> , 2016 , 68, 1271-1280	8.5	19
61	Modulation of angiotensin II signaling following exercise training in heart failure. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2015 , 308, H781-91	5.2	30
60	Exercise training attenuates chemoreflex-mediated reductions of renal blood flow in heart failure. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2015 , 309, H259-66	5.2	15
59	Central mechanisms for exercise training-induced reduction in sympatho-excitation in chronic heart failure. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2015 , 188, 44-50	2.4	33
58	BDNF contributes to angiotensin II-mediated reductions in peak voltage-gated K ⁺ current in cultured CATH.a cells. <i>Physiological Reports</i> , 2015 , 3, e12598	2.6	14
57	Glutamatergic receptor dysfunction in spinal cord contributes to the exaggerated exercise pressor reflex in heart failure. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2015 , 308, H447-53	5.2	5
56	Renal Denervation Increases Renal Blood Flow Variability in Conscious Rabbits. <i>FASEB Journal</i> , 2015 , 29, 658.6	0.9	
55	Potassium Channel Dysfunction in Dorsal Root Ganglia Contributes to the Exaggerated Exercise Pressor Reflex in Heart Failure. <i>FASEB Journal</i> , 2015 , 29, 827.1	0.9	
54	The American Journal of Physiology-Heart and Circulatory Physiology: a long history, a bright future. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2014 , 306, H1103-4	5.2	3
53	Cardiac sympathetic afferent denervation attenuates cardiac remodeling and improves cardiovascular dysfunction in rats with heart failure. <i>Hypertension</i> , 2014 , 64, 745-55	8.5	121

52	Disruption of cardiovascular circadian rhythms in mice post myocardial infarction: relationship with central angiotensin II receptor expression. <i>Physiological Reports</i> , 2014 , 2, e12210	2.6	6
51	The central renin-angiotensin system and sympathetic nerve activity in chronic heart failure. <i>Clinical Science</i> , 2014 , 126, 695-706	6.5	89
50	Activation of central angiotensin type 2 receptors by compound 21 improves arterial baroreflex sensitivity in rats with heart failure. <i>American Journal of Hypertension</i> , 2014 , 27, 1248-56	2.3	43
49	Interaction between angiotensin II (AngII) and brain-derived neurotrophic factor (BDNF) in modulating K ⁺ currents. <i>FASEB Journal</i> , 2013 , 27, lb834	0.9	
48	The Exaggerated Exercise Pressor Reflex in Heart Failure: MAPK Activation in Peripheral Dorsal Root Ganglia. <i>FASEB Journal</i> , 2013 , 27, 1118.9	0.9	
47	Unilateral renal denervation (DNx) improves autonomic balance in conscious rabbits with chronic heart failure (CHF). <i>FASEB Journal</i> , 2013 , 27, 927.16	0.9	
46	Central Rho kinase inhibition improves baroreflex gain and cardiac autonomic balance in conscious rabbits with CHF. <i>FASEB Journal</i> , 2013 , 27, lb843	0.9	
45	Cross-talk between central ACE/ACE2 and RhoA/ROCKII Pathways in Chronic Heart Failure.. <i>FASEB Journal</i> , 2013 , 27, lb839	0.9	
44	Neurohumoral stimulation. <i>Heart Failure Clinics</i> , 2012 , 8, 87-99	3.3	81
43	Mas receptor in the RVLM mediates sympatho-inhibitory effect in mice with ACE2 overexpression during heart failure. <i>FASEB Journal</i> , 2012 , 26, lb797	0.9	
42	Spinal Cord GABA Receptors Inhibit the Exercise Pressor Reflex in Decerebrate Rats. <i>FASEB Journal</i> , 2012 , 26, 1087.6	0.9	
41	Simvastatin Treatment Attenuates Increased Respiratory Variability and Apnea/Hypopnea Index in Rats with Congestive Heart Failure. <i>FASEB Journal</i> , 2012 , 26, lb829	0.9	
40	Blunted Arterial Baroreflex Sensitivity: A Contributor to Hypertension in Angiotensin Type 2 Receptor Knockout Mice. <i>FASEB Journal</i> , 2012 , 26, 893.7	0.9	
39	Rho Kinase Inhibition Lowers Sympathetic Nerve Activity in Conscious Rabbits with Chronic Heart Failure. <i>FASEB Journal</i> , 2012 , 26, 703.7	0.9	
38	Differential adrenergic signaling in the regulation of renal blood flow in rats with heart failure. <i>FASEB Journal</i> , 2012 , 26, 1101.7	0.9	
37	Imbalance of Angiotensin Receptor Expression and Function in the Spinal Cord: Potential Mechanism of Sympathetic Overactivity in CHF Rats. <i>FASEB Journal</i> , 2012 , 26, 893.10	0.9	
36	Nonclassical G Protein Coupled Receptor Kinase 5 Regulation of Angiotensin II type 1 Receptor in CATH.a Neurons. <i>FASEB Journal</i> , 2012 , 26, 703.9	0.9	
35	Alteration in Skeletal Muscle Afferents in Rats with Chronic Heart Failure. <i>FASEB Journal</i> , 2011 , 25, 1054.10	0.9	

34	Central angiotensin type 2 receptor stimulation reduces blood pressure and norepinephrine excretion in conscious normal rats. <i>FASEB Journal</i> , 2010 , 24, 808.6	0.9	
33	p22phox inhibition in Skeletal Muscle Normalizes the Exaggerated Exercise Pressor Reflex in Chronic Heart Failure. <i>FASEB Journal</i> , 2010 , 24, 619.1	0.9	
32	Central angiotensin-converting enzyme 2 overexpression decreases blood pressure and enhances baroreflex function in mice with chronic heart failure. <i>FASEB Journal</i> , 2010 , 24, 809.20	0.9	
31	Intrarenal superoxide dismutase normalizes renal vascular resistance in rabbits with pacing induced heart failure. <i>FASEB Journal</i> , 2010 , 24, 1b710	0.9	
30	Angiotensin II induces upregulation of AT1 receptors via the sequential activation of transcription factors NFkB, Elk-1 and AP-1 in Cath.a cells. <i>FASEB Journal</i> , 2009 , 23, 609.15	0.9	
29	Exercise training normalizes ACE and ACE2 in the brain of rabbits with pacing induced chronic heart failure. <i>FASEB Journal</i> , 2009 , 23, 958.1	0.9	1
28	Selective over expression of central ACE2 prevents baroreflex dysfunction in the chronic heart failure. <i>FASEB Journal</i> , 2009 , 23, 610.2	0.9	
27	Skeletal Muscle Overexpression of SOD Normalizes the Exaggerated Exercise Pressor Reflex in Rats with Heart Failure. <i>FASEB Journal</i> , 2009 , 23, 787.13	0.9	
26	Imbalance of angiotensin type 1 receptor and angiotensin II type 2 receptor in the rostral ventrolateral medulla: potential mechanism for sympathetic overactivity in heart failure. <i>Hypertension</i> , 2008 , 52, 708-14	8.5	96
25	Role of ErbB tyrosine kinase receptors in aging-related cardiac dysfunction. <i>FASEB Journal</i> , 2008 , 22, 1155.2	0.9	
24	Exercise training improves the exercise pressor reflex dysfunction via ameliorating the skeletal muscle oxidative stress in chronic heart failure. <i>FASEB Journal</i> , 2008 , 22, 952.8	0.9	
23	Exercise training normalizes ACE and ACE2 in the brain of rabbits with pacing induced chronic heart failure. <i>FASEB Journal</i> , 2008 , 22, 952.7	0.9	
22	Increased neuronal discharge in the RVLM of rats with chronic heart failure is mediated by AT1R. <i>FASEB Journal</i> , 2008 , 22, 1169.3	0.9	
21	Exercise training and renal denervation attenuate the expression of angiotensin II Type 1 and 2 receptors in rabbits with chronic heart failure. <i>FASEB Journal</i> , 2008 , 22, 159-159	0.9	1
20	Exercise training normalizes sympathetic outflow by central antioxidant mechanisms in rabbits with pacing-induced chronic heart failure. <i>Circulation</i> , 2007 , 115, 3095-102	16.7	117
19	Chronic baroreceptor activation enhances survival in dogs with pacing-induced heart failure. <i>Hypertension</i> , 2007 , 50, 904-10	8.5	114
18	Simvastatin Upregulates the Expression of nNOS and eNOS in Neuronal Cells. <i>FASEB Journal</i> , 2007 , 21, A1267	0.9	
17	Central treatment of simvastatin normalizes sympathetic outflow in CHF rabbits by a nNOS mechanism. <i>FASEB Journal</i> , 2007 , 21, A1267	0.9	

16	Angiotensin II induces AT1 receptor upregulation by oxidative stress and activation of AP1 and NF- κ B in two neuronal cell lines. <i>FASEB Journal</i> , 2007 , 21, A889	0.9	
15	Skeletal muscle superoxide is involved in the enhanced exercise pressor reflex in heart failure rats. <i>FASEB Journal</i> , 2007 , 21, A570	0.9	
14	Novel mechanisms of sympathetic regulation in chronic heart failure. <i>Hypertension</i> , 2006 , 48, 1005-11	8.5	142
13	The Regulation of Sympathetic Outflow in Heart Failure. <i>Annals of the New York Academy of Sciences</i> , 2006 , 940, 431-443	6.5	67
12	Sympathoexcitation in chronic heart failure: Ang II induced inhibition of voltage-gated K ⁺ channel, an in vivo and in vitro study. <i>FASEB Journal</i> , 2006 , 20,	0.9	2
11	The Nasopharyngeal Reflex is Impaired with the Progression of Chronic Heart Failure in Conscious Rabbits. <i>FASEB Journal</i> , 2006 , 20, A1203	0.9	
10	Effect of exercise training on skeletal muscle pressor reflexes in chronic heart failure rats. <i>FASEB Journal</i> , 2006 , 20, A1196	0.9	
9	Heart Rate Variability and Central Angiotensin II Receptors in Heart Failure: Role of Exercise Training. <i>FASEB Journal</i> , 2006 , 20, A393	0.9	
8	The origin of sympathetic outflow in heart failure: the roles of angiotensin II and nitric oxide. <i>Progress in Biophysics and Molecular Biology</i> , 2004 , 84, 217-32	4.7	109
7	Exercise training and sympathetic regulation in experimental heart failure. <i>Exercise and Sport Sciences Reviews</i> , 2004 , 32, 107-11	6.7	51
6	Novel mechanisms of sympatho-excitation in chronic heart failure. <i>Heart Failure Monitor</i> , 2002 , 3, 2-7		26
5	Angiotensin II-nitric oxide interactions in the control of sympathetic outflow in heart failure. <i>Heart Failure Reviews</i> , 2000 , 5, 27-43	5	28
4	Regulation of sympathetic nerve activity in heart failure: a role for nitric oxide and angiotensin II. <i>Circulation Research</i> , 1999 , 84, 417-23	15.7	78
3	Central gain of the cardiac sympathetic afferent reflex in dogs with heart failure. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 1997 , 273, H2664-71	5.2	41
2	Angiotensin II blockade [corrected] enhances baroreflex control of sympathetic outflow in heart failure. <i>Hypertension</i> , 1997 , 29, 564-9	8.5	54
1	Neural control of the circulation in heart failure and coronary ischaemia: introduction. <i>Clinical and Experimental Pharmacology and Physiology</i> , 1996 , 23, 685-7	3	7