Weibin Wu

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8922530/publications.pdf

Version: 2024-02-01

840728 839512 19 383 11 18 citations h-index g-index papers 19 19 19 664 citing authors all docs docs citations times ranked

#	Article	IF	Citations
1	Identifying Non-Linear Association Between Maternal Free Thyroxine and Risk of Preterm Delivery by a Machine Learning Model. Frontiers in Endocrinology, 2022, 13, 817595.	3.5	2
2	Autophagic flux inhibition, apoptosis, and mitochondrial dysfunction in bile acidsâ€induced impairment of human placental trophoblast. Journal of Cellular Physiology, 2022, 237, 3080-3094.	4.1	4
3	Association of Elevated Maternal Serum Total Bile Acids With Low Birth Weight and Intrauterine Fetal Growth Restriction. JAMA Network Open, 2021, 4, e2117409.	5.9	17
4	Association between residential proximity to municipal solid waste incinerator sites and birth outcomes in Shanghai: a retrospective cohort study of births during 2014–2018. International Journal of Environmental Health Research, 2021, , 1-11.	2.7	1
5	Association of Maternal Thyroid Function with Gestational Hypercholanemia. Thyroid, 2021, , .	4.5	1
6	Inflammation-related downregulation of zonula Occludens-1 in fetal membrane contributes to development of prelabor rupture of membranes. Placenta, 2020, 99, 173-179.	1.5	3
7	Chronic activation of FXR-induced liver growth with tissue-specific targeting Cyclin D1. Cell Cycle, 2019, 18, 1784-1797.	2.6	4
8	Identification of microRNA signature in the progression of gestational trophoblastic disease. Cell Death and Disease, 2018, 9, 94.	6.3	23
9	Assessment of the Placenta in Intrauterine Growth Restriction by Diffusion-Weighted Imaging and Proton Magnetic Resonance Spectroscopy: A Pilot Study. Reproductive Sciences, 2017, 24, 575-581.	2.5	24
10	Agonist of farnesoid X receptor protects against bile acid induced damage and oxidative stress in mouse placenta $\hat{a} \in A$ study on maternal cholestasis model. Placenta, 2015, 36, 545-551.	1.5	32
11	Activation of farnesoid X receptor induces RECK expression in mouse liver. Biochemical and Biophysical Research Communications, 2014, 443, 211-216.	2.1	10
12	Dysregulated activation of c-Src in gestational trophoblastic disease contributes to its aggressive progression. Placenta, 2014, 35, 824-830.	1.5	11
13	Activation of farnesoid X receptor attenuates hepatic injury in a murine model of alcoholic liver disease. Biochemical and Biophysical Research Communications, 2014, 443, 68-73.	2.1	93
14	Toll like receptor 2 knockâ€out attenuates carbon tetrachloride (CCl ₄)â€induced liver fibrosis by downregulating MAPK and NFâ€PB signaling pathways. FEBS Letters, 2014, 588, 2095-2100.	2.8	48
15	Bile acids override steatosis in farnesoid X receptor deficient mice in a model of non-alcoholic steatohepatitis. Biochemical and Biophysical Research Communications, 2014, 448, 50-55.	2.1	19
16	Fibroblast growth factor 7 inhibits cholesterol 7î±-hydroxylase gene expression in hepatocytes. Biochemical and Biophysical Research Communications, 2012, 423, 775-780.	2.1	11
17	Trihydrophobin 1 Phosphorylation by c-Src Regulates MAPK/ERK Signaling and Cell Migration. PLoS ONE, 2012, 7, e29920.	2.5	21
18	Negative role of trihydrophobin 1 in breast cancer growth and migration. Cancer Science, 2010, 101, 2156-2162.	3.9	7

#	Article	IF	CITATIONS
19	Lectin-Like Oxidized Low-Density Lipoprotein Receptor-1 Delivers Heat Shock Protein 60-Fused Antigen into the MHC Class I Presentation Pathway. Journal of Immunology, 2010, 185, 2306-2313.	0.8	52