

Richard J Mcmanus

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8922662/richard-j-mcmanus-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

187
papers

9,913
citations

36
h-index

97
g-index

204
ext. papers

13,846
ext. citations

5.4
avg, IF

5.83
L-index

#	Paper	IF	Citations
187	2018 ESC/ESH Guidelines for the management of arterial hypertension. <i>European Heart Journal</i> , 2018 , 39, 3021-3104	9.5	3698
186	2018 ESC/ESH Guidelines for the management of arterial hypertension: The Task Force for the management of arterial hypertension of the European Society of Cardiology and the European Society of Hypertension: The Task Force for the management of arterial hypertension of the European Society of Cardiology and the European Society of Hypertension. <i>Journal of Hypertension</i> , 2018 , 36, 1025-1034	1.9	1262
185	Telemonitoring and self-management in the control of hypertension (TASMINH2): a randomised controlled trial. <i>Lancet, The</i> , 2010 , 376, 163-72	4.0	381
184	Blood pressure variability and cardiovascular disease: systematic review and meta-analysis. <i>BMJ, The</i> , 2016 , 354, i4098	5.9	342
183	Cost-effectiveness of options for the diagnosis of high blood pressure in primary care: a modelling study. <i>Lancet, The</i> , 2011 , 378, 1219-30	4.0	237
182	Effect of self-monitoring and medication self-titration on systolic blood pressure in hypertensive patients at high risk of cardiovascular disease: the TASMIN-SR randomized clinical trial. <i>JAMA - Journal of the American Medical Association</i> , 2014 , 312, 799-808	27.4	227
181	Self-monitoring of blood pressure in hypertension: A systematic review and individual patient data meta-analysis. <i>PLoS Medicine</i> , 2017 , 14, e1002389	11.6	222
180	Efficacy of self-monitored blood pressure, with or without telemonitoring, for titration of antihypertensive medication (TASMINH4): an unmasked randomised controlled trial. <i>Lancet, The</i> , 2018 , 391, 949-959	4.0	179
179	Does self-monitoring reduce blood pressure? Meta-analysis with meta-regression of randomized controlled trials. <i>Annals of Medicine</i> , 2010 , 42, 371-86	1.5	175
178	A Universal Standard for the Validation of Blood Pressure Measuring Devices: Association for the Advancement of Medical Instrumentation/European Society of Hypertension/International Organization for Standardization (AAMI/ESH/ISO) Collaboration Statement. <i>Hypertension</i> , 2018 , 71, 368-374	8.5	143
177	The Effect of Self-Monitoring of Blood Pressure on Medication Adherence and Lifestyle Factors: A Systematic Review and Meta-Analysis. <i>American Journal of Hypertension</i> , 2015 , 28, 1209-21	2.3	101
176	Using digital interventions for self-management of chronic physical health conditions: A meta-ethnography review of published studies. <i>Patient Education and Counseling</i> , 2017 , 100, 616-635	3.1	87
175	NICE hypertension guideline 2011: evidence based evolution. <i>BMJ, The</i> , 2012 , 344, e181	5.9	87
174	Using the Person-Based Approach to optimise a digital intervention for the management of hypertension. <i>PLoS ONE</i> , 2018 , 13, e0196868	3.7	84
173	Digital interventions to promote self-management in adults with hypertension systematic review and meta-analysis. <i>Journal of Hypertension</i> , 2016 , 34, 600-12	1.9	75
172	Intervention planning for a digital intervention for self-management of hypertension: a theory-, evidence- and person-based approach. <i>Implementation Science</i> , 2017 , 12, 25	8.4	72
171	Patients' experiences of self-monitoring blood pressure and self-titration of medication: the TASMINH2 trial qualitative study. <i>British Journal of General Practice</i> , 2012 , 62, e135-42	1.6	65

170	A universal standard for the validation of blood pressure measuring devices: Association for the Advancement of Medical Instrumentation/European Society of Hypertension/International Organization for Standardization (AAMI/ESH/ISO) Collaboration Statement. <i>Journal of Hypertension</i> , 2018 , 36, 472-478	1.9	64
169	Recommendations and Practical Guidance for performing and reporting validation studies according to the Universal Standard for the validation of blood pressure measuring devices by the Association for the Advancement of Medical Instrumentation/European Society of Hypertension/International Organization for Standardization (AAMI/ESH/ISO). <i>Journal of Hypertension</i> , 2018 , 36, 472-478	1.9	63
168	Telemonitoring and self-management in the control of hypertension (TASMINH2): a cost-effectiveness analysis. <i>European Journal of Preventive Cardiology</i> , 2014 , 21, 1517-30	3.9	63
167	Self-monitoring blood pressure in hypertension, patient and provider perspectives: A systematic review and thematic synthesis. <i>Patient Education and Counseling</i> , 2016 , 99, 210-9	3.1	59
166	Evidence and Recommendations on the Use of Telemedicine for the Management of Arterial Hypertension: An International Expert Position Paper. <i>Hypertension</i> , 2020 , 76, 1368-1383	8.5	56
165	Lancet Commission on Hypertension group position statement on the global improvement of accuracy standards for devices that measure blood pressure. <i>Journal of Hypertension</i> , 2020 , 38, 21-29	1.9	46
164	Systematic review of near patient test evaluations in primary care. <i>BMJ: British Medical Journal</i> , 1999 , 319, 824-7		45
163	New Approaches in Hypertension Management: a Review of Current and Developing Technologies and Their Potential Impact on Hypertension Care. <i>Current Hypertension Reports</i> , 2019 , 21, 44	4.7	43
162	Home blood pressure telemonitoring in the 21st century. <i>Journal of Clinical Hypertension</i> , 2018 , 20, 1128-1132	2.1	43
161	A protocol for developing, disseminating, and implementing a core outcome set for pre-eclampsia. <i>Pregnancy Hypertension</i> , 2016 , 6, 274-278	2.6	43
160	Prognostic significance of the morning blood pressure surge in clinical practice: a systematic review. <i>American Journal of Hypertension</i> , 2015 , 28, 30-41	2.3	42
159	Benefits and Harms of Antihypertensive Treatment in Low-Risk Patients With Mild Hypertension. <i>JAMA Internal Medicine</i> , 2018 , 178, 1626-1634	11.5	42
158	Cost-Effectiveness of Telemonitoring and Self-Monitoring of Blood Pressure for Antihypertensive Titration in Primary Care (TASMINH4). <i>Hypertension</i> , 2019 , 73, 1231-1239	8.5	41
157	Effect of Antihypertensive Medication Reduction vs Usual Care on Short-term Blood Pressure Control in Patients With Hypertension Aged 80 Years and Older: The OPTIMISE Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 323, 2039-2051	27.4	40
156	Predictors of the Home-Clinic Blood Pressure Difference: A Systematic Review and Meta-Analysis. <i>American Journal of Hypertension</i> , 2016 , 29, 614-25	2.3	39
155	How Do Home and Clinic Blood Pressure Readings Compare in Pregnancy?. <i>Hypertension</i> , 2018 , 72, 686-694	2.4	39
154	Self-Management of Postnatal Hypertension: The SNAP-HT Trial. <i>Hypertension</i> , 2018 , 72, 425-432	8.5	38
153	Different systolic blood pressure targets for people with history of stroke or transient ischaemic attack: PAST-BP (Prevention After Stroke--Blood Pressure) randomised controlled trial. <i>BMJ, The</i> , 2016 , 352, i708	5.9	37

152	Self-Screening and Non-Physician Screening for Hypertension in Communities: A Systematic Review. <i>American Journal of Hypertension</i> , 2015 , 28, 1316-24	2.3	36
151	Home blood pressure monitoring in the 21st century. <i>Journal of Clinical Hypertension</i> , 2018 , 20, 1116-1121	3	36
150	Emergence of Home Blood Pressure-Guided Management of Hypertension Based on Global Evidence. <i>Hypertension</i> , 2019 , HYPERTENSIONAHA11912630	8.5	36
149	The association between prehospital care and in-hospital treatment decisions in acute stroke: a cohort study. <i>Emergency Medicine Journal</i> , 2015 , 32, 93-9	1.5	34
148	Type and accuracy of sphygmomanometers in primary care: a cross-sectional observational study. <i>British Journal of General Practice</i> , 2011 , 61, e598-603	1.6	34
147	Tackling poorly selected, collected, and reported outcomes in obstetrics and gynecology research. <i>American Journal of Obstetrics and Gynecology</i> , 2019 , 220, 71.e1-71.e4	6.4	34
146	Routine failures in the process for blood testing and the communication of results to patients in primary care in the UK: a qualitative exploration of patient and provider perspectives. <i>BMJ Quality and Safety</i> , 2015 , 24, 681-90	5.4	33
145	Blood pressure self-monitoring in pregnancy: examining feasibility in a prospective cohort study. <i>BMC Pregnancy and Childbirth</i> , 2017 , 17, 442	3.2	32
144	Blood pressure self-monitoring in pregnancy (BuMP) feasibility study; a qualitative analysis of women's experiences of self-monitoring. <i>BMC Pregnancy and Childbirth</i> , 2017 , 17, 427	3.2	30
143	Patient self-monitoring of blood pressure and self-titration of medication in primary care: the TASMINH2 trial qualitative study of health professionals' experiences. <i>British Journal of General Practice</i> , 2013 , 63, e378-85	1.6	29
142	How representative of primary care are research active practices? Cross-sectional survey. <i>Family Practice</i> , 2008 , 25, 56-62	1.9	28
141	COVID-19 and hypertension: risks and management. A scientific statement on behalf of the British and Irish Hypertension Society. <i>Journal of Human Hypertension</i> , 2021 , 35, 304-307	2.6	28
140	Home and Online Management and Evaluation of Blood Pressure (HOME BP) using a digital intervention in poorly controlled hypertension: randomised controlled trial. <i>BMJ, The</i> , 2021 , 372, m4858	5.9	28
139	Diagnosis and management of hypertension in adults: NICE guideline update 2019. <i>British Journal of General Practice</i> , 2020 , 70, 90-91	1.6	27
138	Cost-effectiveness of optimizing acute stroke care services for thrombolysis. <i>Stroke</i> , 2014 , 45, 553-62	6.7	27
137	Postpartum management of hypertensive disorders of pregnancy: a systematic review. <i>BMJ Open</i> , 2017 , 7, e018696	3	27
136	Does changing from mercury to electronic blood pressure measurement influence recorded blood pressure? An observational study. <i>British Journal of General Practice</i> , 2003 , 53, 953-6	1.6	27
135	The 2018 ESC/ESH hypertension guideline and the 2019 NICE hypertension guideline, how and why they differ. <i>European Heart Journal</i> , 2019 , 40, 3456-3458	9.5	26

134	Which cuff should I use? Indirect blood pressure measurement for the diagnosis of hypertension in patients with obesity: a diagnostic accuracy review. <i>BMJ Open</i> , 2016 , 6, e012429	3	26
133	Cost-effectiveness of self-management of blood pressure in hypertensive patients over 70 years with suboptimal control and established cardiovascular disease or additional cardiovascular risk diseases (TASMIN-SR). <i>European Journal of Preventive Cardiology</i> , 2016 , 23, 902-12	3.9	25
132	Predicting Out-of-Office Blood Pressure in the Clinic (PROOF-BP): Derivation and Validation of a Tool to Improve the Accuracy of Blood Pressure Measurement in Clinical Practice. <i>Hypertension</i> , 2016 , 67, 941-50	8.5	24
131	A systematic review of primary outcomes and outcome measure reporting in randomized trials evaluating treatments for pre-eclampsia. <i>International Journal of Gynecology and Obstetrics</i> , 2017 , 139, 262-267	4	24
130	Self-monitoring blood pressure in patients with hypertension: an internet-based survey of UK GPs. <i>British Journal of General Practice</i> , 2016 , 66, e831-e837	1.6	23
129	Benefits of Aldosterone Receptor Antagonism in Chronic Kidney Disease (BARACK D) trial-a multi-centre, prospective, randomised, open, blinded end-point, 36-month study of 2,616 patients within primary care with stage 3b chronic kidney disease to compare the efficacy of spironolactone 25mg once daily in addition to standard care on mortality and cardiovascular morbidity	2.8	22
128	Test result communication in primary care: a survey of current practice. <i>BMJ Quality and Safety</i> , 2015 , 24, 691-9	5.4	22
127	Is self monitoring of blood pressure in pregnancy safe and effective?. <i>BMJ, The</i> , 2014 , 349, g6616	5.9	22
126	Decisions and delays within stroke patients' route to the hospital: a qualitative study. <i>Annals of Emergency Medicine</i> , 2015 , 65, 279-287.e3	2.1	21
125	The need for improved identification and accurate classification of stages 3-5 Chronic Kidney Disease in primary care: retrospective cohort study. <i>PLoS ONE</i> , 2014 , 9, e100831	3.7	21
124	Influence of ethnicity on acceptability of method of blood pressure monitoring: a cross-sectional study in primary care. <i>British Journal of General Practice</i> , 2016 , 66, e577-86	1.6	20
123	Understanding how primary care practitioners perceive an online intervention for the management of hypertension. <i>BMC Medical Informatics and Decision Making</i> , 2017 , 17, 5	3.6	20
122	Predicting out-of-office blood pressure level using repeated measurements in the clinic: an observational cohort study. <i>Journal of Hypertension</i> , 2014 , 32, 2171-8; discussion 2178	1.9	20
121	Protocol for a randomised controlled trial of telemonitoring and self-management in the control of hypertension: telemonitoring and self-management in hypertension. [ISRCTN17585681]. <i>BMC Cardiovascular Disorders</i> , 2009 , 9, 6	2.3	20
120	MASKed-unconTrolled hypERTension management based on office BP or on ambulatory blood pressure measurement (MASTER) Study: a randomised controlled trial protocol. <i>BMJ Open</i> , 2018 , 8, e021038	3	20
119	Associations between statins and adverse events in primary prevention of cardiovascular disease: systematic review with pairwise, network, and dose-response meta-analyses. <i>BMJ, The</i> , 2021 , 374, n1537	5.9	20
118	Is the association between blood pressure and mortality in older adults different with frailty? A systematic review and meta-analysis. <i>Age and Ageing</i> , 2019 , 48, 627-635	3	19
117	Accuracy of self-monitored blood pressure for diagnosing hypertension in primary care. <i>Journal of Hypertension</i> , 2015 , 33, 755-62; discussion 762	1.9	19

116	Patients' and clinicians' views on the optimum schedules for self-monitoring of blood pressure: a qualitative focus group and interview study. <i>British Journal of General Practice</i> , 2016 , 66, e819-e830	1.6	19
115	Blood pressure monitoring in high-risk pregnancy to improve the detection and monitoring of hypertension (the BUMP 1 and 2 trials): protocol for two linked randomised controlled trials. <i>BMJ Open</i> , 2020 , 10, e034593	3	19
114	ABPM is best for diagnosing hypertension in primary care. <i>Practitioner</i> , 2011 , 255, 21-3, 2		18
113	Diagnosis and management of resistant hypertension. <i>Heart</i> , 2017 , 103, 1295-1302	5.1	17
112	Modern Management and Diagnosis of Hypertension in the United Kingdom: Home Care and Self-care. <i>Annals of Global Health</i> , 2016 , 82, 274-87	3.3	16
111	Generalizability of Blood Pressure Lowering Trials to Older Patients: Cross-Sectional Analysis. <i>Journal of the American Geriatrics Society</i> , 2020 , 68, 2508-2515	5.6	16
110	Accuracy of automated blood pressure measurements in the presence of atrial fibrillation: systematic review and meta-analysis. <i>Journal of Human Hypertension</i> , 2019 , 33, 352-364	2.6	16
109	Ethnicity and differences between clinic and ambulatory blood pressure measurements. <i>American Journal of Hypertension</i> , 2015 , 28, 729-38	2.3	15
108	A randomised controlled trial of blood pressure self-monitoring in the management of hypertensive pregnancy. OPTIMUM-BP: A feasibility trial. <i>Pregnancy Hypertension</i> , 2019 , 18, 141-149	2.6	15
107	Home blood pressure monitoring: methodology, clinical relevance and practical application: a 2021 position paper by the Working Group on Blood Pressure Monitoring and Cardiovascular Variability of the European Society of Hypertension. <i>Journal of Hypertension</i> , 2021 , 39, 1742-1767	1.9	15
106	What is the evidence base for diagnosing hypertension and for subsequent blood pressure treatment targets in the prevention of cardiovascular disease?. <i>BMC Medicine</i> , 2015 , 13, 256	11.4	14
105	Telemonitoring and/or self-monitoring of blood pressure in hypertension (TASMINH4): protocol for a randomised controlled trial. <i>BMC Cardiovascular Disorders</i> , 2017 , 17, 58	2.3	13
104	Home and Online Management and Evaluation of Blood Pressure (HOME BP) digital intervention for self-management of uncontrolled, essential hypertension: a protocol for the randomised controlled HOME BP trial. <i>BMJ Open</i> , 2016 , 6, e012684	3	13
103	Results and lessons from the Spironolactone To Prevent Cardiovascular Events in Early Stage Chronic Kidney Disease (STOP-CKD) randomised controlled trial. <i>BMJ Open</i> , 2016 , 6, e010519	3	12
102	Using mHealth for the management of hypertension in UK primary care: an embedded qualitative study of the TASMINH4 randomised controlled trial. <i>British Journal of General Practice</i> , 2019 , 69, e612-e620	1.6	12
101	Hypertension referrals from community pharmacy to general practice: multivariate logistic regression analysis of 131 419 patients. <i>British Journal of General Practice</i> , 2018 , 68, e541-e550	1.6	12
100	Accuracy of blood-pressure monitors owned by patients with hypertension (ACCU-RATE study): a cross-sectional, observational study in central England. <i>British Journal of General Practice</i> , 2020 , 70, e548-e554	1.6	11
99	Cost-effectiveness analysis of use of a polypill versus usual care or best practice for primary prevention in people at high risk of cardiovascular disease. <i>PLoS ONE</i> , 2017 , 12, e0182625	3.7	11

98	Guidelines for blood pressure measurement: development over 30 years. <i>Journal of Clinical Hypertension</i> , 2018 , 20, 1089-1091	2.3	11
97	Patients' views about taking a polypill to manage cardiovascular risk: a qualitative study in primary care. <i>British Journal of General Practice</i> , 2015 , 65, e447-53	1.6	11
96	Validation protocols for blood pressure measuring devices: the impact of the European Society of Hypertension International Protocol and the development of a Universal Standard. <i>Blood Pressure Monitoring</i> , 2019 , 24, 163-166	1.3	11
95	Do patients actually do what we ask: patient fidelity and persistence to the Targets and Self-Management for the Control of Blood Pressure in Stroke and at Risk Groups blood pressure self-management intervention. <i>Journal of Hypertension</i> , 2018 , 36, 1753-1761	1.9	10
94	Improving management and effectiveness of home blood pressure monitoring: a qualitative UK primary care study. <i>British Journal of General Practice</i> , 2015 , 65, e776-83	1.6	10
93	Qualitative process study to explore the perceived burdens and benefits of a digital intervention for self-managing high blood pressure in Primary Care in the UK. <i>BMJ Open</i> , 2018 , 8, e020843	3	10
92	The Accuracy in Measurement of Blood Pressure (AIM-BP) collaborative: Background and rationale. <i>Journal of Clinical Hypertension</i> , 2019 , 21, 1780-1783	2.3	10
91	Individual patient data meta-analysis of self-monitoring of blood pressure (BP-SMART): a protocol. <i>BMJ Open</i> , 2015 , 5, e008532	3	9
90	Receptionist rECognition and rEFerral of Patients with Stroke (RECEPTS): unannounced simulated patient telephone call study in primary care. <i>British Journal of General Practice</i> , 2015 , 65, e421-7	1.6	9
89	Do differences in blood pressure between arms matter?. <i>Lancet, The</i> , 2012 , 379, 872-873	40	9
88	Impact of Self-Monitoring of Blood Pressure on Processes of Hypertension Care and Long-Term Blood Pressure Control. <i>Journal of the American Heart Association</i> , 2020 , 9, e016174	6	9
87	Interarm Difference in Systolic Blood Pressure in Different Ethnic Groups and Relationship to the "White Coat Effect": A Cross-Sectional Study. <i>American Journal of Hypertension</i> , 2017 , 30, 884-891	2.3	8
86	Prevalence and costs of treating uncomplicated stage 1 hypertension in primary care: a cross-sectional analysis. <i>British Journal of General Practice</i> , 2014 , 64, e641-8	1.6	8
85	Digital Interventions to Promote Self-Management in Adults With Hypertension: Protocol for Systematic Review and Meta-Analysis. <i>JMIR Research Protocols</i> , 2015 , 4, e133	2	8
84	Peripartum management of hypertension: a position paper of the ESC Council on Hypertension and the European Society of Hypertension. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2020 , 6, 384-393	6.4	8
83	Ambulatory versus home blood pressure monitoring: frequency and determinants of blood pressure difference and diagnostic disagreement. <i>Journal of Hypertension</i> , 2019 , 37, 1974-1981	1.9	8
82	Functional and emotional outcomes after transient ischemic attack: A 12-month prospective controlled cohort study. <i>International Journal of Stroke</i> , 2019 , 14, 522-529	6.3	8
81	Optimising Treatment for Mild Systolic hypertension in the Elderly (OPTiMISE): protocol for a randomised controlled non-inferiority trial. <i>BMJ Open</i> , 2018 , 8, e022930	3	8

80	Measurement of blood pressure for the diagnosis and management of hypertension in different ethnic groups: one size fits all. <i>BMC Cardiovascular Disorders</i> , 2017 , 17, 55	2.3	7
79	Patient use of blood pressure self-screening facilities in general practice waiting rooms: a qualitative study in the UK. <i>British Journal of General Practice</i> , 2017 , 67, e467-e473	1.6	7
78	Are blood pressure level and variability related to pregnancy outcome? Analysis of control of hypertension in pregnancy study data. <i>Pregnancy Hypertension</i> , 2020 , 19, 87-93	2.6	7
77	Current practice of usual clinic blood pressure measurement in people with and without diabetes: a survey and prospective 'mystery shopper' study in UK primary care. <i>BMJ Open</i> , 2018 , 8, e020589	3	7
76	Accuracy of monitors used for blood pressure checks in English retail pharmacies: a cross-sectional observational study. <i>British Journal of General Practice</i> , 2016 , 66, e309-14	1.6	7
75	Impact of Changes to National Hypertension Guidelines on Hypertension Management and Outcomes in the United Kingdom. <i>Hypertension</i> , 2020 , 75, 356-364	8.5	7
74	Patient preferences for management of high blood pressure in the UK: a discrete choice experiment. <i>British Journal of General Practice</i> , 2019 , 69, e629-e637	1.6	7
73	Associations Between Systolic Interarm Differences in Blood Pressure and Cardiovascular Disease Outcomes and Mortality: Individual Participant Data Meta-Analysis, Development and Validation of a Prognostic Algorithm: The INTERPRESS-IPD Collaboration. <i>Hypertension</i> , 2021 , 77, 650-661	8.5	7
72	Current prevalence of self-monitoring of blood pressure during pregnancy: the BUMP Survey. <i>Journal of Hypertension</i> , 2021 , 39, 994-1001	1.9	7
71	Association between antihypertensive treatment and adverse events: systematic review and meta-analysis. <i>BMJ, The</i> , 2021 , 372, n189	5.9	7
70	The impact of status and social context on health service co-design: an example from a collaborative improvement initiative in UK primary care. <i>BMC Medical Research Methodology</i> , 2018 , 18, 136	4.7	7
69	Association of guideline and policy changes with incidence of lifestyle advice and treatment for uncomplicated mild hypertension in primary care: a longitudinal cohort study in the Clinical Practice Research Datalink. <i>BMJ Open</i> , 2018 , 8, e021827	3	7
68	Short-Term Postpartum Blood Pressure Self-Management and Long-Term Blood Pressure Control: A Randomized Controlled Trial. <i>Hypertension</i> , 2021 , 78, 469-479	8.5	7
67	Measurement of blood pressure in people with atrial fibrillation. <i>Journal of Human Hypertension</i> , 2019 , 33, 763-765	2.6	6
66	Circadian Blood Pressure Variations Computed From 1.7 Million Measurements in an Acute Hospital Setting. <i>American Journal of Hypertension</i> , 2019 , 32, 1154-1161	2.3	6
65	Spironolactone to prevent cardiovascular events in early-stage chronic kidney disease (STOP-CKD): study protocol for a randomized controlled pilot trial. <i>Trials</i> , 2014 , 15, 158	2.8	6
64	Protocol for an observation and implementation study investigating optimisation of the management of stroke and transient ischaemic attack (TIA). <i>BMJ Open</i> , 2012 , 2,	3	6
63	Phenotypes of masked hypertension: Isolated ambulatory, isolated home and dual masked hypertension. <i>Journal of Hypertension</i> , 2020 , 38, 218-223	1.9	6

62	Intervention planning and modification of the BUMP intervention: a digital intervention for the early detection of raised blood pressure in pregnancy. <i>Pilot and Feasibility Studies</i> , 2019 , 5, 153	1.9	6
61	The feasibility and acceptability of self-testing for proteinuria during pregnancy: A mixed methods approach. <i>Pregnancy Hypertension</i> , 2018 , 12, 161-168	2.6	6
60	Prospective external validation of the Predicting Out-of-Office Blood Pressure (PROOF-BP) strategy for triaging ambulatory monitoring in the diagnosis and management of hypertension: observational cohort study. <i>BMJ, The</i> , 2018 , 361, k2478	5.9	6
59	Schedules for Self-monitoring Blood Pressure: A Systematic Review. <i>American Journal of Hypertension</i> , 2019 , 32, 350-364	2.3	5
58	Mixed-methods feasibility study of blood pressure self-screening for hypertension detection. <i>BMJ Open</i> , 2019 , 9, e027986	3	5
57	Survey of healthcare professionals regarding adjustment of antihypertensive medication(s) in the postnatal period in women with hypertensive disorders of pregnancy. <i>Pregnancy Hypertension</i> , 2016 , 6, 256-258	2.6	5
56	Cost-effectiveness analysis of different systolic blood pressure targets for people with a history of stroke or transient ischaemic attack: Economic analysis of the PAST-BP study. <i>European Journal of Preventive Cardiology</i> , 2016 , 23, 1590-8	3.9	5
55	Research priorities for pregnancy hypertension: a UK priority setting partnership with the James Lind Alliance. <i>BMJ Open</i> , 2020 , 10, e036347	3	5
54	Optimizing a digital intervention for managing blood pressure in stroke patients using a diverse sample: Integrating the person-based approach and patient and public involvement. <i>Health Expectations</i> , 2021 , 24, 327-340	3.7	5
53	The Importance of Model Structure in the Cost-Effectiveness Analysis of Primary Care Interventions for the Management of Hypertension. <i>Value in Health</i> , 2018 , 21, 351-363	3.3	4
52	Self-monitoring and self-management: new interventions to improve blood pressure control. <i>Current Opinion in Nephrology and Hypertension</i> , 2016 , 25, 502-507	3.5	4
51	Reporting of blood pressure monitor validation studies. <i>Blood Pressure Monitoring</i> , 2018 , 23, 214-215	1.3	4
50	Current and potential providers of blood pressure self-screening: a mixed methods study in Oxfordshire. <i>BMJ Open</i> , 2017 , 7, e013938	3	4
49	The worldwide impact of telemedicine during COVID-19: current evidence and recommendations for the future. 2022 , 1, 7-35		4
48	Exploring the potential for introducing home monitoring of blood pressure during pregnancy into maternity care: current views and experiences of staff-a qualitative study. <i>BMJ Open</i> , 2020 , 10, e037874 ³		4
47	Standardising definitions for the pre-eclampsia core outcome set: A consensus development study. <i>Pregnancy Hypertension</i> , 2020 , 21, 208-217	2.6	4
46	Cost-Effectiveness of Initiating Pharmacological Treatment in Stage One Hypertension Based on 10-Year Cardiovascular Disease Risk: A Markov Modeling Study. <i>Hypertension</i> , 2021 , 77, 682-691	8.5	4
45	Using out-of-office blood pressure measurements in established cardiovascular risk scores: a secondary analysis of data from two blood pressure monitoring studies. <i>British Journal of General Practice</i> , 2019 , 69, e381-e388	1.6	3

44	Acceptability and psychological impact of out-of-office monitoring to diagnose hypertension: an evaluation of survey data from primary care patients. <i>British Journal of General Practice</i> , 2019 , 69, e389-e397	1.6	3
43	Impact of point-of-care tests in community pharmacies: a systematic review and meta-analysis. <i>BMJ Open</i> , 2020 , 10, e034298	3	3
42	Managing cardiovascular disease risk in hypertension. <i>Lancet, The</i> , 2020 , 395, 869-870	4.0	3
41	Adaption, implementation and evaluation of collaborative service improvements in the testing and result communication process in primary care from patient and staff perspectives: a qualitative study. <i>BMC Health Services Research</i> , 2017 , 17, 615	2.9	3
40	Associations between interarm differences in blood pressure and cardiovascular disease outcomes: protocol for an individual patient data meta-analysis and development of a prognostic algorithm. <i>BMJ Open</i> , 2017 , 7, e016844	3	3
39	Reply. <i>Journal of Hypertension</i> , 2020 , 38, 775	1.9	3
38	Deprescribing Antihypertensive Medication in Elderly Adults-Reply. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 324, 1682-1683	27.4	3
37	Defining the relationship between arm and leg blood pressure readings: a systematic review and meta-analysis. <i>Journal of Hypertension</i> , 2019 , 37, 660-670	1.9	3
36	Options for the diagnosis of high blood pressure in primary care: a systematic review and economic model. <i>Journal of Human Hypertension</i> , 2021 , 35, 455-461	2.6	3
35	Prospective Register Of patients undergoing repeated Office and Ambulatory Blood Pressure Monitoring (PROOF-ABPM): protocol for an observational cohort study. <i>BMJ Open</i> , 2016 , 6, e012607	3	2
34	The NHS Health Check programme: a comparison against established standards for screening. <i>British Journal of General Practice</i> , 2014 , 64, 530-1	1.6	2
33	Implementing a digital intervention for managing uncontrolled hypertension in Primary Care: a mixed methods process evaluation. <i>Implementation Science</i> , 2021 , 16, 57	8.4	2
32	"You Probably Won't Notice Any Symptoms": Blood Pressure in Pregnancy-Discourses of Contested Expertise in an Era of Self-Care and Responsibilization. <i>Qualitative Health Research</i> , 2021 , 31, 1632-1644	3.9	2
31	Authors' reply re: Inadequate safety reporting in pre-eclampsia trials: a systematic evaluation. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2019 , 126, 129	3.7	2
30	Effect of Self-monitoring of Blood Pressure on Blood Pressure Control in Pregnant Individuals With Chronic or Gestational Hypertension: The BUMP 2 Randomized Clinical Trial.. <i>JAMA - Journal of the American Medical Association</i> , 2022 , 327, 1666-1678	27.4	2
29	Implementing self-management: a mixed methods study of women's experiences of a postpartum hypertension intervention (SNAP-HT). <i>Trials</i> , 2020 , 21, 508	2.8	1
28	The drugs do work: blood pressure improvement in England. <i>Lancet, The</i> , 2014 , 383, 1868-9	4.0	1
27	The use of ambulatory blood pressure measurement. <i>British Journal of Hospital Medicine (London, England: 2005)</i> , 2015 , 76, 631-7	0.8	1

26	Home Blood Pressure Monitoring for Hypertension Diagnosis by Current Recommendations: A Long Way to Go. <i>Hypertension</i> , 2021 , HYPERTENSIONAHA12118463	8.5	1
25	Home Blood Pressure Telemonitoring: Conventional Approach and Perspectives from Mobile Health Technology. <i>Updates in Hypertension and Cardiovascular Protection</i> , 2020 , 103-119	0.1	1
24	Impact of changes to national guidelines on hypertension-related workload: an interrupted time series analysis in English primary care. <i>British Journal of General Practice</i> , 2021 , 71, e296-e302	1.6	1
23	Home Blood Pressure Monitoring: Cost-Effectiveness, Patients' Preference and Barriers for Clinical Use. <i>Updates in Hypertension and Cardiovascular Protection</i> , 2020 , 79-88	0.1	1
22	The Stroke Prevention Programme: a programme of research to inform optimal stroke prevention in primary care. <i>Programme Grants for Applied Research</i> , 2016 , 4, 1-290	1.5	1
21	The feasibility of the PAM intervention to support treatment-adherence in people with hypertension in primary care: a randomised clinical controlled trial. <i>Scientific Reports</i> , 2021 , 11, 8897	4.9	1
20	Patient experience of home and waiting room blood pressure measurement: a qualitative study of patients with recently diagnosed hypertension. <i>British Journal of General Practice</i> , 2018 , 68, e835-e843	1.6	1
19	Effect of Self-monitoring of Blood Pressure on Diagnosis of Hypertension During Higher-Risk Pregnancy: The BUMP 1 Randomized Clinical Trial.. <i>JAMA - Journal of the American Medical Association</i> , 2022 , 327, 1656-1665	27.4	1
18	Number of measurement days needed for obtaining a reliable estimate of home blood pressure and hypertension status.. <i>Blood Pressure</i> , 2022 , 31, 100-108	1.7	1
17	Which antihypertensive treatment is better for mild to moderate hypertension in pregnancy?. <i>BMJ, The</i> , 2022 , 376, e066333	5.9	0
16	Home Versus Ambulatory Blood Pressure Monitoring. <i>Updates in Hypertension and Cardiovascular Protection</i> , 2020 , 155-163	0.1	0
15	GPs' mindlines on deprescribing antihypertensives in older patients with multimorbidity: a qualitative study in English general practice. <i>British Journal of General Practice</i> , 2021 , 71, e498-e507	1.6	0
14	Blood Pressure Changes Following Antihypertensive Medication Reduction, by Drug Class and Dose Chosen for Withdrawal: Exploratory Analysis of Data From the OPTiMISE Trial. <i>Frontiers in Pharmacology</i> , 2021 , 12, 619088	5.6	0
13	Adherence with blood pressure self-monitoring in women with pregnancy hypertension, and comparisons to clinic readings: A secondary analysis of OPTIMUM-BP. <i>Pregnancy Hypertension</i> , 2021 , 25, 68-74	2.6	0
12	Postpartum blood pressure self-management following hypertensive pregnancy: protocol of the Physician Optimised Post-partum Hypertension Treatment (POP-HT) trial.. <i>BMJ Open</i> , 2022 , 12, e051180 ³		0
11	Is self-management a burden? What are the experiences of women self-managing chronic conditions during pregnancy? A systematic review.. <i>BMJ Open</i> , 2022 , 12, e051962	3	0
10	Cost-Effectiveness of Antihypertensive Deprescribing in Primary Care: a Markov Modelling Study Using Data From the OPTiMISE Trial.. <i>Hypertension</i> , 2022 , HYPERTENSIONAHA12118726	8.5	0
9	Older People Might Be at Most Serious Risk in Antihypertensive Treatment-Reply. <i>JAMA Internal Medicine</i> , 2019 , 179, 590-591	11.5	

8	Intensive versus standard blood pressure treatment improves cardiovascular outcomes without any difference in patient-reported outcomes. <i>BMJ Evidence-Based Medicine</i> , 2018 , 23, 114-115	2.7
7	When has service provision for transient ischaemic attack improved enough? A discrete event simulation economic modelling study. <i>BMJ Open</i> , 2017 , 7, e018189	3
6	Home Blood Pressure Monitoring for Treatment Titration. <i>Updates in Hypertension and Cardiovascular Protection</i> , 2020 , 63-72	0.1
5	Home Blood Pressure Monitoring, Treatment Adherence and Hypertension Control. <i>Updates in Hypertension and Cardiovascular Protection</i> , 2020 , 73-78	0.1
4	Reporting of the Meditech ABPM-06 ambulatory blood pressure device validation study. <i>Blood Pressure Monitoring</i> , 2020 , 25, 59-60	1.3
3	The health impacts of preventive cardiovascular medication reduction on older populations: protocol for a systematic review and meta-analysis. <i>Systematic Reviews</i> , 2021 , 10, 185	3
2	Polypills with or without aspirin for primary prevention of cardiovascular disease. <i>Lancet, The</i> , 2021 , 398, 1106-1107	4 ⁰
1	Blood pressure meta-analysis highlights an implementation gap - Authors' reply.. <i>Lancet, The</i> , 2022 , 399, 1380	4 ⁰