

Maurice Kottelat

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8922790/publications.pdf>

Version: 2024-02-01

72
papers

3,634
citations

687220

13
h-index

138417

58
g-index

72
all docs

72
docs citations

72
times ranked

5815
citing authors

#	ARTICLE	IF	CITATIONS
1	<i>Nemacheilus pezidion</i> , a new species of loach from southern Laos (Teleostei: Nemacheilidae). <i>Zootaxa</i> , 2022, 5129, 92-104.	0.2	1
2	<i>Silurichthys exortivus</i> , a new catfish (Teleostei: Siluridae) from eastern Borneo, Indonesia. <i>Zootaxa</i> , 2022, 5138, 185-190.	0.2	0
3	The trouts of the upper Kura and Aras rivers in Turkey, with description of three new species (Teleostei: Salmonidae). <i>Zootaxa</i> , 2022, 5150, 43-64.	0.2	5
4	<i>Mastacembelus simack</i> , the valid name of the Mesopotamian spiny eel (Teleostei: Mastacembelidae). <i>Zootaxa</i> , 2022, 5162, 446-450.	0.2	0
5	Description of <i>Bagarius vegrandis</i> , a new species of sisorid catfish from Indochina (Actinopterygii: Tj ETQq1 1 0.784314 rgBT /Overlock 0,2 6	0.2	6
6	â€™ <i>Nemacheilus</i> â€™ <i>argyrogaster</i> , a new species of loach from southern Laos (Teleostei: Nemacheilidae). <i>Zootaxa</i> , 2021, 4933, zootaxa.4933.2.6.	0.2	2
7	<p>A note on Muraena alba Zuiew, 1793 (Teleostei: Tj ETQq1 1 0.784314 rgBT /Overlock 0,2 10 Tf 50 50	0.2	10
8	<i>Pseudobagarius eustictus</i> , a new species of catfish from northern Laos (Siluriformes: Akysidae). <i>Zootaxa</i> , 2021, 4996, 322-330.	0.2	1
9	One northward, one southward: Contrasting biogeographical history in two benthic freshwater fish genera across Southeast Asia (Teleostei: Cobitoidea: <i>Nemacheilus</i> , <i>Pangio</i>). <i>Molecular Phylogenetics and Evolution</i> , 2021, 161, 107139.	1.2	6
10	<p>Nomenclatural status and possible identity of Aperioptus pictorius (Teleostei: Gonorynchidae [?] and Cobitidae)</p>. <i>Zootaxa</i> , 2020, 4763, 294-300.	0.2	0
11	<i>Rhyacoschistura larreci</i> , a new genus and species of loach from Laos and redescription of <i>R. suber</i> (Teleostei: Nemacheilidae). <i>Zootaxa</i> , 2019, 4612, 151.	0.2	3
12	A New Glyptosternine Catfish from Northern Myanmar (Teleostei: Siluriformes: Sisoridae). <i>Copeia</i> , 2018, 106, 63-69.	1.4	6
13	<i>Amblyceps improcerum</i> , a new sisoroid catfish from Kachin State, Myanmar (Teleostei: Siluriformes: Tj ETQq1 1 0.784314 rgBT /Overlock 0,4 4	0.4	4
14	<i>Squalius semae</i>, a new species of chub from the Euphrates River, Eastern Anatolia (Teleostei: Tj ETQq0 0 0 rgBT /Overlock 0,2 10 Tf 5	0.2	10
15	The Glyptothorax of the Bolaven Plateau, Laos (Teleostei: Sisoridae): new and endangered. <i>Zootaxa</i> , 2017, 4238, 406.	0.2	5
16	<i>Speolabeo</i> , a new genus name for the cave fish <i>Bangana musaei</i> (Teleostei: Cyprinidae). <i>Zootaxa</i> , 2017, 4254, 493.	0.2	6
17	<i>Schistura epixenos</i> , a new species of loach from the Nakai Plateau, Laos (Teleostei: Nemacheilidae). <i>Zootaxa</i> , 2017, 4300, .	0.2	4
18	The Glyptothorax of Sundaland: a revisionary study (Teleostei: Sisoridae). <i>Zootaxa</i> , 2016, 4188, 1.	0.2	13

#	ARTICLE	IF	CITATIONS
19	On Gonorynchus, Gonorhynchus, Gonorinchus, Gonorhinchus and Gonorrhynchus, and some other names of labeonine fishes (Teleostei: Gonorynchidae and Cyprinidae). Zootaxa, 2016, 4178, 443.	0.2	6
20	The fishes of the Nam Theun and Xe Bangfai drainages, Laos. Hydroecologie Appliquee, 2016, 19, 271-320.	1.3	13
21	Fried spicy Linnaeusâ€™the consequences of indiscriminate citation of authors of scientific names. Zootaxa, 2015, 3936, 147.	0.2	2
22	Clarias serniosus, a new walking catfish (Teleostei: Clariidae) from Laos. Zootaxa, 2014, 3884, 437-44.	0.2	5
23	Spatial heterogeneity in the Mediterranean Biodiversity Hotspot affects barcoding accuracy of its freshwater fishes. Molecular Ecology Resources, 2014, 14, 1210-1221.	2.2	224
24	A name for the glass catfish (Teleostei: Siluridae) revisited. Zootaxa, 2013, 3640, 299-300.	0.2	1
25	The valid generic names for the fish species usually placed in <i>Cyclocheilichthys</i> (Pisces: Cyprinidae). Zootaxa, 2013, 3640, 479-82.	0.2	3
26	Dates of publication of Bleekerâ€™s <i>Atlas ichthyologique</i> and <i>Poissons de Madagascar</i>. Zootaxa, 2013, 3681, 281-5.	0.2	1
27	After eighty years of misidentification, a name for the glass catfish (Teleostei:) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50	0.2	1
28	The identity of the cyprinid fishes Rasbora dusonensis and R. tornieri (Teleostei: Cyprinidae). Zootaxa, 2013, 3635, 62-70.	0.2	3
29	Two new species of <i>Squalius</i>, <i>S. adanaensis</i> and <i>S. seyhanensis</i> (Teleostei: Cyprinidae), from the Seyhan River in Turkey. Zootaxa, 2013, 3637, .	0.2	11
30	Identification of Gobio populations in the northeastern Iberian Peninsula: first record of the non-native Languedoc gudgeon Gobio occitaniae (Teleostei, Cyprinidae). BiolInvasions Records, 2013, 2, 163-166.	0.4	10
31	Two new species of Squalius, S. adanaensis and S. seyhanensis (Teleostei: Cyprinidae), from the Seyhan River in Turkey. Zootaxa, 2013, 3637, 308-24.	0.2	0
32	Yaoshania and Erromyzon kalotaenia, a new genus and a new species of balitorid loaches from Guangxi, China (Teleostei: Cypriniformes). Zootaxa, 2012, 3586, 173.	0.2	6
33	Chaca serica, a new species of frogmouth catfish (Teleostei: Siluriformes) from southern Borneo. Zootaxa, 2012, 3258, 37.	0.2	3
34	Acanthocobitis pictilis, a new species of loach from Myanmar and Thailand (Teleostei: Nemacheilidae). Zootaxa, 2012, 3327, 45.	0.2	5
35	Rasbora rheophila, a new species of fish from northern Borneo (Teleostei: Cyprinidae). Revue Suisse De Zoologie, 2012, 119, 77-87.	0.1	5
36	Draconectes narinusus, a new genus and species of cave fish from an island of Halong Bay, Vietnam (Teleostei: Nemacheilidae). Revue Suisse De Zoologie, 2012, 119, 341-349.	0.1	1

#	ARTICLE	IF	CITATIONS
37	<i>Salmo tigridis</i> , a new species of trout from the Tigris River, Turkey (Teleostei: Salmonidae) DAVUT TURAN (Turkey), MAURICE KOTTELAT (Switzerland) & YUSUF BEKTAÅž (Turkey). <i>Zootaxa</i> , 2011, 2993, 23.	0.2	34
38	The grammatical gender of fish generic nomina based on the stem "butis" (Teleostei: Perciformes: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	0.2	2
39	<i>Boraras naevus</i> , a new species of miniature and sexually dichromatic freshwater fish from peninsular Thailand (Ostariophysi: Cyprinidae). <i>Zootaxa</i> , 2011, 3002, 45.	0.2	3
40	Case 3528 <i>Ephippus</i> Cuvier, 1816, ephippidae Gill, 1861, <i>Scatophagus</i> Cuvier, 1831 and scatophagidae Bleeker, 1876 (Osteichthyes): proposed conservation of current usage by designation of <i>Chaetodon orbis</i> Bloch, 1787 as type species of <i>Ephippus</i> . <i>Bulletin of Zoological Nomenclature</i> , 2010, 67, 303-306.	0.2	0
41	<i>Nemacheilus marang</i> , a new loach (Teleostei: Nemacheilidae) from Sangkulirang karst, eastern Borneo. <i>Zootaxa</i> , 2010, 2557, .	0.2	3
42	The Impact of Conservation on the Status of the World's Vertebrates. <i>Science</i> , 2010, 330, 1503-1509.	6.0	1,209
43	The nominal species of rays (Chondrichthyes) described by Stephan (1779). <i>Zootaxa</i> , 2010, 2646, 63.	0.2	0
44	A New Species of <i>Mystus</i> from Myanmar (Siluriformes: Bagridae). <i>Copeia</i> , 2009, 2009, 245-250.	1.4	6
45	<i>Barbus niluferensis</i> , a new species of barbel (Teleostei: Cyprinidae) from Nilüfer River, Turkey, with re-description of <i>B. oligolepis</i> . <i>Zootaxa</i> , 2009, 1981, 15-28.	0.2	14
46	<i>Pangio lidi</i> , a new species of loach from eastern Borneo, Indonesia (Teleostei: Cobitidae). <i>Zootaxa</i> , 2009, 2171, 65-68.	0.2	3
47	Freshwater Ecoregions of the World: A New Map of Biogeographic Units for Freshwater Biodiversity Conservation. <i>BioScience</i> , 2008, 58, 403-414.	2.2	1,483
48	The identity of <i>Clarias batrachus</i> (Linnaeus, 1758), with the designation of a neotype (Teleostei: Tj ETQq0 0 0 rgBT /Overlock 10 T	1.6	61
49	<i>Kottelatlimia hipporhynchus</i> , a new species of loach from southern Borneo (Teleostei: Cobitidae). <i>Zootaxa</i> , 2008, 1967, 63-72.	0.2	2
50	<i>Balantiocheilus ambusticauda</i> , a new and possibly extinct species of cyprinid fish from Indochina (Cypriniformes: Cyprinidae). <i>Zootaxa</i> , 2007, 1463, 13-20.	0.2	1
51	Nomenclatural status and identity of <i>Gobius lagocephalus</i> (Teleostei: Gobiidae). <i>Molecular Phylogenetics and Evolution</i> , 2007, 43, 693-695.	1.2	5
52	Evolution of miniaturization and the phylogenetic position of <i>Paedocypris</i> , comprising the world's smallest vertebrate. <i>BMC Evolutionary Biology</i> , 2007, 7, 38.	3.2	135
53	<i>Schistura papulifera</i> , a new species of cave loach from Meghalaya, India (Teleostei: Balitoridae). <i>Zootaxa</i> , 2007, 1393, 35.	0.2	3
54	<i>Akrokolioplax</i> , a new genus of Southeast Asian labeonine fishes (Teleostei: Cyprinidae). <i>Zootaxa</i> , 2006, 1225, 21.	0.2	13

#	ARTICLE	IF	CITATIONS
55	Paedocypris , a new genus of Southeast Asian cyprinid fish with a remarkable sexual dimorphism, comprises the world's smallest vertebrate. Proceedings of the Royal Society B: Biological Sciences, 2006, 273, 895-899.	1.2	121
56	Four new freshwater gobies of the genus Rhinogobius (Teleostei: Gobiidae) from northern Vietnam. Journal of Natural History, 2005, 39, 1407-1429.	0.2	15
57	Botia kubotai, a new species of loach (Teleostei: Cobitidae) from the Ataran River basin (Myanmar), with comments on botiine nomenclature and diagnosis of a new genus. Zootaxa, 2004, 401, 1.	0.2	31
58	Parakysis notialis , a new species of akysid catfish from Borneo (Siluriformes: Akysidae). Ichthyological Research, 2003, 50, 48-51.	0.5	2
59	Descriptive Osteology of the Family Chaudhuriidae (Teleostei, Synbranchiformes, Mastacembeloidei), with a Discussion of Its Relationships. American Museum Novitates, 2003, 3418, 1-62.	0.2	21
60	The type species of <i>Cheilognathus bleekeri</i> , 1860 (teleostei: Cyprinidae). Ichthyological Research, 2000, 47, 198-200.	0.5	4
61	Mating Behavior of <i>Zenarchopterus gilli</i> and <i>Zenarchopterus buffonis</i> and Function of the Modified Dorsal and Anal Fin Rays in Some Species of <i>Zenarchopterus</i> (Teleostei: Hemiramphidae). Copeia, 1999, 1999, 1097.	1.4	8
62	<i>Hemimyzon nanensis</i> , a new balitorid fish from the Chao Phraya basin, Thailand. Ichthyological Research, 1998, 45, 7-11.	0.5	5
63	<i>Pterocryptis buccata</i> , a new species of catfish from western Thailand (Teleostei: Siluridae) with epigeal and hypogean populations. Ichthyological Research, 1998, 45, 393-399.	0.5	8
64	Systematics, species concepts and the conservation of freshwater fish diversity in Europe. Italian Journal of Zoology, 1998, 65, 65-72.	0.6	14
65	<i>Osphronemus deissneri</i> Bleeker, 1859 (currently <i>Parosphromenus deissneri</i> ; Osteichthyes). Tj ETQq1 1 0.784314 rgBT /Overlock 10 T 5 1998, 55, 155-158.	0.2	0
66	<i>Bagrus hoevenii</i> Bleeker, 1846 (currently <i>Hemibagrus hoevenii</i> ; Osteichthyes, Siluriformes): proposed designation of a neotype. Bulletin of Zoological Nomenclature, 1994, 51, 320-322.	0.2	1
67	The Freshwater Fishes of Western Borneo (Kalimantan Barat, Indonesia). Copeia, 1992, 1992, 259.	1.4	2
68	Dinh Loi Ca Nuoc Ngot. Cac Tinh Phia Bac Viet Nam [Identification of the Fresh-Water Fishes of North Viet Nam]. Copeia, 1989, 1989, 1102.	1.4	0
69	Revision of <i>Yunnanilus</i> with descriptions of a miniature species flock and six new species from China (Cypriniformes: Homalopteridae). Environmental Biology of Fishes, 1988, 23, 65-94.	0.4	34
70	Redescription of <i>Hypoatherina valenciennesi</i> and its relationships to other species of Atherinidae in the Pacific and Indian Oceans. Ichthyological Research, 1988, 35, 142-149.	0.5	6
71	<i>Rasbora spilocerca</i> , a New Cyprinid from the Mekong River. Copeia, 1987, 1987, 417.	1.4	3
72	<i>Cobitis</i> Linnaeus, 1758 (Osteichthyes, Cypriniformes): proposed designation of <i>Cobitis taenia</i> Linnaeus, 1758 as type species and request for a ruling on the stem of the family-group name Cobitidae Swainson, 1839. Z. N. (S.) 2566. Bulletin of Zoological Nomenclature, 1986, 43, 360-362.	0.2	3