Songül Ulusoy

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8923886/publications.pdf Version: 2024-02-01



<u> <u>Soncãi/μ Πμισογ</u></u>

#	Article	IF	CITATIONS
1	Application of cloud point extraction for residues of chloramphenicol and amoxicillin in milk samples by HPLC–DAD. European Food Research and Technology, 2022, 248, 437-445.	3.3	7
2	Synthesis, characterization, and application of polyacrylamide/carmine polymer nanomaterial as an effective solid-phase material for ultrasonic-assisted solid-phase microextraction of aluminum and chromium in vegetable samples. Chemical Papers, 2022, 76, 1553-1565.	2.2	3
3	Sensitive determination of Anastrozole and Letrozole in urine samples by novel magnetic nanoparticles containing tetraethylenepentamine (TEPA) prior to analysis by high-performance liquid chromatography-diode array detection. Chemical Papers, 2022, 76, 3649-3659.	2.2	5
4	Sensitive determination of Fluoxetine and Citalopram antidepressants in urine and wastewater samples by liquid chromatography coupled with photodiode array detector. Journal of Chromatography A, 2021, 1648, 462215.	3.7	31
5	Synthesis of new solid phase sorbent for sensitive spectrophotometric determination of Quercetin. Cumhuriyet Science Journal, 2021, 42, 629-637.	0.3	0
6	Fabric-Phase Sorptive Membrane Array As a Noninvasive <i>In Vivo</i> Sampling Device For Human Exposure To Different Compounds. Analytical Chemistry, 2021, 93, 1957-1961.	6.5	46
7	Trace analysis of quercetin in tea samples by HPLC-DAD system by means of a new nanocomposite including magnetic core-shell. Separation Science and Technology, 2020, 55, 2025-2036.	2.5	13
8	Fabric phase sorptive extraction followed by HPLC-PDA detection for the monitoring of pirimicarb and fenitrothion pesticide residues. Mikrochimica Acta, 2020, 187, 337.	5.0	37
9	Fast off-line FPSE-HPLC-PDA determination of six NSAIDs in saliva samples. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2020, 1144, 122082.	2.3	48
10	Development of Analytical Method for Sensitive Determination of Streptozotocin based on Solid Phase Extraction. Cumhuriyet Science Journal, 2020, 41, 826-831.	0.3	5
11	FPSE-HPLC-PDA analysis of seven paraben residues in human whole blood, plasma, and urine. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2019, 1125, 121707.	2.3	57
12	Novel MIPs-Parabens based SPE Stationary Phases Characterization and Application. Molecules, 2019, 24, 3334.	3.8	18
13	Simultaneous Determination of Vitamins B1 and B2 in Food Samples by Modified Cloud Point Extraction Method and HPLC-DAD. Food Analytical Methods, 2018, 11, 260-269.	2.6	12
14	Development of a New Methodology for Determination of Vitamin B9 at Trace Levels by Ultrasonic-Assisted Cloud Point Extraction Prior to HPLC. Food Analytical Methods, 2017, 10, 799-808.	2.6	15
15	A new approach to the determination of folic acid at trace levels: using a Fe(<scp>iii</scp>)-folic acid complex to amplify analytical signal. RSC Advances, 2016, 6, 40115-40122.	3.6	18
16	Nitrosation and analysis of amino acid derivatives by isocratic HPLC. RSC Advances, 2016, 6, 13120-13128.	3.6	11
17	Cloud point extraction and spectrophotometric determination of mercury species at trace levels in environmental samples. Talanta, 2012, 88, 516-523.	5.5	55
18	Micelle-Mediated Extraction and Flame Atomic Absorption Spectrometric Method for Determination of Trace Cobalt Ions in Beverage Samples. Food Analytical Methods, 2012, 5, 454-463.	2.6	17

#	Article	IF	CITATIONS
19	Inexpensive and versatile method for trace Sn(II) and Sn(IV) ions in food samples by CPE/FAAS. Food Chemistry, 2012, 134, 419-426.	8.2	28
20	Determination of ultra trace arsenic species in water samples by hydride generation atomic absorption spectrometry after cloud point extraction. Analytica Chimica Acta, 2011, 703, 137-144.	5.4	59