

# Purificaci3n Hern3ndez-Orte

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8924559/publications.pdf>

Version: 2024-02-01

82  
papers

6,419  
citations

70961

41  
h-index

64668

79  
g-index

82  
all docs

82  
docs citations

82  
times ranked

3302  
citing authors

#	ARTICLE	IF	CITATIONS
1	Modeling grape taste and mouthfeel from chemical composition. <i>Food Chemistry</i> , 2022, 371, 131168.	4.2	10
2	Effect of non-wine <i>Saccharomyces</i> yeasts and bottle aging on the release and generation of aromas in semi-synthetic Tempranillo wines. <i>International Journal of Food Microbiology</i> , 2022, 365, 109554.	2.1	6
3	Modulation of aroma and chemical composition of Albari3o semi-synthetic wines by non-wine <i>Saccharomyces</i> yeasts and bottle aging. <i>Food Microbiology</i> , 2022, 104, 103981.	2.1	13
4	Maturation of Moristel in Different Vineyards: Amino Acid and Aroma Composition of Mistelles and Wines with Particular Emphasis in Strecker Aldehydes. <i>Foods</i> , 2022, 11, 958.	1.9	2
5	Generation of intra- and interspecific <i>Saccharomyces</i> hybrids with improved oenological and aromatic properties. <i>Microbial Biotechnology</i> , 2022, 15, 2266-2280.	2.0	9
6	The effects of <i>Saccharomyces cerevisiae</i> strains carrying alcoholic fermentation on the fermentative and varietal aroma profiles of young and aged Tempranillo wines. <i>Food Chemistry: X</i> , 2021, 9, 100116.	1.8	6
7	Role of Grape-Extractable Polyphenols in the Generation of Strecker Aldehydes and in the Instability of Polyfunctional Mercaptans during Model Wine Oxidation. <i>Journal of Agricultural and Food Chemistry</i> , 2021, 69, 15290-15300.	2.4	4
8	Development of a new strategy for studying the aroma potential of winemaking grapes through the accelerated hydrolysis of phenolic and aromatic fractions (PAFs). <i>Food Research International</i> , 2020, 127, 108728.	2.9	18
9	Effect of grape maturity on wine sensory and chemical features: The case of Moristel wines. <i>LWT - Food Science and Technology</i> , 2020, 118, 108848.	2.5	18
10	Gas Chromatography Olfactometry (GC-O) for the (Semi)Quantitative Screening of Wine Aroma. <i>Foods</i> , 2020, 9, 1892.	1.9	23
11	Sensory, olfactometric and chemical characterization of the aroma potential of Garnacha and Tempranillo winemaking grapes. <i>Food Chemistry</i> , 2020, 331, 127207.	4.2	17
12	Influence of pulsed electric fields on aroma and polyphenolic compounds of Garnacha wine. <i>Food and Bioproducts Processing</i> , 2019, 116, 249-257.	1.8	23
13	Modulating Fermentative, Varietal and Aging Aromas of Wine Using non- <i>Saccharomyces</i> Yeasts in a Sequential Inoculation Approach. <i>Microorganisms</i> , 2019, 7, 164.	1.6	35
14	How does the addition of antioxidants and other sulfur compounds affect the metabolism of polyfunctional mercaptan precursors in model fermentations?. <i>Food Research International</i> , 2019, 122, 1-9.	2.9	5
15	Gas chromatographic-sulfur chemiluminescent detector procedures for the simultaneous determination of free forms of volatile sulfur compounds including sulfur dioxide and for the determination of their metal-complexed forms. <i>Journal of Chromatography A</i> , 2019, 1596, 152-160.	1.8	14
16	The Actual and Potential Aroma of Winemaking Grapes. <i>Biomolecules</i> , 2019, 9, 818.	1.8	75
17	The Instrumental Analysis of Aroma-Active Compounds for Explaining the Flavor of Red Wines. , 2019, , 283-307.		9
18	Modulating analytical characteristics of thermovinified Carignan musts and the volatile composition of the resulting wines through the heating temperature. <i>Food Chemistry</i> , 2018, 257, 7-14.	4.2	17

#	ARTICLE	IF	CITATIONS
19	Elusive Chemistry of Hydrogen Sulfide and Mercaptans in Wine. <i>Journal of Agricultural and Food Chemistry</i> , 2018, 66, 2237-2246.	2.4	35
20	Micro-oxygenation does not eliminate hydrogen sulfide and mercaptans from wine; it simply shifts redox and complex-related equilibria to reversible oxidized species and complexed forms. <i>Food Chemistry</i> , 2018, 243, 222-230.	4.2	28
21	Formation and Accumulation of Acetaldehyde and Strecker Aldehydes during Red Wine Oxidation. <i>Frontiers in Chemistry</i> , 2018, 6, 20.	1.8	46
22	Effect of Bentonite Fining on Polyfunctional Mercaptans and Other Volatile Compounds in Sauvignon blanc Wines. <i>American Journal of Enology and Viticulture</i> , 2017, 68, 30-38.	0.9	15
23	Gas chromatography-mass spectrometry strategies for the accurate and sensitive speciation of sulfur dioxide in wine. <i>Journal of Chromatography A</i> , 2017, 1504, 27-34.	1.8	43
24	The effects of copper fining on the wine content in sulfur off-odors and on their evolution during accelerated anoxic storage. <i>Food Chemistry</i> , 2017, 231, 212-221.	4.2	35
25	Rapid strategies for the determination of sensory and chemical differences between a wealth of similar wines. <i>European Food Research and Technology</i> , 2017, 243, 1295-1309.	1.6	18
26	Oxygen and SO <sub>2</sub> Consumption Rates in White and Ros3 Wines: Relationship with and Effects on Wine Chemical Composition. <i>Journal of Agricultural and Food Chemistry</i> , 2017, 65, 9488-9495.	2.4	28
27	Study of the influence of varietal amino acid profiles on the polyfunctional mercaptans released from their precursors. <i>Food Research International</i> , 2017, 100, 740-747.	2.9	13
28	Rapid sensory-directed methodology for the selection of high-quality aroma wines. <i>Journal of the Science of Food and Agriculture</i> , 2016, 96, 4250-4262.	1.7	19
29	Evolution of polyfunctional mercaptans and their precursors during Merlot alcoholic fermentation. <i>LWT - Food Science and Technology</i> , 2016, 65, 770-776.	2.5	18
30	Formation and Release of H <sub>2</sub> S, Methanethiol, and Dimethylsulfide during the Anoxic Storage of Wines at Room Temperature. <i>Journal of Agricultural and Food Chemistry</i> , 2016, 64, 6317-6326.	2.4	39
31	Study of the effect of H <sub>2</sub> S, MeSH and DMS on the sensory profile of wine model solutions by Rate-All-That-Apply (RATA). <i>Food Research International</i> , 2016, 87, 152-160.	2.9	33
32	Reductive off-odors in wines: Formation and release of H <sub>2</sub> S and methanethiol during the accelerated anoxic storage of wines. <i>Food Chemistry</i> , 2016, 199, 42-50.	4.2	42
33	Release and Formation of Oxidation-Related Aldehydes during Wine Oxidation. <i>Journal of Agricultural and Food Chemistry</i> , 2016, 64, 608-617.	2.4	58
34	Changes in analytical and volatile compositions of red wines induced by pre-fermentation heat treatment of grapes. <i>Food Chemistry</i> , 2015, 187, 243-253.	4.2	39
35	Influence of viticulture practices on grape aroma precursors and their relation with wine aroma. <i>Journal of the Science of Food and Agriculture</i> , 2015, 95, 688-701.	1.7	44
36	Criteria to discriminate between wines aged in oak barrels and macerated with oak fragments. <i>Food Research International</i> , 2014, 57, 234-241.	2.9	31

#	ARTICLE	IF	CITATIONS
37	Is orthonasal olfaction an equilibrium driven process? Design and validation of a dynamic purge and trap system for the study of orthonasal wine aroma. <i>Flavour and Fragrance Journal</i> , 2014, 29, 296-304.	1.2	10
38	Quantitative analysis of free and bonded forms of volatile sulfur compounds in wine. Basic methodologies and evidences showing the existence of reversible cation-complexed forms. <i>Journal of Chromatography A</i> , 2014, 1359, 8-15.	1.8	64
39	Key Changes in Wine Aroma Active Compounds during Bottle Storage of Spanish Red Wines under Different Oxygen Levels. <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 10015-10027.	2.4	48
40	Aroma compounds and sensory characteristics of Arneis Terre Alfieri DOC wines: the concentration of polyfunctional thiols and their evolution in relation to different ageing conditions. <i>European Food Research and Technology</i> , 2014, 239, 267-277.	1.6	8
41	Direct accurate analysis of cysteinylated and glutathionylated precursors of 4-mercapto-4-methyl-2-pentanone and 3-mercaptohexan-1-ol in must by ultrahigh performance liquid chromatography coupled to mass spectrometry. <i>Analytica Chimica Acta</i> , 2014, 812, 250-257.	2.6	15
42	Wine, Beer and Cider: Unravelling the Aroma Profile. , 2014, , 261-297.		5
43	Characterization by gas chromatography-olfactometry of the most odor-active compounds in extracts prepared from acacia, chestnut, cherry, ash and oak woods. <i>LWT - Food Science and Technology</i> , 2013, 53, 240-248.	2.5	58
44	Glycosidically Bound Aroma Compounds and Impact Odorants of Four Strawberry Varieties. <i>Journal of Agricultural and Food Chemistry</i> , 2012, 60, 6095-6102.	2.4	61
45	Amino acids and volatile compounds in wines from Cabernet Sauvignon and Tempranillo varieties subjected to malolactic fermentation in barrels. <i>Food Science and Technology International</i> , 2012, 18, 103-112.	1.1	11
46	Aroma Chemical Composition of Red Wines from Different Price Categories and Its Relationship to Quality. <i>Journal of Agricultural and Food Chemistry</i> , 2012, 60, 5045-5056.	2.4	81
47	High-Performance Liquid Chromatography Analysis of Amines in Must and Wine: A Review. <i>Food Reviews International</i> , 2012, 28, 71-96.	4.3	43
48	S-Cysteinylated and S-glutathionylated thiol precursors in grapes. A review. <i>Food Chemistry</i> , 2012, 131, 1-13.	4.2	68
49	Sensory and chemical characterisation of the aroma of Prieto Picudo ros3 wines: The differential role of autochthonous yeast strains on aroma profiles. <i>Food Chemistry</i> , 2012, 133, 284-292.	4.2	50
50	Quality and Aromatic Sensory Descriptors (Mainly Fresh and Dry Fruit Character) of Spanish Red Wines can be Predicted from their Aroma-Active Chemical Composition. <i>Journal of Agricultural and Food Chemistry</i> , 2011, 59, 7916-7924.	2.4	130
51	Effect of aromatic precursor addition to wine fermentations carried out with different <i>Saccharomyces</i> species and their hybrids. <i>International Journal of Food Microbiology</i> , 2011, 147, 33-44.	2.1	38
52	Biogenic amine synthesis in high quality Tempranillo wines. Relationship with lactic acid bacteria and vinification conditions. <i>Annals of Microbiology</i> , 2011, 61, 191-198.	1.1	21
53	Producing headspace extracts for the gas chromatography-olfactometric evaluation of wine aroma. <i>Food Chemistry</i> , 2010, 123, 188-195.	4.2	54
54	Analysis, Occurrence, and Potential Sensory Significance of Five Polyfunctional Mercaptans in White Wines. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 10184-10194.	2.4	91

#	ARTICLE	IF	CITATIONS
55	Improvement of winemaking process using pulsed electric fields at pilot-plant scale. Evolution of chromatic parameters and phenolic content of Cabernet Sauvignon red wines. <i>Food Research International</i> , 2010, 43, 761-766.	2.9	80
56	Genetic characterization and phenotypic variability in <i>Torulaspota delbrueckii</i> species: Potential applications in the wine industry. <i>International Journal of Food Microbiology</i> , 2009, 134, 201-210.	2.1	141
57	Biogenic amine determination in wines using solid-phase extraction: A comparative study. <i>Journal of Chromatography A</i> , 2009, 1216, 3398-3401.	1.8	47
58	Fate of Grape Flavor Precursors during Storage on Yeast Lees. <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 5468-5479.	2.4	20
59	Comparison of the Suitability of Different Hydrolytic Strategies To Predict Aroma Potential of Different Grape Varieties. <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 2468-2480.	2.4	70
60	Effect of a pulsed electric field treatment on the anthocyanins composition and other quality parameters of Cabernet Sauvignon freshly fermented model wines obtained after different maceration times. <i>LWT - Food Science and Technology</i> , 2009, 42, 1225-1231.	2.5	83
61	The Chemical Characterization of the Aroma of Dessert and Sparkling White Wines (Pedro Ximénez). <i>Journal of Agricultural and Food Chemistry</i> , 2008, 56, 2477-2484.	2.4	77
62	Analytical Characterization of the Aroma of Five Premium Red Wines. Insights into the Role of Odor Families and the Concept of Fruitiness of Wines. <i>Journal of Agricultural and Food Chemistry</i> , 2007, 55, 4501-4510.	2.4	487
63	Release and Formation of Varietal Aroma Compounds during Alcoholic Fermentation from Nonfloral Grape Odorless Flavor Precursors Fractions. <i>Journal of Agricultural and Food Chemistry</i> , 2007, 55, 6674-6684.	2.4	181
64	Quantitative determination of wine highly volatile sulfur compounds by using automated headspace solid-phase microextraction and gas chromatography-pulsed flame photometric detection. <i>Journal of Chromatography A</i> , 2007, 1143, 8-15.	1.8	86
65	Quantitative determination of wine polyfunctional mercaptans at nanogram per liter level by gas chromatography-negative ion mass spectrometric analysis of their pentafluorobenzyl derivatives. <i>Journal of Chromatography A</i> , 2007, 1146, 242-250.	1.8	57
66	Impact of ammonium additions on volatile acidity, ethanol, and aromatic compound production by different <i>Saccharomyces cerevisiae</i> strains during fermentation in controlled synthetic media. <i>Australian Journal of Grape and Wine Research</i> , 2006, 12, 150-160.	1.0	88
67	Sensory and Chemical Characterization of the Aroma of a White Wine Made with Devina Grapes. <i>Journal of Agricultural and Food Chemistry</i> , 2006, 54, 909-915.	2.4	51
68	Optimization and evaluation of a procedure for the gas chromatographic-mass spectrometric analysis of the aromas generated by fast acid hydrolysis of flavor precursors extracted from grapes. <i>Journal of Chromatography A</i> , 2006, 1116, 217-229.	1.8	112
69	Determination of the biogenic amines in musts and wines before and after malolactic fermentation using 6-aminoquinolyl-N-hydroxysuccinimidyl carbamate as the derivatizing agent. <i>Journal of Chromatography A</i> , 2006, 1129, 160-164.	1.8	52
70	Prediction of the Wine Sensory Properties Related to Grape Variety from Dynamic-Headspace Gas Chromatography-Olfactometry Data. <i>Journal of Agricultural and Food Chemistry</i> , 2005, 53, 5682-5690.	2.4	183
71	Concurrent Phenomena Contributing to the Formation of the Aroma of Wine during Aging in Oak Wood: An Analytical Study. <i>Journal of Agricultural and Food Chemistry</i> , 2005, 53, 4166-4177.	2.4	117
72	Analysis of the aroma intensities of volatile compounds released from mild acid hydrolysates of odourless precursors extracted from Tempranillo and Grenache grapes using gas chromatography-olfactometry. <i>Food Chemistry</i> , 2004, 88, 95-103.	4.2	105

#	ARTICLE	IF	CITATIONS
73	Relationship between Varietal Amino Acid Profile of Grapes and Wine Aromatic Composition. Experiments with Model Solutions and Chemometric Study. <i>Journal of Agricultural and Food Chemistry</i> , 2002, 50, 2891-2899.	2.4	217
74	Chemical Characterization of the Aroma of Grenache Rosé Wines: Aroma Extract Dilution Analysis, Quantitative Determination, and Sensory Reconstitution Studies. <i>Journal of Agricultural and Food Chemistry</i> , 2002, 50, 4048-4054.	2.4	349
75	Determination of minor and trace volatile compounds in wine by solid-phase extraction and gas chromatography with mass spectrometric detection. <i>Journal of Chromatography A</i> , 2002, 966, 167-177.	1.8	431
76	Fast analysis of important wine volatile compounds. <i>Journal of Chromatography A</i> , 2001, 923, 205-214.	1.8	231
77	Quantitative determination of the odorants of young red wines from different grape varieties. <i>Journal of the Science of Food and Agriculture</i> , 2000, 80, 1659-1667.	1.7	879
78	Clues about the Role of Methional As Character Impact Odorant of Some Oxidized Wines. <i>Journal of Agricultural and Food Chemistry</i> , 2000, 48, 4268-4272.	2.4	170
79	Semipreparative reversed-phase liquid chromatographic fractionation of aroma extracts from wine and other alcoholic beverages. <i>Journal of Chromatography A</i> , 1999, 864, 77-88.	1.8	56
80	Identification of impact odorants of young red wines made with Merlot, Cabernet Sauvignon and Grenache grape varieties: a comparative study. <i>Journal of the Science of Food and Agriculture</i> , 1999, 79, 1461-1467.	1.7	154
81	Effect of maceration time and the addition of enzymes on the amino acid composition of musts and wines and its influence on wine aroma. Influencia del tiempo de maceración y de la adición de enzimas sobre la composición de los aminoácidos de mostos y vinos y su relación con el aroma. <i>Food Science and Technology International</i> , 1998, 4, 407-418.	1.1	12
82	Investigation on the role played by fermentation esters in the aroma of young Spanish wines by multivariate analysis. <i>Journal of the Science of Food and Agriculture</i> , 1995, 67, 381-392.	1.7	139