

# Maria P Garcia-Portilla

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/8925200/maria-p-garcia-portilla-publications-by-citations.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

251  
papers

4,495  
citations

34  
h-index

57  
g-index

295  
ext. papers

5,592  
ext. citations

3.7  
avg, IF

5.24  
L-index

#	Paper	IF	Citations
251	Efficacy of functional remediation in bipolar disorder: a multicenter randomized controlled study. <i>American Journal of Psychiatry</i> , <b>2013</b> , 170, 852-9	11.9	211
250	Updated European Consensus Statement on diagnosis and treatment of adult ADHD. <i>European Psychiatry</i> , <b>2019</b> , 56, 14-34	6	170
249	Quality of life and disability in patients with obsessive-compulsive disorder. <i>European Psychiatry</i> , <b>2001</b> , 16, 239-45	6	164
248	Frequency of sexual dysfunction and other reproductive side-effects in patients with schizophrenia treated with risperidone, olanzapine, quetiapine, or haloperidol: the results of the EIRE study. <i>Journal of Sex and Marital Therapy</i> , <b>2003</b> , 29, 125-47	2.7	150
247	Depressive disorders and the menopause transition. <i>Maturitas</i> , <b>2012</b> , 71, 120-30	5	143
246	Pro-/anti-inflammatory dysregulation in patients with first episode of psychosis: toward an integrative inflammatory hypothesis of schizophrenia. <i>Schizophrenia Bulletin</i> , <b>2014</b> , 40, 376-87	1.3	116
245	Amisulpride and olanzapine followed by open-label treatment with clozapine in first-episode schizophrenia and schizophreniform disorder (OPTiMISE): a three-phase switching study. <i>Lancet Psychiatry</i> , <b>2018</b> , 5, 797-807	23.3	100
244	Quality of life in schizophrenic patients. <i>Dialogues in Clinical Neuroscience</i> , <b>2007</b> , 9, 215-26	5.7	97
243	The prevalence of metabolic syndrome in patients with bipolar disorder. <i>Journal of Affective Disorders</i> , <b>2008</b> , 106, 197-201	6.6	95
242	Weight gain in patients with schizophrenia treated with risperidone, olanzapine, quetiapine or haloperidol: results of the EIRE study. <i>Schizophrenia Research</i> , <b>2003</b> , 62, 77-88	3.6	95
241	F110. SYMPTOMATIC REMISSION WITH PALIPERIDONE PALMITATE 3-MONTHLY FORMULATION IN SCHIZOPHRENIA PATIENTS IN A CLINICAL PRACTICE SETTING. <i>Schizophrenia Bulletin</i> , <b>2019</b> , 45, S295-S296 <sup>1,3</sup>	1.3	78
240	S240. DETERMINANT FACTORS OF REAL-WORLD FUNCTIONING IN SCHIZOPHRENIA. <i>Schizophrenia Bulletin</i> , <b>2018</b> , 44, S420-S420	1.3	78
239	T17. OXIDATIVE STRESS BIOMARKERS AND NEGATIVE DIMENSION IN THE FIRST TEN YEARS OF SCHIZOPHRENIA: A 1-YEAR FOLLOW-UP STUDY. <i>Schizophrenia Bulletin</i> , <b>2018</b> , 44, S119-S119	1.3	78
238	Quality of life measures in schizophrenia. <i>European Psychiatry</i> , <b>2005</b> , 20 Suppl 3, S313-7	6	75
237	Examining the independent and joint effects of molecular genetic liability and environmental exposures in schizophrenia: results from the EUGEL study. <i>World Psychiatry</i> , <b>2019</b> , 18, 173-182	14.4	73
236	Functional remediation in bipolar disorder: 1-year follow-up of neurocognitive and functional outcome. <i>British Journal of Psychiatry</i> , <b>2016</b> , 208, 87-93	5.4	71
235	Cross-cultural Validation of the 5-Factor Structure of Negative Symptoms in Schizophrenia. <i>Schizophrenia Bulletin</i> , <b>2019</b> , 45, 305-314	1.3	70

234	New treatment guidelines for acute bipolar mania: a critical review. <i>Journal of Affective Disorders</i> , <b>2012</b> , 140, 125-41	6.6	64
233	Cardiovascular risk in patients with bipolar disorder. <i>Journal of Affective Disorders</i> , <b>2009</b> , 115, 302-8	6.6	59
232	Using topiramate or naltrexone for the treatment of alcohol-dependent patients. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2008</b> , 32, 1251-9	3.7	54
231	Validation of the Spanish Personal and Social Performance scale (PSP) in outpatients with stable and unstable schizophrenia. <i>Revista De Psiquiatría Y Salud Mental</i> , <b>2011</b> , 4, 9-18	2.7	49
230	Spanish adaptation and validation of the Brief Negative Symptoms Scale. <i>Comprehensive Psychiatry</i> , <b>2014</b> , 55, 1726-9	7.3	45
229	A 25-year follow-up of patients admitted to methadone treatment for the first time: mortality and gender differences. <i>Addictive Behaviors</i> , <b>2011</b> , 36, 1184-90	4.2	45
228	Psychometric evaluation of the negative syndrome of schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , <b>2015</b> , 265, 559-66	5.1	44
227	Topiramate for the treatment of alcohol dependence: comparison with naltrexone. <i>European Addiction Research</i> , <b>2011</b> , 17, 29-36	4.6	42
226	Transdiagnostic dimensions of psychopathology at first episode psychosis: findings from the multinational EU-GEI study. <i>Psychological Medicine</i> , <b>2019</b> , 49, 1378-1391	6.9	42
225	Association study between obsessive-compulsive disorder and serotonergic candidate genes. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2008</b> , 32, 765-70	5.5	41
224	Are older adults also at higher psychological risk from COVID-19?. <i>Aging and Mental Health</i> , <b>2021</b> , 25, 1297-1304	3.5	40
223	Functional remediation for patients with bipolar II disorder: improvement of functioning and subsyndromal symptoms. <i>European Neuropsychopharmacology</i> , <b>2015</b> , 25, 257-64	1.2	39
222	COVID-19 lockdown in people with severe mental disorders in Spain: Do they have a specific psychological reaction compared with other mental disorders and healthy controls?. <i>Schizophrenia Research</i> , <b>2020</b> , 223, 192-198	3.6	38
221	Factors associated with poor functional outcome in bipolar disorder: sociodemographic, clinical, and neurocognitive variables. <i>Acta Psychiatrica Scandinavica</i> , <b>2018</b> , 138, 145-154	6.5	36
220	Genetic variability at IMPA2, INPP1 and GSK3 $\beta$ increases the risk of suicidal behavior in bipolar patients. <i>European Neuropsychopharmacology</i> , <b>2013</b> , 23, 1452-62	1.2	36
219	Genetic polymorphisms in the dopamine-2 receptor (DRD2), dopamine-3 receptor (DRD3), and dopamine transporter (SLC6A3) genes in schizophrenia: Data from an association study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2010</b> , 34, 26-31	5.5	35
218	Rare genotype combination of the serotonin transporter gene associated with treatment response in severe personality disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , <b>2010</b> , 153B, 1494-7	3.5	34
217	Is attempted suicide different in adolescent and adults?. <i>Psychiatry Research</i> , <b>2008</b> , 157, 131-7	9.9	34

216	Association study of serotonin 2A receptor (5-HT2A) and serotonin transporter (5-HTT) gene polymorphisms with schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2007</b> , 31, 741-5	5.5	34
215	Substance use or abuse, internet use, psychopathology and suicidal ideation in adolescents. <i>Revista De Psicologia De La Salud</i> , <b>2017</b> , 29, 97-104	1	33
214	Impact of childhood trauma on cognitive profile in bipolar disorder. <i>Bipolar Disorders</i> , <b>2017</b> , 19, 363-374	3.8	32
213	Early psychological impact of the 2019 coronavirus disease (COVID-19) pandemic and lockdown in a large Spanish sample. <i>Journal of Global Health</i> , <b>2020</b> , 10, 020505	4.3	32
212	Predictive factors of functional capacity and real-world functioning in patients with schizophrenia. <i>European Psychiatry</i> , <b>2015</b> , 30, 622-7	6	31
211	The course of negative symptoms in first-episode schizophrenia and its predictors: A prospective two-year follow-up study. <i>Schizophrenia Research</i> , <b>2017</b> , 189, 84-90	3.6	30
210	Sexual function assessment in postmenopausal women with the 14-item changes in sexual functioning questionnaire. <i>Journal of Sexual Medicine</i> , <b>2011</b> , 8, 2144-51	1.1	30
209	Differential role of serotonergic polymorphisms in alcohol and heroin dependence. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2009</b> , 33, 695-700	5.5	30
208	Effects of functional remediation on neurocognitively impaired bipolar patients: enhancement of verbal memory. <i>Psychological Medicine</i> , <b>2016</b> , 46, 291-301	6.9	30
207	Validation of a Spanish version of the Columbia-Suicide Severity Rating Scale (C-SSRS). <i>Revista De Psiquiatría Y Salud Mental</i> , <b>2016</b> , 9, 134-42	2.7	27
206	Reasons for Attempted Suicide in Europe: Prevalence, Associated Factors, and Risk of Repetition. <i>Archives of Suicide Research</i> , <b>2016</b> , 20, 45-58	2.3	27
205	Replication of previous genome-wide association studies of psychiatric diseases in a large schizophrenia case-control sample from Spain. <i>Schizophrenia Research</i> , <b>2014</b> , 159, 107-13	3.6	27
204	Long term outcomes of pharmacological treatments for opioid dependence: does methadone still lead the pack?. <i>British Journal of Clinical Pharmacology</i> , <b>2014</b> , 77, 272-84	3.8	27
203	Use of MDMA and other illicit drugs by young adult males in northern Spain. A five-year study. <i>European Addiction Research</i> , <b>2002</b> , 8, 147-54	4.6	27
202	Quality of life in schizophrenia: Long-term follow-up in 362 chronic Spanish schizophrenic outpatients undergoing risperidone maintenance treatment. <i>European Psychiatry</i> , <b>1998</b> , 13, 158-63	6	27
201	Clinical features, impulsivity, temperament and functioning and their role in suicidality in patients with bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , <b>2016</b> , 133, 266-76	6.5	26
200	Evolution of metabolic risk factors over a two-year period in a cohort of first episodes of psychosis. <i>Schizophrenia Research</i> , <b>2018</b> , 193, 188-196	3.6	25
199	Borderline personality traits in nonclinical young adults. <i>Journal of Personality Disorders</i> , <b>2011</b> , 25, 542-56	6.6	25

198	Association between the A-1438G polymorphism of the serotonin 2A receptor gene and nonimpulsive suicide attempts. <i>Psychiatric Genetics</i> , <b>2008</b> , 18, 213-8	2.9	25
197	Regulation of inflammatory pathways in schizophrenia: A comparative study with bipolar disorder and healthy controls. <i>European Psychiatry</i> , <b>2018</b> , 47, 50-59	6	24
196	Validation of a European Spanish-version of the University of California performance Skills Assessment (Sp-UPSA) in patients with schizophrenia and bipolar disorder. <i>Schizophrenia Research</i> , <b>2013</b> , 150, 421-6	3.6	24
195	Suicide, unemployment, and economic recession in Spain. <i>Revista De Psiquiatría Y Salud Mental</i> , <b>2017</b> , 10, 70-77	2.7	23
194	Impact of substance use on the physical health of patients with bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , <b>2010</b> , 121, 437-45	6.5	23
193	Association between the Stin2 VNTR polymorphism of the serotonin transporter gene and treatment outcome in alcohol-dependent patients. <i>Alcohol and Alcoholism</i> , <b>2008</b> , 43, 516-22	3.5	23
192	Psychometric properties of the Spanish version of the Changes in Sexual Functioning Questionnaire Short-Form (CSFQ-14) in patients with severe mental disorders. <i>Journal of Sexual Medicine</i> , <b>2011</b> , 8, 1371-82	1.1	22
191	Validation of the Spanish version of the Changes in Sexual Functioning Questionnaire (CSFQ). <i>Journal of Sex and Marital Therapy</i> , <b>2000</b> , 26, 119-31	2.7	22
190	Do patients with bipolar disorder and subsyndromal symptoms benefit from functional remediation? A 12-month follow-up study. <i>European Neuropsychopharmacology</i> , <b>2017</b> , 27, 350-359	1.2	21
189	Classification of patients with bipolar disorder using k-means clustering. <i>PLoS ONE</i> , <b>2019</b> , 14, e0210314	3.7	21
188	Neutrophil-to-lymphocyte ratio: A potential new peripheral biomarker of suicidal behavior. <i>European Psychiatry</i> , <b>2020</b> , 63, e14	6	21
187	Estimating Exposome Score for Schizophrenia Using Predictive Modeling Approach in Two Independent Samples: The Results From the EUGEI Study. <i>Schizophrenia Bulletin</i> , <b>2019</b> , 45, 960-965	1.3	20
186	Serotonin gene polymorphisms in patients with panic disorder. <i>Actas Espanolas De Psiquiatria</i> , <b>2005</b> , 33, 210-5	0.7	20
185	Association between GSK3 $\beta$ gene and increased impulsivity in bipolar disorder. <i>European Neuropsychopharmacology</i> , <b>2014</b> , 24, 510-8	1.2	19
184	Staging of Schizophrenia With the Use of PANSS: An International Multi-Center Study. <i>International Journal of Neuropsychopharmacology</i> , <b>2019</b> , 22, 681-697	5.8	18
183	Functional recovery in patients with schizophrenia: recommendations from a panel of experts. <i>BMC Psychiatry</i> , <b>2018</b> , 18, 176	4.2	18
182	Exploring Genetic Variability at PI, GSK3, HPA, and Glutamatergic Pathways in Lithium Response: Association With IMPA2, INPP1, and GSK3B Genes. <i>Journal of Clinical Psychopharmacology</i> , <b>2015</b> , 35, 600-4	1.7	18
181	Association between heroin dependence and 5-HT2A receptor gene polymorphisms. <i>European Addiction Research</i> , <b>2008</b> , 14, 47-52	4.6	18

180	Evaluating changes in sexual functioning in depressed patients: sensitivity to change of the CSFQ. <i>Journal of Sex and Marital Therapy</i> , <b>2002</b> , 28, 93-103	2.7	18
179	It is feasible and effective to help patients with severe mental disorders to quit smoking: An ecological pragmatic clinical trial with transdermal nicotine patches and varenicline. <i>Schizophrenia Research</i> , <b>2016</b> , 176, 272-280	3.6	17
178	Guilt and depression: two different factors in individuals with negative symptoms of schizophrenia. <i>European Psychiatry</i> , <b>2013</b> , 28, 327-31	6	17
177	Role of serotonergic-related systems in suicidal behavior: Data from a case-control association study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2011</b> , 35, 1518-24	5.5	17
176	Psychometric performance of the Oviedo Sleep Questionnaire in patients with severe mental disorder. <i>Revista De Psiquiatría Y Salud Mental</i> , <b>2009</b> , 2, 169-77	2.7	17
175	Interactions between functional serotonergic polymorphisms and demographic factors influence personality traits in healthy Spanish Caucasians. <i>Psychiatric Genetics</i> , <b>2010</b> , 20, 171-8	2.9	17
174	Replicated evidence that endophenotypic expression of schizophrenia polygenic risk is greater in healthy siblings of patients compared to controls, suggesting gene-environment interaction. The EUGEI study. <i>Psychological Medicine</i> , <b>2020</b> , 50, 1884-1897	6.9	17
173	Gender differences in C-reactive protein and homocysteine modulation of cognitive performance and real-world functioning in bipolar disorder. <i>Journal of Affective Disorders</i> , <b>2018</b> , 229, 95-104	6.6	16
172	Development of the insight scale for affective disorders (ISAD): modification from the scale to assess unawareness of mental disorder. <i>Journal of Affective Disorders</i> , <b>2012</b> , 142, 65-71	6.6	16
171	Polymorphisms of the IL-1 gene complex are associated with alcohol dependence in Spanish Caucasians: data from an association study. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2009</b> , 33, 2147-53	3.7	16
170	Differential blood-based biomarkers of psychopathological dimensions of schizophrenia. <i>Revista De Psiquiatría Y Salud Mental</i> , <b>2016</b> , 9, 219-227	2.7	16
169	The negative syndrome of schizophrenia: three -underlying components are better than two. <i>Schizophrenia Research</i> , <b>2015</b> , 166, 115-8	3.6	15
168	Symptomatic and functional outcomes after treatment with paliperidone palmitate 3-month formulation for 52 weeks in patients with clinically stable schizophrenia. <i>Therapeutic Advances in Psychopharmacology</i> , <b>2020</b> , 10, 2045125320926347	4.9	15
167	Inverse association between negative symptoms and body mass index in chronic schizophrenia. <i>Schizophrenia Research</i> , <b>2018</b> , 192, 69-74	3.6	15
166	The incidence of hospital-treated attempted suicide in Oviedo, Spain. <i>Crisis</i> , <b>2012</b> , 33, 46-53	2.8	15
165	Sleep disturbances, functioning, and quality of life in euthymic patients with bipolar disorder. <i>Psychiatry Research</i> , <b>2018</b> , 269, 501-507	9.9	15
164	Breadth and depth of working memory and executive function compromises in mild cognitive impairment and their relationships to frontal lobe morphometry and functional competence. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , <b>2019</b> , 11, 170-179	5.2	14
163	Cognitive Performance associated to functional outcomes in stable outpatients with schizophrenia. <i>Schizophrenia Research: Cognition</i> , <b>2015</b> , 2, 146-158	2.8	14



162	Métodos de exploración de la función cognitiva en la práctica clínica. <i>Psiquiatría Biológica</i> , <b>2016</b> , 23, 29-33	0.2	13
161	Measurement Invariance of the Reynolds Depression Adolescent Scale across Gender and Age. <i>International Journal of Testing</i> , <b>2010</b> , 10, 133-148	1.5	13
160	Factors associated with hospitalization after suicide spectrum behaviors: results from a multicenter study in Spain. <i>Archives of Suicide Research</i> , <b>2015</b> , 19, 17-34	2.3	12
159	Smoking does not impact social and non-social cognition in patients with first episode psychosis. <i>Schizophrenia Research</i> , <b>2018</b> , 199, 64-74	3.6	12
158	Interleukin-1 gene complex in schizophrenia: an association study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , <b>2006</b> , 141B, 678-80	3.5	12
157	Results of the COVID-19 mental health international for the general population (COMET-G) study. <i>European Neuropsychopharmacology</i> , <b>2021</b> , 54, 21-40	1.2	12
156	5-HTTLPR-brain-derived neurotrophic factor (BDNF) gene interactions and early adverse life events effect on impulsivity in suicide attempters. <i>World Journal of Biological Psychiatry</i> , <b>2019</b> , 20, 137-149	3.8	12
155	Effectiveness, efficiency and efficacy in the multidimensional treatment of schizophrenia: Rethinking project. <i>Revista De Psiquiatría Y Salud Mental</i> , <b>2017</b> , 10, 4-20	2.7	11
154	Long-acting injectable antipsychotics for the treatment of schizophrenia in Spain. <i>Revista De Psiquiatría Y Salud Mental</i> , <b>2019</b> , 12, 92-105	2.7	11
153	Symptoms of depression in Alzheimer's disease, frontal lobe-type dementia, and subcortical dementia. <i>Annals of the New York Academy of Sciences</i> , <b>1995</b> , 769, 389-92	6.5	11
152	High degree of tolerability for monotherapy with high doses of quetiapine: a case report. <i>Journal of Clinical Psychiatry</i> , <b>2002</b> , 63, 1048-9	4.6	11
151	Early Psychological Correlates Associated With COVID-19 in A Spanish Older Adult Sample. <i>American Journal of Geriatric Psychiatry</i> , <b>2020</b> , 28, 1287-1298	6.5	11
150	Examining the independent and joint effects of genomic and exposomic liabilities for schizophrenia across the psychosis spectrum. <i>Epidemiology and Psychiatric Sciences</i> , <b>2020</b> , 29, e182	5.1	11
149	Clinical staging in severe mental disorders; bipolar disorder, depression and schizophrenia. <i>Revista De Psiquiatría Y Salud Mental</i> , <b>2019</b> , 12, 106-115	2.7	11
148	Association of childhood trauma and genetic variability of CRH-BP and FKBP5 genes with suicidal behavior in bipolar patients. <i>Journal of Affective Disorders</i> , <b>2019</b> , 255, 15-22	6.6	10
147	Predictors of posttreatment drinking outcomes in patients with alcohol dependence. <i>European Addiction Research</i> , <b>2015</b> , 21, 19-30	4.6	10
146	A cross-cultural comparison between Spain and the USA: temperament and character distribution by sex and age. <i>Psychiatry Research</i> , <b>2011</b> , 186, 397-401	9.9	10
145	Premorbid Adjustment and IQ in Patients With First-Episode Psychosis: A Multisite Case-Control Study of Their Relationship With Cannabis Use. <i>Schizophrenia Bulletin</i> , <b>2020</b> , 46, 517-529	1.3	10

144	Oxidative stress biomarkers and clinical dimensions in first 10 years of schizophrenia. <i>Revista De Psiquiatría Y Salud Mental</i> , <b>2018</b> , 11, 130-140	2.7	9
143	Self-perceived needs are related to violent behavior among schizophrenia outpatients. <i>Journal of Nervous and Mental Disease</i> , <b>2011</b> , 199, 666-71	1.8	9
142	Early Impact of the COVID-19 Outbreak on Sleep in a Large Spanish Sample. <i>Behavioral Sleep Medicine</i> , <b>2021</b> , 1-16	4.2	9
141	Obstetric Phenotypes in the Heterogeneity of Schizophrenia. <i>Journal of Nervous and Mental Disease</i> , <b>2018</b> , 206, 882-886	1.8	9
140	Characterizing decision-making and reward processing in bipolar disorder: A cluster analysis. <i>European Neuropsychopharmacology</i> , <b>2018</b> , 28, 863-874	1.2	9
139	Association study of candidate genes with obesity and metabolic traits in antipsychotic-treated patients with first-episode psychosis over a 2-year period. <i>Journal of Psychopharmacology</i> , <b>2020</b> , 34, 514-523	4.6	8
138	Changes in administrative prevalence of mental disorders over a 13-year period in Asturias (northern Spain). <i>Revista De Psiquiatría Y Salud Mental</i> , <b>2013</b> , 6, 60-6	2.7	8
137	Association study of the interleukin-1 gene complex and tumor necrosis factor alpha gene with suicide attempts. <i>Psychiatric Genetics</i> , <b>2008</b> , 18, 147-50	2.9	8
136	Spanish validation of the Barcelona TEMPS-A questionnaire in patients with bipolar disorder and general population. <i>Journal of Affective Disorders</i> , <b>2019</b> , 249, 199-207	6.6	8
135	History of Lifetime Cannabis Use Is Associated with Better Cognition and Worse Real-World Functioning in Schizophrenia Spectrum Disorders. <i>European Addiction Research</i> , <b>2019</b> , 25, 111-118	4.6	7
134	Could structural changes in the retinal layers be a new biomarker of mental disorders? A systematic review and thematic synthesis. <i>Revista De Psiquiatría Y Salud Mental</i> , <b>2019</b> , 12, 116-129	2.7	7
133	Sociodemographic factors associated with personality traits assessed through the TCI. <i>Personality and Individual Differences</i> , <b>2010</b> , 48, 809-814	3.3	7
132	Cognitive functioning throughout adulthood and illness stages in individuals with psychotic disorders and their unaffected siblings. <i>Molecular Psychiatry</i> , <b>2021</b> , 26, 4529-4543	15.1	7
131	Predicting real-world functioning in outpatients with schizophrenia: Role of inflammation and psychopathology. <i>Psychiatry Research</i> , <b>2019</b> , 280, 112509	9.9	6
130	Association of cannabinoid receptor genes () polymorphisms and panic disorder. <i>Anxiety, Stress and Coping</i> , <b>2020</b> , 33, 256-265	3.1	6
129	A clinical staging model for bipolar disorder: longitudinal approach. <i>Translational Psychiatry</i> , <b>2020</b> , 10, 45	8.6	6
128	Usefulness of the Short Personality and Life Event Scale (S-PLE) for detection of suicide attempters. <i>Revista De Psiquiatría Y Salud Mental</i> , <b>2017</b> , 10, 218-219	2.7	6
127	Frequency of Extrapyramidal Adverse Reactions in Schizophrenic Outpatients Treated with Risperidone, Olanzapine, Quetiapine or Haloperidol : Results of the EIRE Study. <i>Clinical Drug Investigation</i> , <b>2002</b> , 22, 609-622	3.2	6



126	Can interleukin-2 and interleukin-1 be specific biomarkers of negative symptoms in schizophrenia?. <i>Revista De Psiquiatría Y Salud Mental</i> , <b>2019</b> , 12, 9-16	2.7	6
125	Examining the association between exposome score for schizophrenia and functioning in schizophrenia, siblings, and healthy controls: Results from the EUGEI study. <i>European Psychiatry</i> , <b>2021</b> , 64, e25	6	6
124	Longitudinal effects of clozapine concentration and clozapine to N-desmethylclozapine ratio on cognition: A mediation model. <i>European Neuropsychopharmacology</i> , <b>2020</b> , 33, 158-163	1.2	5
123	Sex differences in bipolar disorder: Impact of lifetime cannabis use on clinical course, functioning, and quality of life in bipolar disorder. <i>Journal of Affective Disorders</i> , <b>2020</b> , 266, 258-262	6.6	5
122	Are affective temperaments determinants of quality of life in euthymic patients with bipolar disorder?. <i>Journal of Affective Disorders</i> , <b>2018</b> , 230, 101-107	6.6	5
121	Phenotypic factors associated with amisulpride-induced weight gain in first-episode psychosis patients (From the OPTiMiSE cohort). <i>Acta Psychiatrica Scandinavica</i> , <b>2019</b> , 140, 283-290	6.5	5
120	Effectiveness of a multi-component Smoking Cessation Support Programme (McSCSP) for patients with severe mental disorders: study design. <i>International Journal of Environmental Research and Public Health</i> , <b>2013</b> , 11, 373-89	4.6	5
119	Lack of association between endothelial nitric oxide synthase (NOS3) gene polymorphisms and suicide attempts. <i>Behavioral and Brain Functions</i> , <b>2007</b> , 3, 32	4.1	5
118	Negative evidences in association between apolipoprotein E polymorphism and panic disorder. <i>European Psychiatry</i> , <b>2006</b> , 21, 59-61	6	5
117	N-acetyltransferase-2 polymorphisms and schizophrenia. <i>European Psychiatry</i> , <b>2006</b> , 21, 333-7	6	5
116	Two Factors, Five Factors, or Both? External Validation Studies of Negative Symptom Dimensions in Schizophrenia.. <i>Schizophrenia Bulletin</i> , <b>2022</b> ,	1.3	5
115	Gender differences in addiction severity. <i>Revista De Psicologia De La Salud</i> , <b>2016</b> , 28, 221-230	1	5
114	Prevalence of Passive Suicidal Ideation in the Early Stage of the Coronavirus Disease 2019 (COVID-19) Pandemic and Lockdown in a Large Spanish Sample. <i>Journal of Clinical Psychiatry</i> , <b>2020</b> , 81,	4.6	5
113	Assessing cross-national invariance of the Community Assessment of Psychic Experiences (CAPE). <i>Psychological Medicine</i> , <b>2019</b> , 49, 2600-2607	6.9	5
112	Elevated C-reactive protein as a predictor of a random one-year clinical course in the first ten years of schizophrenia. <i>Psychiatry Research</i> , <b>2018</b> , 269, 688-691	9.9	5
111	Genome wide analysis of rare copy number variations in alcohol abuse or dependence. <i>Journal of Psychiatric Research</i> , <b>2018</b> , 103, 212-218	5.2	5
110	P.2.d.039 Functional remediation in bipolar II patients: improvement of functioning and subsyndromal symptoms. <i>European Neuropsychopharmacology</i> , <b>2014</b> , 24, S436-S437	1.2	4
109	Role of serotonergic polymorphisms in the clinical severity of the panic disorder. <i>Revista De Psiquiatría Y Salud Mental</i> , <b>2009</b> , 2, 35-41	2.7	4

108	Searching for a predictive peripheral biological model in parasuicidal behaviour. <i>European Psychiatry</i> , <b>1997</b> , 12, 75-81	6	4
107	Sexual dysfunction in depressed patients undergoing treatment with antidepressants. <i>International Journal of Psychiatry in Clinical Practice</i> , <b>2000</b> , 4, 311-7	2.4	4
106	Patología dual en trastornos de ansiedad: recomendaciones en el tratamiento farmacológico. <i>Revista De Psicología De La Salud</i> , <b>2014</b> , 26, 254	1	4
105	Prevention of recurrent suicidal behavior: Case management and psychoeducation. <i>Psicothema</i> , <b>2019</b> , 31, 107-113	2	4
104	Modeling psychological function in patients with schizophrenia with the PANSS: an international multi-center study. <i>CNS Spectrums</i> , <b>2021</b> , 26, 290-298	1.8	4
103	Factors associated with alcohol and tobacco consumption as a coping strategy to deal with the coronavirus disease (COVID-19) pandemic and lockdown in Spain. <i>Addictive Behaviors</i> , <b>2021</b> , 121, 107003	4.2	4
102	Sexual Dysfunction and Mood Stabilizers in Long-Term Stable Patients With Bipolar Disorder. <i>Journal of Sexual Medicine</i> , <b>2020</b> , 17, 930-940	1.1	3
101	Association between genetic variation in the myo-inositol monophosphatase 2 (IMPA2) gene and age at onset of bipolar disorder. <i>Journal of Affective Disorders</i> , <b>2018</b> , 232, 229-236	6.6	3
100	Clinical staging in severe mental disorders: Bipolar disorder, depression and schizophrenia. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , <b>2019</b> , 12, 106-115	0.2	3
99	Psychometric properties of the Spanish version of the Body Weight, Image and Self-Esteem Evaluation Questionnaire in patients with severe mental disorders. <i>Comprehensive Psychiatry</i> , <b>2012</b> , 53, 1237-42	7.3	3
98	Validation of the Spanish Personal and Social Performance scale (PSP) in outpatients with stable and unstable schizophrenia. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , <b>2011</b> , 4, 9-18	0.2	3
97	The state of psychiatry in Spain. <i>International Review of Psychiatry</i> , <b>2012</b> , 24, 347-55	3.6	3
96	Hostility and aggressive behaviour in first episode psychosis: Results from the OPTiMiSE trial. <i>Schizophrenia Research</i> , <b>2020</b> , 223, 271-278	3.6	3
95	A replication study of JTC bias, genetic liability for psychosis and delusional ideation. <i>Psychological Medicine</i> , <b>2020</b> , 1-7	6.9	3
94	Lifestyle in Undergraduate Students and Demographically Matched Controls during the COVID-19 Pandemic in Spain. <i>International Journal of Environmental Research and Public Health</i> , <b>2021</b> , 18,	4.6	3
93	Differential blood-based biomarkers of psychopathological dimensions of schizophrenia. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , <b>2016</b> , 9, 219-227	0.2	3
92	Influence of secondary sources in the Brief Negative Symptom Scale. <i>Schizophrenia Research</i> , <b>2019</b> , 204, 452-454	3.6	3
91	Lifestyle changes and mental health during the COVID-19 pandemic: A repeated, cross-sectional web survey. <i>Journal of Affective Disorders</i> , <b>2021</b> , 295, 173-182	6.6	3

90	Sex-dependent grades of haematopoietic modulation in patients with major depressive episodes are associated with suicide attempts. <i>European Neuropsychopharmacology</i> , <b>2020</b> , 40, 17-30	1.2	2
89	Spanish validation of the Negative Symptom Assessment-16 (NSA-16) in patients with schizophrenia. <i>Revista De Psiquiatría Y Salud Mental</i> , <b>2018</b> , 11, 169-175	2.7	2
88	Deep Brain Stimulation in Patients with Parkinson@ Disease: Effect on Psychiatric Symptoms and Quality of Life. <i>Journal of Neurological Surgery, Part A: Central European Neurosurgery</i> , <b>2018</b> , 79, 130-138 <sup>1.1</sup>		2
87	Childhood trauma in suicide attempters: Case-control study. <i>European Psychiatry</i> , <b>2016</b> , 33, S111-S111	6	2
86	Psychometric properties of a Spanish-version of the Schizophrenia Objective Functioning Instrument (Sp-SOFI). <i>International Journal of Clinical and Health Psychology</i> , <b>2016</b> , 16, 58-75	5.1	2
85	Development of the Spanish Brief-version of the University of California Performance Skills Assessment (Sp-UPSA-Brief) in patients with schizophrenia and bipolar disorder. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , <b>2014</b> , 7, 113-120	0.2	2
84	Cannabis and mental health. <i>Journal of Psychiatric Intensive Care</i> , <b>2007</b> , 3,	0.3	2
83	Factors associated with tobacco consumption in patients with depression. <i>Revista De Psicología De La Salud</i> , <b>2019</b> , 31, 298-308	1	2
82	Pharmacological treatment of obsessive compulsive disorder in adults: A clinical practice guideline based on the ADAPTE methodology. <i>Revista De Psiquiatría Y Salud Mental</i> , <b>2019</b> , 12, 77-91	2.7	2
81	Validation of a European Spanish-version of the Self-Evaluation of Negative Symptoms (SNS) in patients with schizophrenia. <i>Revista De Psiquiatría Y Salud Mental</i> , <b>2020</b> ,	2.7	2
80	Validation of a European Spanish adaptation of the Apathy Evaluation Scale-self-rated version (AES-S) in patients with schizophrenia. <i>Revista De Psiquiatría Y Salud Mental</i> , <b>2020</b> ,	2.7	2
79	Elevated Extracellular Free-Water in a Multicentric First-Episode Psychosis Sample, Decrease During the First 2 Years of Illness. <i>Schizophrenia Bulletin</i> , <b>2020</b> , 46, 846-856	1.3	2
78	A Smart Band for Automatic Supervision of Restrained Patients in a Hospital Environment. <i>Sensors</i> , <b>2020</b> , 20,	3.8	2
77	Cognitive impairment and C-reactive protein in clinically stable schizophrenia outpatients: a focus on sex differences. <i>Scientific Reports</i> , <b>2020</b> , 10, 15963	4.9	2
76	Evidence, and replication thereof, that molecular-genetic and environmental risks for psychosis impact through an affective pathway. <i>Psychological Medicine</i> , <b>2020</b> , 1-13	6.9	2
75	Smoking Status and Cost of Illness in Patients with Depressive Disorder Based on the National Health Survey in Spain. <i>Substance Use and Misuse</i> , <b>2019</b> , 54, 713-723	2.2	2
74	Oxidative stress biomarkers and clinical dimensions in first 10 years of schizophrenia. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , <b>2018</b> , 11, 130-140	0.2	2
73	Does COVID-19 psychological fatigue exist? Results of three online cross-sectional studies conducted in Spain from April 2020 to March 2021.. <i>Journal of Global Health</i> , <b>2022</b> , 12, 05001	4.3	2

72	EPICOG-SCH: A brief battery to screen cognitive impact of schizophrenia in stable outpatients. <i>Schizophrenia Research: Cognition</i> , <b>2017</b> , 8, 7-20	2.8	1
71	White Noise Speech Illusions: A Trait-Dependent Risk Marker for Psychotic Disorder?. <i>Frontiers in Psychiatry</i> , <b>2019</b> , 10, 676	5	1
70	Birth weight and antipsychotic induced weight gain: A prenatal programming approach in the PEPs study. <i>Schizophrenia Research</i> , <b>2020</b> , 218, 292-294	3.6	1
69	Effects of nicotine abstinence on clinical symptoms. Study at 3 and 6-months follow-up of outpatients with schizophrenia. <i>European Psychiatry</i> , <b>2016</b> , 33, s261-s262	6	1
68	"Readiness to Change" Predicts Efficacy of Reduction among Smokers with Severe Mental Illness. <i>European Addiction Research</i> , <b>2019</b> , 25, 256-262	4.6	1
67	P.2.d.014 Genetic variability at IMPA2 and INPP1 genes is associated to lithium response in bipolar patients. <i>European Neuropsychopharmacology</i> , <b>2013</b> , 23, S370-S371	1.2	1
66	Substance Use and Physical Health in Patients with Bipolar Disorder Under Maintenance Treatment. <i>European Psychiatry</i> , <b>2009</b> , 24, 1-1	6	1
65	Tobacco and cognitive performance in schizophrenia patients: the design of the COGNICO study. <i>Revista De Psicologia De La Salud</i> , <b>2016</b> , 29, 6-12	1	1
64	Predictive factors of alcohol consumption in adolescents: data from 1-year follow-up prospective study. <i>Revista De Psicologia De La Salud</i> , <b>2019</b> , 31, 52-63	1	1
63	Cognitive functioning in patients with alcohol use disorder who start outpatient treatment. <i>Revista De Psicologia De La Salud</i> , <b>2021</b> , 33, 161-174	1	1
62	Eating and nutritional habits in patients with schizophrenia. <i>Revista De Psiquiatría Y Salud Mental</i> , <b>2019</b> ,	2.7	1
61	The Mediating Role of Impulsivity in the Relationship Between Suicidal Behavior and Early Traumatic Experiences in Depressed Subjects. <i>Frontiers in Psychiatry</i> , <b>2020</b> , 11, 538172	5	1
60	Impact on carer burden when stable patients with schizophrenia transitioned from 1-monthly to 3-monthly paliperidone palmitate. <i>Comprehensive Psychiatry</i> , <b>2021</b> , 107, 152233	7.3	1
59	Inflammatory and metabolic biomarkers of psychopathological dimensions of schizophrenia. <i>European Psychiatry</i> , <b>2016</b> , 33, s250-s250	6	1
58	Differential serum acute-phase biomarker profile in schizophrenia and bipolar disorder. <i>European Psychiatry</i> , <b>2016</b> , 33, S96-S96	6	1
57	Are plasma 25-hydroxyvitamin D and retinol levels and one-carbon metabolism related to metabolic syndrome in patients with a severe mental disorder?. <i>Psychiatry Research</i> , <b>2019</b> , 273, 22-29	9.9	1
56	Is the alteration in emotional recognition a specific risk factor of suicide attempt?. <i>Revista De Psiquiatría Y Salud Mental</i> , <b>2019</b> , 12, 196-198	2.7	1
55	Prepare the smoking cessation in severe mental illness: Early diagnosis and prevention opportunities. <i>Revista De Psiquiatría Y Salud Mental</i> , <b>2019</b> , 12, 133-134	2.7	1

54	Early versus late stage schizophrenia. What markers make the difference?. <i>World Journal of Biological Psychiatry</i> , <b>2019</b> , 20, 159-165	3.8	1
53	Alcohol use and risk factors for self-harm behavior in Spanish adolescents. <i>Revista De Psicologia De La Salud</i> , <b>2021</b> , 33, 53-62	1	1
52	Gender, age at onset, and duration of being ill as predictors for the long-term course and outcome of schizophrenia: an international multicenter study. <i>CNS Spectrums</i> , <b>2021</b> , 1-8	1.8	1
51	Real-World Functioning in Patients With Schizophrenia: Beyond Negative and Cognitive Symptoms. <i>Frontiers in Psychiatry</i> , <b>2021</b> , 12, 700747	5	1
50	Validation of a European Spanish-version of the Self-Evaluation of Negative Symptoms (SNS) in patients with schizophrenia.. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , <b>2022</b> , 15, 14-21	0.2	1
49	Stable schizophrenia patients switched to paliperidone palmitate 3-monthly formulation in real life: functioning and resource use. <i>European Neuropsychopharmacology</i> , <b>2019</b> , 29, S238-S239	1.2	0
48	Aumento de peso y síndrome metabólico. <i>Psiquiatría Biológica</i> , <b>2015</b> , 22, 3-9	0.2	0
47	Psychiatry residency during the COVID-19 pandemic: Navigating uncharted waters. <i>Asian Journal of Psychiatry</i> , <b>2020</b> , 53, 102214	6.7	0
46	Validation of a Spanish version of the Columbia-Suicide Severity Rating Scale (C-SSRS). <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , <b>2016</b> , 9, 134-142	0.2	0
45	Impact on functionality of the paliperidone palmitate three-month formulation in patients with a recent diagnosis of schizophrenia: a real-world observational prospective study.. <i>Expert Opinion on Pharmacotherapy</i> , <b>2022</b> , 1-10	4	0
44	Association between Neutrophil-Lymphocyte ratio, Platelet-Lymphocyte ratio, and C-Reactive Protein levels and metabolic status in patients with a bipolar disorder. <i>World Journal of Biological Psychiatry</i> , <b>2021</b> , 1-27	3.8	0
43	A polygenic approach to the association between smoking and schizophrenia. <i>Addiction Biology</i> , <b>2021</b> , e13104	4.6	0
42	Difficulties in delivery and depressive symptomatology in schizophrenia. <i>Revista De Psiquiatría Y Salud Mental</i> , <b>2021</b> , 14, 66-68	2.7	0
41	Sex differences in neurocognitive and psychosocial functioning in bipolar disorder. <i>Journal of Affective Disorders</i> , <b>2022</b> , 296, 208-215	6.6	0
40	Impact of previous tobacco use with or without cannabis on first psychotic experiences in patients with first-episode psychosis. <i>Schizophrenia Research</i> , <b>2021</b> , 236, 19-28	3.6	0
39	Examining facial emotion recognition as an intermediate phenotype for psychosis: Findings from the EUGEI study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2022</b> , 113, 110440	5.5	0
38	Effectiveness, efficiency and efficacy in the multidimensional treatment of schizophrenia: Rethinking project. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , <b>2017</b> , 10, 4-20	0.2	
37	Are altered plasma vitamin D, vitamin A and one-carbon metabolism related to metabolic syndrome in patients with a severe mental disorder?. <i>European Neuropsychopharmacology</i> , <b>2019</b> , 29, S431-S432	1.2	

36	Can interleukin-2 and interleukin-1 be specific biomarkers of negative symptoms in schizophrenia?. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , <b>2019</b> , 12, 9-16	0.2
35	Emotion recognition in major depressed patients: Evidence of lack of relationship with suicidal behavior. <i>European Neuropsychopharmacology</i> , <b>2019</b> , 29, S376-S377	1.2
34	Evolution of negative symptom assessment instruments. <i>European Psychiatry</i> , <b>2016</b> , 33, S69-S69	6
33	Spanish validation of the Negative Symptom Assessment-16 (NSA-16) in patients with schizophrenia. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , <b>2018</b> , 11, 169-175	0.2
32	Prepare the smoking cessation in severe mental illness: Early diagnosis and prevention opportunities. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , <b>2019</b> , 12, 133-134	0.2
31	Study protocol of a prevention of recurrent suicidal behaviour program based on case management (PSyMAC). <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , <b>2014</b> , 7, 131-138	0.2
30	P.7.e.003 Sleep in adolescents: association with emotional problems and suicidal ideation. <i>European Neuropsychopharmacology</i> , <b>2013</b> , 23, S613-S614	1.2
29	Physical Health in Early and Late Stages of Bipolar Disorder. <i>European Psychiatry</i> , <b>2017</b> , 41, s113-s113	6
28	Preventive recommendations on the use of valproic acid in pregnant or gestational women to be very present. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , <b>2017</b> , 10, 129-133	0.2
27	Usefulness of the Short Personality and Life Event Scale (S-PLE) for detection of suicide attempters. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , <b>2017</b> , 10, 218-219	0.2
26	P.1.h.003 Prevalence of metabolic syndrome and cardiovascular risk in patients with schizoaffective disorders. <i>European Neuropsychopharmacology</i> , <b>2010</b> , 20, S323-S324	1.2
25	Differences Observed by ASI-6 among users of Alcohol, Cocaine and Opiates. <i>European Psychiatry</i> , <b>2009</b> , 24, 1-1	6
24	Physical Health of Patients with Drug use Disorders. <i>European Psychiatry</i> , <b>2009</b> , 24, 1-1	6
23	Role of serotonergic polymorphisms in the clinical severity of the panic disorder. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , <b>2009</b> , 2, 35-41	0.2
22	P.3.c.037 Neuropsychological performance and cognitive disability in schizophrenia outpatients. <i>European Neuropsychopharmacology</i> , <b>2007</b> , 17, S445-S446	1.2
21	Is antipsychotic-induced weight gain related to sexual dysfunction?. <i>European Neuropsychopharmacology</i> , <b>2002</b> , 12, 282-283	1.2
20	Emotional intelligence: a comparison between patients after first episode mania and those suffering from chronic bipolar disorder type I.. <i>Psychological Medicine</i> , <b>2022</b> , 1-12	6.9
19	P.247 Psychological impact of COVID-19 confinement among people with history of mental disorders (bipolar, anxiety, depression) and general population in Spain. <i>European Neuropsychopharmacology</i> , <b>2020</b> , 40, S141-S142	1.2



18	P.502 Impact of previous tobacco use with or without cannabis on first psychotic experiences in patients with first-episode psychosis. <i>European Neuropsychopharmacology</i> , <b>2020</b> , 40, S281-S282	1.2
17	P.530 Intestinal permeability and low-grade chronic inflammation in schizophrenia: do they influence cognition and cognitive reserve?. <i>European Neuropsychopharmacology</i> , <b>2020</b> , 40, S297-S298	1.2
16	P.690 Post-traumatic stress symptoms during the COVID-19 in different regions of Spain. <i>European Neuropsychopharmacology</i> , <b>2020</b> , 40, S393-S394	1.2
15	Smoking cessation improves clinical outcome in severe mental disorders and is modulated by genetic variability at CHRNA5 gene. <i>Schizophrenia Research</i> , <b>2020</b> , 222, 516-519	3.6
14	Smoking cessation programs for persons with schizophrenia: An urgent unmet need. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , <b>2016</b> , 9, 181-184	0.2
13	P.378 Metabolic syndrome and quality of life in schizophrenia and bipolar disorder. <i>European Neuropsychopharmacology</i> , <b>2019</b> , 29, S268-S269	1.2
12	P.586 Comorbid depression in patients with schizophrenia: does it have an impact on their neurocognitive functioning?. <i>European Neuropsychopharmacology</i> , <b>2019</b> , 29, S407-S408	1.2
11	Difficulties in delivery and depressive symptomatology in schizophrenia. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , <b>2021</b> , 14, 66-68	0.2
10	Clinical staging in depression <b>2021</b> , 3-12	
9	The mediating role of impulsivity in the relationship between suicidal behaviour and early traumatic experiences in depressed subjects. <i>European Psychiatry</i> , <b>2021</b> , 64, S583-S583	6
8	Orexins in the clinical course of bipolar disorder. <i>European Psychiatry</i> , <b>2021</b> , 64, S623-S623	6
7	Insomnia associated with neutrophil/lymphocyte ratio in female patients with schizophrenia. <i>European Psychiatry</i> , <b>2021</b> , 64, S806-S806	6
6	Association of traumatic events in childhood, impulsivity and decision-making with previous suicide attempt and/or current suicidal ideation in adult patients with major depressive disorder. <i>European Psychiatry</i> , <b>2021</b> , 64, S177-S178	6
5	COVID-19 psychological impact in patients with depressive disorder: Differences based on their age. <i>European Psychiatry</i> , <b>2021</b> , 64, S674-S675	6
4	Factors associated with real-world functioning in first stages of schizophrenia disorder. <i>European Psychiatry</i> , <b>2021</b> , 64, S805-S805	6
3	Validation of a European Spanish adaptation of the Apathy Evaluation Scale-self-rated version (AES-S) in patients with schizophrenia.. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , <b>2022</b> , 15, 22-28	0.2
2	Spanish Validation of the MAP-SR: Two Heads Better Than One for the Assessment of Negative Symptoms of Schizophrenia. <i>Psicothema</i> , <b>2021</b> , 33, 473-480	2
1	Is it possible to stage schizophrenia? A systematic review.. <i>Translational Psychiatry</i> , <b>2022</b> , 12, 197	8.6

