

# Maria P Garcia-Portilla

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/8925200/maria-p-garcia-portilla-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

251  
papers

4,495  
citations

34  
h-index

57  
g-index

295  
ext. papers

5,592  
ext. citations

3.7  
avg, IF

5.24  
L-index

#	Paper	IF	Citations
251	Emotional intelligence: a comparison between patients after first episode mania and those suffering from chronic bipolar disorder type I.. <i>Psychological Medicine</i> , <b>2022</b> , 1-12	6.9	
250	Two Factors, Five Factors, or Both? External Validation Studies of Negative Symptom Dimensions in Schizophrenia.. <i>Schizophrenia Bulletin</i> , <b>2022</b> ,	1.3	5
249	Impact on functionality of the paliperidone palmitate three-month formulation in patients with a recent diagnosis of schizophrenia: a real-world observational prospective study.. <i>Expert Opinion on Pharmacotherapy</i> , <b>2022</b> , 1-10	4	0
248	Sex differences in neurocognitive and psychosocial functioning in bipolar disorder. <i>Journal of Affective Disorders</i> , <b>2022</b> , 296, 208-215	6.6	0
247	Examining facial emotion recognition as an intermediate phenotype for psychosis: Findings from the EUGEI study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2022</b> , 113, 110440	5.5	0
246	Validation of a European Spanish adaptation of the Apathy Evaluation Scale-self-rated version (AES-S) in patients with schizophrenia.. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , <b>2022</b> , 15, 22-28	0.2	
245	Validation of a European Spanish-version of the Self-Evaluation of Negative Symptoms (SNS) in patients with schizophrenia.. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , <b>2022</b> , 15, 14-21	0.2	1
244	Does COVID-19 psychological fatigue exist? Results of three online cross-sectional studies conducted in Spain from April 2020 to March 2021.. <i>Journal of Global Health</i> , <b>2022</b> , 12, 05001	4.3	2
243	Is it possible to stage schizophrenia? A systematic review.. <i>Translational Psychiatry</i> , <b>2022</b> , 12, 197	8.6	
242	Association between Neutrophil-Lymphocyte ratio, Platelet-Lymphocyte ratio, and C-Reactive Protein levels and metabolic status in patients with a bipolar disorder. <i>World Journal of Biological Psychiatry</i> , <b>2021</b> , 1-27	3.8	0
241	A polygenic approach to the association between smoking and schizophrenia. <i>Addiction Biology</i> , <b>2021</b> , e13104	4.6	0
240	Results of the COVID-19 mental health international for the general population (COMET-G) study. <i>European Neuropsychopharmacology</i> , <b>2021</b> , 54, 21-40	1.2	12
239	Cognitive functioning in patients with alcohol use disorder who start outpatient treatment. <i>Revista De Psicología De La Salud</i> , <b>2021</b> , 33, 161-174	1	1
238	Are older adults also at higher psychological risk from COVID-19?. <i>Aging and Mental Health</i> , <b>2021</b> , 25, 1297-1304	3.5	40
237	Early Impact of the COVID-19 Outbreak on Sleep in a Large Spanish Sample. <i>Behavioral Sleep Medicine</i> , <b>2021</b> , 1-16	4.2	9
236	Impact on carer burden when stable patients with schizophrenia transitioned from 1-monthly to 3-monthly paliperidone palmitate. <i>Comprehensive Psychiatry</i> , <b>2021</b> , 107, 152233	7.3	1
235	Lifestyle in Undergraduate Students and Demographically Matched Controls during the COVID-19 Pandemic in Spain. <i>International Journal of Environmental Research and Public Health</i> , <b>2021</b> , 18,	4.6	3

234	Modeling psychological function in patients with schizophrenia with the PANSS: an international multi-center study. <i>CNS Spectrums</i> , <b>2021</b> , 26, 290-298	1.8	4
233	Difficulties in delivery and depressive symptomatology in schizophrenia. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , <b>2021</b> , 14, 66-68	0.2	
232	Alcohol use and risk factors for self-harm behavior in Spanish adolescents. <i>Revista De Psicología De La Salud</i> , <b>2021</b> , 33, 53-62	1	1
231	Examining the association between exposome score for schizophrenia and functioning in schizophrenia, siblings, and healthy controls: Results from the EUGEI study. <i>European Psychiatry</i> , <b>2021</b> , 64, e25	6	6
230	Difficulties in delivery and depressive symptomatology in schizophrenia. <i>Revista De Psiquiatría Y Salud Mental</i> , <b>2021</b> , 14, 66-68	2.7	0
229	Clinical staging in depression <b>2021</b> , 3-12		
228	Gender, age at onset, and duration of being ill as predictors for the long-term course and outcome of schizophrenia: an international multicenter study. <i>CNS Spectrums</i> , <b>2021</b> , 1-8	1.8	1
227	Real-World Functioning in Patients With Schizophrenia: Beyond Negative and Cognitive Symptoms. <i>Frontiers in Psychiatry</i> , <b>2021</b> , 12, 700747	5	1
226	Impact of previous tobacco use with or without cannabis on first psychotic experiences in patients with first-episode psychosis. <i>Schizophrenia Research</i> , <b>2021</b> , 236, 19-28	3.6	0
225	Factors associated with alcohol and tobacco consumption as a coping strategy to deal with the coronavirus disease (COVID-19) pandemic and lockdown in Spain. <i>Addictive Behaviors</i> , <b>2021</b> , 121, 107003	4.2	4
224	Lifestyle changes and mental health during the COVID-19 pandemic: A repeated, cross-sectional web survey. <i>Journal of Affective Disorders</i> , <b>2021</b> , 295, 173-182	6.6	3
223	Cognitive functioning throughout adulthood and illness stages in individuals with psychotic disorders and their unaffected siblings. <i>Molecular Psychiatry</i> , <b>2021</b> , 26, 4529-4543	15.1	7
222	The mediating role of impulsivity in the relationship between suicidal behaviour and early traumatic experiences in depressed subjects. <i>European Psychiatry</i> , <b>2021</b> , 64, S583-S583	6	
221	Orexins in the clinical course of bipolar disorder. <i>European Psychiatry</i> , <b>2021</b> , 64, S623-S623	6	
220	Insomnia associated with neutrophil/lymphocyte ratio in female patients with schizophrenia. <i>European Psychiatry</i> , <b>2021</b> , 64, S806-S806	6	
219	Association of traumatic events in childhood, impulsivity and decision-making with previous suicide attempt and/or current suicidal ideation in adult patients with major depressive disorder. <i>European Psychiatry</i> , <b>2021</b> , 64, S177-S178	6	
218	COVID-19 psychological impact in patients with depressive disorder: Differences based on their age. <i>European Psychiatry</i> , <b>2021</b> , 64, S674-S675	6	
217	Factors associated with real-world functioning in first stages of schizophrenia disorder. <i>European Psychiatry</i> , <b>2021</b> , 64, S805-S805	6	

216	Spanish Validation of the MAP-SR: Two Heads Better Than One for the Assessment of Negative Symptoms of Schizophrenia. <i>Psicothema</i> , <b>2021</b> , 33, 473-480	2	
215	Symptomatic and functional outcomes after treatment with paliperidone palmitate 3-month formulation for 52 weeks in patients with clinically stable schizophrenia. <i>Therapeutic Advances in Psychopharmacology</i> , <b>2020</b> , 10, 2045125320926347	4.9	15
214	Sexual Dysfunction and Mood Stabilizers in Long-Term Stable Patients With Bipolar Disorder. <i>Journal of Sexual Medicine</i> , <b>2020</b> , 17, 930-940	1.1	3
213	Sex-dependent grades of haematopoietic modulation in patients with major depressive episodes are associated with suicide attempts. <i>European Neuropsychopharmacology</i> , <b>2020</b> , 40, 17-30	1.2	2
212	Psychiatry residency during the COVID-19 pandemic: Navigating uncharted waters. <i>Asian Journal of Psychiatry</i> , <b>2020</b> , 53, 102214	6.7	0
211	Association of cannabinoid receptor genes () polymorphisms and panic disorder. <i>Anxiety, Stress and Coping</i> , <b>2020</b> , 33, 256-265	3.1	6
210	Neutrophil-to-lymphocyte ratio: A potential new peripheral biomarker of suicidal behavior. <i>European Psychiatry</i> , <b>2020</b> , 63, e14	6	21
209	Association study of candidate genes with obesity and metabolic traits in antipsychotic-treated patients with first-episode psychosis over a 2-year period. <i>Journal of Psychopharmacology</i> , <b>2020</b> , 34, 514-523	4.6	8
208	Longitudinal effects of clozapine concentration and clozapine to N-desmethylozapine ratio on cognition: A mediation model. <i>European Neuropsychopharmacology</i> , <b>2020</b> , 33, 158-163	1.2	5
207	Sex differences in bipolar disorder: Impact of lifetime cannabis use on clinical course, functioning, and quality of life in bipolar disorder. <i>Journal of Affective Disorders</i> , <b>2020</b> , 266, 258-262	6.6	5
206	A clinical staging model for bipolar disorder: longitudinal approach. <i>Translational Psychiatry</i> , <b>2020</b> , 10, 45	8.6	6
205	Birth weight and antipsychotic induced weight gain: A prenatal programming approach in the PEPs study. <i>Schizophrenia Research</i> , <b>2020</b> , 218, 292-294	3.6	1
204	Prevalence of Passive Suicidal Ideation in the Early Stage of the Coronavirus Disease 2019 (COVID-19) Pandemic and Lockdown in a Large Spanish Sample. <i>Journal of Clinical Psychiatry</i> , <b>2020</b> , 81,	4.6	5
203	Validation of a European Spanish-version of the Self-Evaluation of Negative Symptoms (SNS) in patients with schizophrenia. <i>Revista De Psiquiatría Y Salud Mental</i> , <b>2020</b> ,	2.7	2
202	Validation of a European Spanish adaptation of the Apathy Evaluation Scale-self-rated version (AES-S) in patients with schizophrenia. <i>Revista De Psiquiatría Y Salud Mental</i> , <b>2020</b> ,	2.7	2
201	Elevated Extracellular Free-Water in a Multicentric First-Episode Psychosis Sample, Decrease During the First 2 Years of Illness. <i>Schizophrenia Bulletin</i> , <b>2020</b> , 46, 846-856	1.3	2
200	Early Psychological Correlates Associated With COVID-19 in A Spanish Older Adult Sample. <i>American Journal of Geriatric Psychiatry</i> , <b>2020</b> , 28, 1287-1298	6.5	11
199	A Smart Band for Automatic Supervision of Restrained Patients in a Hospital Environment. <i>Sensors</i> , <b>2020</b> , 20,	3.8	2

198	Hostility and aggressive behaviour in first episode psychosis: Results from the OPTiMiSE trial. <i>Schizophrenia Research</i> , <b>2020</b> , 223, 271-278	3.6	3
197	A replication study of JTC bias, genetic liability for psychosis and delusional ideation. <i>Psychological Medicine</i> , <b>2020</b> , 1-7	6.9	3
196	P.247 Psychological impact of COVID-19 confinement among people with history of mental disorders (bipolar, anxiety, depression) and general population in Spain. <i>European Neuropsychopharmacology</i> , <b>2020</b> , 40, S141-S142	1.2	
195	P.502 Impact of previous tobacco use with or without cannabis on first psychotic experiences in patients with first-episode psychosis. <i>European Neuropsychopharmacology</i> , <b>2020</b> , 40, S281-S282	1.2	
194	P.530 Intestinal permeability and low-grade chronic inflammation in schizophrenia: do they influence cognition and cognitive reserve?. <i>European Neuropsychopharmacology</i> , <b>2020</b> , 40, S297-S298	1.2	
193	P.690 Post-traumatic stress symptoms during the COVID-19 in different regions of Spain. <i>European Neuropsychopharmacology</i> , <b>2020</b> , 40, S393-S394	1.2	
192	The Mediating Role of Impulsivity in the Relationship Between Suicidal Behavior and Early Traumatic Experiences in Depressed Subjects. <i>Frontiers in Psychiatry</i> , <b>2020</b> , 11, 538172	5	1
191	Examining the independent and joint effects of genomic and exposomic liabilities for schizophrenia across the psychosis spectrum. <i>Epidemiology and Psychiatric Sciences</i> , <b>2020</b> , 29, e182	5.1	11
190	COVID-19 lockdown in people with severe mental disorders in Spain: Do they have a specific psychological reaction compared with other mental disorders and healthy controls?. <i>Schizophrenia Research</i> , <b>2020</b> , 223, 192-198	3.6	38
189	Smoking cessation improves clinical outcome in severe mental disorders and is modulated by genetic variability at CHRNA5 gene. <i>Schizophrenia Research</i> , <b>2020</b> , 222, 516-519	3.6	
188	Early psychological impact of the 2019 coronavirus disease (COVID-19) pandemic and lockdown in a large Spanish sample. <i>Journal of Global Health</i> , <b>2020</b> , 10, 020505	4.3	32
187	Cognitive impairment and C-reactive protein in clinically stable schizophrenia outpatients: a focus on sex differences. <i>Scientific Reports</i> , <b>2020</b> , 10, 15963	4.9	2
186	Evidence, and replication thereof, that molecular-genetic and environmental risks for psychosis impact through an affective pathway. <i>Psychological Medicine</i> , <b>2020</b> , 1-13	6.9	2
185	Replicated evidence that endophenotypic expression of schizophrenia polygenic risk is greater in healthy siblings of patients compared to controls, suggesting gene-environment interaction. The EUGEI study. <i>Psychological Medicine</i> , <b>2020</b> , 50, 1884-1897	6.9	17
184	Premorbid Adjustment and IQ in Patients With First-Episode Psychosis: A Multisite Case-Control Study of Their Relationship With Cannabis Use. <i>Schizophrenia Bulletin</i> , <b>2020</b> , 46, 517-529	1.3	10
183	Predicting real-world functioning in outpatients with schizophrenia: Role of inflammation and psychopathology. <i>Psychiatry Research</i> , <b>2019</b> , 280, 112509	9.9	6
182	White Noise Speech Illusions: A Trait-Dependent Risk Marker for Psychotic Disorder?. <i>Frontiers in Psychiatry</i> , <b>2019</b> , 10, 676	5	1
181	Staging of Schizophrenia With the Use of PANSS: An International Multi-Center Study. <i>International Journal of Neuropsychopharmacology</i> , <b>2019</b> , 22, 681-697	5.8	18

180	Classification of patients with bipolar disorder using k-means clustering. <i>PLoS ONE</i> , <b>2019</b> , 14, e0210314	3.7	21
179	Are altered plasma vitamin D, vitamin A and one-carbon metabolism related to metabolic syndrome in patients with a severe mental disorder?. <i>European Neuropsychopharmacology</i> , <b>2019</b> , 29, S431-S432	1.2	
178	Association of childhood trauma and genetic variability of CRH-BP and FKBP5 genes with suicidal behavior in bipolar patients. <i>Journal of Affective Disorders</i> , <b>2019</b> , 255, 15-22	6.6	10
177	Examining the independent and joint effects of molecular genetic liability and environmental exposures in schizophrenia: results from the EUGEI study. <i>World Psychiatry</i> , <b>2019</b> , 18, 173-182	14.4	73
176	Stable schizophrenia patients switched to paliperidone palmitate 3-monthly formulation in real life: functioning and resource use. <i>European Neuropsychopharmacology</i> , <b>2019</b> , 29, S238-S239	1.2	0
175	Can interleukin-2 and interleukin-1 $\beta$ be specific biomarkers of negative symptoms in schizophrenia?. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , <b>2019</b> , 12, 9-16	0.2	
174	History of Lifetime Cannabis Use Is Associated with Better Cognition and Worse Real-World Functioning in Schizophrenia Spectrum Disorders. <i>European Addiction Research</i> , <b>2019</b> , 25, 111-118	4.6	7
173	F110. SYMPTOMATIC REMISSION WITH PALIPERIDONE PALMITATE 3-MONTHLY FORMULATION IN SCHIZOPHRENIA PATIENTS IN A CLINICAL PRACTICE SETTING. <i>Schizophrenia Bulletin</i> , <b>2019</b> , 45, S295-S296	1.3	78
172	Breadth and depth of working memory and executive function compromises in mild cognitive impairment and their relationships to frontal lobe morphometry and functional competence. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , <b>2019</b> , 11, 170-179	5.2	14
171	Emotion recognition in major depressed patients: Evidence of lack of relationship with suicidal behavior. <i>European Neuropsychopharmacology</i> , <b>2019</b> , 29, S376-S377	1.2	
170	Could structural changes in the retinal layers be a new biomarker of mental disorders? A systematic review and thematic synthesis. <i>Revista De Psiquiatría Y Salud Mental</i> , <b>2019</b> , 12, 116-129	2.7	7
169	Long-acting injectable antipsychotics for the treatment of schizophrenia in Spain. <i>Revista De Psiquiatría Y Salud Mental</i> , <b>2019</b> , 12, 92-105	2.7	11
168	Phenotypic factors associated with amisulpride-induced weight gain in first-episode psychosis patients (from the OPTiMiSE cohort). <i>Acta Psychiatrica Scandinavica</i> , <b>2019</b> , 140, 283-290	6.5	5
167	Clinical staging in severe mental disorders: Bipolar disorder, depression and schizophrenia. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , <b>2019</b> , 12, 106-115	0.2	3
166	"Readiness to Change" Predicts Efficacy of Reduction among Smokers with Severe Mental Illness. <i>European Addiction Research</i> , <b>2019</b> , 25, 256-262	4.6	1
165	Prepare the smoking cessation in severe mental illness: Early diagnosis and prevention opportunities. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , <b>2019</b> , 12, 133-134	0.2	
164	Estimating Exposome Score for Schizophrenia Using Predictive Modeling Approach in Two Independent Samples: The Results From the EUGEI Study. <i>Schizophrenia Bulletin</i> , <b>2019</b> , 45, 960-965	1.3	20
163	Factors associated with tobacco consumption in patients with depression. <i>Revista De Psicología De La Salud</i> , <b>2019</b> , 31, 298-308	1	2



162	Prevention of recurrent suicidal behavior: Case management and psychoeducation. <i>Psicothema</i> , <b>2019</b> , 31, 107-113	2	4
161	Predictive factors of alcohol consumption in adolescents: data from 1-year follow-up prospective study. <i>Revista De Psicologia De La Salud</i> , <b>2019</b> , 31, 52-63	1	1
160	Pharmacological treatment of obsessive compulsive disorder in adults: A clinical practice guideline based on the ADAPTE methodology. <i>Revista De Psiquiatría Y Salud Mental</i> , <b>2019</b> , 12, 77-91	2.7	2
159	Eating and nutritional habits in patients with schizophrenia. <i>Revista De Psiquiatría Y Salud Mental</i> , <b>2019</b> ,	2.7	1
158	Spanish validation of the Barcelona TEMPS-A questionnaire in patients with bipolar disorder and general population. <i>Journal of Affective Disorders</i> , <b>2019</b> , 249, 199-207	6.6	8
157	P.378 Metabolic syndrome and quality of life in schizophrenia and bipolar disorder. <i>European Neuropsychopharmacology</i> , <b>2019</b> , 29, S268-S269	1.2	
156	P.586 Comorbid depression in patients with schizophrenia: does it have an impact on their neurocognitive functioning?. <i>European Neuropsychopharmacology</i> , <b>2019</b> , 29, S407-S408	1.2	
155	Clinical staging in severe mental disorders; bipolar disorder, depression and schizophrenia. <i>Revista De Psiquiatría Y Salud Mental</i> , <b>2019</b> , 12, 106-115	2.7	11
154	Smoking Status and Cost of Illness in Patients with Depressive Disorder Based on the National Health Survey in Spain. <i>Substance Use and Misuse</i> , <b>2019</b> , 54, 713-723	2.2	2
153	Updated European Consensus Statement on diagnosis and treatment of adult ADHD. <i>European Psychiatry</i> , <b>2019</b> , 56, 14-34	6	170
152	Are plasma 25-hydroxyvitamin D and retinol levels and one-carbon metabolism related to metabolic syndrome in patients with a severe mental disorder?. <i>Psychiatry Research</i> , <b>2019</b> , 273, 22-29	9.9	1
151	Is the alteration in emotional recognition a specific risk factor of suicide attempt?. <i>Revista De Psiquiatría Y Salud Mental</i> , <b>2019</b> , 12, 196-198	2.7	1
150	Prepare the smoking cessation in severe mental illness: Early diagnosis and prevention opportunities. <i>Revista De Psiquiatría Y Salud Mental</i> , <b>2019</b> , 12, 133-134	2.7	1
149	Influence of secondary sources in the Brief Negative Symptom Scale. <i>Schizophrenia Research</i> , <b>2019</b> , 204, 452-454	3.6	3
148	Assessing cross-national invariance of the Community Assessment of Psychic Experiences (CAPE). <i>Psychological Medicine</i> , <b>2019</b> , 49, 2600-2607	6.9	5
147	Early versus late stage schizophrenia. What markers make the difference?. <i>World Journal of Biological Psychiatry</i> , <b>2019</b> , 20, 159-165	3.8	1
146	Transdiagnostic dimensions of psychopathology at first episode psychosis: findings from the multinational EU-GEI study. <i>Psychological Medicine</i> , <b>2019</b> , 49, 1378-1391	6.9	42
145	5-HTTLPR-brain-derived neurotrophic factor (BDNF) gene interactions and early adverse life events effect on impulsivity in suicide attempters. <i>World Journal of Biological Psychiatry</i> , <b>2019</b> , 20, 137-149	3.8	12

144	Cross-cultural Validation of the 5-Factor Structure of Negative Symptoms in Schizophrenia. <i>Schizophrenia Bulletin</i> , <b>2019</b> , 45, 305-314	1.3	70
143	Can interleukin-2 and interleukin-1 $\beta$ be specific biomarkers of negative symptoms in schizophrenia?. <i>Revista De Psiquiatr� Y Salud Mental</i> , <b>2019</b> , 12, 9-16	2.7	6
142	Spanish validation of the Negative Symptom Assessment-16 (NSA-16) in patients with schizophrenia. <i>Revista De Psiquiatr� Y Salud Mental</i> , <b>2018</b> , 11, 169-175	2.7	2
141	Smoking does not impact social and non-social cognition in patients with first episode psychosis. <i>Schizophrenia Research</i> , <b>2018</b> , 199, 64-74	3.6	12
140	Association between genetic variation in the myo-inositol monophosphatase 2 (IMPA2) gene and age at onset of bipolar disorder. <i>Journal of Affective Disorders</i> , <b>2018</b> , 232, 229-236	6.6	3
139	Are affective temperaments determinants of quality of life in euthymic patients with bipolar disorder?. <i>Journal of Affective Disorders</i> , <b>2018</b> , 230, 101-107	6.6	5
138	Gender differences in C-reactive protein and homocysteine modulation of cognitive performance and real-world functioning in bipolar disorder. <i>Journal of Affective Disorders</i> , <b>2018</b> , 229, 95-104	6.6	16
137	Factors associated with poor functional outcome in bipolar disorder: sociodemographic, clinical, and neurocognitive variables. <i>Acta Psychiatrica Scandinavica</i> , <b>2018</b> , 138, 145-154	6.5	36
136	Oxidative stress biomarkers and clinical dimensions in first 10 years of schizophrenia. <i>Revista De Psiquiatr� Y Salud Mental</i> , <b>2018</b> , 11, 130-140	2.7	9
135	Inverse association between negative symptoms and body mass index in chronic schizophrenia. <i>Schizophrenia Research</i> , <b>2018</b> , 192, 69-74	3.6	15
134	Evolution of metabolic risk factors over a two-year period in a cohort of first episodes of psychosis. <i>Schizophrenia Research</i> , <b>2018</b> , 193, 188-196	3.6	25
133	Regulation of inflammatory pathways in schizophrenia: A comparative study with bipolar disorder and healthy controls. <i>European Psychiatry</i> , <b>2018</b> , 47, 50-59	6	24
132	Deep Brain Stimulation in Patients with Parkinson's Disease: Effect on Psychiatric Symptoms and Quality of Life. <i>Journal of Neurological Surgery, Part A: Central European Neurosurgery</i> , <b>2018</b> , 79, 130-138	1.1	2
131	Spanish validation of the Negative Symptom Assessment-16 (NSA-16) in patients with schizophrenia. <i>Revista De Psiquiatr� Y Salud Mental (English Edition)</i> , <b>2018</b> , 11, 169-175	0.2	
130	Amisulpride and olanzapine followed by open-label treatment with clozapine in first-episode schizophrenia and schizophreniform disorder (OPTiMiSE): a three-phase switching study. <i>Lancet Psychiatry</i> , <b>2018</b> , 5, 797-807	23.3	100
129	Functional recovery in patients with schizophrenia: recommendations from a panel of experts. <i>BMC Psychiatry</i> , <b>2018</b> , 18, 176	4.2	18
128	S240. DETERMINANT FACTORS OF REAL-WORLD FUNCTIONING IN SCHIZOPHRENIA. <i>Schizophrenia Bulletin</i> , <b>2018</b> , 44, S420-S420	1.3	78
127	T17. OXIDATIVE STRESS BIOMARKERS AND NEGATIVE DIMENSION IN THE FIRST TEN YEARS OF SCHIZOPHRENIA: A 1-YEAR FOLLOW-UP STUDY. <i>Schizophrenia Bulletin</i> , <b>2018</b> , 44, S119-S119	1.3	78



126	Obstetric Phenotypes in the Heterogeneity of Schizophrenia. <i>Journal of Nervous and Mental Disease</i> , <b>2018</b> , 206, 882-886	1.8	9
125	Elevated C-reactive protein as a predictor of a random one-year clinical course in the first ten years of schizophrenia. <i>Psychiatry Research</i> , <b>2018</b> , 269, 688-691	9.9	5
124	Sleep disturbances, functioning, and quality of life in euthymic patients with bipolar disorder. <i>Psychiatry Research</i> , <b>2018</b> , 269, 501-507	9.9	15
123	Characterizing decision-making and reward processing in bipolar disorder: A cluster analysis. <i>European Neuropsychopharmacology</i> , <b>2018</b> , 28, 863-874	1.2	9
122	Genome wide analysis of rare copy number variations in alcohol abuse or dependence. <i>Journal of Psychiatric Research</i> , <b>2018</b> , 103, 212-218	5.2	5
121	Oxidative stress biomarkers and clinical dimensions in first 10 years of schizophrenia. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , <b>2018</b> , 11, 130-140	0.2	2
120	Effectiveness, efficiency and efficacy in the multidimensional treatment of schizophrenia: Rethinking project. <i>Revista De Psiquiatría Y Salud Mental</i> , <b>2017</b> , 10, 4-20	2.7	11
119	Do patients with bipolar disorder and subsyndromal symptoms benefit from functional remediation? A 12-month follow-up study. <i>European Neuropsychopharmacology</i> , <b>2017</b> , 27, 350-359	1.2	21
118	The course of negative symptoms in first-episode schizophrenia and its predictors: A prospective two-year follow-up study. <i>Schizophrenia Research</i> , <b>2017</b> , 189, 84-90	3.6	30
117	Suicide, unemployment, and economic recession in Spain. <i>Revista De Psiquiatría Y Salud Mental</i> , <b>2017</b> , 10, 70-77	2.7	23
116	Effectiveness, efficiency and efficacy in the multidimensional treatment of schizophrenia: Rethinking project. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , <b>2017</b> , 10, 4-20	0.2	
115	EPICOG-SCH: A brief battery to screen cognitive impact of schizophrenia in stable outpatients. <i>Schizophrenia Research: Cognition</i> , <b>2017</b> , 8, 7-20	2.8	1
114	Impact of childhood trauma on cognitive profile in bipolar disorder. <i>Bipolar Disorders</i> , <b>2017</b> , 19, 363-374	3.8	32
113	Physical Health in Early and Late Stages of Bipolar Disorder. <i>European Psychiatry</i> , <b>2017</b> , 41, s113-s113	6	
112	Preventive recommendations on the use of valproic acid in pregnant or gestational women to be very present. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , <b>2017</b> , 10, 129-133	0.2	
111	Usefulness of the Short Personality and Life Event Scale (S-PLE) for detection of suicide attempters. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , <b>2017</b> , 10, 218-219	0.2	
110	Usefulness of the Short Personality and Life Event Scale (S-PLE) for detection of suicide attempters. <i>Revista De Psiquiatría Y Salud Mental</i> , <b>2017</b> , 10, 218-219	2.7	6
109	Substance use or abuse, internet use, psychopathology and suicidal ideation in adolescents. <i>Revista De Psicología De La Salud</i> , <b>2017</b> , 29, 97-104	1	33

108	Validation of a Spanish version of the Columbia-Suicide Severity Rating Scale (C-SSRS). <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , <b>2016</b> , 9, 134-142	0.2	0
107	Métodos de exploración de la función cognitiva en la práctica clínica. <i>Psiquiatria Biologica</i> , <b>2016</b> , 23, 29-33	0.2	13
106	Evolution of negative symptom assessment instruments. <i>European Psychiatry</i> , <b>2016</b> , 33, S69-S69	6	
105	Childhood trauma in suicide attempters: Case-control study. <i>European Psychiatry</i> , <b>2016</b> , 33, S111-S111	6	2
104	Effects of nicotine abstinence on clinical symptoms. Study at 3 and 6-months follow-up of outpatients with schizophrenia. <i>European Psychiatry</i> , <b>2016</b> , 33, s261-s262	6	1
103	Psychometric properties of a Spanish-version of the Schizophrenia Objective Functioning Instrument (Sp-SOFI). <i>International Journal of Clinical and Health Psychology</i> , <b>2016</b> , 16, 58-75	5.1	2
102	Validation of a Spanish version of the Columbia-Suicide Severity Rating Scale (C-SSRS). <i>Revista De Psiquiatría Y Salud Mental</i> , <b>2016</b> , 9, 134-42	2.7	27
101	It is feasible and effective to help patients with severe mental disorders to quit smoking: An ecological pragmatic clinical trial with transdermal nicotine patches and varenicline. <i>Schizophrenia Research</i> , <b>2016</b> , 176, 272-280	3.6	17
100	Reasons for Attempted Suicide in Europe: Prevalence, Associated Factors, and Risk of Repetition. <i>Archives of Suicide Research</i> , <b>2016</b> , 20, 45-58	2.3	27
99	Functional remediation in bipolar disorder: 1-year follow-up of neurocognitive and functional outcome. <i>British Journal of Psychiatry</i> , <b>2016</b> , 208, 87-93	5.4	71
98	Tobacco and cognitive performance in schizophrenia patients: the design of the COGNICO study. <i>Revista De Psicología De La Salud</i> , <b>2016</b> , 29, 6-12	1	1
97	Gender differences in addiction severity. <i>Revista De Psicología De La Salud</i> , <b>2016</b> , 28, 221-230	1	5
96	Clinical features, impulsivity, temperament and functioning and their role in suicidality in patients with bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , <b>2016</b> , 133, 266-76	6.5	26
95	Differential blood-based biomarkers of psychopathological dimensions of schizophrenia. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , <b>2016</b> , 9, 219-227	0.2	3
94	Smoking cessation programs for persons with schizophrenia: An urgent unmet need. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , <b>2016</b> , 9, 181-184	0.2	
93	Inflammatory and metabolic biomarkers of psychopathological dimensions of schizophrenia. <i>European Psychiatry</i> , <b>2016</b> , 33, s250-s250	6	1
92	Effects of functional remediation on neurocognitively impaired bipolar patients: enhancement of verbal memory. <i>Psychological Medicine</i> , <b>2016</b> , 46, 291-301	6.9	30
91	Differential serum acute-phase biomarker profile in schizophrenia and bipolar disorder. <i>European Psychiatry</i> , <b>2016</b> , 33, S96-S96	6	1

90	Differential blood-based biomarkers of psychopathological dimensions of schizophrenia. <i>Revista De Psiquiatría Y Salud Mental</i> , <b>2016</b> , 9, 219-227	2.7	16
89	Predictive factors of functional capacity and real-world functioning in patients with schizophrenia. <i>European Psychiatry</i> , <b>2015</b> , 30, 622-7	6	31
88	Psychometric evaluation of the negative syndrome of schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , <b>2015</b> , 265, 559-66	5.1	44
87	The negative syndrome of schizophrenia: three -underlying components are better than two. <i>Schizophrenia Research</i> , <b>2015</b> , 166, 115-8	3.6	15
86	Aumento de peso y síndrome metabólico. <i>Psiquiatria Biologica</i> , <b>2015</b> , 22, 3-9	0.2	0
85	Functional remediation for patients with bipolar II disorder: improvement of functioning and subsyndromal symptoms. <i>European Neuropsychopharmacology</i> , <b>2015</b> , 25, 257-64	1.2	39
84	Factors associated with hospitalization after suicide spectrum behaviors: results from a multicenter study in Spain. <i>Archives of Suicide Research</i> , <b>2015</b> , 19, 17-34	2.3	12
83	Exploring Genetic Variability at PI, GSK3, HPA, and Glutamatergic Pathways in Lithium Response: Association With IMPA2, INPP1, and GSK3B Genes. <i>Journal of Clinical Psychopharmacology</i> , <b>2015</b> , 35, 600-4	1.7	18
82	Cognitive Performance associated to functional outcomes in stable outpatients with schizophrenia. <i>Schizophrenia Research: Cognition</i> , <b>2015</b> , 2, 146-158	2.8	14
81	Predictors of posttreatment drinking outcomes in patients with alcohol dependence. <i>European Addiction Research</i> , <b>2015</b> , 21, 19-30	4.6	10
80	Study protocol of a prevention of recurrent suicidal behaviour program based on case management (PSyMAC). <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , <b>2014</b> , 7, 131-138	0.2	
79	P.2.d.039 Functional remediation in bipolar II patients: improvement of functioning and subsyndromal symptoms. <i>European Neuropsychopharmacology</i> , <b>2014</b> , 24, S436-S437	1.2	4
78	Development of the Spanish Brief-version of the University of California Performance Skills Assessment (Sp-UPSA-Brief) in patients with schizophrenia and bipolar disorder. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , <b>2014</b> , 7, 113-120	0.2	2
77	Replication of previous genome-wide association studies of psychiatric diseases in a large schizophrenia case-control sample from Spain. <i>Schizophrenia Research</i> , <b>2014</b> , 159, 107-13	3.6	27
76	Spanish adaptation and validation of the Brief Negative Symptoms Scale. <i>Comprehensive Psychiatry</i> , <b>2014</b> , 55, 1726-9	7.3	45
75	Association between GSK3β gene and increased impulsivity in bipolar disorder. <i>European Neuropsychopharmacology</i> , <b>2014</b> , 24, 510-8	1.2	19
74	Pro-/anti-inflammatory dysregulation in patients with first episode of psychosis: toward an integrative inflammatory hypothesis of schizophrenia. <i>Schizophrenia Bulletin</i> , <b>2014</b> , 40, 376-87	1.3	116
73	Long term outcomes of pharmacological treatments for opioid dependence: does methadone still lead the pack?. <i>British Journal of Clinical Pharmacology</i> , <b>2014</b> , 77, 272-84	3.8	27

72	Patologí dual en trastornos de ansiedad: recomendaciones en el tratamiento farmacolóico. <i>Revista De Psicología De La Salud</i> , <b>2014</b> , 26, 254	1	4
71	Guilt and depression: two different factors in individuals with negative symptoms of schizophrenia. <i>European Psychiatry</i> , <b>2013</b> , 28, 327-31	6	17
70	Genetic variability at IMPA2, INPP1 and GSK3 increases the risk of suicidal behavior in bipolar patients. <i>European Neuropsychopharmacology</i> , <b>2013</b> , 23, 1452-62	1.2	36
69	Validation of a European Spanish-version of the University of California performance Skills Assessment (Sp-UPSA) in patients with schizophrenia and bipolar disorder. <i>Schizophrenia Research</i> , <b>2013</b> , 150, 421-6	3.6	24
68	P.7.e.003 Sleep in adolescents: association with emotional problems and suicidal ideation. <i>European Neuropsychopharmacology</i> , <b>2013</b> , 23, S613-S614	1.2	
67	P.2.d.014 Genetic variability at IMPA2 and INPP1 genes is associated to lithium response in bipolar patients. <i>European Neuropsychopharmacology</i> , <b>2013</b> , 23, S370-S371	1.2	1
66	Changes in administrative prevalence of mental disorders over a 13-year period in Asturias (northern Spain). <i>Revista De Psiquiatrí Y Salud Mental</i> , <b>2013</b> , 6, 60-6	2.7	8
65	Effectiveness of a multi-component Smoking Cessation Support Programme (McSCSP) for patients with severe mental disorders: study design. <i>International Journal of Environmental Research and Public Health</i> , <b>2013</b> , 11, 373-89	4.6	5
64	Efficacy of functional remediation in bipolar disorder: a multicenter randomized controlled study. <i>American Journal of Psychiatry</i> , <b>2013</b> , 170, 852-9	11.9	211
63	New treatment guidelines for acute bipolar mania: a critical review. <i>Journal of Affective Disorders</i> , <b>2012</b> , 140, 125-41	6.6	64
62	Development of the insight scale for affective disorders (ISAD): modification from the scale to assess unawareness of mental disorder. <i>Journal of Affective Disorders</i> , <b>2012</b> , 142, 65-71	6.6	16
61	Depressive disorders and the menopause transition. <i>Maturitas</i> , <b>2012</b> , 71, 120-30	5	143
60	Psychometric properties of the Spanish version of the Body Weight, Image and Self-Esteem Evaluation Questionnaire in patients with severe mental disorders. <i>Comprehensive Psychiatry</i> , <b>2012</b> , 53, 1237-42	7.3	3
59	The state of psychiatry in Spain. <i>International Review of Psychiatry</i> , <b>2012</b> , 24, 347-55	3.6	3
58	The incidence of hospital-treated attempted suicide in Oviedo, Spain. <i>Crisis</i> , <b>2012</b> , 33, 46-53	2.8	15
57	A 25-year follow-up of patients admitted to methadone treatment for the first time: mortality and gender differences. <i>Addictive Behaviors</i> , <b>2011</b> , 36, 1184-90	4.2	45
56	Role of serotonergic-related systems in suicidal behavior: Data from a case-control association study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2011</b> , 35, 1518-24	5.5	17
55	A cross-cultural comparison between Spain and the USA: temperament and character distribution by sex and age. <i>Psychiatry Research</i> , <b>2011</b> , 186, 397-401	9.9	10

54	Validation of the Spanish Personal and Social Performance scale (PSP) in outpatients with stable and unstable schizophrenia. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , <b>2011</b> , 4, 9-18	0.2	3
53	Self-perceived needs are related to violent behavior among schizophrenia outpatients. <i>Journal of Nervous and Mental Disease</i> , <b>2011</b> , 199, 666-71	1.8	9
52	Psychometric properties of the Spanish version of the Changes in Sexual Functioning Questionnaire Short-Form (CSFQ-14) in patients with severe mental disorders. <i>Journal of Sexual Medicine</i> , <b>2011</b> , 8, 1371-82	1.1	22
51	Sexual function assessment in postmenopausal women with the 14-item changes in sexual functioning questionnaire. <i>Journal of Sexual Medicine</i> , <b>2011</b> , 8, 2144-51	1.1	30
50	Validation of the Spanish Personal and Social Performance scale (PSP) in outpatients with stable and unstable schizophrenia. <i>Revista De Psiquiatría Y Salud Mental</i> , <b>2011</b> , 4, 9-18	2.7	49
49	Borderline personality traits in nonclinical young adults. <i>Journal of Personality Disorders</i> , <b>2011</b> , 25, 542-56.6	6.6	25
48	Topiramate for the treatment of alcohol dependence: comparison with naltrexone. <i>European Addiction Research</i> , <b>2011</b> , 17, 29-36	4.6	42
47	Genetic polymorphisms in the dopamine-2 receptor (DRD2), dopamine-3 receptor (DRD3), and dopamine transporter (SLC6A3) genes in schizophrenia: Data from an association study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2010</b> , 34, 26-31	5.5	35
46	P.1.h.003 Prevalence of metabolic syndrome and cardiovascular risk in patients with schizoaffective disorders. <i>European Neuropsychopharmacology</i> , <b>2010</b> , 20, S323-S324	1.2	
45	Measurement Invariance of the Reynolds Depression Adolescent Scale across Gender and Age. <i>International Journal of Testing</i> , <b>2010</b> , 10, 133-148	1.5	13
44	Impact of substance use on the physical health of patients with bipolar disorder. <i>Acta Psychiatrica Scandinavica</i> , <b>2010</b> , 121, 437-45	6.5	23
43	Interactions between functional serotonergic polymorphisms and demographic factors influence personality traits in healthy Spanish Caucasians. <i>Psychiatric Genetics</i> , <b>2010</b> , 20, 171-8	2.9	17
42	Sociodemographic factors associated with personality traits assessed through the TCI. <i>Personality and Individual Differences</i> , <b>2010</b> , 48, 809-814	3.3	7
41	Rare genotype combination of the serotonin transporter gene associated with treatment response in severe personality disorder. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , <b>2010</b> , 153B, 1494-7	3.5	34
40	Cardiovascular risk in patients with bipolar disorder. <i>Journal of Affective Disorders</i> , <b>2009</b> , 115, 302-8	6.6	59
39	Polymorphisms of the IL-1 gene complex are associated with alcohol dependence in Spanish Caucasians: data from an association study. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2009</b> , 33, 2147-53	3.7	16
38	Differential role of serotonergic polymorphisms in alcohol and heroin dependence. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2009</b> , 33, 695-700	5.5	30
37	Differences Observed by ASI-6 among users of Alcohol, Cocaine and Opiates. <i>European Psychiatry</i> , <b>2009</b> , 24, 1-1	6	

36	Physical Health of Patients with Drug use Disorders. <i>European Psychiatry</i> , <b>2009</b> , 24, 1-1	6	
35	Substance Use and Physical Health in Patients with Bipolar Disorder Under Maintenance Treatment. <i>European Psychiatry</i> , <b>2009</b> , 24, 1-1	6	1
34	Role of serotonergic polymorphisms in the clinical severity of the panic disorder. <i>Revista De Psiquiatría Y Salud Mental</i> , <b>2009</b> , 2, 35-41	2.7	4
33	Psychometric performance of the Oviedo Sleep Questionnaire in patients with severe mental disorder. <i>Revista De Psiquiatría Y Salud Mental</i> , <b>2009</b> , 2, 169-77	2.7	17
32	Role of serotonergic polymorphisms in the clinical severity of the panic disorder. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , <b>2009</b> , 2, 35-41	0.2	
31	Using topiramate or naltrexone for the treatment of alcohol-dependent patients. <i>Alcoholism: Clinical and Experimental Research</i> , <b>2008</b> , 32, 1251-9	3.7	54
30	The prevalence of metabolic syndrome in patients with bipolar disorder. <i>Journal of Affective Disorders</i> , <b>2008</b> , 106, 197-201	6.6	95
29	Is attempted suicide different in adolescent and adults?. <i>Psychiatry Research</i> , <b>2008</b> , 157, 131-7	9.9	34
28	Association study between obsessive-compulsive disorder and serotonergic candidate genes. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2008</b> , 32, 765-70	5.5	41
27	Association between heroin dependence and 5-HT <sub>2A</sub> receptor gene polymorphisms. <i>European Addiction Research</i> , <b>2008</b> , 14, 47-52	4.6	18
26	Association between the Stin2 VNTR polymorphism of the serotonin transporter gene and treatment outcome in alcohol-dependent patients. <i>Alcohol and Alcoholism</i> , <b>2008</b> , 43, 516-22	3.5	23
25	Association study of the interleukin-1 gene complex and tumor necrosis factor alpha gene with suicide attempts. <i>Psychiatric Genetics</i> , <b>2008</b> , 18, 147-50	2.9	8
24	Association between the A-1438G polymorphism of the serotonin 2A receptor gene and nonimpulsive suicide attempts. <i>Psychiatric Genetics</i> , <b>2008</b> , 18, 213-8	2.9	25
23	Lack of association between endothelial nitric oxide synthase (NOS3) gene polymorphisms and suicide attempts. <i>Behavioral and Brain Functions</i> , <b>2007</b> , 3, 32	4.1	5
22	Cannabis and mental health. <i>Journal of Psychiatric Intensive Care</i> , <b>2007</b> , 3,	0.3	2
21	Association study of serotonin 2A receptor (5-HT <sub>2A</sub> ) and serotonin transporter (5-HTT) gene polymorphisms with schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , <b>2007</b> , 31, 741-5	5.5	34
20	P.3.c.037 Neuropsychological performance and cognitive disability in schizophrenia outpatients. <i>European Neuropsychopharmacology</i> , <b>2007</b> , 17, S445-S446	1.2	
19	Quality of life in schizophrenic patients. <i>Dialogues in Clinical Neuroscience</i> , <b>2007</b> , 9, 215-26	5.7	97



18	Interleukin-1 gene complex in schizophrenia: an association study. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , <b>2006</b> , 141B, 678-80	3.5	12
17	Negative evidences in association between apolipoprotein E polymorphism and panic disorder. <i>European Psychiatry</i> , <b>2006</b> , 21, 59-61	6	5
16	N-acetyltransferase-2 polymorphisms and schizophrenia. <i>European Psychiatry</i> , <b>2006</b> , 21, 333-7	6	5
15	Quality of life measures in schizophrenia. <i>European Psychiatry</i> , <b>2005</b> , 20 Suppl 3, S313-7	6	75
14	Serotonin gene polymorphisms in patients with panic disorder. <i>Actas Espanolas De Psiquiatria</i> , <b>2005</b> , 33, 210-5	0.7	20
13	Weight gain in patients with schizophrenia treated with risperidone, olanzapine, quetiapine or haloperidol: results of the EIRE study. <i>Schizophrenia Research</i> , <b>2003</b> , 62, 77-88	3.6	95
12	Frequency of sexual dysfunction and other reproductive side-effects in patients with schizophrenia treated with risperidone, olanzapine, quetiapine, or haloperidol: the results of the EIRE study. <i>Journal of Sex and Marital Therapy</i> , <b>2003</b> , 29, 125-47	2.7	150
11	Evaluating changes in sexual functioning in depressed patients: sensitivity to change of the CSFQ. <i>Journal of Sex and Marital Therapy</i> , <b>2002</b> , 28, 93-103	2.7	18
10	Use of MDMA and other illicit drugs by young adult males in northern Spain. A five-year study. <i>European Addiction Research</i> , <b>2002</b> , 8, 147-54	4.6	27
9	Is antipsychotic-induced weight gain related to sexual dysfunction?. <i>European Neuropsychopharmacology</i> , <b>2002</b> , 12, 282-283	1.2	
8	Frequency of Extrapyramidal Adverse Reactions in Schizophrenic Outpatients Treated with Risperidone, Olanzapine, Quetiapine or Haloperidol : Results of the EIRE Study. <i>Clinical Drug Investigation</i> , <b>2002</b> , 22, 609-622	3.2	6
7	High degree of tolerability for monotherapy with high doses of quetiapine: a case report. <i>Journal of Clinical Psychiatry</i> , <b>2002</b> , 63, 1048-9	4.6	11
6	Quality of life and disability in patients with obsessive-compulsive disorder. <i>European Psychiatry</i> , <b>2001</b> , 16, 239-45	6	164
5	Validation of the Spanish version of the Changes in Sexual Functioning Questionnaire (CSFQ). <i>Journal of Sex and Marital Therapy</i> , <b>2000</b> , 26, 119-31	2.7	22
4	Sexual dysfunction in depressed patients undergoing treatment with antidepressants. <i>International Journal of Psychiatry in Clinical Practice</i> , <b>2000</b> , 4, 311-7	2.4	4
3	Quality of life in schizophrenia: Long-term follow-up in 362 chronic Spanish schizophrenic outpatients undergoing risperidone maintenance treatment. <i>European Psychiatry</i> , <b>1998</b> , 13, 158-63	6	27
2	Searching for a predictive peripheral biological model in parasuicidal behaviour. <i>European Psychiatry</i> , <b>1997</b> , 12, 75-81	6	4
1	Symptoms of depression in Alzheimer@ disease, frontal lobe-type dementia, and subcortical dementia. <i>Annals of the New York Academy of Sciences</i> , <b>1995</b> , 769, 389-92	6.5	11

