

Marco Pierini

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8927774/publications.pdf>

Version: 2024-02-01

88
papers

1,680
citations

331670

21
h-index

345221

36
g-index

90
all docs

90
docs citations

90
times ranked

1266
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Life Cycle Assessment in the automotive sector: a comparative case study of Internal Combustion Engine (ICE) and electric car. <i>Procedia Structural Integrity</i> , 2018, 12, 521-537. | 0.8 | 98 |
| 2 | An equivalent material formulation for sinusoidal corrugated cores of structural sandwich panels. <i>Composite Structures</i> , 2013, 100, 173-185. | 5.8 | 94 |
| 3 | Development of driving cycles for electric vehicles in the context of the city of Florence. <i>Transportation Research, Part D: Transport and Environment</i> , 2016, 47, 299-322. | 6.8 | 88 |
| 4 | The effect of lightweighting in automotive LCA perspective: Estimation of mass-induced fuel consumption reduction for gasoline turbocharged vehicles. <i>Journal of Cleaner Production</i> , 2017, 154, 566-577. | 9.3 | 80 |
| 5 | Innovative composites and hybrid materials for electric vehicles lightweight design in a sustainability perspective. <i>Materials Today Communications</i> , 2017, 13, 192-209. | 1.9 | 80 |
| 6 | The influence of vehicle front-end design on pedestrian ground impact. <i>Accident Analysis and Prevention</i> , 2015, 79, 56-69. | 5.7 | 78 |
| 7 | Equivalent properties for corrugated cores of sandwich structures: A general analytical method. <i>Composite Structures</i> , 2014, 108, 736-746. | 5.8 | 75 |
| 8 | Environmental and economic life cycle assessment of a lightweight solution for an automotive component: A comparison between talc-filled and hollow glass microspheres-reinforced polymer composites. <i>Journal of Cleaner Production</i> , 2016, 139, 548-560. | 9.3 | 69 |
| 9 | Life Cycle Assessment of a heavy metro train. <i>Journal of Cleaner Production</i> , 2015, 87, 787-799. | 9.3 | 62 |
| 10 | Design for disassembly: a methodology for identifying the optimal disassembly sequence. <i>Journal of Engineering Design</i> , 2007, 18, 563-575. | 2.3 | 55 |
| 11 | Analysis of the main elements affecting social LCA applications: challenges for the automotive sector. <i>International Journal of Life Cycle Assessment</i> , 2018, 23, 519-535. | 4.7 | 41 |
| 12 | On-field investigation and process modelling of End-of-Life Vehicles treatment in the context of Italian craft-type Authorized Treatment Facilities. <i>Waste Management</i> , 2013, 33, 892-906. | 7.4 | 39 |
| 13 | Lightweight Design Solutions in the Automotive Field: Environmental Modelling Based on Fuel Reduction Value Applied to Diesel Turbocharged Vehicles. <i>Sustainability</i> , 2016, 8, 1167. | 3.2 | 37 |
| 14 | In-depth investigations of PTW-car accidents caused by human errors. <i>Safety Science</i> , 2014, 68, 212-221. | 4.9 | 34 |
| 15 | Life cycle assessment of a plastic air intake manifold. <i>International Journal of Life Cycle Assessment</i> , 2015, 20, 1429-1443. | 4.7 | 32 |
| 16 | Decision logic of an active braking system for powered two wheelers. <i>Proceedings of the Institution of Mechanical Engineers, Part D: Journal of Automobile Engineering</i> , 2012, 226, 1026-1036. | 1.9 | 31 |
| 17 | Assessing the Potential Benefits of the Motorcycle Autonomous Emergency Braking Using Detailed Crash Reconstructions. <i>Traffic Injury Prevention</i> , 2013, 14, S40-S49. | 1.4 | 30 |
| 18 | Evaluation of the end-of-life performance of a hybrid scooter with the application of recyclability and recoverability assessment methods. <i>Resources, Conservation and Recycling</i> , 2016, 108, 140-155. | 10.8 | 27 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Inevitable Collision States for Motorcycle-to-Car Collision Scenarios. IEEE Transactions on Intelligent Transportation Systems, 2016, 17, 2563-2573. | 8.0 | 26 |
| 20 | Evaluation of an Autonomous Braking System in Real-World PTW Crashes. Traffic Injury Prevention, 2013, 14, 532-543. | 1.4 | 24 |
| 21 | Further Development of Motorcycle Autonomous Emergency Braking (MAEB), What Can In-Depth Studies Tell Us? A Multinational Study. Traffic Injury Prevention, 2014, 15, S165-S172. | 1.4 | 24 |
| 22 | Analysis of the minimum swerving distance for the development of a motorcycle autonomous braking system. Accident Analysis and Prevention, 2013, 59, 170-184. | 5.7 | 23 |
| 23 | End-of-Life in the railway sector: Analysis of recyclability and recoverability for different vehicle case studies. Waste Management, 2017, 60, 439-450. | 7.4 | 23 |
| 24 | Emergency braking performance of motorcycle riders: skill identification in a real-life perception-action task designed for training purposes. Transportation Research Part F: Traffic Psychology and Behaviour, 2019, 63, 93-107. | 3.7 | 22 |
| 25 | Application of induction power recharge to garbage collection service. , 2017, , . | | 21 |
| 26 | Development and validation of an FE model for motorcycle“car crash test simulations. International Journal of Crashworthiness, 2014, 19, 244-263. | 1.9 | 20 |
| 27 | Online State of Health Estimation of Lithium-Ion Batteries Based on Improved Ampere-Count Method. , 2018, , . | | 19 |
| 28 | Challenges for modelling and integrating environmental performances in concept design: the case of an automotive component lightweighting. International Journal of Sustainable Engineering, 2018, 11, 135-148. | 3.5 | 18 |
| 29 | Designing the Dynamic Behavior of an Engine Suspension System Through Genetic Algorithms. Journal of Vibration and Acoustics, Transactions of the ASME, 2001, 123, 480-486. | 1.6 | 16 |
| 30 | Beam Bounding Box “a novel approach for beam concept modeling and optimization handling. Finite Elements in Analysis and Design, 2012, 60, 13-24. | 3.2 | 16 |
| 31 | Exploratory field trial of motorcycle autonomous emergency braking (MAEB): Considerations on the acceptability of unexpected automatic decelerations. Traffic Injury Prevention, 2016, 17, 855-862. | 1.4 | 16 |
| 32 | FE modelling of a motorcycle tyre for full-scale crash simulations. International Journal of Crashworthiness, 2012, 17, 309-318. | 1.9 | 15 |
| 33 | Motorcycle helmet selection and usage for improved safety: A systematic review on the protective effects of helmet type and fastening. Traffic Injury Prevention, 2021, 22, 301-306. | 1.4 | 14 |
| 34 | Static and dynamic experimental validation of analytical homogenization models for corrugated core sandwich panels. Composite Structures, 2015, 125, 343-353. | 5.8 | 13 |
| 35 | Triggering algorithm based on inevitable collision states for autonomous emergency braking (AEB) in motorcycle-to-car crashes. , 2015, , . | | 13 |
| 36 | Representative surrogate problems as test functions for expensive simulators in multidisciplinary design optimization of vehicle structures. Structural and Multidisciplinary Optimization, 2016, 54, 449-468. | 3.5 | 13 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Are automatic systems the future of motorcycle safety? A novel methodology to prioritize potential safety solutions based on their projected effectiveness. <i>Traffic Injury Prevention</i> , 2017, 18, 877-885. | 1.4 | 13 |
| 38 | Determining the Loss Factor by the Power Input Method (PIM), Part 2: Experimental Investigation with Impact Hammer Excitation. <i>Journal of Vibration and Acoustics, Transactions of the ASME</i> , 1999, 121, 422-428. | 1.6 | 11 |
| 39 | Advanced accident research system based on a medical and engineering data in the metropolitan area of Florence. <i>BMC Emergency Medicine</i> , 2013, 13, 3. | 1.9 | 11 |
| 40 | Human error in motorcycle crashes: A methodology based on in-depth data to identify the skills needed and support training interventions for safe riding. <i>Traffic Injury Prevention</i> , 2021, 22, 294-300. | 1.4 | 11 |
| 41 | Determining the Loss Factor by the Power Input Method (PIM), Part 1: Numerical Investigation. <i>Journal of Vibration and Acoustics, Transactions of the ASME</i> , 1999, 121, 417-421. | 1.6 | 10 |
| 42 | Strategy-based approach to eco-design: an innovative methodology for systematic integration of ecologic/economic considerations into product development process. <i>International Journal of Sustainable Design</i> , 2008, 1, 29. | 0.0 | 10 |
| 43 | Design and preliminary testing of an haptic handle for powered two wheelers. <i>European Transport Research Review</i> , 2011, 3, 1-9. | 4.8 | 10 |
| 44 | A hybrid formulation for mid-frequency analysis of assembled structures. <i>Journal of Sound and Vibration</i> , 2008, 309, 545-568. | 3.9 | 9 |
| 45 | Reformulation of the Stochastic BEM to improve the computational efficiency in the prediction of the vibro-acoustic behaviour of structures with uncertainties. <i>Journal of Sound and Vibration</i> , 2013, 332, 2132-2148. | 3.9 | 9 |
| 46 | Potential error factors in 1D beam FE modeling for the early stage vehicle design. <i>Finite Elements in Analysis and Design</i> , 2013, 74, 53-66. | 3.2 | 9 |
| 47 | Development of a low-cost motorcycle riding simulator for emergency scenarios involving swerving. <i>Proceedings of the Institution of Mechanical Engineers, Part D: Journal of Automobile Engineering</i> , 2016, 230, 1891-1903. | 1.9 | 9 |
| 48 | Belted Safety Jacket: a new concept in Powered Two-Wheeler passive safety. <i>Procedia Structural Integrity</i> , 2018, 8, 573-593. | 0.8 | 9 |
| 49 | Sustainability assessment for different design solutions within the automotive field. <i>Procedia Structural Integrity</i> , 2019, 24, 906-925. | 0.8 | 9 |
| 50 | Motorcycle Autonomous Emergency Braking (MAEB) employed as enhanced braking: Estimating the potential for injury reduction using real-world crash modeling. <i>Traffic Injury Prevention</i> , 2021, 22, S104-S110. | 1.4 | 9 |
| 51 | Strategy-based approach to eco-design: application to an automotive component. <i>International Journal of Vehicle Design</i> , 2008, 46, 156. | 0.3 | 8 |
| 52 | Potential head injury mitigation of M-AEB in real-world motorcycle crashes. <i>International Journal of Crashworthiness</i> , 2020, 25, 591-602. | 1.9 | 8 |
| 53 | On the improvement of the solution accuracy for exterior acoustic problems with BEM and FMBEM. <i>Engineering Analysis With Boundary Elements</i> , 2012, 36, 1104-1115. | 3.7 | 7 |
| 54 | Advanced sizing optimisation of concept vehicle structures. <i>International Journal of Vehicle Design</i> , 2015, 67, 1. | 0.3 | 7 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Motorcycles that See: Multifocal Stereo Vision Sensor for Advanced Safety Systems in Tilting Vehicles. <i>Sensors</i> , 2018, 18, 295. | 3.8 | 7 |
| 56 | Application of Regenerative Braking on Electric Vehicles. , 2019, , . | | 7 |
| 57 | Loss of Control Prediction for Motorcycles during Emergency Braking Maneuvers Using a Supervised Learning Algorithm. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 1754. | 2.5 | 7 |
| 58 | AN ASSESSMENT OF TRANSDUCER MASS LOADING EFFECTS ON THE PARAMETERS OF AN EXPERIMENTAL STATISTICAL ENERGY ANALYSIS (SEA) MODEL. <i>Mechanical Systems and Signal Processing</i> , 2002, 16, 885-903. | 8.0 | 6 |
| 59 | Real-time estimation of roadâ€™tyre adherence for motorcycles. <i>Vehicle System Dynamics</i> , 2013, 51, 1839-1852. | 3.7 | 6 |
| 60 | Development of a Fall Detection Algorithm for Powered Two Wheelers Application. , 0, , . | | 6 |
| 61 | Electric and diesel minibuses driving cycles in Firenze city center. , 2016, , . | | 6 |
| 62 | A comparative analysis of MAIDS and ISO13232 databases for the identification of the most representative impact scenarios for powered 2-wheelers in Europe. <i>Traffic Injury Prevention</i> , 2018, 19, 766-772. | 1.4 | 6 |
| 63 | Motorcycle active safety systems: Assessment of the function and applicability using a population-based crash data set. <i>Traffic Injury Prevention</i> , 2019, 20, 406-412. | 1.4 | 6 |
| 64 | Vibroacoustic Optimization of Stiffening Ribs and Damping Material Distribution on Sheet Metal Parts. <i>Shock and Vibration</i> , 2004, 11, 271-280. | 0.6 | 5 |
| 65 | Rider Behavioral Patterns in Braking Manoeuvres. <i>Transportation Research Procedia</i> , 2016, 14, 4374-4383. | 1.5 | 5 |
| 66 | A sustainability analysis for Electric Vehicles batteries including ageing phenomena. , 2016, , . | | 5 |
| 67 | Simulation of crash events for an electric four wheel vehicle. <i>Procedia Structural Integrity</i> , 2018, 12, 249-264. | 0.8 | 5 |
| 68 | Take-Home Messages from the Applications of Life Cycle Assessment on Lightweight Automotive Components. , 2018, , . | | 5 |
| 69 | Simplified Modeling and Characterization of the Internal Impedance of Lithium-Ion Batteries for Automotive Applications. , 2019, , . | | 5 |
| 70 | Fast Modelling and Identification of Hydraulic Brake Plants for Automotive Applications. <i>International Journal of Fluid Power</i> , 0, , . | 0.7 | 5 |
| 71 | Optimization of the Global Static and Dynamic Performance of a Vehicle Body by Means of Response Surface Models. , 2012, , . | | 4 |
| 72 | Sensitivity Analysis of a FE Model for Motorcycle-Car Full-Scale Crash Test. , 2014, , . | | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | A comparison of electric vehicles use-case scenarios: Application of a simulation framework to vehicle design optimization and energy consumption assessment. , 2016, , . | | 4 |
| 74 | Design of a Motorcycle Steering Damper for a Safer Ride. Machines, 2020, 8, 24. | 2.2 | 4 |
| 75 | The future of the Autonomous Emergency Braking for Powered-Two-Wheelers: field testing end-usersâ€™ acceptability in realistic riding manoeuvres. IOP Conference Series: Materials Science and Engineering, 2021, 1038, 012016. | 0.6 | 4 |
| 76 | Preliminary effectiveness assessment of an airbag-based device for ridersâ€™ leg protection in side impacts. Procedia Structural Integrity, 2019, 24, 240-250. | 0.8 | 3 |
| 77 | Novel high-fidelity tyre model for motorcycles to be characterised by quasi-static manoeuvres â€” rationale and numerical validation. Vehicle System Dynamics, 2022, 60, 4290-4316. | 3.7 | 3 |
| 78 | Stochastic BEM for the Vibroacoustic Analysis of Three-Dimensional Structures. Advances in Acoustics and Vibration, 2011, 2011, 1-12. | 0.5 | 2 |
| 79 | A Low Cost Programmable Hardware for Online Spectroscopy of Lithium Batteries. , 2020, , . | | 2 |
| 80 | Design of an after-market lower limb protector for scooters: preliminary estimation of effectiveness. Procedia Structural Integrity, 2019, 24, 448-454. | 0.8 | 1 |
| 81 | Design and Testing of a Flash Recharge System for a Bus including foreseen effects in terms of Storage Life Extension. , 2020, , . | | 1 |
| 82 | A stochastic BEM formulation for vibro-acoustic analysis of structures in the mid-to-high frequency range. , 2010, , . | | 1 |
| 83 | SIMPLIFIED FINITE ELEMENT MODELLING OF ACOUSTICALLY TREATED STRUCTURES. Journal of Sound and Vibration, 1997, 204, 705-716. | 3.9 | 0 |
| 84 | SET UP AND VALIDATION FOR A SIMULATION OF A SCOOTER CONFORT BENCH. , 0, , . | | 0 |
| 85 | Improving the Convergence of the Fast Multipole BEM for the Exterior Sound Radiation of a Truck Muffler. SAE International Journal of Commercial Vehicles, 0, 5, 407-419. | 0.4 | 0 |
| 86 | In-depth study of road accidents in Florence: understanding the biomechanical effects in major trauma involving vulnerable road users. Critical Care, 2015, 19, . | 5.8 | 0 |
| 87 | First stereo video dataset with ground truth for remote car pose estimation using satellite markers. , 2018, , . | | 0 |
| 88 | Satellite markers: a simple method for ground truth car pose on stereo video. , 2018, , . | | 0 |