Mohammad Faraji

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8929587/publications.pdf

Version: 2024-02-01

159585 144013 3,821 63 30 57 citations g-index h-index papers 63 63 63 3582 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Evolution of dispersive liquid–liquid microextraction method. Journal of Chromatography A, 2010, 1217, 2342-2357.	3.7	844
2	Ultrasound-assisted emulsification microextraction method based on applying low density organic solvents followed by gas chromatography analysis for the determination of polycyclic aromatic hydrocarbons in water samples. Journal of Chromatography A, 2009, 1216, 6673-6679.	3.7	251
3	A nanoparticle-based solid-phase extraction procedure followed by flow injection inductively coupled plasma-optical emission spectrometry to determine some heavy metal ions in water samples. Analytica Chimica Acta, 2010, 659, 172-177.	5.4	242
4	Fe3O4 magnetic nanoparticles modified with sodium dodecyl sulfate for removal of safranin O dye from aqueous solutions. Desalination, 2011, 270, 160-165.	8.2	170
5	A simple and rapid new dispersive liquid–liquid microextraction based on solidification of floating organic drop combined with inductively coupled plasma-optical emission spectrometry for preconcentration and determination of aluminium in water samples. Journal of Hazardous Materials, 2010. 178. 766-770.	12.4	155
6	Dispersive liquid–liquid microextraction based on the solidification of floating organic drop followed by inductively coupled plasma-optical emission spectrometry as a fast technique for the simultaneous determination of heavy metals. Journal of Chromatography A, 2010, 1217, 2358-2364.	3.7	152
7	Extraction of trace amounts of mercury with sodium dodecyle sulphate-coated magnetite nanoparticles and its determination by flow injection inductively coupled plasma-optical emission spectrometry. Talanta, 2010, 81, 831-836.	5 . 5	142
8	Sulfonic acid supported on hydroxyapatite-encapsulated \hat{l}^3 -Fe2O3 nanocrystallites as a magnetically Br \tilde{A}_i nsted acid for N-formylation of amines. Applied Catalysis A: General, 2010, 377, 64-69.	4.3	121
9	Determination of some red dyes in food samples using a hydrophobic deep eutectic solvent-based vortex assisted dispersive liquid-liquid microextraction coupled with high performance liquid chromatography. Journal of Chromatography A, 2019, 1591, 15-23.	3.7	117
10	Magnetite nanoparticles with surface modification for removal of methyl violet from aqueous solutions. Arabian Journal of Chemistry, 2016, 9, S348-S354.	4.9	109
11	Ionic liquid based dispersive liquid-liquid microextraction combined with ICP-OES for the determination of trace quantities of cobalt, copper, manganese, nickel and zinc in environmental water samples. Mikrochimica Acta, 2012, 177, 119-127.	5.0	89
12	Removal of copper, nickel and zinc by sodium dodecyl sulphate coated magnetite nanoparticles from water and wastewater samples. Arabian Journal of Chemistry, 2017, 10, S514-S521.	4.9	89
13	Recent Advances and Trends in Applications of Solid-Phase Extraction Techniques in Food and Environmental Analysis. Chromatographia, 2019, 82, 1207-1249.	1.3	85
14	On-line metals preconcentration and simultaneous determination using cloud point extraction and inductively coupled plasma optical emission spectrometry in water samples. Analytica Chimica Acta, 2008, 612, 144-151.	5. 4	84
15	Application of cotton as a solid phase extraction sorbent for on-line preconcentration of copper in water samples prior to inductively coupled plasma optical emission spectrometry determination. Journal of Hazardous Materials, 2009, 166, 1383-1388.	12.4	83
16	Determination of acetamiprid, imidacloprid, and spirotetramat and their relevant metabolites in pistachio using modified QuEChERS combined with liquid chromatography-tandem mass spectrometry. Food Chemistry, 2018, 240, 634-641.	8.2	82
17	The recent advances in magnetic sorbents and their applications. TrAC - Trends in Analytical Chemistry, 2021, 141, 116302.	11.4	65
18	Supercritical fluid extraction combined with dispersive liquid–liquid microextraction as a sensitive and efficient sample preparation method for determination of organic compounds in solid samples. Journal of Supercritical Fluids, 2010, 55, 161-168.	3.2	58

#	Article	IF	CITATIONS
19	Solid-phase microextraction based on cetyltrimethylammonium bromide-coated magnetic nanoparticles for determination of antidepressants from biological fluids. Medicinal Chemistry Research, 2013, 22, 1570-1577.	2.4	48
20	Simultaneous magnetic solid phase extraction of acidic and basic pesticides using triazine-based polymeric network modified magnetic nanoparticles/graphene oxide nanocomposite in water and food samples. Microchemical Journal, 2019, 146, 630-639.	4.5	45
21	Sensitive determination of melamine in milk and powdered infant formula samples by high-performance liquid chromatography using dabsyl chloride derivatization followed by dispersive liquida€"liquid microextraction. Food Chemistry, 2017, 221, 139-146.	8.2	43
22	Electromembrane extraction of biogenic amines in food samples by a microfluidic-chip system followed by dabsyl derivatization prior to high performance liquid chromatography analysis. Journal of Chromatography A, 2018, 1556, 21-28.	3.7	42
23	Preparation of a ternary deep eutectic solvent as extraction solvent for dispersive liquid-liquid microextraction of nitrophenols in water samples. Journal of Environmental Chemical Engineering, 2020, 8, 103948.	6.7	42
24	Hollow fiber liquid phase microextraction followed by high performance liquid chromatography for determination of ultra-trace levels of Se(IV) after derivatization in urine, plasma and natural water samples. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2009, 877, 1758-1764.	2.3	40
25	Simultaneous extraction of acidic and basic drugs <i>via</i> on-chip electromembrane extraction using a single-compartment microfluidic device. Analyst, The, 2019, 144, 1159-1166.	3.5	40
26	Extraction and determination of trace amounts of chlorpromazine in biological fluids using magnetic solid phase extraction followed by HPLC. Journal of Pharmaceutical Analysis, 2014, 4, 279-285.	5.3	39
27	On-chip electromembrane extraction followed by sensitive digital image-based colorimetry for determination of trace amounts of Cr(<scp>vi</scp>). Analytical Methods, 2020, 12, 483-490.	2.7	39
28	2-Naphthalenthiol derivatization followed by dispersive liquid–liquid microextraction as an efficient and sensitive method for determination of acrylamide in bread and biscuit samples using high-performance liquid chromatography. Journal of Chromatography A, 2018, 1558, 14-20.	3.7	36
29	Novel hydrophobic deep eutectic solvent for vortex assisted dispersive liquid-liquid micro-extraction of two auxins in water and fruit juice samples and determination by high performance liquid chromatography. Microchemical Journal, 2019, 150, 104130.	4.5	35
30	Magnetic silica nanomaterials for solid-phase extraction combined with dispersive liquid-liquid microextraction of ultra-trace quantities of plasticizers. Mikrochimica Acta, 2015, 182, 1491-1499.	5.0	34
31	Determination of Polycyclic Aromatic Hydrocarbons (PAHs) in Olive and Refined Pomace Olive Oils with Modified Low Temperature and Ultrasound-Assisted Liquid–Liquid Extraction Method Followed by the HPLC/FLD. Food Analytical Methods, 2016, 9, 1220-1227.	2.6	33
32	Green, fast and simple dispersive liquid-liquid microextraction method by using hydrophobic deep eutectic solvent for analysis of folic acid in fortified flour samples before liquid chromatography determination. Food Chemistry, 2020, 320, 126486.	8.2	29
33	Quick, Easy, Cheap, Effective, Rugged, and Safe Method Followed by Ionic Liquid-Dispersive Liquid–Liquid Microextraction for the Determination of Trace Amount of Bisphenol A in Canned Foods. Food Analytical Methods, 2017, 10, 764-772.	2.6	28
34	Comparison of solidification of floating drop and homogenous liquid–liquid microextractions for the extraction of two plasticizers from the water kept in PETâ€bottles. Journal of Separation Science, 2009, 32, 3201-3208.	2.5	27
35	Novel extraction method based on the dispersion of the extraction solvent for extraction of letrozole from biological fluids. Analytical Methods, 2010, 2, 1341.	2.7	27
36	Extraction of chromium (VI) in water samples by dispersive liquid–liquid microextraction based on deep eutectic solvent and determination by UV–Vis spectrophotometry. International Journal of Environmental Analytical Chemistry, 2020, 100, 1146-1159.	3.3	27

#	Article	IF	Citations
37	On-line solid phase extraction coupled to ICP-OES for simultaneous preconcentration and determination of some transition elements. Mikrochimica Acta, 2009, 165, 65-72.	5.0	25
38	Effect of Lactobacillus casei- casei and Lactobacillus reuteri on acrylamide formation in flat bread and Bread roll. Journal of Food Science and Technology, 2016, 53, 1531-1539.	2.8	23
39	Preconcentration of trace amounts of lead in water samples with cetyltrimethylammonium bromide coated magnetite nanoparticles and its determination by flame atomic absorption spectrometry. Arabian Journal of Chemistry, 2016, 9, S1540-S1546.	4.9	18
40	A Hydrophobic Deep Eutectic Solvent-Based Ultrasound-Assisted Dispersive Liquid–Liquid Microextraction for Determination of β-Lactam Antibiotics Residues in Food Samples. Food Analytical Methods, 2022, 15, 391-400.	2.6	17
41	Magnetic solid phase extraction based on poly(\hat{l}^2 -cyclodextrin-ester) functionalized silica-coated magnetic nanoparticles (NPs) for simultaneous extraction of the malachite green and crystal violet from aqueous samples. Environmental Monitoring and Assessment, 2020, 192, 262.	2.7	15
42	Hollow-Fiber Liquid-Phase Microextraction Followed by Gas Chromatography Flame Ionization Detection for the Determination of Amitraz in Honey and Water Samples. Food Analytical Methods, 2015, 8, 758-766.	2.6	14
43	Efficient removal of anionic dyes from aqueous media using newly in situ synthesized triazine-based nitrogen-rich network-modified magnetic nanoparticles. Journal of the Iranian Chemical Society, 2018, 15, 733-741.	2.2	13
44	Combining of modified QuEChERS and dispersive liquid–liquid microextraction as an efficient sample preparation method for extraction of acetamiprid and imidacloprid from pistachio samples. Journal of the Iranian Chemical Society, 2021, 18, 641-649.	2.2	13
45	An optimal pole-matching observer design for estimating tyre–road friction force. Vehicle System Dynamics, 2010, 48, 1155-1166.	3.7	11
46	Application of vortex assisted dispersive liquid-liquid microextraction based on a new deep eutectic solvent for microextraction of aromatic amines from simulant of kitchenware samples by HPLC-UV. Microchemical Journal, 2022, 175, 107124.	4.5	11
47	Deep eutectic solvent-based dispersive liquid-liquid micro-extraction for extraction of malachite green and crystal violet in water samples prior their determination using high performance liquid chromatography. International Journal of Environmental Analytical Chemistry, 2022, 102, 681-689.	3.3	10
48	Deprotonation of salicylic acid and 5-nitrosalicylic acid in aqueous solutions of ethanol. Journal of the Serbian Chemical Society, 2011, 76, 1455-1463.	0.8	9
49	New and efficient magnetic nanocomposite extraction using multifunctional deep eutectic solvent based on ferrofluid and vortex assisted-liquid–liquid microextraction: Determining primary aromatic amines (PAAs) in tetra-packed fruit juices. Food Chemistry, 2022, 386, 132822.	8.2	9
50	Determination of aromatic amines in environmental water samples by deep eutectic solvent-based dispersive liquid-liquid microextraction followed by HPLC-UV. Arabian Journal of Chemistry, 2022, 15, 103783.	4.9	7
51	Complexation of p-Sulphonato-calix[6]arene by Glycine, Glycyl-glycine, and Glycyl-glycyl-glycine in Aqueous Solution. Journal of Solution Chemistry, 2012, 41, 2074-2081.	1.2	6
52	Ionic strength effect on deprotonation of para-sulfonatocalix[4] arene. Journal of the Serbian Chemical Society, 2013, 78, 681-688.	0.8	6
53	(4-Hydroxy-2-oxo-2H-chromen-3-yl)methyl pyrrolidine-1-carbodithioate as a novel, highly selective and sensitive ligand for determination of copper in water and food samples by dispersive liquidê€"liquid microextraction coupled with microvolume UVâ€"Vis spectrophotometry. Journal of the Iranian Chemical Society, 2019, 16, 1579-1589.	2.2	5
54	Development of a deep eutectic solvent-based dispersive liquid–liquid microextraction method followed by back-extraction and diazotization coupled to spectrophotometry for determination of total primary aromatic amines from food simulants. Journal of the Iranian Chemical Society, 2022, 19, 3539-3548.	2.2	5

#	Article	IF	CITATIONS
55	Extracting trace amount of terbinafine hydrochloride in biological fluids and wastewater samples using solidâ€phaseâ€extraction based on magnetic nanoparticles followed by HPLCâ€UV analysis. Asia-Pacific Journal of Chemical Engineering, 2014, 9, 826-833.	1.5	3
56	Supramolecular-based solvent microextraction of carbaryl in water samples followed by high performance liquid chromatography determination. International Journal of Environmental Analytical Chemistry, 0 , 1 -13.	3.3	3
57	Triazine-Based Polymeric Network-Modified Magnetic Nanoparticles (NPs) as an Efficient Sorbent to Extract 1-Naphthylacetic Acid in Fruit and Vegetable Samples. Chromatographia, 2020, 83, 863-871.	1.3	2
58	Dabsyl chloride derivatisation of melamine followed by high-performance liquid chromatography determination in water samples. International Journal of Environmental Analytical Chemistry, 2016, 96, 1430-1439.	3.3	1
59	Application of magnetic nanomaterials in food analysis. , 2021, , 87-120.		1
60	Application of magnetic nanomaterials in environmental monitoring., 2021,, 155-189.		1
61	Characterization of magnetic nanomaterials. , 2021, , 39-60.		1
62	Solvatochromism of naringenin in aqueous alcoholic mixtures. Journal of the Serbian Chemical Society, 2016, 81, 1161-1169.	0.8	0
63	Preferential solvation of quercetin in aqueous aprotic solvent mixtures. Journal of the Serbian Chemical Society, 2020, 85, 227-236.	0.8	O