## Chang-Keun Lee

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8930258/publications.pdf

Version: 2024-02-01

|          |                | 304368       | 3 | 77514          |
|----------|----------------|--------------|---|----------------|
| 120      | 1,671          | 22           |   | 34             |
| papers   | citations      | h-index      |   | g-index        |
|          |                |              |   |                |
|          |                |              |   |                |
|          |                |              |   |                |
| 128      | 128            | 128          |   | 2788           |
| all docs | docs citations | times ranked |   | citing authors |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Interleukin-34 produced by human fibroblast-like synovial cells in rheumatoid arthritis supports osteoclastogenesis. Arthritis Research and Therapy, 2012, 14, R14.   | 1.6 | 121       |
| 2  | Effects of disease-modifying antirheumatic drugs and antiinflammatory cytokines on human osteoclastogenesis through interaction with receptor activator of nuclear factor ?B, osteoprotegerin, and receptor activator of nuclear factor ?B ligand. Arthritis and Rheumatism, 2004, 50, 3831-3843. | 6.7 | 119       |
| 3  | Pericentral Hydroxychloroquine Retinopathy in Korean Patients. Ophthalmology, 2015, 122, 1252-1256.   | 2.5 | 67        |
| 4  | Mycobacterial diseases developed during anti-tumour necrosis factor-α therapy. European Respiratory<br>Journal, 2014, 44, 1289-1295.  | 3.1 | 46        |
| 5  | Interstitial Pneumonia Related to Undifferentiated Connective Tissue Disease. Chest, 2015, 147, 165-172.  | 0.4 | 45        |
| 6  | Effect of interleukin $\hat{a} \in 32\hat{1}^3$ on differentiation of osteoclasts from CD14+ monocytes. Arthritis and Rheumatism, 2010, 62, 515-523.  | 6.7 | 43        |
| 7  | Clinicopathologic characteristics of IgG4-related retroperitoneal fibrosis among patients initially diagnosed as having idiopathic retroperitoneal fibrosis. Modern Rheumatology, 2015, 25, 194-198.  | 0.9 | 43        |
| 8  | Alpha-lipoic acid inhibits TNF-α induced NF-κB activation through blocking of MEKK1–MKK4–IKK signaling cascades. International Immunopharmacology, 2008, 8, 362-370.  | 1.7 | 42        |
| 9  | Interleukin-33 acts as a transcriptional repressor and extracellular cytokine in fibroblast-like synoviocytes in patients with rheumatoid arthritis. Cytokine, 2016, 77, 35-43.   | 1.4 | 37        |
| 10 | Concurrent occurrence of chylothorax, chylous ascites, and protein-losing enteropathy in systemic lupus erythematosus. Journal of Rheumatology, 2002, 29, 1330-3.   | 1.0 | 37        |
| 11 | Neuroâ€behçet's disease in South Korea: clinical characteristics and treatment response. International Journal of Rheumatic Diseases, 2014, 17, 453-458.  | 0.9 | 34        |
| 12 | Assessment of comparative pain relief and tolerability of SKI306X compared with celecoxib in patients with rheumatoid arthritis: A 6-week, multicenter, randomized, double-blind, double-dummy, phase III, noninferiority clinical trial. Clinical Therapeutics, 2007, 29, 862-873.               | 1.1 | 33        |
| 13 | Predicting eventual development of lupus nephritis at the time of diagnosis of systemic lupus erythematosus. Seminars in Arthritis and Rheumatism, 2018, 48, 462-466.   | 1.6 | 30        |
| 14 | Mortality in patients with rheumatoid arthritis-associated interstitial lung disease treated with an anti-tumor necrosis factor agent. Korean Journal of Internal Medicine, 2015, 30, 104.  | 0.7 | 30        |
| 15 | Role of Protein Phosphatase Magnesiumâ€Dependent 1A and Anti–Protein Phosphatase<br>Magnesiumâ€Dependent 1A Autoantibodies in Ankylosing Spondylitis. Arthritis and Rheumatology, 2014,<br>66, 2793-2803.   | 2.9 | 29        |
| 16 | Safety of resuming tumour necrosis factor inhibitors in patients who developed tuberculosis as a complication of previous TNF inhibitors. Rheumatology, 2014, 53, 1477-1481.  | 0.9 | 28        |
| 17 | High level of interleukin-32 gamma in the joint of ankylosing spondylitis is associated with osteoblast differentiation. Arthritis Research and Therapy, 2015, 17, 350.   | 1.6 | 25        |
| 18 | The effect of various disease-modifying anti-rheumatic drugs on the suppressive function of CD4+CD25+ regulatory T cells. Rheumatology International, 2013, 33, 381-388.  | 1.5 | 24        |

| #  | Article   | lF  | Citations |
|----|---|-----|-----------|
| 19 | Protective effects of ginsenoside Rg3 on human osteoarthritic chondrocytes. Modern Rheumatology, 2013, 23, 104-111.   | 0.9 | 24        |
| 20 | Frequency of immunoglobulin G4â€related aortitis in cases with aortic resection and their clinical characteristics compared to other aortitises. International Journal of Rheumatic Diseases, 2014, 17, 420-424.            | 0.9 | 24        |
| 21 | CD14+ Cells with the Phenotype of Infiltrated Monocytes Consist of Distinct Populations Characterized by Anti-inflammatory as well as Pro-inflammatory Activity in Gouty Arthritis. Frontiers in Immunology, 2017, 8, 1260. | 2.2 | 24        |
| 22 | Methotrexate-related toxicity in patients with rheumatoid arthritis and renal dysfunction. Rheumatology International, 2020, 40, 765-770.   | 1.5 | 24        |
| 23 | Immunological characteristics and possible pathogenic role of urinary CD11c+ macrophages in lupus nephritis. Rheumatology, 2020, 59, 2135-2145.   | 0.9 | 24        |
| 24 | Interleukin-32 Gamma Stimulates Bone Formation by Increasing miR-29a in Osteoblastic Cells and Prevents the Development of Osteoporosis. Scientific Reports, 2017, 7, 40240.  | 1.6 | 23        |
| 25 | Risk of Colchicine-Associated Myopathy in Gout: Influence of Concomitant Use of Statin. American Journal of Medicine, 2017, 130, 583-587.   | 0.6 | 23        |
| 26 | Neutrophil-to-lymphocyte ratio is a reliable marker of treatment response in rheumatoid arthritis patients during tocilizumab therapy. Modern Rheumatology, 2017, 27, 405-410.  | 0.9 | 23        |
| 27 | Statins reduce relapse rate in Takayasu arteritis. International Journal of Cardiology, 2019, 287, 111-115.   | 0.8 | 21        |
| 28 | Extravascular manifestations of Takayasu arteritis: focusing on the features shared with spondyloarthritis. Arthritis Research and Therapy, 2018, 20, 142.  | 1.6 | 20        |
| 29 | Machine learning model for identifying important clinical features for predicting remission in patients with rheumatoid arthritis treated with biologics. Arthritis Research and Therapy, 2021, 23, 178.                    | 1.6 | 20        |
| 30 | Elevated interleukin-32 expression in granulomatosis with polyangiitis. Rheumatology, 2012, 51, 1979-1988.  | 0.9 | 19        |
| 31 | Clinical features and recurrent attack in gout patients according to serum urate levels during an acute attack. Korean Journal of Internal Medicine, 2020, 35, 240-248.   | 0.7 | 19        |
| 32 | Longterm Outcomes of Renal Artery Involvement in Takayasu Arteritis. Journal of Rheumatology, 2017, 44, 466-472.  | 1.0 | 18        |
| 33 | IL-17A+GM-CSF+ Neutrophils Are the Major Infiltrating Cells in Interstitial Lung Disease in an Autoimmune Arthritis Model. Frontiers in Immunology, 2018, 9, 1544.  | 2.2 | 18        |
| 34 | Safety of the concomitant use of methotrexate and a prophylactic dose of trimethoprim-sulfamethoxazole. Clinical Rheumatology, 2018, 37, 3215-3220.   | 1.0 | 17        |
| 35 | The risk of herpes zoster in patients with ankylosing spondylitis: Analysis of the Korean National<br>Health Insurance Service – Sample cohort database. Modern Rheumatology, 2018, 28, 168-173.                            | 0.9 | 17        |
| 36 | Serum uric acid level and subclinical coronary atherosclerosis in asymptomatic individuals: An observational cohort study. Atherosclerosis, 2019, 288, 112-117.   | 0.4 | 16        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Protective effects of ginsenoside Rg3 on human osteoarthritic chondrocytes. Modern Rheumatology, 2013, 23, 104-111.   | 0.9 | 16        |
| 38 | Interleukin- $32\hat{l}^3$ Enhances the Production of IL-6 and IL-8 in Fibroblast-Like Synoviocytes Via Erk1/2 Activation. Journal of Clinical Immunology, 2010, 30, 260-267.   | 2.0 | 15        |
| 39 | Neutrophil extracellular trap clearance by synovial macrophages in gout. Arthritis Research and Therapy, 2021, 23, 88.  | 1.6 | 15        |
| 40 | Immunoglobulin G Levels as a Prognostic Factor for Autoimmune Hepatitis Combined With Systemic Lupus Erythematosus. Arthritis Care and Research, 2016, 68, 995-1002.  | 1.5 | 14        |
| 41 | Febuxostat in Hyperuricemic Patients With Advanced CKD. American Journal of Kidney Diseases, 2016, 68, 819-821.   | 2.1 | 14        |
| 42 | Clinical significance of autoantibody positivity in idiopathic pulmonary fibrosis. Respiratory Medicine, 2019, 155, 43-48.  | 1.3 | 14        |
| 43 | Prefoldin 5 and Anti-prefoldin 5 Antibodies as Biomarkers for Uveitis in Ankylosing Spondylitis.<br>Frontiers in Immunology, 2019, 10, 384.   | 2.2 | 14        |
| 44 | Late-onset IgA vasculitis in adult patients exhibits distinct clinical characteristics and outcomes. Clinical and Experimental Rheumatology, 2016, 34, S77-83.  | 0.4 | 13        |
| 45 | Outcome of Takayasu Arteritis with Inactive Disease at Diagnosis: The Extent of Vascular Involvement As a Predictor of Activation. Journal of Rheumatology, 2015, 42, 489-494.  | 1.0 | 12        |
| 46 | Immunoglobulin Binding Protein 1 as a Potential Urine Biomarker in Patients with Lupus Nephritis. International Journal of Molecular Sciences, 2019, 20, 2606.  | 1.8 | 12        |
| 47 | Role of IL-32 Gamma on Bone Metabolism in Autoimmune Arthritis. Immune Network, 2018, 18, e20.  | 1.6 | 11        |
| 48 | Clinical features and prognoses of acute transverse myelitis in patients with systemic lupus erythematosus. Korean Journal of Internal Medicine, 2019, 34, 442-451.   | 0.7 | 11        |
| 49 | TNF- $\hat{l}\pm$ confers resistance to Fas-mediated apoptosis in rheumatoid arthritis through the induction of soluble Fas. Life Sciences, 2015, 122, 37-41.   | 2.0 | 10        |
| 50 | Clinical outcomes of hydronephrosis in patients with systemic lupus erythematosus. International Journal of Rheumatic Diseases, 2016, 19, 1317-1321.  | 0.9 | 10        |
| 51 | Discontinuing febuxostat might cause more deaths than continuing febuxostat: the untold story from the CARES trial. Rheumatology, 2020, 59, 1439-1440.  | 0.9 | 10        |
| 52 | Comparison of latent tuberculosis infection screening strategies before tumor necrosis factor inhibitor treatment in inflammatory arthritis: IGRA-alone versus combination of TST and IGRA. PLoS ONE, 2018, 13, e0198756. | 1.1 | 9         |
| 53 | Non-albumin proteinuria as a parameter of tubulointerstitial inflammation in lupus nephritis. Clinical Rheumatology, 2019, 38, 235-241.   | 1.0 | 9         |
| 54 | Hepatic Safety of Febuxostat Compared with Allopurinol in Gout Patients with Fatty Liver Disease. Journal of Rheumatology, 2019, 46, 527-531.   | 1.0 | 9         |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Effect of TNF inhibitors on bone mineral density in rheumatoid arthritis patients receiving bisphosphonate: a retrospective cohort study. Rheumatology International, 2020, 40, 481-487.  | 1.5 | 9         |
| 56 | Rapid reduction in uric acid by a urate-lowering agent is associated with recurrent cardiovascular events. Medical Hypotheses, 2020, 141, 109740.   | 0.8 | 9         |
| 57 | Risk of Cancer in Middle-aged Patients With Gout: A Nationwide Population-based Study in Korea.<br>Journal of Rheumatology, 2021, 48, 1465-1471.  | 1.0 | 9         |
| 58 | Nontuberculous mycobacterial infection in rheumatoid arthritis patients: a single-center experience in South Korea. Korean Journal of Internal Medicine, 2017, 32, 1090-1097.   | 0.7 | 9         |
| 59 | Prominent Inflammatory Features of Monocytes/Macrophages in Acute Calcium Pyrophosphate Crystal Arthritis: a Comparison with Acute Gouty Arthritis. Immune Network, 2019, 19, e21.  | 1.6 | 9         |
| 60 | Tocilizumab-induced Thrombocytopenia in Patients with Rheumatoid Arthritis. Journal of Rheumatic Diseases, 2019, 26, 186.   | 0.4 | 8         |
| 61 | Clinical and histological significance of urinary CD11c+ macrophages in lupus nephritis. Arthritis Research and Therapy, 2020, 22, 173.   | 1.6 | 8         |
| 62 | Early discontinuation of tofacitinib in patients with rheumatoid arthritis co-treated with rifampin for latent tuberculosis. Joint Bone Spine, 2020, 87, 475-479.   | 0.8 | 8         |
| 63 | Patient Perspectives and Preferences Regarding Gout and Gout Management: Impact on Adherence.<br>Journal of Korean Medical Science, 2021, 36, e208.   | 1.1 | 8         |
| 64 | Conventional synthetic disease-modifying antirheumatic drugs and bone mineral density in rheumatoid arthritis patients with osteoporosis: possible beneficial effect of leflunomide. Clinical and Experimental Rheumatology, 2019, 37, 813-819. | 0.4 | 8         |
| 65 | The Influence of Interleukin- $32\hat{l}^3$ on Osteoclastogenesis with a Focus on Fusion-Related Genes. Journal of Clinical Immunology, 2012, 32, 201-206.  | 2.0 | 7         |
| 66 | Factors related to outcomes in lupus-related protein-losing enteropathy. Korean Journal of Internal Medicine, 2015, 30, 906-912.  | 0.7 | 7         |
| 67 | Renal flare in class V lupus nephritis: increased risk in patients with tubulointerstitial lesions.<br>Rheumatology International, 2019, 39, 2061-2067.   | 1.5 | 7         |
| 68 | Effect of tumor necrosis factor inhibition on spinal inflammation and spinal ankylosis in SKG mice. Scientific Reports, 2019, 9, 18000.   | 1.6 | 7         |
| 69 | Comparative efficacy of low-dose versus regular-dose colchicine to prevent flares in gout patients initiated on urate-lowering therapies. Rheumatology, 2021, 61, 223-229.  | 0.9 | 7         |
| 70 | Interleukinâ€32Î3: Possible association with the activity and development of nephritis in patients with systemic lupus erythematosus. International Journal of Rheumatic Diseases, 2019, 22, 1305-1311.   | 0.9 | 6         |
| 71 | Plasma immunoglobulin binding protein $1$ as a predictor of development of lupus nephritis. Lupus, 2020, 29, 547-553.   | 0.8 | 6         |
| 72 | Liver enzyme elevation in patients with ankylosing spondylitis treated with tumor necrosis factor inhibitors: a single-center historical cohort study. Korean Journal of Internal Medicine, 2020, 35, 723-731.                                  | 0.7 | 6         |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | The Value of Thermal Imaging for Knee Arthritis: A Single-Center Observational Study. Yonsei Medical Journal, 2022, 63, 141.  | 0.9 | 6         |
| 74 | Macrophage activation syndrome in rheumatic disease: Clinical characteristics and prognosis of 20 adult patients. PLoS ONE, 2022, 17, e0267715.   | 1.1 | 6         |
| 75 | lleocolonoscopic findings in patients with ankylosing spondylitis: a single center retrospective study.<br>Korean Journal of Internal Medicine, 2017, 32, 916-922.  | 0.7 | 5         |
| 76 | Initial Preserved Renal Function as a Predictor of Favorable Renal Response to Rituximab in Refractory or Relapsing Lupus Nephritis: A Single-center Cohort Study in Korea. Journal of Rheumatic Diseases, 2022, 29, 22-32.                           | 0.4 | 5         |
| 77 | Safety of JAK inhibitor use in patients with rheumatoid arthritis who developed herpes zoster after receiving JAK inhibitors. Clinical Rheumatology, 2022, 41, 1659-1663.   | 1.0 | 5         |
| 78 | Risk of New-Onset Diabetes Mellitus Associated with Antirheumatic Drugs in Patients with Rheumatoid Arthritis: A Nationwide Population Study. Journal of Clinical Medicine, 2022, 11, 2109.   | 1.0 | 5         |
| 79 | The usefulness of routine chest radiograph examinations in patients treated with TNF inhibitors for inflammatory arthritis in South Korea. Respiratory Medicine, 2018, 143, 109-115.  | 1.3 | 4         |
| 80 | Reasons for the High Cesarean Delivery Rate among Women with Ankylosing Spondylitis: Using the Korean National Health Insurance Database. Journal of Rheumatology, 2020, 47, 668-673.   | 1.0 | 4         |
| 81 | Autoantibodies against Protein Phosphatase Magnesium-Dependent 1A as a Biomarker for Predicting<br>Radiographic Progression in Ankylosing Spondylltis Treated with Anti-Tumor Necrosis Factor Agents.<br>Journal of Clinical Medicine, 2020, 9, 3968. | 1.0 | 4         |
| 82 | Risk of progression of idiopathic pulmonary fibrosis to connective tissue disease: a long-term observational study in 527 patients. Clinical Rheumatology, 2021, 40, 2447-2456.   | 1.0 | 4         |
| 83 | Comparison of Clinical, Angiographic Features and Outcome in Takayasu's Arteritis and Behçet's<br>Disease With Arterial Involvement. Journal of Rheumatic Diseases, 2020, 27, 100.  | 0.4 | 4         |
| 84 | Discovery of urine biomarkers for lupus nephritis via quantitative and comparative proteome analysis. Clinical and Translational Medicine, 2021, 11, e638.  | 1.7 | 4         |
| 85 | Successful rituximab treatment of refractory hemophagocytic lymphohistiocytosis and autoimmune hemolytic anemia associated with systemic lupus erythematosus. Modern Rheumatology, 0, , 1.  | 0.9 | 3         |
| 86 | The Incidence of Uveitis in Ankylosing Spondylitis Patients Undergoing Tumor Necrosis Factor Inhibiting Therapy in Korea. Journal of Rheumatic Diseases, 2015, 22, 288.   | 0.4 | 3         |
| 87 | Adequacy of initiating TNF antagonists within 3 weeks of starting latent tuberculosis infection treatment in patients with immune-mediated inflammatory diseases. Infectious Diseases, 2016, 48, 293-298.   | 1.4 | 3         |
| 88 | Effects of Pregnancy and Delivery Methods on Change in Ankylosing Spondylitis Treatment Using the Korean Health Insurance Review and Assessment Service Claims Database. Journal of Korean Medical Science, 2019, 34, e238.                           | 1.1 | 3         |
| 89 | Anti-tumor necrosis factor-induced lupus in patients with inflammatory bowel disease: a hospital-based cohort study from Korea. Therapeutic Advances in Gastroenterology, 2021, 14, 175628482199779.  | 1.4 | 3         |
| 90 | Clinical features and risk of recurrence of acute calcium pyrophosphate crystal arthritis. Clinical and Experimental Rheumatology, 2019, 37, 254-259.   | 0.4 | 3         |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Predictive Factors for Rheumatoid Arthritis Flare After Switching From Intravenous to Subcutaneous Formulation of Tocilizumab in Real-World Practice. Journal of Korean Medical Science, 2022, 37, e138.                  | 1.1 | 3         |
| 92  | A Case of Infliximab-induced Multifocal Motor Neuropathy in a Patient with Rheumatoid Arthritis and Literature Review. Journal of Rheumatic Diseases, 2016, 23, 250.  | 0.4 | 2         |
| 93  | Safety of tumor necrosis factor inhibitor therapy in patients with a prior malignancy. International Journal of Rheumatic Diseases, 2016, 19, 961-967.  | 0.9 | 2         |
| 94  | Sixâ€month flare risk after discontinuing longâ€term methotrexate treatment in patients having rheumatoid arthritis with low disease activity. International Journal of Rheumatic Diseases, 2020, 23, 1076-1081.          | 0.9 | 2         |
| 95  | Prognostic factors for steroid-free remission in patients with idiopathic inflammatory myopathies: importance of anthropometric measurements. Therapeutic Advances in Musculoskeletal Disease, 2020, 12, 1759720X2093682. | 1.2 | 2         |
| 96  | Urine $\hat{l}^2$ -2-glycoprotein 1 as a biomarker for diagnosis of systemic lupus erythematosus. Lupus, 2021, 30, 1306-1313.   | 0.8 | 2         |
| 97  | Acetylated Diacylglycerol 1-palmitoyl-2-linoleoyl-3-acetyl-rac-glycerol in Autoimmune Arthritis and Interstitial Lung Disease in SKG Mice. Biomedicines, 2021, 9, 1095.   | 1.4 | 2         |
| 98  | Risk of Hepatitis B Virus (HBV) Reactivation in Patients with Immune-Mediated Inflammatory Diseases Receiving Biologics: Focus on the Timing of Biologics after Anti-HBV Treatment. Gut and Liver, 2022, 16, 567-574.     | 1.4 | 2         |
| 99  | Successful Treatment of Neuropsychiatric Syndrome with Rituximab in a Patient with Systemic Lupus Erythematosus and Dermatomyositis Overlap Syndrome. The Journal of the Korean Rheumatism Association, 2008, 15, 170.    | 0.1 | 1         |
| 100 | A Case of Adult-onset Still's Disease in a Patient with Ankylosing Spondylitis Complicated with Crohn's Disease. Journal of Rheumatic Diseases, 2011, 18, 142.  | 0.4 | 1         |
| 101 | An Atraumatic Fracture of the Odontoid Process in a Newly Diagnosed Rheumatoid Arthritis Patient. Journal of Rheumatic Diseases, 2015, 22, 102.   | 0.4 | 1         |
| 102 | Treatment Response to Idiopathic Retroperitoneal Fibrosis-associated Hydronephrosis With a Focus on IgG4/IgG3 Serum Concentration Ratio. Journal of Rheumatic Diseases, 2021, 28, 38-44.                                  | 0.4 | 1         |
| 103 | Anaphylaxis to tocilizumab in patients with rheumatic disease. Immunotherapy, 2021, 13, 1483-1489.  | 1.0 | 1         |
| 104 | Renal outcomes of transient proteinuria in patients with systemic lupus erythematosus treated with corticosteroid therapy alone. Lupus, 2022, , 096120332210935.  | 0.8 | 1         |
| 105 | Expression of Inflammatory Markers in the Muscles of Patients with Idiopathic Inflammatory Myopathy According to the Presence of Interstitial Lung Disease. Journal of Clinical Medicine, 2022, 11, 3021.                 | 1.0 | 1         |
| 106 | Circulating and renal fibrocytes are associated with interstitial fibrosis in lupus nephritis. Rheumatology, $0,  ,  .$   | 0.9 | 1         |
| 107 | A Case of Adult-Onset Still's Disease Presenting with Periorbital Edema. Journal of Rheumatic Diseases, 2013, 20, 243.  | 0.4 | 0         |
| 108 | Long Term Safety and Efficacy of Abatacept in Patients with Rheumatoid Arthritis. Journal of Rheumatic Diseases, 2013, 20, 71.  | 0.4 | 0         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | The Reply. American Journal of Medicine, 2017, 130, e469.  | 0.6 | 0         |
| 110 | Reply to: Challenging therapeutic goal in large vessel vasculitis. International Journal of Cardiology, 2019, 287, 127.  | 0.8 | 0         |
| 111 | AB0174â€CLINICAL SIGNIFICANCE OF THE URINARY CD11C+ MYELOID CELLS IN THE PATIENTS WITH LUPUS NEPHRITIS., 2019, , .   |     | O         |
| 112 | FRIO282â€STATINS REDUCE RELAPSE RATE IN TAKAYASU ARTERITIS. , 2019, , .  |     | 0         |
| 113 | FRI0243â€RECOVERY OF RENAL FUNCTION IN PATIENTS WITH LUPUS NEPHRITIS AND REDUCED RENAL FUNCTION. , 2019, , .   |     | 0         |
| 114 | AB0724â€DOSE PREGNANCY AND VAGINAL DELIVERY WORSEN ANKYLOSING SPONDYLITIS?., 2019, , .   |     | 0         |
| 115 | SAT0196â€RENAL FLARE IN CLASS V LUPUS NEPHRITIS: INCREASED RISK IN PATIENTS WITH TUBULOINTERSTITESIONS., 2019, , .   | TAL | 0         |
| 116 | SAT0427â€RISK OF MALIGNANCIES IN PATIENTS WITH GOUT: A POPULATION-BASED COHORT STUDY. , 2019,  | , • | 0         |
| 117 | Angiographic patterns and temporal changes of arterial lesions in Behcet's disease. Vascular, 2021, ,<br>170853812110464.  | 0.4 | 0         |
| 118 | Non-Infective Endocarditis in a Patient with Rheumatoid Arthritis. Korean Journal of Medicine, 2015, 88, 110.  | 0.1 | 0         |
| 119 | Reduction or cessation of antiviral agents in hepatitis B virus carriers treated with biologic agents.<br>Clinical and Experimental Rheumatology, 2018, 36, 170.                                     | 0.4 | 0         |
| 120 | Factors associated with aggravation of tubulointerstitial damage on repeated biopsies in lupus nephritis patients with treatment failure. Clinical and Experimental Rheumatology, 2020, 38, 239-244. | 0.4 | 0         |