

Chang-Keun Lee

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8930258/publications.pdf>

Version: 2024-02-01

120
papers

1,671
citations

304368

22
h-index

377514

34
g-index

128
all docs

128
docs citations

128
times ranked

2788
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Risk of Hepatitis B Virus (HBV) Reactivation in Patients with Immune-Mediated Inflammatory Diseases Receiving Biologics: Focus on the Timing of Biologics after Anti-HBV Treatment. <i>Gut and Liver</i> , 2022, 16, 567-574. | 1.4 | 2 |
| 2 | Initial Preserved Renal Function as a Predictor of Favorable Renal Response to Rituximab in Refractory or Relapsing Lupus Nephritis: A Single-center Cohort Study in Korea. <i>Journal of Rheumatic Diseases</i> , 2022, 29, 22-32. | 0.4 | 5 |
| 3 | The Value of Thermal Imaging for Knee Arthritis: A Single-Center Observational Study. <i>Yonsei Medical Journal</i> , 2022, 63, 141. | 0.9 | 6 |
| 4 | Safety of JAK inhibitor use in patients with rheumatoid arthritis who developed herpes zoster after receiving JAK inhibitors. <i>Clinical Rheumatology</i> , 2022, 41, 1659-1663. | 1.0 | 5 |
| 5 | Renal outcomes of transient proteinuria in patients with systemic lupus erythematosus treated with corticosteroid therapy alone. <i>Lupus</i> , 2022, , 096120332210935. | 0.8 | 1 |
| 6 | Risk of New-Onset Diabetes Mellitus Associated with Antirheumatic Drugs in Patients with Rheumatoid Arthritis: A Nationwide Population Study. <i>Journal of Clinical Medicine</i> , 2022, 11, 2109. | 1.0 | 5 |
| 7 | Predictive Factors for Rheumatoid Arthritis Flare After Switching From Intravenous to Subcutaneous Formulation of Tocilizumab in Real-World Practice. <i>Journal of Korean Medical Science</i> , 2022, 37, e138. | 1.1 | 3 |
| 8 | Macrophage activation syndrome in rheumatic disease: Clinical characteristics and prognosis of 20 adult patients. <i>PLoS ONE</i> , 2022, 17, e0267715. | 1.1 | 6 |
| 9 | Expression of Inflammatory Markers in the Muscles of Patients with Idiopathic Inflammatory Myopathy According to the Presence of Interstitial Lung Disease. <i>Journal of Clinical Medicine</i> , 2022, 11, 3021. | 1.0 | 1 |
| 10 | Anti-tumor necrosis factor-induced lupus in patients with inflammatory bowel disease: a hospital-based cohort study from Korea. <i>Therapeutic Advances in Gastroenterology</i> , 2021, 14, 175628482199779. | 1.4 | 3 |
| 11 | Patient Perspectives and Preferences Regarding Gout and Gout Management: Impact on Adherence. <i>Journal of Korean Medical Science</i> , 2021, 36, e208. | 1.1 | 8 |
| 12 | Neutrophil extracellular trap clearance by synovial macrophages in gout. <i>Arthritis Research and Therapy</i> , 2021, 23, 88. | 1.6 | 15 |
| 13 | Risk of progression of idiopathic pulmonary fibrosis to connective tissue disease: a long-term observational study in 527 patients. <i>Clinical Rheumatology</i> , 2021, 40, 2447-2456. | 1.0 | 4 |
| 14 | Urine Î2-2-glycoprotein 1 as a biomarker for diagnosis of systemic lupus erythematosus. <i>Lupus</i> , 2021, 30, 1306-1313. | 0.8 | 2 |
| 15 | Comparative efficacy of low-dose versus regular-dose colchicine to prevent flares in gout patients initiated on urate-lowering therapies. <i>Rheumatology</i> , 2021, 61, 223-229. | 0.9 | 7 |
| 16 | Machine learning model for identifying important clinical features for predicting remission in patients with rheumatoid arthritis treated with biologics. <i>Arthritis Research and Therapy</i> , 2021, 23, 178. | 1.6 | 20 |
| 17 | Acetylated Diacylglycerol 1-palmitoyl-2-linoleoyl-3-acetyl-rac-glycerol in Autoimmune Arthritis and Interstitial Lung Disease in SKG Mice. <i>Biomedicines</i> , 2021, 9, 1095. | 1.4 | 2 |
| 18 | Angiographic patterns and temporal changes of arterial lesions in Behcetâ€™s disease. <i>Vascular</i> , 2021, , 170853812110464. | 0.4 | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Treatment Response to Idiopathic Retroperitoneal Fibrosis-associated Hydronephrosis With a Focus on IgG4/IgG3 Serum Concentration Ratio. <i>Journal of Rheumatic Diseases</i> , 2021, 28, 38-44. | 0.4 | 1 |
| 20 | Risk of Cancer in Middle-aged Patients With Gout: A Nationwide Population-based Study in Korea. <i>Journal of Rheumatology</i> , 2021, 48, 1465-1471. | 1.0 | 9 |
| 21 | Anaphylaxis to tocilizumab in patients with rheumatic disease. <i>Immunotherapy</i> , 2021, 13, 1483-1489. | 1.0 | 1 |
| 22 | Discovery of urine biomarkers for lupus nephritis via quantitative and comparative proteome analysis. <i>Clinical and Translational Medicine</i> , 2021, 11, e638. | 1.7 | 4 |
| 23 | Reasons for the High Cesarean Delivery Rate among Women with Ankylosing Spondylitis: Using the Korean National Health Insurance Database. <i>Journal of Rheumatology</i> , 2020, 47, 668-673. | 1.0 | 4 |
| 24 | Effect of TNF inhibitors on bone mineral density in rheumatoid arthritis patients receiving bisphosphonate: a retrospective cohort study. <i>Rheumatology International</i> , 2020, 40, 481-487. | 1.5 | 9 |
| 25 | Discontinuing febusostat might cause more deaths than continuing febusostat: the untold story from the CARES trial. <i>Rheumatology</i> , 2020, 59, 1439-1440. | 0.9 | 10 |
| 26 | Clinical and histological significance of urinary CD11c+ macrophages in lupus nephritis. <i>Arthritis Research and Therapy</i> , 2020, 22, 173. | 1.6 | 8 |
| 27 | Six-month flare risk after discontinuing long-term methotrexate treatment in patients having rheumatoid arthritis with low disease activity. <i>International Journal of Rheumatic Diseases</i> , 2020, 23, 1076-1081. | 0.9 | 2 |
| 28 | Autoantibodies against Protein Phosphatase Magnesium-Dependent 1A as a Biomarker for Predicting Radiographic Progression in Ankylosing Spondylitis Treated with Anti-Tumor Necrosis Factor Agents. <i>Journal of Clinical Medicine</i> , 2020, 9, 3968. | 1.0 | 4 |
| 29 | Prognostic factors for steroid-free remission in patients with idiopathic inflammatory myopathies: importance of anthropometric measurements. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2020, 12, 1759720X2093682. | 1.2 | 2 |
| 30 | Early discontinuation of tofacitinib in patients with rheumatoid arthritis co-treated with rifampin for latent tuberculosis. <i>Joint Bone Spine</i> , 2020, 87, 475-479. | 0.8 | 8 |
| 31 | Methotrexate-related toxicity in patients with rheumatoid arthritis and renal dysfunction. <i>Rheumatology International</i> , 2020, 40, 765-770. | 1.5 | 24 |
| 32 | Immunological characteristics and possible pathogenic role of urinary CD11c+ macrophages in lupus nephritis. <i>Rheumatology</i> , 2020, 59, 2135-2145. | 0.9 | 24 |
| 33 | Plasma immunoglobulin binding protein 1 as a predictor of development of lupus nephritis. <i>Lupus</i> , 2020, 29, 547-553. | 0.8 | 6 |
| 34 | Rapid reduction in uric acid by a urate-lowering agent is associated with recurrent cardiovascular events. <i>Medical Hypotheses</i> , 2020, 141, 109740. | 0.8 | 9 |
| 35 | Clinical features and recurrent attack in gout patients according to serum urate levels during an acute attack. <i>Korean Journal of Internal Medicine</i> , 2020, 35, 240-248. | 0.7 | 19 |
| 36 | Comparison of Clinical, Angiographic Features and Outcome in Takayasu's Arteritis and Behçet's Disease With Arterial Involvement. <i>Journal of Rheumatic Diseases</i> , 2020, 27, 100. | 0.4 | 4 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Liver enzyme elevation in patients with ankylosing spondylitis treated with tumor necrosis factor inhibitors: a single-center historical cohort study. <i>Korean Journal of Internal Medicine</i> , 2020, 35, 723-731. | 0.7 | 6 |
| 38 | Factors associated with aggravation of tubulointerstitial damage on repeated biopsies in lupus nephritis patients with treatment failure. <i>Clinical and Experimental Rheumatology</i> , 2020, 38, 239-244. | 0.4 | 0 |
| 39 | Non-albumin proteinuria as a parameter of tubulointerstitial inflammation in lupus nephritis. <i>Clinical Rheumatology</i> , 2019, 38, 235-241. | 1.0 | 9 |
| 40 | Clinical features and prognoses of acute transverse myelitis in patients with systemic lupus erythematosus. <i>Korean Journal of Internal Medicine</i> , 2019, 34, 442-451. | 0.7 | 11 |
| 41 | Clinical significance of autoantibody positivity in idiopathic pulmonary fibrosis. <i>Respiratory Medicine</i> , 2019, 155, 43-48. | 1.3 | 14 |
| 42 | Renal flare in class V lupus nephritis: increased risk in patients with tubulointerstitial lesions. <i>Rheumatology International</i> , 2019, 39, 2061-2067. | 1.5 | 7 |
| 43 | Serum uric acid level and subclinical coronary atherosclerosis in asymptomatic individuals: An observational cohort study. <i>Atherosclerosis</i> , 2019, 288, 112-117. | 0.4 | 16 |
| 44 | Tocilizumab-induced Thrombocytopenia in Patients with Rheumatoid Arthritis. <i>Journal of Rheumatic Diseases</i> , 2019, 26, 186. | 0.4 | 8 |
| 45 | Effects of Pregnancy and Delivery Methods on Change in Ankylosing Spondylitis Treatment Using the Korean Health Insurance Review and Assessment Service Claims Database. <i>Journal of Korean Medical Science</i> , 2019, 34, e238. | 1.1 | 3 |
| 46 | Immunoglobulin Binding Protein 1 as a Potential Urine Biomarker in Patients with Lupus Nephritis. <i>International Journal of Molecular Sciences</i> , 2019, 20, 2606. | 1.8 | 12 |
| 47 | Reply to: Challenging therapeutic goal in large vessel vasculitis. <i>International Journal of Cardiology</i> , 2019, 287, 127. | 0.8 | 0 |
| 48 | Prefoldin 5 and Anti-prefoldin 5 Antibodies as Biomarkers for Uveitis in Ankylosing Spondylitis. <i>Frontiers in Immunology</i> , 2019, 10, 384. | 2.2 | 14 |
| 49 | Statins reduce relapse rate in Takayasu arteritis. <i>International Journal of Cardiology</i> , 2019, 287, 111-115. | 0.8 | 21 |
| 50 | Interleukin-23: Possible association with the activity and development of nephritis in patients with systemic lupus erythematosus. <i>International Journal of Rheumatic Diseases</i> , 2019, 22, 1305-1311. | 0.9 | 6 |
| 51 | AB0174...CLINICAL SIGNIFICANCE OF THE URINARY CD11C+ MYELOID CELLS IN THE PATIENTS WITH LUPUS NEPHRITIS. , 2019, , . | | 0 |
| 52 | FRI0282...STATINS REDUCE RELAPSE RATE IN TAKAYASU ARTERITIS. , 2019, , . | | 0 |
| 53 | FRI0243...RECOVERY OF RENAL FUNCTION IN PATIENTS WITH LUPUS NEPHRITIS AND REDUCED RENAL FUNCTION. , 2019, , . | | 0 |
| 54 | AB0724...DOSE PREGNANCY AND VAGINAL DELIVERY WORSEN ANKYLOSING SPONDYLITIS?. , 2019, , . | | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | SAT0196â€¦RENAL FLARE IN CLASS V LUPUS NEPHRITIS: INCREASED RISK IN PATIENTS WITH TUBULOINTERSTITIAL LESIONS. , 2019, , . | | 0 |
| 56 | SAT0427â€¦RISK OF MALIGNANCIES IN PATIENTS WITH GOUT: A POPULATION-BASED COHORT STUDY. , 2019, , . | | 0 |
| 57 | Effect of tumor necrosis factor inhibition on spinal inflammation and spinal ankylosis in SKG mice. Scientific Reports, 2019, 9, 18000. | 1.6 | 7 |
| 58 | Hepatic Safety of Febuxostat Compared with Allopurinol in Gout Patients with Fatty Liver Disease. Journal of Rheumatology, 2019, 46, 527-531. | 1.0 | 9 |
| 59 | Prominent Inflammatory Features of Monocytes/Macrophages in Acute Calcium Pyrophosphate Crystal Arthritis: a Comparison with Acute Gouty Arthritis. Immune Network, 2019, 19, e21. | 1.6 | 9 |
| 60 | Clinical features and risk of recurrence of acute calcium pyrophosphate crystal arthritis. Clinical and Experimental Rheumatology, 2019, 37, 254-259. | 0.4 | 3 |
| 61 | Conventional synthetic disease-modifying antirheumatic drugs and bone mineral density in rheumatoid arthritis patients with osteoporosis: possible beneficial effect of leflunomide. Clinical and Experimental Rheumatology, 2019, 37, 813-819. | 0.4 | 8 |
| 62 | Predicting eventual development of lupus nephritis at the time of diagnosis of systemic lupus erythematosus. Seminars in Arthritis and Rheumatism, 2018, 48, 462-466. | 1.6 | 30 |
| 63 | Safety of the concomitant use of methotrexate and a prophylactic dose of trimethoprim-sulfamethoxazole. Clinical Rheumatology, 2018, 37, 3215-3220. | 1.0 | 17 |
| 64 | The risk of herpes zoster in patients with ankylosing spondylitis: Analysis of the Korean National Health Insurance Service â€œ Sample cohort database. Modern Rheumatology, 2018, 28, 168-173. | 0.9 | 17 |
| 65 | The usefulness of routine chest radiograph examinations in patients treated with TNF inhibitors for inflammatory arthritis in South Korea. Respiratory Medicine, 2018, 143, 109-115. | 1.3 | 4 |
| 66 | Role of IL-32 Gamma on Bone Metabolism in Autoimmune Arthritis. Immune Network, 2018, 18, e20. | 1.6 | 11 |
| 67 | IL-17A+GM-CSF+ Neutrophils Are the Major Infiltrating Cells in Interstitial Lung Disease in an Autoimmune Arthritis Model. Frontiers in Immunology, 2018, 9, 1544. | 2.2 | 18 |
| 68 | Extravascular manifestations of Takayasu arteritis: focusing on the features shared with spondyloarthritis. Arthritis Research and Therapy, 2018, 20, 142. | 1.6 | 20 |
| 69 | Comparison of latent tuberculosis infection screening strategies before tumor necrosis factor inhibitor treatment in inflammatory arthritis: IGRA-alone versus combination of TST and IGRA. PLoS ONE, 2018, 13, e0198756. | 1.1 | 9 |
| 70 | Reduction or cessation of antiviral agents in hepatitis B virus carriers treated with biologic agents. Clinical and Experimental Rheumatology, 2018, 36, 170. | 0.4 | 0 |
| 71 | Interleukin-32 Gamma Stimulates Bone Formation by Increasing miR-29a in Osteoblastic Cells and Prevents the Development of Osteoporosis. Scientific Reports, 2017, 7, 40240. | 1.6 | 23 |
| 72 | Risk of Colchicine-Associated Myopathy in Gout: Influence of Concomitant Use of Statin. American Journal of Medicine, 2017, 130, 583-587. | 0.6 | 23 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Longterm Outcomes of Renal Artery Involvement in Takayasu Arteritis. <i>Journal of Rheumatology</i> , 2017, 44, 466-472. | 1.0 | 18 |
| 74 | The Reply. <i>American Journal of Medicine</i> , 2017, 130, e469. | 0.6 | 0 |
| 75 | Neutrophil-to-lymphocyte ratio is a reliable marker of treatment response in rheumatoid arthritis patients during tocilizumab therapy. <i>Modern Rheumatology</i> , 2017, 27, 405-410. | 0.9 | 23 |
| 76 | Ileocolonoscopy findings in patients with ankylosing spondylitis: a single center retrospective study. <i>Korean Journal of Internal Medicine</i> , 2017, 32, 916-922. | 0.7 | 5 |
| 77 | CD14+ Cells with the Phenotype of Infiltrated Monocytes Consist of Distinct Populations Characterized by Anti-inflammatory as well as Pro-inflammatory Activity in Gouty Arthritis. <i>Frontiers in Immunology</i> , 2017, 8, 1260. | 2.2 | 24 |
| 78 | Nontuberculous mycobacterial infection in rheumatoid arthritis patients: a single-center experience in South Korea. <i>Korean Journal of Internal Medicine</i> , 2017, 32, 1090-1097. | 0.7 | 9 |
| 79 | A Case of Infliximab-induced Multifocal Motor Neuropathy in a Patient with Rheumatoid Arthritis and Literature Review. <i>Journal of Rheumatic Diseases</i> , 2016, 23, 250. | 0.4 | 2 |
| 80 | Immunoglobulin G Levels as a Prognostic Factor for Autoimmune Hepatitis Combined With Systemic Lupus Erythematosus. <i>Arthritis Care and Research</i> , 2016, 68, 995-1002. | 1.5 | 14 |
| 81 | Febuxostat in Hyperuricemic Patients With Advanced CKD. <i>American Journal of Kidney Diseases</i> , 2016, 68, 819-821. | 2.1 | 14 |
| 82 | Clinical outcomes of hydronephrosis in patients with systemic lupus erythematosus. <i>International Journal of Rheumatic Diseases</i> , 2016, 19, 1317-1321. | 0.9 | 10 |
| 83 | Safety of tumor necrosis factor inhibitor therapy in patients with a prior malignancy. <i>International Journal of Rheumatic Diseases</i> , 2016, 19, 961-967. | 0.9 | 2 |
| 84 | Adequacy of initiating TNF antagonists within 3 weeks of starting latent tuberculosis infection treatment in patients with immune-mediated inflammatory diseases. <i>Infectious Diseases</i> , 2016, 48, 293-298. | 1.4 | 3 |
| 85 | Interleukin-33 acts as a transcriptional repressor and extracellular cytokine in fibroblast-like synoviocytes in patients with rheumatoid arthritis. <i>Cytokine</i> , 2016, 77, 35-43. | 1.4 | 37 |
| 86 | Late-onset IgA vasculitis in adult patients exhibits distinct clinical characteristics and outcomes. <i>Clinical and Experimental Rheumatology</i> , 2016, 34, S77-83. | 0.4 | 13 |
| 87 | Interstitial Pneumonia Related to Undifferentiated Connective Tissue Disease. <i>Chest</i> , 2015, 147, 165-172. | 0.4 | 45 |
| 88 | High level of interleukin-32 gamma in the joint of ankylosing spondylitis is associated with osteoblast differentiation. <i>Arthritis Research and Therapy</i> , 2015, 17, 350. | 1.6 | 25 |
| 89 | The Incidence of Uveitis in Ankylosing Spondylitis Patients Undergoing Tumor Necrosis Factor Inhibiting Therapy in Korea. <i>Journal of Rheumatic Diseases</i> , 2015, 22, 288. | 0.4 | 3 |
| 90 | An Atraumatic Fracture of the Odontoid Process in a Newly Diagnosed Rheumatoid Arthritis Patient. <i>Journal of Rheumatic Diseases</i> , 2015, 22, 102. | 0.4 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Factors related to outcomes in lupus-related protein-losing enteropathy. Korean Journal of Internal Medicine, 2015, 30, 906-912. | 0.7 | 7 |
| 92 | TNF- α confers resistance to Fas-mediated apoptosis in rheumatoid arthritis through the induction of soluble Fas. Life Sciences, 2015, 122, 37-41. | 2.0 | 10 |
| 93 | Pericentral Hydroxychloroquine Retinopathy in Korean Patients. Ophthalmology, 2015, 122, 1252-1256. | 2.5 | 67 |
| 94 | Outcome of Takayasu Arteritis with Inactive Disease at Diagnosis: The Extent of Vascular Involvement As a Predictor of Activation. Journal of Rheumatology, 2015, 42, 489-494. | 1.0 | 12 |
| 95 | Clinicopathologic characteristics of IgG4-related retroperitoneal fibrosis among patients initially diagnosed as having idiopathic retroperitoneal fibrosis. Modern Rheumatology, 2015, 25, 194-198. | 0.9 | 43 |
| 96 | Mortality in patients with rheumatoid arthritis-associated interstitial lung disease treated with an anti-tumor necrosis factor agent. Korean Journal of Internal Medicine, 2015, 30, 104. | 0.7 | 30 |
| 97 | Non-Infective Endocarditis in a Patient with Rheumatoid Arthritis. Korean Journal of Medicine, 2015, 88, 110. | 0.1 | 0 |
| 98 | Role of Protein Phosphatase Magnesium-Dependent 1A and Anti-Protein Phosphatase Magnesium-Dependent 1A Autoantibodies in Ankylosing Spondylitis. Arthritis and Rheumatology, 2014, 66, 2793-2803. | 2.9 | 29 |
| 99 | Frequency of immunoglobulin G4-related aortitis in cases with aortic resection and their clinical characteristics compared to other aortitises. International Journal of Rheumatic Diseases, 2014, 17, 420-424. | 0.9 | 24 |
| 100 | Safety of resuming tumour necrosis factor inhibitors in patients who developed tuberculosis as a complication of previous TNF inhibitors. Rheumatology, 2014, 53, 1477-1481. | 0.9 | 28 |
| 101 | Neurobehçet's disease in South Korea: clinical characteristics and treatment response. International Journal of Rheumatic Diseases, 2014, 17, 453-458. | 0.9 | 34 |
| 102 | Mycobacterial diseases developed during anti-tumour necrosis factor- α therapy. European Respiratory Journal, 2014, 44, 1289-1295. | 3.1 | 46 |
| 103 | The effect of various disease-modifying anti-rheumatic drugs on the suppressive function of CD4+CD25+ regulatory T cells. Rheumatology International, 2013, 33, 381-388. | 1.5 | 24 |
| 104 | Protective effects of ginsenoside Rg3 on human osteoarthritic chondrocytes. Modern Rheumatology, 2013, 23, 104-111. | 0.9 | 24 |
| 105 | A Case of Adult-Onset Still's Disease Presenting with Periorbital Edema. Journal of Rheumatic Diseases, 2013, 20, 243. | 0.4 | 0 |
| 106 | Long Term Safety and Efficacy of Abatacept in Patients with Rheumatoid Arthritis. Journal of Rheumatic Diseases, 2013, 20, 71. | 0.4 | 0 |
| 107 | Protective effects of ginsenoside Rg3 on human osteoarthritic chondrocytes. Modern Rheumatology, 2013, 23, 104-111. | 0.9 | 16 |
| 108 | Elevated interleukin-32 expression in granulomatosis with polyangiitis. Rheumatology, 2012, 51, 1979-1988. | 0.9 | 19 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Interleukin-34 produced by human fibroblast-like synovial cells in rheumatoid arthritis supports osteoclastogenesis. <i>Arthritis Research and Therapy</i> , 2012, 14, R14. | 1.6 | 121 |
| 110 | The Influence of Interleukin-32 ^β on Osteoclastogenesis with a Focus on Fusion-Related Genes. <i>Journal of Clinical Immunology</i> , 2012, 32, 201-206. | 2.0 | 7 |
| 111 | A Case of Adult-onset Still's Disease in a Patient with Ankylosing Spondylitis Complicated with Crohn's Disease. <i>Journal of Rheumatic Diseases</i> , 2011, 18, 142. | 0.4 | 1 |
| 112 | Interleukin-32 ^β Enhances the Production of IL-6 and IL-8 in Fibroblast-Like Synoviocytes Via Erk1/2 Activation. <i>Journal of Clinical Immunology</i> , 2010, 30, 260-267. | 2.0 | 15 |
| 113 | Effect of interleukin-32 ^β on differentiation of osteoclasts from CD14 ⁺ monocytes. <i>Arthritis and Rheumatism</i> , 2010, 62, 515-523. | 6.7 | 43 |
| 114 | Alpha-lipoic acid inhibits TNF- α induced NF- κ B activation through blocking of MEK1 \rightarrow MKK4 \rightarrow IKK signaling cascades. <i>International Immunopharmacology</i> , 2008, 8, 362-370. | 1.7 | 42 |
| 115 | Successful Treatment of Neuropsychiatric Syndrome with Rituximab in a Patient with Systemic Lupus Erythematosus and Dermatomyositis Overlap Syndrome. <i>The Journal of the Korean Rheumatism Association</i> , 2008, 15, 170. | 0.1 | 1 |
| 116 | Assessment of comparative pain relief and tolerability of SKI306X compared with celecoxib in patients with rheumatoid arthritis: A 6-week, multicenter, randomized, double-blind, double-dummy, phase III, noninferiority clinical trial. <i>Clinical Therapeutics</i> , 2007, 29, 862-873. | 1.1 | 33 |
| 117 | Effects of disease-modifying antirheumatic drugs and antiinflammatory cytokines on human osteoclastogenesis through interaction with receptor activator of nuclear factor κ B, osteoprotegerin, and receptor activator of nuclear factor κ B ligand. <i>Arthritis and Rheumatism</i> , 2004, 50, 3831-3843. | 6.7 | 119 |
| 118 | Concurrent occurrence of chylothorax, chylous ascites, and protein-losing enteropathy in systemic lupus erythematosus. <i>Journal of Rheumatology</i> , 2002, 29, 1330-3. | 1.0 | 37 |
| 119 | Successful rituximab treatment of refractory hemophagocytic lymphohistiocytosis and autoimmune hemolytic anemia associated with systemic lupus erythematosus. <i>Modern Rheumatology</i> , 0, , 1. | 0.9 | 3 |
| 120 | Circulating and renal fibrocytes are associated with interstitial fibrosis in lupus nephritis. <i>Rheumatology</i> , 0, , . | 0.9 | 1 |