

# Jeffrey W Kysar

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8930955/publications.pdf>

Version: 2024-02-01

87  
papers

22,207  
citations

136740

32  
h-index

54797

84  
g-index

89  
all docs

89  
docs citations

89  
times ranked

27105  
citing authors

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | Drug delivery device for the inner ear: ultra-sharp fully metallic microneedles. <i>Drug Delivery and Translational Research</i> , 2021, 11, 214-226.   | 3.0  | 37        |
| 2  | Grain size dependence of polycrystalline plasticity modeling in cylindrical indentation. <i>Computational Mechanics</i> , 2021, 68, 499-543.  | 2.2  | 5         |
| 3  | Novel 3D-printed hollow microneedles facilitate safe, reliable, and informative sampling of perilymph from guinea pigs. <i>Hearing Research</i> , 2021, 400, 108141.  | 0.9  | 43        |
| 4  | A Novel 3D-Printed Head Holder for Guinea Pig Ear Surgery. <i>Otology and Neurotology</i> , 2021, 42, e1197-e1202.  | 0.7  | 4         |
| 5  | Simulation assisted design for microneedle manufacturing: Computational modeling of two-photon templated electrodeposition. <i>Journal of Manufacturing Processes</i> , 2021, 66, 211-219.                          | 2.8  | 5         |
| 6  | Impact of Systemic versus Intratympanic Dexamethasone Administration on the Perilymph Proteome. <i>Journal of Proteome Research</i> , 2021, 20, 4001-4009.  | 1.8  | 9         |
| 7  | Membrane curvature and connective fiber alignment in guinea pig round window membrane. <i>Acta Biomaterialia</i> , 2021, 136, 343-362.  | 4.1  | 7         |
| 8  | Design optimization of a cardiovascular stent with application to a balloon expandable prosthetic heart valve. <i>Materials and Design</i> , 2021, 209, 109977.   | 3.3  | 10        |
| 9  | 3D-Printed Microneedles Create Precise Perforations in Human Round Window Membrane in Situ. <i>Otology and Neurotology</i> , 2020, 41, 277-284.   | 0.7  | 29        |
| 10 | Anatomical and Functional Consequences of Microneedle Perforation of Round Window Membrane. <i>Otology and Neurotology</i> , 2020, 41, e280-e287.   | 0.7  | 24        |
| 11 | Imaging strain-localized excitons in nanoscale bubbles of monolayer WSe <sub>2</sub> at room temperature. <i>Nature Nanotechnology</i> , 2020, 15, 854-860.   | 15.6 | 134       |
| 12 | Plane strain deformation by slip in FCC crystals. <i>International Journal of Plasticity</i> , 2020, 133, 102842.   | 4.1  | 5         |
| 13 | Inner ear gene delivery: vectors and routes. <i>Hearing, Balance and Communication</i> , 2020, 18, 278-285.   | 0.1  | 16        |
| 14 | Facile and quantitative estimation of strain in nanobubbles with arbitrary symmetry in 2D semiconductors verified using hyperspectral nano-optical imaging. <i>Journal of Chemical Physics</i> , 2020, 153, 024702. | 1.2  | 27        |
| 15 | Inner ear delivery Challenges and opportunities. <i>Laryngoscope Investigative Otolaryngology</i> , 2020, 5, 122-131.   | 0.6  | 56        |
| 16 | Order in polycrystalline plasticity deformation fields: Short-range intermittency and long-range persistency. <i>International Journal of Plasticity</i> , 2020, 128, 102674.                                       | 4.1  | 6         |
| 17 | Mechanical considerations for polymeric heart valve development: Biomechanics, materials, design and manufacturing. <i>Biomaterials</i> , 2019, 225, 119493.  | 5.7  | 58        |
| 18 | Plastic strain recovery in nanocrystalline copper thin films. <i>International Journal of Plasticity</i> , 2018, 107, 27-53.  | 4.1  | 3         |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 19 | Experimental validation of plastic constitutive hardening relationship based upon the direction of the Net Burgers Density Vector. <i>Journal of the Mechanics and Physics of Solids</i> , 2018, 111, 358-374. | 2.3  | 7         |
| 20 | In-vitro perforation of the round window membrane via direct 3-D printed microneedles. <i>Biomedical Microdevices</i> , 2018, 20, 47.  | 1.4  | 51        |
| 21 | Silver/silver chloride microneedles can detect penetration through the round window membrane. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2017, 105, 307-311.              | 1.6  | 17        |
| 22 | Review Article: Case studies in future trends of computational and experimental nanomechanics. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2017, 35, .                     | 0.9  | 12        |
| 23 | The Functional Response of Mesenchymal Stem Cells to Electron-Beam Patterned Elastomeric Surfaces Presenting Micrometer to Nanoscale Heterogeneous Rigidity. <i>Advanced Materials</i> , 2017, 29, 1702119.    | 11.1 | 23        |
| 24 | Atomistically derived cohesive zone model of intergranular fracture in polycrystalline graphene. <i>Journal of Applied Physics</i> , 2016, 119, 245107.  | 1.1  | 18        |
| 25 | A dual wedge microneedle for sampling of perilymph solution via round window membrane. <i>Biomedical Microdevices</i> , 2016, 18, 24.  | 1.4  | 20        |
| 26 | Serrated needle design facilitates precise round window membrane perforation. <i>Journal of Biomedical Materials Research - Part A</i> , 2016, 104, 1633-1637.   | 2.1  | 19        |
| 27 | Recoverable Slippage Mechanism in Multilayer Graphene Leads to Repeatable Energy Dissipation. <i>ACS Nano</i> , 2016, 10, 1820-1828.   | 7.3  | 112       |
| 28 | In Situ NANO-Indentation of Round Window Membrane. <i>Conference Proceedings of the Society for Experimental Mechanics</i> , 2016, , 17-29.  | 0.3  | 2         |
| 29 | Enhanced Glassy State Mechanical Properties of Polymer Nanocomposites via Supramolecular Interactions. <i>Nano Letters</i> , 2015, 15, 5465-5471.  | 4.5  | 54        |
| 30 | Microperforations Significantly Enhance Diffusion Across Round Window Membrane. <i>Otology and Neurotology</i> , 2015, 36, 694-700.  | 0.7  | 40        |
| 31 | Computational strain gradient crystal plasticity. <i>Journal of the Mechanics and Physics of Solids</i> , 2014, 62, 31-47.   | 2.3  | 46        |
| 32 | Microanatomic Analysis of the Round Window Membrane by White Light Interferometry and Microcomputed Tomography for Mechanical Amplification. <i>Otology and Neurotology</i> , 2014, 35, 672-678.               | 0.7  | 17        |
| 33 | Length-scale effect due to periodic variation of geometrically necessary dislocation densities. <i>International Journal of Plasticity</i> , 2013, 41, 189-201.  | 4.1  | 31        |
| 34 | Nonlinear elastic behavior of two-dimensional molybdenum disulfide. <i>Physical Review B</i> , 2013, 87, .   | 1.1  | 400       |
| 35 | High-Strength Chemical-Vapor-Deposited Graphene and Grain Boundaries. <i>Science</i> , 2013, 340, 1073-1076.   | 6.0  | 753       |
| 36 | Monolithic integration of nanoscale tensile specimens and MEMS structures. <i>Nanotechnology</i> , 2013, 24, 165502.   | 1.3  | 17        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Experimental validation of multiscale modeling of indentation of suspended circular graphene membranes. <i>International Journal of Solids and Structures</i> , 2012, 49, 3201-3209.   | 1.3 | 46        |
| 38 | Mechanical Properties of Thin Glassy Polymer Films Filled with Spherical Polymer-Grafted Nanoparticles. <i>Nano Letters</i> , 2012, 12, 3909-3914.   | 4.5 | 131       |
| 39 | CHAPTER 5. Microfabrication of Nanoporous Gold. <i>RSC Nanoscience and Nanotechnology</i> , 2012, , 69-96.   | 0.2 | 1         |
| 40 | Wedge indentation into elasticâ€“plastic single crystals. 2: Simulations for face-centered cubic crystals. <i>International Journal of Plasticity</i> , 2012, 28, 70-87.   | 4.1 | 25        |
| 41 | Fabrication of crack-free blanket nanoporous gold thin films by galvanostatic dealloying. <i>Journal of Alloys and Compounds</i> , 2011, 509, 6374-6381.   | 2.8 | 42        |
| 42 | Residual plastic strain recovery driven by grain boundary diffusion in nanocrystalline thin films. <i>Acta Materialia</i> , 2011, 59, 3937-3945.   | 3.8 | 25        |
| 43 | Fabrication of crack-free nanoporous gold blanket thin films by potentiostatic dealloying. <i>Scripta Materialia</i> , 2010, 63, 1005-1008.  | 2.6 | 34        |
| 44 | Experimental lower bounds on geometrically necessary dislocation density. <i>International Journal of Plasticity</i> , 2010, 26, 1097-1123.  | 4.1 | 165       |
| 45 | Dynamic Material Response of Aluminum Single Crystal Under Microscale Laser Shock Peening. <i>Journal of Manufacturing Science and Engineering, Transactions of the ASME</i> , 2009, 131, .  | 1.3 | 10        |
| 46 | Spatially Resolved Characterization of Geometrically Necessary Dislocation Dependent Deformation in Microscale Laser Shock Peening. <i>Journal of Manufacturing Science and Engineering, Transactions of the ASME</i> , 2009, 131, . | 1.3 | 6         |
| 47 | Fracture in electrophoretically deposited CdSe nanocrystal films. <i>Journal of Applied Physics</i> , 2009, 105, .   | 1.1 | 19        |
| 48 | Elastic and frictional properties of graphene. <i>Physica Status Solidi (B): Basic Research</i> , 2009, 246, 2562-2567.  | 0.7 | 333       |
| 49 | Grain boundary response of aluminum bicrystal under micro scale laser shock peening. <i>International Journal of Solids and Structures</i> , 2009, 46, 3323-3335.  | 1.3 | 22        |
| 50 | Nanoporous Metals by Alloy Corrosion: Formation and Mechanical Properties. <i>MRS Bulletin</i> , 2009, 34, 577-586.  | 1.7 | 264       |
| 51 | Nonlinear elastic behavior of graphene: <i>Ab initio</i> calculations to continuum description. <i>Physical Review B</i> , 2009, 80, .   | 1.1 | 364       |
| 52 | Comparative study of symmetric and asymmetric deformation of Al single crystal under microscale laser shock peening. <i>Journal of Mechanics of Materials and Structures</i> , 2009, 4, 89-105.                                      | 0.4 | 7         |
| 53 | Analytical solution of anisotropic plastic deformation induced by micro-scale laser shock peening. <i>Mechanics of Materials</i> , 2008, 40, 100-114.  | 1.7 | 35        |
| 54 | Size effects on void growth in single crystals with distributed voids. <i>International Journal of Plasticity</i> , 2008, 24, 688-701.   | 4.1 | 74        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Measurement of the Elastic Properties and Intrinsic Strength of Monolayer Graphene. <i>Science</i> , 2008, 321, 385-388.   | 6.0 | 17,513    |
| 56 | Direct comparison between experiments and computations at the atomic length scale: a case study of graphene. <i>Scientific Modeling and Simulation SMNS</i> , 2008, 15, 143-157.   | 0.8 | 6         |
| 57 | Spatially Resolved Characterization of Geometrically Necessary Dislocation Dependent Deformation in Micro-Scale Laser Shock Peening. , 2008, , .   |     | 0         |
| 58 | Microscale laser peen forming of single crystal. <i>Journal of Applied Physics</i> , 2008, 103, 063525.  | 1.1 | 14        |
| 59 | Response of Thin Films and Substrate to Micro-Scale Laser Shock Peening. <i>Journal of Manufacturing Science and Engineering, Transactions of the ASME</i> , 2007, 129, 485-496.   | 1.3 | 7         |
| 60 | Study of anisotropic character induced by microscale laser shock peening on a single crystal aluminum. <i>Journal of Applied Physics</i> , 2007, 101, 024904.  | 1.1 | 15        |
| 61 | Strain gradient crystal plasticity analysis of a single crystal containing a cylindrical void. <i>International Journal of Solids and Structures</i> , 2007, 44, 6382-6397.  | 1.3 | 20        |
| 62 | Cylindrical void in a rigid-ideally plastic single crystal III: Hexagonal close-packed crystal. <i>International Journal of Plasticity</i> , 2007, 23, 592-619.  | 4.1 | 27        |
| 63 | Influence of ultrasonic irradiation on the microstructure of Cu/Al <sub>2</sub> O <sub>3</sub> , CeO <sub>2</sub> nanocomposite thin films during electrocodeposition. <i>Materials Science &amp; Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2007, 447, 209-216. | 2.6 | 40        |
| 64 | The mean free path of dislocations in nanoparticle and nanorod reinforced metal composites and implication for strengthening mechanisms. <i>Mechanics Research Communications</i> , 2007, 34, 275-282.   | 1.0 | 17        |
| 65 | High strain gradient plasticity associated with wedge indentation into face-centered cubic single crystals: Geometrically necessary dislocation densities. <i>Journal of the Mechanics and Physics of Solids</i> , 2007, 55, 1554-1573.  | 2.3 | 112       |
| 66 | Microfabrication and mechanical properties of nanoporous gold at the nanoscale. <i>Scripta Materialia</i> , 2007, 56, 437-440.   | 2.6 | 123       |
| 67 | Deformation and fracture behavior of electrocodeposited alumina nanoparticle/copper composite films. <i>Journal of Materials Science</i> , 2007, 42, 5256-5263.  | 1.7 | 11        |
| 68 | Raman Microprobe Analysis of Elastic Strain and Fracture in Electrophoretically Deposited CdSe Nanocrystal Films. <i>Nano Letters</i> , 2006, 6, 175-180.  | 4.5 | 34        |
| 69 | Thermal vibration and apparent thermal contraction of single-walled carbon nanotubes. <i>Journal of the Mechanics and Physics of Solids</i> , 2006, 54, 1206-1236.   | 2.3 | 81        |
| 70 | Numerical analysis of the radial breathing mode of armchair and zigzag single-walled carbon nanotubes under deformation. <i>Journal of Applied Physics</i> , 2006, 100, 124305.  | 1.1 | 9         |
| 71 | Observation of plastic deformation in freestanding single crystal Au nanowires. <i>Applied Physics Letters</i> , 2006, 89, 111916.   | 1.5 | 5         |
| 72 | Comparative study of symmetric and asymmetric deformation of Al single crystal under micro scale laser shock peening. , 2006, , .  |     | 1         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Fourier analysis of X-ray micro-diffraction profiles to characterize laser shock peened metals. International Journal of Solids and Structures, 2005, 42, 3471-3485.   | 1.3 | 11        |
| 74 | Cylindrical void in a rigid-ideally plastic single crystal. Part I: Anisotropic slip line theory solution for face-centered cubic crystals. International Journal of Plasticity, 2005, 21, 1481-1520.                                    | 4.1 | 85        |
| 75 | Spatially Resolved Characterization of Residual Stress Induced by Micro Scale Laser Shock Peening. Journal of Manufacturing Science and Engineering, Transactions of the ASME, 2004, 126, 226-236.                                       | 1.3 | 28        |
| 76 | Characterization of Plastic Deformation Induced by Microscale Laser Shock Peening. Journal of Applied Mechanics, Transactions ASME, 2004, 71, 713-723.   | 1.1 | 66        |
| 77 | Systematical Characterization of Material Response to Microscale Laser Shock Peening. Journal of Manufacturing Science and Engineering, Transactions of the ASME, 2004, 126, 740-749.  | 1.3 | 5         |
| 78 | Energy dissipation mechanisms in ductile fracture. Journal of the Mechanics and Physics of Solids, 2003, 51, 795-824.  | 2.3 | 33        |
| 79 | Spatially resolved characterization of residual stress induced by micro scale laser shock Peening. , 2003, , .   |     | 3         |
| 80 | Brittle to Ductile Transition in Intermetallic Alloys. Materials Research Society Symposia Proceedings, 2002, 753, 1.  | 0.1 | 0         |
| 81 | Crack tip deformation fields in ductile single crystals. Acta Materialia, 2002, 50, 2367-2380.   | 3.8 | 73        |
| 82 | Continuum simulations of directional dependence of crack growth along a copper/sapphire bicrystal interface. Part II: crack tip stress/deformation analysis. Journal of the Mechanics and Physics of Solids, 2001, 49, 1129-1153.        | 2.3 | 25        |
| 83 | Continuum simulations of directional dependence of crack growth along a copper/sapphire bicrystal interface. Part I: experiments and crystal plasticity background. Journal of the Mechanics and Physics of Solids, 2001, 49, 1099-1128. | 2.3 | 56        |
| 84 | Path of light in near crack tip region in anisotropic medium and under mixed-mode loading. International Journal of Solids and Structures, 2001, 38, 5963-5973.  | 1.3 | 3         |
| 85 | Directional dependence of fracture in copper/sapphire bicrystal. Acta Materialia, 2000, 48, 3509-3524.   | 3.8 | 30        |
| 86 | Effects of strain field on light in crack opening interferometry. International Journal of Solids and Structures, 1998, 35, 33-49.   | 1.3 | 15        |
| 87 | Continuum aspects of directionally dependent cracking of an interface between copper and alumina crystals. Mechanics of Materials, 1996, 23, 271-286.  | 1.7 | 17        |