

Maria Lucia Cardillo Corra-Giannella

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8931135/publications.pdf>

Version: 2024-02-01

120
papers

2,095
citations

236612

25
h-index

329751

37
g-index

127
all docs

127
docs citations

127
times ranked

3718
citing authors

#	ARTICLE	IF	CITATIONS
1	Genetic reprogramming of remnant duodenum may contribute to type 2 diabetes improvement after Roux-en-Y gastric bypass. <i>Nutrition</i> , 2022, 99-100, 111631.	1.1	2
2	Non-Alcoholic Fatty Liver Disease in Long-Term Type 2 Diabetes: Role of rs738409 PNPLA3 and rs499765 FGF21 Polymorphisms and Serum Biomarkers. <i>Molecules</i> , 2022, 27, 3193.	1.7	5
3	Variants in HSD11B1 gene modulate susceptibility to diabetes kidney disease and to insulin resistance in type 1 diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2021, 37, e3352.	1.7	7
4	Alcohol Use Disorder is Associated with Upregulation of MicroRNAâ€³4a and MicroRNAâ€³4c in Hippocampal Postmortem Tissue. <i>Alcoholism: Clinical and Experimental Research</i> , 2021, 45, 64-68.	1.4	10
5	Chronic advanced-glycation end products treatment induces TXNIP expression and epigenetic changes in glomerular podocytes in vivo and in vitro. <i>Life Sciences</i> , 2021, 270, 118997.	2.0	6
6	Ocular Manifestations and Neuropathy in Type 2 Diabetes Patients With Charcot Arthropathy. <i>Frontiers in Endocrinology</i> , 2021, 12, 585823.	1.5	2
7	Cardiovascular Autonomic Reflex Tests and 7 Heart Rate Variability Indices for Early Diagnosis of Cardiovascular Autonomic Neuropathy in Type 2 Diabetes Individuals. <i>Current Diabetes Reviews</i> , 2021, 17, .	0.6	0
8	Serum albumin modified by carbamoylation impairs macrophage cholesterol efflux in diabetic kidney disease. <i>Journal of Diabetes and Its Complications</i> , 2021, 35, 107969.	1.2	4
9	Persistent Effect of Advanced Glycated Albumin Driving Inflammation and Disturbances in Cholesterol Efflux in Macrophages. <i>Nutrients</i> , 2021, 13, 3633.	1.7	7
10	RAGE Mediates Cholesterol Efflux Impairment in Macrophages Caused by Human Advanced Glycated Albumin. <i>International Journal of Molecular Sciences</i> , 2020, 21, 7265.	1.8	11
11	Increased leukotriene B4 plasma concentration in type 2 diabetes individuals with cardiovascular autonomic neuropathy. <i>Diabetology and Metabolic Syndrome</i> , 2020, 12, 99.	1.2	4
12	Diabetic retinopathy screening in urban primary care setting with a handheld smartphone-based retinal camera. <i>Acta Diabetologica</i> , 2020, 57, 1493-1499.	1.2	24
13	Enrichment of apolipoprotein A-IV and apolipoprotein D in the HDL proteome is associated with HDL functions in diabetic kidney disease without dialysis. <i>Lipids in Health and Disease</i> , 2020, 19, 205.	1.2	8
14	Urinary Sediment Transcriptomic and Longitudinal Data to Investigate Renal Function Decline in Type 1 Diabetes. <i>Frontiers in Endocrinology</i> , 2020, 11, 238.	1.5	7
15	Distal Symmetric and Cardiovascular Autonomic Neuropathies in Brazilian Individuals with Type 2 Diabetes Followed in a Primary Health Care Unit: A Cross-Sectional Study. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 3232.	1.2	5
16	Intestinal expression of toll-like receptor gene changes early after gastric bypass surgery and association with type 2 diabetes remission. <i>Nutrition</i> , 2020, 79-80, 110885.	1.1	7
17	<p>Dual SGLT1/SGLT2 Inhibitor Phlorizin Ameliorates Non-Alcoholic Fatty Liver Disease and Hepatic Glucose Production in Type 2 Diabetic Mice</p>. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2020, Volume 13, 739-751.	1.1	22
18	Advanced Glycated apoA-IV Loses Its Ability to Prevent the LPS-Induced Reduction in Cholesterol Efflux-Related Gene Expression in Macrophages. <i>Mediators of Inflammation</i> , 2020, 2020, 1-11.	1.4	6

#	ARTICLE	IF	CITATIONS
19	Leukotriene Pathway Activation Associates with Poor Glycemic Control and with Cardiovascular Autonomic Neuropathy in Type 1 Diabetes. <i>Mediators of Inflammation</i> , 2020, 2020, 1-9.	1.4	4
20	A Hybrid Model to Predict Glucose Oscillation for Patients with Type 1 Diabetes and Suggest Customized Recommendations. <i>Advances in Intelligent Systems and Computing</i> , 2020, , 790-801.	0.5	0
21	Reproducibility of a nylon fishing line as a screening test for diabetic foot ulceration risk. <i>Clinics</i> , 2020, 75, e1658.	0.6	0
22	Reduced intestinal FADS1 gene expression and plasma omega-3 fatty acids following Roux-en-Y gastric bypass. <i>Clinical Nutrition</i> , 2019, 38, 1280-1288.	2.3	10
23	Insulin Glargine U100 Improved Glycemic Control and Reduced Nocturnal Hypoglycemia in Patients with Type 2 Diabetes Mellitus and Chronic Kidney Disease Stages 3 and 4. <i>Clinical Therapeutics</i> , 2019, 41, 2008-2020.e3.	1.1	25
24	Micro-RNAs 518d-3p and 618 Are Upregulated in Individuals With Type 1 Diabetes With Multiple Microvascular Complications. <i>Frontiers in Endocrinology</i> , 2019, 10, 385.	1.5	14
25	MicroRNAs 1915â€³, 2861, and 4532 Are Associated with Long-Term Renal Function Decline in Type 1 Diabetes. <i>Clinical Chemistry</i> , 2019, 65, 1458-1459.	1.5	3
26	Allelic variations in genes belonging to glutathione system increase proliferative retinopathy risk in type 1 diabetes individuals. <i>Gene</i> , 2019, 703, 120-124.	1.0	7
27	Identification and performance of multiple clinical and laboratorial risk factors for diagnosis of cardiac autonomic neuropathy in type 1 diabetes patients. <i>Journal of Diabetes and Metabolic Disorders</i> , 2019, 18, 565-573.	0.8	4
28	Genetic variants in <i>DNMT1</i> and the risk of cardiac autonomic neuropathy in women with type 1 diabetes. <i>Journal of Diabetes Investigation</i> , 2019, 10, 985-989.	1.1	6
29	Glutathione peroxidase 4 functional variant rs713041 modulates the risk for cardiovascular autonomic neuropathy in individuals with type 1 diabetes. <i>Diabetes and Vascular Disease Research</i> , 2019, 16, 297-299.	0.9	10
30	Diabetes induces tri-methylation at lysine 9 of histone 3â€³ at Slc2a4 gene in skeletal muscle: A new target to improve glycemic control. <i>Molecular and Cellular Endocrinology</i> , 2019, 481, 26-34.	1.6	18
31	Insulinoma: A retrospective study analyzing the differences between benign and malignant tumors. <i>Pancreatology</i> , 2018, 18, 298-303.	0.5	30
32	Regional differences in the prevalence of diabetic retinopathy: a multi center study in Brazil. <i>Diabetology and Metabolic Syndrome</i> , 2018, 10, 17.	1.2	5
33	Bariatric surgery and gene expression in the gut. <i>Current Opinion in Clinical Nutrition and Metabolic Care</i> , 2018, 21, 246-251.	1.3	0
34	A Prospective Randomized Controlled Trial of the Metabolic Effects of Sleeve Gastrectomy with Transit Bipartition. <i>Obesity Surgery</i> , 2018, 28, 3012-3019.	1.1	41
35	AGE-albumin enhances ABCA1 degradation by ubiquitin-proteasome and lysosomal pathways in macrophages. <i>Journal of Diabetes and Its Complications</i> , 2018, 32, 1-10.	1.2	18
36	Gain-of-function variants in NLRP1 protect against the development of diabetic kidney disease: NLRP1 inflammasome role in metabolic stress sensing?. <i>Clinical Immunology</i> , 2018, 187, 46-49.	1.4	31

#	ARTICLE	IF	CITATIONS
37	Dietary advanced glycated end-products and medicines influence the expression of <i>SIRT1</i> and <i>DDOST</i> in peripheral mononuclear cells from long-term type 1 diabetes patients. <i>Diabetes and Vascular Disease Research</i> , 2018, 15, 81-89.	0.9	12
38	Advanced glycation end products-induced insulin resistance involves repression of skeletal muscle GLUT4 expression. <i>Scientific Reports</i> , 2018, 8, 8109.	1.6	54
39	Exercise Training Favorably Modulates Gene and Protein Expression That Regulate Arterial Cholesterol Content in CETP Transgenic Mice. <i>Frontiers in Physiology</i> , 2018, 9, 502.	1.3	7
40	Association between the CYBA and NOX4 genes of NADPH oxidase and its relationship with metabolic syndrome in non-alcoholic fatty liver disease in Brazilian population. <i>Hepatobiliary and Pancreatic Diseases International</i> , 2018, 17, 330-335.	0.6	13
41	(Epi) Genetics and the complexity of diabetes mellitus. <i>Archives of Endocrinology and Metabolism</i> , 2018, 62, 4-5.	0.3	1
42	Impact of type 1 diabetes mellitus and celiac disease on nutrition and quality of life. <i>Nutrition and Diabetes</i> , 2017, 7, e239-e239.	1.5	18
43	Hormetic modulation of hepatic insulin sensitivity by advanced glycation end products. <i>Molecular and Cellular Endocrinology</i> , 2017, 447, 116-124.	1.6	8
44	The impact of ethnicity, educational and economic status on the prescription of insulin therapeutic regimens and on glycemic control in patients with type 1 diabetes. A nationwide study in Brazil. <i>Diabetes Research and Clinical Practice</i> , 2017, 134, 44-52.	1.1	18
45	Influence of UCP3 gene polymorphisms on metabolic syndrome and cardiovascular risk in patients with in non-alcoholic fatty liver disease. <i>Journal of Hepatology</i> , 2017, 66, S167.	1.8	0
46	Management of diabetes mellitus in individuals with chronic kidney disease: therapeutic perspectives and glycemic control. <i>Clinics</i> , 2016, 71, 47-53.	0.6	45
47	Beta-2-microglobulin (B2M) expression in the urinary sediment correlates with clinical markers of kidney disease in patients with type 1 diabetes. <i>Metabolism: Clinical and Experimental</i> , 2016, 65, 816-824.	1.5	24
48	The impact of bariatric surgery on cardiometabolic profile and adipokine levels. <i>Atherosclerosis</i> , 2016, 252, e142.	0.4	0
49	Aerobic exercise training does not systematically affect macrophage gene expression involved in reverse cholesterol transport and cholesterol efflux in CETP transgenic mice. <i>Atherosclerosis</i> , 2016, 252, e107.	0.4	0
50	Resveratrol improves glycemic control in insulin-treated diabetic rats: participation of the hepatic territory. <i>Nutrition and Metabolism</i> , 2016, 13, 44.	1.3	29
51	Optimization of total RNA isolation from human urinary sediment. <i>Clinica Chimica Acta</i> , 2016, 462, 158-161.	0.5	12
52	Glycated albumin induces lipid infiltration in mice aorta independently of DM and RAS local modulation by inducing lipid peroxidation and inflammation. <i>Journal of Diabetes and Its Complications</i> , 2016, 30, 1614-1621.	1.2	14
53	Visceral adiposity syndrome. <i>Diabetology and Metabolic Syndrome</i> , 2016, 8, 40.	1.2	85
54	N-Acetyl Cysteine Attenuated the Deleterious Effects of Advanced Glycation End-Products on the Kidney of Non-Diabetic Rats. <i>Cellular Physiology and Biochemistry</i> , 2016, 40, 608-620.	1.1	9

#	ARTICLE	IF	CITATIONS
55	Glutathione peroxidase-1 gene (GPX1) variants, oxidative stress and risk of kidney complications in people with type 1 diabetes. <i>Metabolism: Clinical and Experimental</i> , 2016, 65, 12-19.	1.5	37
56	Thioredoxin interacting protein expression in the urinary sediment associates with renal function decline in type 1 diabetes. <i>Free Radical Research</i> , 2016, 50, 101-110.	1.5	23
57	Glycated Human Serum Albumin Isolated from Poorly Controlled Diabetic Patients Impairs Cholesterol Efflux from Macrophages: An Investigation by Mass Spectrometry. <i>European Journal of Mass Spectrometry</i> , 2015, 21, 233-244.	0.5	13
58	Aerobic exercise training enhances the in vivo cholesterol trafficking from macrophages to the liver independently of changes in the expression of genes involved in lipid flux in macrophages and aorta. <i>Lipids in Health and Disease</i> , 2015, 14, 109.	1.2	22
59	Differential expression of genes encoding proteins of the HGF/MET system in insulinomas. <i>Diabetology and Metabolic Syndrome</i> , 2015, 7, 84.	1.2	6
60	Increased thiamine transporter 1 RNA expression in the urinary sediment of type 1 diabetes patients with diabetic kidney disease. <i>Diabetology and Metabolic Syndrome</i> , 2015, 7, .	1.2	0
61	Linkage disequilibrium with HLA-DRB1-DQB1 haplotypes explains the association of TNF-308G>A variant with type 1 diabetes in a Brazilian cohort. <i>Gene</i> , 2015, 568, 50-54.	1.0	6
62	Association of single nucleotide polymorphisms in the gene encoding GLUT1 and diabetic nephropathy in Brazilian patients with type 1 diabetes mellitus. <i>Clinica Chimica Acta</i> , 2015, 444, 170-175.	0.5	10
63	In Type 2 Diabetes Mellitus Glycated Albumin Alters Macrophage Gene Expression Impairing ABCA1-Mediated Cholesterol Efflux. <i>Journal of Cellular Physiology</i> , 2015, 230, 1250-1257.	2.0	29
64	Allelic variations in the CYBA gene of NADPH oxidase and risk of kidney complications in patients with type 1 diabetes. <i>Free Radical Biology and Medicine</i> , 2015, 86, 16-24.	1.3	14
65	Association of a variant in the regulatory region of NADPH oxidase 4 gene and metabolic syndrome in patients with chronic hepatitis C. <i>European Journal of Medical Research</i> , 2015, 20, 45.	0.9	6
66	Oleic and linoleic fatty acids downregulate Slc2a4/GLUT4 expression via NFKB and SREBP1 in skeletal muscle cells. <i>Molecular and Cellular Endocrinology</i> , 2015, 401, 65-72.	1.6	26
67	Sodium-glucose transporter 2 inhibitors in type 2 diabetes mellitus: navigating between Scylla and Charybdis. <i>Expert Opinion on Emerging Drugs</i> , 2014, 19, 5-9.	1.0	3
68	P796 NADPH OXIDASE (NOX 4) AND P22PHOX GENE POLYMORPHISMS ARE ASSOCIATED WITH HUMAN NON-ALCOHOLIC FATTY LIVER DISEASE (NAFLD). <i>Journal of Hepatology</i> , 2014, 60, S335.	1.8	0
69	Selective inhibition of proteasomal and lysosomal degradation pathways partially prevent abca-1 reduction in macrophages induced by advanced glycated albumin. <i>Atherosclerosis</i> , 2014, 235, e97-e98.	0.4	0
70	Apoptosis rate and transcriptional response of pancreatic islets exposed to the PPAR gamma agonist Pioglitazone. <i>Diabetology and Metabolic Syndrome</i> , 2013, 5, 1.	1.2	33
71	Catalase activity, allelic variations in the catalase gene and risk of kidney complications in patients with type 1 diabetes. <i>Diabetologia</i> , 2013, 56, 2733-2742.	2.9	14
72	HOXB7 mRNA is overexpressed in pancreatic ductal adenocarcinomas and its knockdown induces cell cycle arrest and apoptosis. <i>BMC Cancer</i> , 2013, 13, 451.	1.1	31

#	ARTICLE	IF	CITATIONS
73	Sex-specific associations of variants in regulatory regions of NADPH oxidase-2 (<i>CYBB</i>) and glutathione peroxidase 4 (<i>GPX4</i>) genes with kidney disease in type 1 diabetes. <i>Free Radical Research</i> , 2013, 47, 804-810.	1.5	19
74	Advanced glycated albumin isolated from poorly controlled type 1 diabetes mellitus patients alters macrophage gene expression impairing ABCA1-mediated reverse cholesterol transport. <i>Diabetes/Metabolism Research and Reviews</i> , 2013, 29, 66-76.	1.7	35
75	Angiotensin converting enzyme insertion/deletion polymorphism is associated with increased adiposity and blood pressure in obese children and adolescents. <i>Gene</i> , 2013, 532, 197-202.	1.0	23
76	SLC2A4 gene: a promising target for pharmacogenomics of insulin resistance. <i>Pharmacogenomics</i> , 2013, 14, 847-850.	0.6	53
77	Glutathione Ethyl Ester Supplementation during Pancreatic Islet Isolation Improves Viability and Transplant Outcomes in a Murine Marginal Islet Mass Model. <i>PLoS ONE</i> , 2013, 8, e55288.	1.1	20
78	Development and internal validation of an adrenal cortical carcinoma prognostic score for predicting the risk of metastasis and local recurrence. <i>Clinical Endocrinology</i> , 2013, 79, 468-475.	1.2	19
79	Dual effect of advanced glycation end products in pancreatic islet apoptosis. <i>Diabetes/Metabolism Research and Reviews</i> , 2013, 29, 296-307.	1.7	17
80	Celiac crisis in an adult type 1 diabetes mellitus patient: a rare manifestation of celiac disease. <i>Arquivos Brasileiros De Endocrinologia E Metabologia</i> , 2013, 57, 650-652.	1.3	5
81	Fibronectin glycation increases IGF-I induced proliferation of human aortic smooth muscle cells. <i>Diabetology and Metabolic Syndrome</i> , 2012, 4, 19.	1.2	6
82	Mutation and genomic amplification of the PIK3CA proto-oncogene in pituitary adenomas. <i>Brazilian Journal of Medical and Biological Research</i> , 2012, 45, 851-855.	0.7	33
83	MTP -493G/T gene polymorphism is associated with steatosis in hepatitis C-infected patients. <i>Brazilian Journal of Medical and Biological Research</i> , 2012, 45, 72-77.	0.7	13
84	Hyperinsulinism/hyperammonemia (HI/HA) syndrome due to a mutation in the glutamate dehydrogenase gene. <i>Arquivos Brasileiros De Endocrinologia E Metabologia</i> , 2012, 56, 485-489.	1.3	6
85	Expression of Clock Genes in Human Subcutaneous and Visceral Adipose Tissues. <i>Chronobiology International</i> , 2012, 29, 252-260.	0.9	7
86	Decreased immunoexpression of survivin could be a potential marker in human non-alcoholic fatty liver disease progression?. <i>Liver International</i> , 2011, 31, 377-385.	1.9	16
87	Association of genetic variants in the promoter region of genes encoding p22phox (CYBA) and glutamate cysteine ligase catalytic subunit (GCLC) and renal disease in patients with type 1 diabetes mellitus. <i>BMC Medical Genetics</i> , 2011, 12, 129.	2.1	28
88	Expression of CRABP1, GRP, and RERG mRNA in clinically non-functioning and functioning pituitary adenomas. <i>Journal of Endocrinological Investigation</i> , 2011, 34, e214-8.	1.8	4
89	Body weight, metabolism and clock genes. <i>Diabetology and Metabolic Syndrome</i> , 2010, 2, 53.	1.2	27
90	A novel mutation in the glycogen synthase 2 gene in a child with glycogen storage disease type 0. <i>BMC Medical Genetics</i> , 2010, 11, 3.	2.1	14

#	ARTICLE	IF	CITATIONS
91	Association of polymorphisms of glutamateâ€cystein ligase and microsomal triglyceride transfer protein genes in nonâ€alcoholic fatty liver disease. Journal of Gastroenterology and Hepatology (Australia), 2010, 25, 357-361.	1.4	69
92	670 ANALYSIS OF INSULIN-LIKE GROWTH FACTORS AND THEIR RECEPTORS IN HCV-INDUCED CIRRHOSIS AND HEPATOCELLULAR CARCINOMA. Journal of Hepatology, 2010, 52, S261.	1.8	0
93	A role for mammalian target of rapamycin (mTOR) pathway in non alcoholic steatohepatitis related-cirrhosis. Histology and Histopathology, 2010, 25, 1123-31.	0.5	23
94	Continuous glucose monitoring system: dawn period calibration does not change accuracy of the method. Arquivos Brasileiros De Endocrinologia E Metabologia, 2009, 53, 425-428.	1.3	0
95	Contractile activity per se induces transcriptional activation of SLC2A4 gene in soleus muscle: involvement of MEF2D, HIF-1a, and TRÎ± transcriptional factors. American Journal of Physiology - Endocrinology and Metabolism, 2009, 296, E132-E138.	1.8	26
96	Pancreatic islet transplantation. Diabetology and Metabolic Syndrome, 2009, 1, 9.	1.2	20
97	649 Downregulation of Survivin Could Be a Potential Marker in Human Nonalcoholic Fatty Liver Disease (NAFLD) Progression?. Gastroenterology, 2009, 136, A-804.	0.6	0
98	NUCEL (Cell and Molecular Therapy Center): A Multidisciplinary Center for Translational Research in Brazil. Molecular Biotechnology, 2008, 39, 89-95.	1.3	6
99	Expression of Neurotensin and its Receptors in Pituitary Adenomas. Journal of Neuroendocrinology, 2008, 20, 1052-1057.	1.2	20
100	Association between tumoral GH-releasing peptide receptor type 1a mRNA expression and in vivo response to GH-releasing peptide-6 in ACTH-dependent Cushing's syndrome patients. European Journal of Endocrinology, 2008, 158, 605-613.	1.9	13
101	Serpin Peptidase Inhibitor Clade A Member 1 as a Potential Marker for Malignancy in Insulinomas. Clinical Cancer Research, 2007, 13, 5322-5330.	3.2	30
102	In vivo response to growth hormone-releasing peptide-6 in adrenocorticotropin-dependent Cushingâ€™s syndrome by lung carcinoid tumor is associated with growth hormone secretagogue receptor type 1a mRNA expression. Journal of Endocrinological Investigation, 2007, 30, 334-340.	1.8	6
103	Analysis of Pancreatic Adenocarcinoma Tumor Staging and Resection according to Previous Body Mass Index and Diabetes Duration. Pancreatology, 2007, 7, 187-193.	0.5	6
104	Modulation of hepatic microsomal triglyceride transfer protein (MTP) induced by S-nitroso-N-acetylcysteine in ob/ob mice. Biochemical Pharmacology, 2007, 74, 290-297.	2.0	14
105	Nonalcoholic Steatohepatitis (NASH) in OB/OB Mice Treated with Yo Jyo Hen Shi Ko (YHK): Effects on Peroxisome Proliferator-Activated Receptors (PPARs) and Microsomal Triglyceride Transfer Protein (MTP). Digestive Diseases and Sciences, 2007, 52, 3448-3454.	1.1	19
106	Fibronectin and laminin induce expression of islet cell markers in hepatic oval cells in culture. Cell and Tissue Research, 2007, 327, 529-537.	1.5	32
107	Hepatic gene expression profile associated with non-alcoholic steatohepatitis protection by S-nitroso-N-acetylcysteine in ob/ob mice. Journal of Hepatology, 2006, 45, 725-733.	1.8	22
108	Endogenous hyperinsulinemic hypoglycemia: Diagnostic strategies, predictive features of malignancy and long-term survival. Journal of Endocrinological Investigation, 2006, 29, 679-687.	1.8	19

#	ARTICLE	IF	CITATIONS
109	Weight-based combination therapy with peginterferon alpha-2b and ribavirin for Na ⁺ ve, relapser and non-responder patients with chronic hepatitis C. <i>Brazilian Journal of Infectious Diseases</i> , 2006, 10, 311-6.	0.3	10
110	Hepatocyte growth factor-regulated tyrosine kinase substrate (HGS) and guanylate kinase 1 (GUK1) are differentially expressed in GH-secreting adenomas. <i>Pituitary</i> , 2006, 9, 83-92.	1.6	8
111	CYTOKINE-LIKE FAM3D GENE IS ASSOCIATED TO DIABETES MELLITUS IN PANCREATIC ADENOCARCINOMA. <i>Pancreas</i> , 2006, 33, 498.	0.5	3
112	Somatostatin receptor subtype 5 (SSTR5) mRNA expression is related to histopathological features of cell proliferation in insulinomas. <i>Endocrine-Related Cancer</i> , 2006, 13, 69-78.	1.6	26
113	Increased hepatic expression of insulin-like growth factor-I receptor in chronic hepatitis C. <i>World Journal of Gastroenterology</i> , 2006, 12, 3821.	1.4	27
114	Metallothionein Isoform 3 Gene Is Differentially Expressed in Corticotropin-Producing Pituitary Adenomas. <i>Neuroendocrinology</i> , 2005, 82, 208-214.	1.2	14
115	Co-localization of nestin and insulin and expression of islet cell markers in long-term human pancreatic nestin-positive cell cultures. <i>Journal of Endocrinology</i> , 2004, 183, 455-467.	1.2	32
116	The generation and utilization of a cancer-oriented representation of the human transcriptome by using expressed sequence tags. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 13418-13423.	3.3	105
117	Mitogenic Effects of Brazilian Arthropod Venom on Isolated Islet Beta Cells: In Vitro Morphologic Ultrastructural and Functional Studies. <i>Journal of Investigative Medicine</i> , 2003, 51, 79-85.	0.7	1
118	The contribution of 700,000 ORF sequence tags to the definition of the human transcriptome. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 12103-12108.	3.3	123
119	Identification of human chromosome 22 transcribed sequences with ORF expressed sequence tags. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 12690-12693.	3.3	70
120	Elevated Anti-Galactosyl Antibody Titers in Endemic Goiter. <i>Thyroid</i> , 1999, 9, 493-498.	2.4	9