## **Zhen-Ying Wang**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/893135/publications.pdf

Version: 2024-02-01

218677 302126 109 2,239 26 citations h-index papers

g-index 113 113 113 1746 docs citations times ranked citing authors all docs

39

#	Article	IF	Citations
1	Maize diversity for fall armyworm resistance in a warming world. Crop Science, 2022, 62, 1-19.	1.8	7
2	Broadcasting of tiny granules by drone to mimic liquid spraying for the control of fall armyworm () Tj ETQq0 C	0 rgBT/Ove	erlogk 10 Tf 50
3	Selection of the Most Effective <i>Trichogramma</i> Strains (Hymenoptera: Trichogrammatidae) From Myanmar to Control Asian Corn Borer, <i>Ostrinia furnacalis</i> (Lepidoptera: Crambidae). Journal of Economic Entomology, 2022, 115, 81-92.	1.8	6
4	Knockout of ABC Transporter ABCG4 Gene Confers Resistance to Cry1 Proteins in Ostrinia furnacalis. Toxins, 2022, 14, 52.	3.4	4
5	Asian corn borer damage is affected by rind penetration strength of corn stalks in a spatiotemporally dependent manner. Plant Direct, 2022, 6, e381.	1.9	5
6	Myco-Synergism Boosts Herbivory-Induced Maize Defense by Triggering Antioxidants and Phytohormone Signaling. Frontiers in Plant Science, 2022, 13, 790504.	3.6	12
7	Comparative Transcriptome Analysis of Bt Resistant and Susceptible Strains in Ostrinia furnacalis (Guenée) (Lepidoptera: Crambidae). Agriculture (Switzerland), 2022, 12, 298.	3.1	1
8	Ovipositional preference of <i>Trichogramma dendrolimi</i> and <i>Trichogramma ostriniae</i> strains from Myanmar on different host egg ages of Asian corn borer, <i>Ostrinia furnacalis</i> (Lepidoptera: Crambidae). Biocontrol Science and Technology, 2022, 32, 700-714.	1.3	3
9	Baseline Susceptibility and Resistance Allele Frequency in Ostrinia furnacalis in Relation to Cry1Ab Toxins in China. Toxins, 2022, 14, 255.	3.4	5
10	Molecular and Functional Characterization of Peptidoglycan Recognition Proteins OfPGRP-A and OfPGRP-B in Ostrinia furnacalis (Lepidoptera: Crambidae). Insects, 2022, 13, 417.	2.2	5
11	Inheritance and Fitness Costs of Vip3Aa19 Resistance in Mythimna separata. Toxins, 2022, 14, 388.	3.4	3
12	Synergistic interaction of Cry1Ah and Vip3Aa19 proteins combination with midgut ATP-binding cassette subfamily C receptors of Conogethes punctiferalis (Guenée) (Lepidoptera: Crambidae). International Journal of Biological Macromolecules, 2022, 213, 871-879.	7.5	2
13	Revealing the difference of α-amylase and CYP6AE76 gene between polyphagous Conogethes punctiferalis and oligophagous C. pinicolalis by multiple-omics and molecular biological technique. BMC Genomics, 2022, 23, .	2.8	1
14	Comparison of larval performance and oviposition preference of <i>Spodoptera frugiperda</i> among three host plants: Potential risks to potato and tobacco crops. Insect Science, 2021, 28, 602-610.	3.0	52
15	Managing the Invasive Fall Armyworm through Biotech Crops: A Chinese Perspective. Trends in Biotechnology, 2021, 39, 105-107.	9.3	28
16	Toxicity of Cry1-Class, Cry2Aa, and Vip3Aa19 Bt proteins and their interactions against yellow peach Moth, Conogethes punctiferalis (Guenée) (Lepidoptera: Crambidae). Journal of Invertebrate Pathology, 2021, 178, 107507.	3.2	5
17	Molecular identification and functional analysis of Niemann-Pick type C2 protein in Macrocentrus cingulum Brischke (Hymenoptera: Braconidae). Journal of Asia-Pacific Entomology, 2021, 24, 7-14.	0.9	6
18	Differential thermal tolerance across life stages under extreme high temperatures crossed with feeding status in corn leaf aphid. Ecological Entomology, 2021, 46, 533-540.	2.2	4

#	Article	IF	CITATIONS
19	PBP genes regulated by the development of the ovaries, sex pheromone release, mating and oviposition behavior in Conogethes punctiferalis (Guenée). Chemoecology, 2021, 31, 1-9.	1.1	2
20	Effects of yellow peach moth <i>Conogethes punctiferalis</i> egg age on parasitism and oviposition behaviour of four indigenous <i>Trichogramma</i> strains in China. Biocontrol Science and Technology, 2021, 31, 739-753.	1.3	3
21	Voltine Ecotypes of the Asian Corn Borer and Their Response to Climate Warming. Insects, 2021, 12, 232.	2.2	5
22	Baseline Susceptibility and Laboratory Selection of Resistance to Bt Cry1Ab Protein of Chinese Populations of Yellow Peach Moth, Conogethes punctiferalis (Guenée). Toxins, 2021, 13, 335.	3.4	3
23	Sublethal Effects of the Microbial-Derived Insecticide Spinetoram on the Growth and Fecundity of the Fall Armyworm (Lepidoptera: Noctuidae). Journal of Economic Entomology, 2021, 114, 1582-1587.	1.8	16
24	Influence of voltine ecotype and geographic distance on genetic and haplotype variation in the Asian corn borer. Ecology and Evolution, 2021, 11, 10244-10257.	1.9	3
25	Effects of brief exposure to high temperatures on the survival and fecundity of Athetis lepigone (Lepidoptera: Noctuidae). Journal of Thermal Biology, 2021, 100, 103066.	2.5	5
26	Artificial diet development for mass rearing and its effect on the reproduction of yellow peach moth, <i>Conogethes punctiferalis</i> (Guenée). Entomological Research, 2021, 51, 127-132.	1.1	2
27	Genetic knockout and general odorant-binding/chemosensory protein interactions: Revealing the function and importance of GOBP2 in the yellow peach moth's olfactory system. International Journal of Biological Macromolecules, 2021, 193, 1659-1668.	7.5	12
28	Molecular and Morphological Identification of <i>Trichogramma</i> (Hymenoptera:) Tj ETQq0 0 0 rgBT /Overlock Economic Entomology, 2021, 114, 40-49.	10 Tf 50 1.8	387 Td (Trich 5
29	Host plant adaptability and proteomic differences of diverse Rhopalosiphum maidis (Fitch) lineages. Archives of Insect Biochemistry and Physiology, 2021, 109, e21853.	1.5	2
30	Phenotypic responses and potential genetic mechanism of lepidopteran insects under exposure to graphene oxide. Ecotoxicology and Environmental Safety, 2021, 228, 113008.	6.0	6
31	Genome-Wide Analysis of WRKY Gene Family and the Dynamic Responses of Key WRKY Genes Involved in Ostrinia furnacalis Attack in Zea mays. International Journal of Molecular Sciences, 2021, 22, 13045.	4.1	16
32	Initial detections and spread of invasive <i>Spodoptera frugiperda</i> in China and comparisons with other noctuid larvae in cornfields using molecular techniques. Insect Science, 2020, 27, 780-790.	3.0	121
33	Molecular characterization and volatile binding properties of pheromone binding proteins and general odorant binding proteins in Conogethes pinicolalis (Lepidoptera: Crambidae). International Journal of Biological Macromolecules, 2020, 146, 263-272.	7.5	21
34	Identification of Cry1Ah-binding proteins through pull down and gene expression analysis in Cry1Ah-resistant and susceptible strains of Ostrinia furnacalis. Pesticide Biochemistry and Physiology, 2020, 163, 200-208.	3.6	11
35	Synergistic Effect of Beauveria bassiana and Trichoderma asperellum to Induce Maize (Zea mays L.) Defense against the Asian Corn Borer, Ostrinia furnacalis (Lepidoptera, Crambidae) and Larval Immune Response. International Journal of Molecular Sciences, 2020, 21, 8215.	4.1	27
36	Prospects for microbial control of the fall armyworm Spodoptera frugiperda: a review. BioControl, 2020, 65, 647-662.	2.0	45

#	Article	IF	Citations
37	Sexual-biased gene expression of olfactory-related genes in the antennae of Conogethes pinicolalis (Lepidoptera: Crambidae). BMC Genomics, 2020, 21, 244.	2.8	12
38	Insecticidal Activity of 11 Bt toxins and 3 Transgenic Maize Events Expressing Vip3Aa19 to Black Cutworm, Agrotis ipsilon (Hufnagel). Insects, 2020, 11, 208.	2.2	9
39	Contribution of phenoloxidase activation mechanism to Bt insecticidal protein resistance in Asian corn borer. International Journal of Biological Macromolecules, 2020, 153, 88-99.	7.5	14
40	Analysis of Cry1Ah Toxin-Binding Reliability to Midgut Membrane Proteins of the Asian Corn Borer. Toxins, 2020, 12, 418.	3.4	5
41	Aphid fecundity and defenses in wheat exposed to a combination of heat and drought stress. Journal of Experimental Botany, 2020, 71, 2713-2722.	4.8	38
42	The Asian corn borer <i>Ostrinia furnacalis</i> feeding increases the direct and indirect defence of midâ€whorl stage commercial maize in the field. Plant Biotechnology Journal, 2019, 17, 88-102.	8.3	58
43	Evolution of Asian Corn Borer Resistance to Bt Toxins Used Singly or in Pairs. Toxins, 2019, 11, 461.	3.4	11
44	Effects of Host Plants Reared under Elevated CO2 Concentrations on the Foraging Behavior of Different Stages of Corn Leaf Aphids Rhopalosiphum maidis. Insects, 2019, 10, 182.	2.2	11
45	GOBP1 Plays a Key Role in Sex Pheromones and Plant Volatiles Recognition in Yellow Peach Moth, Conogethes punctiferalis (Lepidoptera: Crambidae). Insects, 2019, 10, 302.	2.2	9
46	Graphene oxide as a multifunctional synergist of insecticides against lepidopteran insect. Environmental Science: Nano, 2019, 6, 75-84.	4.3	51
47	Differential wing polyphenism adaptation across life stages under extreme high temperatures in corn leaf aphid. Scientific Reports, 2019, 9, 8744.	3.3	8
48	Effects of Elevated CO2 and Increased N Fertilization on Plant Secondary Metabolites and Chewing Insect Fitness. Frontiers in Plant Science, 2019, 10, 739.	3.6	31
49	Reduction of Plant Suitability for Corn Leaf Aphid (Hemiptera: Aphididae) Under Elevated Carbon Dioxide Condition. Environmental Entomology, 2019, 48, 935-944.	1.4	8
50	Detection and geographic distribution of seven facultative endosymbionts in two <i>Rhopalosiphum</i> aphid species. MicrobiologyOpen, 2019, 8, e00817.	3.0	23
51	Transcriptome and Proteome Alternation With Resistance to Bacillus thuringiensis Cry1Ah Toxin in Ostrinia furnacalis. Frontiers in Physiology, 2019, 10, 27.	2.8	16
52	Graphene oxide as a pesticide delivery vector for enhancing acaricidal activity against spider mites. Colloids and Surfaces B: Biointerfaces, 2019, 173, 632-638.	5.0	46
53	Characterization of the Cry1Ah resistance in Asian corn Borer and its cross-resistance to other Bacillus thuringiensis toxins. Scientific Reports, 2018, 8, 234.	3.3	31
54	β-1,3-Glucan recognition protein 3 activates the prophenoloxidase system in response to bacterial infection in Ostrinia furnacalis GuenÃ⊚e. Developmental and Comparative Immunology, 2018, 79, 31-43.	2.3	25

#	Article	IF	CITATIONS
55	Insecticidal Activity and Synergistic Combinations of Ten Different Bt Toxins against Mythimna separata (Walker). Toxins, 2018, 10, 454.	3.4	26
56	Binding Specificity of Two PBPs in the Yellow Peach Moth Conogethes punctiferalis (Guen $\tilde{A}$ ©e). Frontiers in Physiology, 2018, 9, 308.	2.8	11
57	Research Progress of Conogethes punctiferalis (Lepidoptera: Crambidae) in China. , 2018, , 45-66.		2
58	Impact of Temperature on the Growth and Development of <i>Athetis dissimilis </i> (Lepidoptera:) Tj ETQq0 0 0 rgl	BT /Overlo 1.8	ck 10 Tf 50 (
59	Does <i>Bt</i> maize expressing Cry1Ac protein have adverse effects on the parasitoid <i>Macrocentrus cingulum</i> (Hymenoptera: Braconidae)?. Insect Science, 2017, 24, 599-612.	3.0	11
60	Molecular cloning, expression profile, odorant affinity, and stability of two odorantâ€binding proteins in <i>Macrocentrus cingulum</i> Brischke (Hymenoptera: Braconidae). Archives of Insect Biochemistry and Physiology, 2017, 94, e21374.	1.5	17
61	De novo transcriptome and expression profile analyses of the Asian corn borer (Ostrinia furnacalis) reveals relevant flubendiamide response genes. BMC Genomics, 2017, 18, 20.	2.8	33
62	Physiological Responses Induced by Ostrinia furnacalis (Lepidoptera: Crambidae) Feeding in Maize and Their Effects on O. furnacalis Performance. Journal of Economic Entomology, 2017, 110, 739-747.	1.8	28
63	Nine facultative endosymbionts in aphids. A review. Journal of Asia-Pacific Entomology, 2017, 20, 794-801.	0.9	82
64	Introgression between divergent corn borer species in a region of sympatry: Implications on the evolution and adaptation of pest arthropods. Molecular Ecology, 2017, 26, 6892-6907.	3.9	17
65	Binding affinity of five PBPs to Ostrinia sex pheromones. BMC Molecular Biology, 2017, 18, 4.	3.0	27
66	Effects of Wolbachia on mitochondrial DNA variation in populations of Athetis lepigone (Lepidoptera:) Tj ETQq0 0 826-834.	0 rgBT /O 0.7	verlock 10 T 9
67	C-terminus Methionene Specifically Involved in Binding Corn Odorants to Odorant Binding Protein4 in Macrocentrus cingulum. Frontiers in Physiology, 2017, 8, 62.	2.8	14
68	Characterization of Asian Corn Borer Resistance to Bt Toxin Crylle. Toxins, 2017, 9, 186.	3.4	8
69	Down-regulation of aminopeptidase N and ABC transporter subfamily G transcripts in Cry1Ab and Cry1Ac resistant Asian corn borer, <i>Ostrinia furnacalis</i> (Lepidoptera: Crambidae). International Journal of Biological Sciences, 2017, 13, 835-851.	6.4	43
70	Identification of Putative Chemosensory Receptor Genes from the Athetis dissimilis Antennal Transcriptome. PLoS ONE, 2016, 11, e0147768.	2.5	21
71	Genetic Basis of Cry1F-Resistance in a Laboratory Selected Asian Corn Borer Strain and Its Cross-Resistance to Other Bacillus thuringiensis Toxins. PLoS ONE, 2016, 11, e0161189.	2.5	28
72	EXPRESSION PATTERNS OF THE GLYCOGEN PHOSPHORYLASE GENE RELATED TO LARVAL DIAPAUSE IN <i>Ostrinia furnacalis</i> . Archives of Insect Biochemistry and Physiology, 2016, 91, 210-220.	1.5	2

#	Article	IF	CITATIONS
73	Field trials to evaluate the effects of transgenic crylle maize on the community characteristics of arthropod natural enemies. Scientific Reports, 2016, 6, 22102.	3.3	30
74	Transcriptome Comparison Analysis of Ostrinia furnacalis in Four Developmental Stages. Scientific Reports, 2016, 6, 35008.	3.3	21
75	Gene set of chemosensory receptors in the polyembryonic endoparasitoid Macrocentrus cingulum. Scientific Reports, 2016, 6, 24078.	3.3	20
76	Identification of putative chemosensory receptor genes from yellow peach moth Conogethes punctiferalis (Guenée) antennae transcriptome. Scientific Reports, 2016, 6, 32636.	3.3	32
77	Effects of transgenic crylle maize on non-lepidopteran pest abundance, diversity and community composition. Transgenic Research, 2016, 25, 761-772.	2.4	10
78	Identification of an alkaline phosphatase as a putative Cry1Ac binding protein in Ostrinia furnacalis (Guenée). Pesticide Biochemistry and Physiology, 2016, 131, 80-86.	3.6	9
79	Evaluation of Bt Corn with Pyramided Genes on Efficacy and Insect Resistance Management for the Asian Corn Borer in China. PLoS ONE, 2016, 11, e0168442.	2.5	18
80	Identification of differentially expressed microRNAs between Bacillus thuringiensis Cry1Ab-resistant and -susceptible strains of Ostrinia furnacalis. Scientific Reports, 2015, 5, 15461.	3.3	50
81	A field experiment with elevated atmospheric CO2-mediated changes to C4 crop-herbivore interactions. Scientific Reports, 2015, 5, 13923.	3.3	19
82	Effects of host plants on the fitness of <i><scp>A</scp>thetis lepigone</i> (Möschler). Journal of Applied Entomology, 2015, 139, 478-485.	1.8	5
83	Special issue highlighting research presented at the 25th <scp>IWGO</scp> Conference, Chicago 2014. Journal of Applied Entomology, 2015, 139, 401-402.	1.8	1
84	Seasonal and geographical variation in diapause and cold hardiness of the Asian corn borer, <i>Ostrinia furnacalis</i> ). Insect Science, 2015, 22, 578-586.	3.0	21
85	Transcriptome differences between Cry1Ab resistant and susceptible strains of Asian corn borer. BMC Genomics, 2015, 16, 173.	2.8	42
86	Direct Effects of Elevated CO <sub>2</sub> Levels on the Fitness Performance of Asian Corn Borer (Lepidoptera: Crambidae) for Multigenerations. Environmental Entomology, 2015, 44, 1250-1257.	1.4	14
87	Olfactory co-receptor identification and expression pattern analysis in polyembryonic endoparasitoid Macrocentrus cingulum. Journal of Asia-Pacific Entomology, 2015, 18, 719-725.	0.9	3
88	Male- and Female-Biased Gene Expression of Olfactory-Related Genes in the Antennae of Asian Corn Borer, Ostrinia furnacalis (Guenée) (Lepidoptera: Crambidae). PLoS ONE, 2015, 10, e0128550.	2.5	33
89	Three Amino Acid Residues Bind Corn Odorants to McinOBP1 in the Polyembryonic Endoparasitoid of Macrocentrus cingulum Brischke. PLoS ONE, 2014, 9, e93501.	2.5	22
90	The Genetic Structure of Asian Corn Borer, Ostrinia furnacalis, Populations in China: Haplotype Variance in Northern Populations and Potential Impact on Management of Resistance to Transgenic Maize. Journal of Heredity, 2014, 105, 642-655.	2.4	20

#	Article	IF	CITATIONS
91	Inheritance Patterns, Dominance and Cross-Resistance of Cry1Ab- and Cry1Ac-Selected Ostrinia furnacalis (Guenée). Toxins, 2014, 6, 2694-2707.	3.4	45
92	Changes in Life History Parameters of <l>Rhopalosiphum maidis</l> (Homoptera: Aphididae) Under Four Different Elevated Temperature and CO <sub>2</sub> Combinations. Journal of Economic Entomology, 2014, 107, 1411-1418.	1.8	27
93	Effects of photoperiod and temperature on diapause induction in <i>Conogethes punctiferalis</i> (Lepidoptera: Pyralidae). Insect Science, 2014, 21, 556-563.	3.0	15
94	Downregulation and Mutation of a Cadherin Gene Associated with Cry1Ac Resistance in the Asian Corn Borer, Ostrinia furnacalis (Guenée). Toxins, 2014, 6, 2676-2693.	3.4	32
95	Mass rearing and release of Trichogramma for biological control of insect pests of corn in China. Biological Control, 2014, 68, 136-144.	3.0	160
96	â€~Becoming a species by becoming a pest' or how two maize pests of the genus <i>Ostrinia</i> possibly evolved through parallel ecological speciation events. Molecular Ecology, 2014, 23, 325-342.	3.9	46
97	Analysis of genetic diversity among different geographic populations of Athetis lepigone using ISSR molecular markers. Journal of Asia-Pacific Entomology, 2014, 17, 793-798.	0.9	8
98	Molecular Taxonomy of Conogethes punctiferalis and Conogethes pinicolalis (Lepidoptera:) Tj ETQq0 0 0 rgBT /C 1982-1989.	verlock 10 3.5	O Tf 50 467 To 10
99	Characterization of four midgut aminopeptidase N isozymes from Ostrinia furnacalis strains with different susceptibilities to Bacillus thuringiensis. Journal of Invertebrate Pathology, 2014, 115, 95-98.	3.2	8
100	A proteomic approach to study the mechanism of tolerance to Bt toxins in Ostrinia furnacalis larvae selected for resistance to Cry1Ab. Transgenic Research, 2013, 22, 1155-1166.	2.4	34
101	Wolbachia Infection in Populations of Ostrinia furnacalis: Diversity, Prevalence, Phylogeny and Evidence for Horizontal Transmission. Journal of Integrative Agriculture, 2013, 12, 283-295.	3.5	10
102	Sense organs on the ovipositor of Macrocentrus cingulum Brischke (Hymenoptera: Braconidae): their probable role in stinging, oviposition and host selection process. Journal of Asia-Pacific Entomology, 2013, 16, 343-348.	0.9	19
103	Morphology and ultrastructure of antennal sensilla of Macrocentrus cingulum Brischke (Hymenoptera: Braconidae) and their probable functions. Micron, 2013, 50, 35-43.	2.2	37
104	Olfactory Response of Trichogramma ostriniae (Hymenoptera: Trichogrammatidae) to Volatiles Emitted by Mungbean Plants. Agricultural Sciences in China, 2011, 10, 560-565.	0.6	7
105	Quantitative Trait Loci for Asian Corn Borer Resistance in Maize Population Mc37 × Zi330. Agricultural Sciences in China, 2010, 9, 77-84.	0.6	14
106	The Present and Future Role of Insect-Resistant Genetically Modified Maize in IPM., 2008, , 119-158.		45
107	Evaluation of Transgenic Bt Corn for Resistance to the Asian Corn Borer (Lepidoptera: Pyralidae). Journal of Economic Entomology, 2003, 96, 935-940.	1.8	66
108	Evaluation of Transgenic Bt Corn for Resistance to the Asian Corn Borer (Lepidoptera: Pyralidae). Journal of Economic Entomology, 2003, 96, 935-940.	1.8	18

#	Article	IF	CITATIONS
109	Identification and expression pattern analysis of chemosensory receptor genes in the Macrocentrus cingulum (Hymenoptera: Braconidae) antennae. European Journal of Entomology, 0, 113, 76-83.	1.2	12