

Muhammad Atif

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/893329/publications.pdf>

Version: 2024-02-01

72
papers

1,564
citations

304743

22
h-index

361022

35
g-index

73
all docs

73
docs citations

73
times ranked

1529
citing authors

#	ARTICLE	IF	CITATIONS
1	Frequency and Factors Associated With Adverse Events Among Multi-Drug Resistant Tuberculosis Patients in Pakistan: A Retrospective Study. <i>Frontiers in Medicine</i> , 2021, 8, 790718.	2.6	145
2	Assessment of WHO/INRUD core drug use indicators in two tertiary care hospitals of Bahawalpur, Punjab, Pakistan. <i>Journal of Pharmaceutical Policy and Practice</i> , 2016, 9, 27.	2.4	78
3	Assessment of core drug use indicators using WHO/INRUD methodology at primary healthcare centers in Bahawalpur, Pakistan. <i>BMC Health Services Research</i> , 2016, 16, 684.	2.2	76
4	Zika virus disease: a current review of the literature. <i>Infection</i> , 2016, 44, 695-705.	4.7	72
5	<p>What drives inappropriate use of antibiotics? A mixed methods study from Bahawalpur, Pakistan</p>. <i>Infection and Drug Resistance</i> , 2019, Volume 12, 687-699.	2.7	67
6	WHO/INRUD prescribing indicators and prescribing trends of antibiotics in the Accident and Emergency Department of Bahawal Victoria Hospital, Pakistan. <i>SpringerPlus</i> , 2016, 5, 1928.	1.2	65
7	Impact of tuberculosis treatment on health-related quality of life of pulmonary tuberculosis patients: a follow-up study. <i>Health and Quality of Life Outcomes</i> , 2014, 12, 19.	2.4	63
8	Investigation of antimicrobial use at a tertiary care hospital in Southern Punjab, Pakistan using WHO methodology. <i>Antimicrobial Resistance and Infection Control</i> , 2017, 6, 41.	4.1	46
9	Factors affecting patientsâ€™ knowledge about dispensed medicines: A Qualitative study of healthcare professionals and patients in Pakistan. <i>PLoS ONE</i> , 2018, 13, e0197482.	2.5	43
10	Medicines shortages in Pakistan: a qualitative study to explore current situation, reasons and possible solutions to overcome the barriers. <i>BMJ Open</i> , 2019, 9, e027028.	1.9	39
11	Î²-Adrenergic receptor, an essential target in cardiovascular diseases. <i>Heart Failure Reviews</i> , 2020, 25, 343-354.	3.9	39
12	The relationship between epilepsy and sexual dysfunction: a review of the literature. <i>SpringerPlus</i> , 2016, 5, 2070.	1.2	36
13	Pharmaceutical Policy in Pakistan. , 2017, , 25-44.		36
14	Potential problems and recommendations regarding substitution of generic antiepileptic drugs: a systematic review of literature. <i>SpringerPlus</i> , 2016, 5, 182.	1.2	35
15	Treatment outcome of new smear positive pulmonary tuberculosis patients in Penang, Malaysia. <i>BMC Infectious Diseases</i> , 2014, 14, 399.	2.9	34
16	Community pharmacists as antibiotic stewards: A qualitative study exploring the current status of Antibiotic Stewardship Program in Bahawalpur, Pakistan. <i>Journal of Infection and Public Health</i> , 2020, 13, 118-124.	4.1	33
17	The reasons why Pakistan might be at high risk of Crimean Congo haemorrhagic fever epidemic; a scoping review of the literature. <i>Virology Journal</i> , 2017, 14, 63.	3.4	31
18	Factors associated with inappropriate dispensing of antibiotics among non-pharmacist pharmacy workers. <i>Research in Social and Administrative Pharmacy</i> , 2020, 16, 805-811.	3.0	31

#	ARTICLE	IF	CITATIONS
19	Predictors of unsuccessful interim treatment outcomes of multidrug resistant tuberculosis patients. BMC Infectious Diseases, 2017, 17, 655.	2.9	29
20	Antibiotic stewardship program in Pakistan: a multicenter qualitative study exploring medical doctors' knowledge, perception and practices. BMC Infectious Diseases, 2021, 21, 374.	2.9	29
21	Analysis of tuberculosis treatment outcomes among pulmonary tuberculosis patients in Bahawalpur, Pakistan. BMC Research Notes, 2018, 11, 370.	1.4	28
22	Evaluation of treatment outcomes and factors associated with unsuccessful outcomes in multidrug resistant tuberculosis patients in Baluchistan province of Pakistan. Journal of Infection and Public Health, 2019, 12, 809-815.	4.1	28
23	Why is Pakistan vulnerable to COVID-19 associated morbidity and mortality? A scoping review. International Journal of Health Planning and Management, 2020, 35, 1041-1054.	1.7	28
24	Pharmacy Services beyond the Basics: A Qualitative Study to Explore Perspectives of Pharmacists towards Basic and Enhanced Pharmacy Services in Pakistan. International Journal of Environmental Research and Public Health, 2020, 17, 2379.	2.6	25
25	Evaluation of prescription errors and prescribing indicators in the private practices in Bahawalpur, Pakistan. Journal of the Chinese Medical Association, 2018, 81, 444-449.	1.4	24
26	COVID-19 and community pharmacy services in Pakistan: challenges, barriers and solution for progress. Journal of Pharmaceutical Policy and Practice, 2020, 13, 33.	2.4	24
27	Rights and Responsibilities of Tuberculosis Patients, and the Global Fund: A Qualitative Study. PLoS ONE, 2016, 11, e0151321.	2.5	20
28	Validity of Time to Sputum Culture Conversion to Predict Cure in Patients with Multidrug-Resistant Tuberculosis: A Retrospective Single-Center Study. American Journal of Tropical Medicine and Hygiene, 2018, 98, 1629-1636.	1.4	19
29	Treatment outcomes, antibiotic use and its resistance pattern among neonatal sepsis patients attending Bahawal Victoria Hospital, Pakistan. PLoS ONE, 2021, 16, e0244866.	2.5	17
30	Drug safety in Pakistan. , 2020, , 287-325.		17
31	Potential drug-drug interactions in patients with cardiovascular diseases: findings from a prospective observational study. Journal of Pharmaceutical Policy and Practice, 2021, 14, 63.	2.4	16
32	Resource utilization pattern and cost of tuberculosis treatment from the provider and patient perspectives in the state of Penang, Malaysia. BMC Health Services Research, 2014, 14, 353.	2.2	15
33	Drug utilization patterns among elderly hospitalized patients on poly-pharmacy in Punjab, Pakistan. Journal of Pharmaceutical Policy and Practice, 2017, 10, 23.	2.4	14
34	Depression and mild cognitive impairment (MCI) among elderly patients with type 2 diabetes mellitus in Pakistan: possible determinants. International Journal of Diabetes in Developing Countries, 2018, 38, 312-320.	0.8	14
35	Association between the Vicious Cycle of Diabetes-Associated Complications and Glycemic Control among the Elderly: A Systematic Review. Medicina (Lithuania), 2018, 54, 73.	2.0	14
36	What impact does medicines shortages have on patients? A qualitative study exploring patients' experience and views of healthcare professionals. BMC Health Services Research, 2021, 21, 827.	2.2	14

#	ARTICLE	IF	CITATIONS
37	CTHRC1 expression is a novel shared diagnostic and prognostic biomarker of survival in six different human cancer subtypes. <i>Scientific Reports</i> , 2021, 11, 19873.	3.3	14
38	Treatment outcomes among multidrug-resistant TB patients in Bahawal Victoria Hospital, Bahawalpur, Pakistan: a retrospective record review. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2020, 114, 733-741.	1.8	13
39	Effectiveness of Shorter Treatment Regimen in Multidrug-Resistant Tuberculosis Patients in Pakistan: A Multicenter Retrospective Record Review. <i>American Journal of Tropical Medicine and Hygiene</i> , 2021, 104, 1784-1791.	1.4	13
40	WHO guidelines for treatment of tuberculosis: the missing links. <i>International Journal of Clinical Pharmacy</i> , 2012, 34, 506-509.	2.1	12
41	Assessment of general public perceptions toward traditional medicines used for aphrodisiac purpose in state of Penang, Malaysia. <i>Complementary Therapies in Clinical Practice</i> , 2012, 18, 257-260.	1.7	11
42	Pediatric Antibiotic Pack Size Compliance With the Dosage Regimen: A Descriptive Study. <i>Therapeutic Innovation and Regulatory Science</i> , 2020, 54, 492-506.	1.6	11
43	Treatment Outcomes of Extensively Drug-Resistant Tuberculosis in Pakistan: A Countrywide Retrospective Record Review. <i>Frontiers in Pharmacology</i> , 2021, 12, 640555.	3.5	11
44	SF-36v2 norms and its™ discriminative properties among healthy households of tuberculosis patients in Malaysia. <i>Quality of Life Research</i> , 2013, 22, 1955-1964.	3.1	10
45	Duration of treatment in pulmonary tuberculosis: are international guidelines on the management of tuberculosis missing something?. <i>Public Health</i> , 2015, 129, 777-782.	2.9	10
46	Pharmacy Practice and Policy Research in Pakistan: A Review of Literature Between 2014 and 2019. , 2020, , 139-175.		9
47	Tracing contacts of TB patients in Malaysia: costs and practicality. <i>SpringerPlus</i> , 2012, 1, 40.	1.2	8
48	Drug utilization patterns in the global context: A systematic review. <i>Health Policy and Technology</i> , 2017, 6, 457-470.	2.5	8
49	Treatment outcomes of extrapulmonary tuberculosis in Bahawalpur, Pakistan; a record review. <i>Journal of Pharmaceutical Policy and Practice</i> , 2020, 13, 35.	2.4	8
50	A Qualitative Evaluation of Adverse Drug Reaction Reporting System in Pakistan: Findings from the Nurses™ Perspective. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 3039.	2.6	8
51	Drug utilization evaluation among an elderly population: a retrospective cross-sectional study in a tertiary care hospital in Pakistan. <i>Journal of Pharmaceutical Health Services Research</i> , 2018, 9, 123-132.	0.6	7
52	Treatment Outcomes of Childhood Tuberculosis in Three Districts of Balochistan, Pakistan: Findings from a Retrospective Cohort Study. <i>Journal of Tropical Pediatrics</i> , 2021, 67, .	1.5	7
53	Pediatric Antibiotic Pack Size Compliance With the Dosage Regimen: A Descriptive Study. <i>Therapeutic Innovation and Regulatory Science</i> , 2019, , 216847901985377.	1.6	6
54	Missing Data Analysis in Longitudinal Studies: Findings from a Quality of Life Study in Malaysian Tuberculosis Patients. <i>Applied Research in Quality of Life</i> , 2015, 10, 95-105.	2.4	5

#	ARTICLE	IF	CITATIONS
55	Global menace of superbugs: Time to consider a “Pharmacist led One Health Approach” to counteract the crisis. <i>Research in Social and Administrative Pharmacy</i> , 2020, 16, 848-849.	3.0	5
56	Impact of Pharmacist-Led Interventions on Diabetes Management at a Community Pharmacy in Pakistan: A Randomized Controlled Trial. <i>Inquiry (United States)</i> , 2021, 58, 004695802110362.	0.9	5
57	Prognostic accuracy of time to sputum culture conversion in predicting cure in extensively drug-resistant tuberculosis patients: a multicentre retrospective observational study. <i>BMC Infectious Diseases</i> , 2022, 22, 204.	2.9	5
58	Evaluation of management and factors associated with hypertension control in hemodialysis patients at a tertiary-care hospital in Pakistan. <i>Drugs and Therapy Perspectives</i> , 2020, 36, 396-403.	0.6	4
59	A qualitative study to explore the role of pharmacists in healthy weight management in adults in Pakistan: current scenario and future perspectives. <i>BMC Health Services Research</i> , 2020, 20, 541.	2.2	4
60	Determination of chest x-ray cost using activity based costing approach at Penang General Hospital, Malaysia. <i>Pan African Medical Journal</i> , 2012, 12, 40.	0.8	4
61	Drug resistance patterns, treatment outcomes and factors affecting unfavourable treatment outcomes among extensively drug resistant tuberculosis patients in Pakistan; a multicentre record review. <i>Saudi Pharmaceutical Journal</i> , 2022, 30, 462-469.	2.7	4
62	Health-related quality of life and depression among medical sales representatives in Pakistan. <i>SpringerPlus</i> , 2016, 5, 1048.	1.2	3
63	Extent and Predictors of Poor Glycaemic Control among Elderly Pakistani Patients with Type 2 Diabetes Mellitus: A Multi-Centre Cross-Sectional Study. <i>Medicina (Lithuania)</i> , 2019, 55, 21.	2.0	3
64	Spectrum of Microorganisms, Antibiotic Resistance Pattern, and Treatment Outcomes Among Patients With Empyema Thoracis: A Descriptive Cross-Sectional Study From the Bahawal Victoria Hospital Bahawalpur, Punjab, Pakistan. <i>Frontiers in Medicine</i> , 2021, 8, 665963.	2.6	3
65	How medicines sales staff is responding to presumptive COVID-19 patients attending drug retail outlets: An exploratory qualitative study. <i>International Journal of Health Planning and Management</i> , 2021, 36, 2297-2312.	1.7	2
66	Multi-Omics Analysis Identified TMED2 as a Shared Potential Biomarker in Six Subtypes of Human Cancer. <i>International Journal of General Medicine</i> , 2021, 14, 7025-7042.	1.8	2
67	Treatment outcomes among childhood extensively drug-resistant tuberculosis patients in Pakistan. <i>ERJ Open Research</i> , 2022, 8, 00551-2021.	2.6	2
68	Tuberculosis deaths: are we measuring accurately?. <i>Journal of Pharmaceutical Policy and Practice</i> , 2014, 7, 16.	2.4	1
69	Scope of Improvement in the Functioning of National Regulatory Authority “A Step Toward International Accreditation: A Qualitative Study From Pakistan. <i>Therapeutic Innovation and Regulatory Science</i> , 2019, 53, 787-794.	1.6	1
70	Impact of pharmacist-led interventions on diabetes management at a community pharmacy in Pakistan: a quasi-experimental study. <i>JPMA the Journal of the Pakistan Medical Association</i> , 2021, 71, 1924-1929.	0.2	1
71	Increasing the efficiency of detecting active tuberculosis cases in intermediate and high-burden tuberculosis countries: A way forward. <i>Journal of Basic and Clinical Pharmacy</i> , 2012, 3, 330.	9.3	0
72	Angiotensinogen - A Potential Diagnostic and Prognostic Candidate Gene for Adenocarcinomas of Rectum and Stomach. <i>Biomedica</i> , 2021, 37, 207-219.	0.1	0