## Erik Farin

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/893426/publications.pdf

Version: 2024-02-01

		361045	476904
77	1,191	20	29
papers	citations	h-index	g-index
0.7	07	07	1500
97	97	97	1590
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	The patient–physician relationship in patients with chronic low back pain as a predictor of outcomes after rehabilitation. Journal of Behavioral Medicine, 2013, 36, 246-258.	1.1	94
2	Postureteroscopic Lesion Scale: A New Management Modified Organ Injury Scale—Evaluation in 435 Ureteroscopic Patients. Journal of Endourology, 2012, 26, 1425-1430.	1.1	58
3	The Post-Ureteroscopic Lesion Scale (PULS): a multicenter video-based evaluation of inter-rater reliability. World Journal of Urology, 2014, 32, 1033-1040.	1.2	58
4	Development of a questionnaire to assess communication preferences of patients with chronic illness. Patient Education and Counseling, 2011, 82, 81-88.	1.0	46
5	The role of risk perception and efficacy cognitions in the prediction of HIV-related preventive behavior and condom use. Psychology and Health, 1996, 11, 505-525.	1.2	41
6	Psychometric properties of an International Classification of Functioning, Disability and Health (ICF)-oriented, adaptive questionnaire for the assessment of mobility, self-care and domestic life. Acta Dermato-Venereologica, 2007, 39, 537-546.	0.6	34
7	Health care professionals' attitudes regarding palliative care for patients with chronic heart failure: an interview study. BMC Palliative Care, 2016, 15, 76.	0.8	32
8	Telephone-delivered lifestyle support with action planning and motivational interviewing techniques to improve rehabilitation outcomes Rehabilitation Psychology, 2018, 63, 170-181.	0.7	32
9	Factors influencing hospitalized patients' perception of individualized nursing care: a cross-sectional study. BMC Nursing, 2016, 15, 14.	0.9	29
10	Trajectories of depression in adults with newly diagnosed type 1 diabetes: results from the German Multicenter Diabetes Cohort Study. Diabetologia, 2017, 60, 60-68.	2.9	29
11	Health education literacy in patients with chronic musculoskeletal diseases: development of a new questionnaire and sociodemographic predictors. Health Education Research, 2013, 28, 1080-1091.	1.0	28
12	A systematic review of instruments measuring patients′ perceptions of patientâ€centred nursing care. Nursing Inquiry, 2015, 22, 106-120.	1,1	27
13	Palliative care for patients with heart failure: facilitators and barriers - a cross sectional survey of German health care professionals. BMC Health Services Research, 2016, 16, 361.	0.9	27
14	Taking into account patients' communication preferences: Instrument development and results in chronic back pain patients. Patient Education and Counseling, 2012, 86, 41-48.	1.0	26
15	The patient–physician relationship in patients with breast cancer: influence on changes in quality of life after rehabilitation. Quality of Life Research, 2013, 22, 283-294.	1.5	23
16	Patient communication competence: Development of a German questionnaire and correlates of competent patient behavior. Patient Education and Counseling, 2014, 94, 342-350.	1.0	23
17	Elderly patients' and GPs' perspectives of patient–GP communication concerning polypharmacy: a qualitative interview study. Primary Health Care Research and Development, 2018, 19, 355-364.	0.5	23
18	Post-stroke care after medical rehabilitation in Germany: a systematic literature review of the current provision of stroke patients. BMC Health Services Research, 2018, 18, 468.	0.9	22

#	Article	IF	Citations
19	Personality and the physician-patient relationship as predictors of quality of life of cardiac patients after rehabilitation. Health and Quality of Life Outcomes, 2010, 8, 100.	1.0	21
20	Participation and social functioning in patients with fibromyalgia: development and testing of a new questionnaire. Health and Quality of Life Outcomes, $2013$ , $11$ , $135$ .	1.0	20
21	The effect of the patient–physician relationship on health-related quality of life after cardiac rehabilitation. Disability and Rehabilitation, 2017, 39, 468-476.	0.9	19
22	Predictors of communication preferences in patients with chronic low back pain. Patient Preference and Adherence, 2013, 7, 1117.	0.8	17
23	The development of an ICF-oriented, adaptive physician assessment instrument of mobility, self-care, and domestic life. International Journal of Rehabilitation Research, 2009, 32, 98-107.	0.7	16
24	A complex health services intervention to improve medical care in long-term care homes: study protocol of the controlled coordinated medical care (CoCare) study. BMC Health Services Research, 2019, 19, 332.	0.9	16
25	Agreement of patient and physician ratings on mobility and self-care in neurological diseases. Quality of Life Research, 2009, 18, 999-1010.	1.5	15
26	The comprehensibility of health education programs: Questionnaire development and results in patients with chronic musculoskeletal diseases. Patient Education and Counseling, 2013, 90, 239-246.	1.0	15
27	The reciprocal effect of pain catastrophizing and satisfaction with participation in the multidisciplinary treatment of patients with chronic back pain. Health and Quality of Life Outcomes, 2015, 13, 163.	1.0	15
28	Psychometric Properties of a German Translation of the PROMIS < sup> $\hat{A}^{\otimes}$ < /sup> Depression Item Bank. Evaluation and the Health Professions, 2017, 40, 106-120.	0.9	13
29	Psychometric properties of the German version of the MacNew heart disease health-related quality of life questionnaire. Health and Quality of Life Outcomes, 2012, 10, 83.	1.0	12
30	Communication preferences in patients with fibromyalgia syndrome: descriptive results and patient characteristics as predictors. Patient Preference and Adherence, 2014, 8, 135.	0.8	12
31	Primary dementia care based on the individual needs of the patient: study protocol of the cluster randomized controlled trial, DemStepCare. BMC Geriatrics, 2021, 21, 222.	1.1	12
32	Response shift in quality of life assessment in patients with chronic back pain and chronic ischaemic heart disease. Disability and Rehabilitation, 2012, 34, 671-680.	0.9	11
33	Local, collaborative, stepped and personalised care management for older people with chronic diseases (LoChro): study protocol of a randomised comparative effectiveness trial. BMC Geriatrics, 2019, 19, 64.	1.1	11
34	Study protocol for a quasi-experimental claims-based study evaluating 10-year results of the population-based integrated healthcare model  Gesundes Kinzigtal' (Healthy Kinzigtal): the INTEGRAL study. BMJ Open, 2019, 9, e025945.	0.8	11
35	The German version of the Individualized Care Scale – assessing validity and reliability. Patient Preference and Adherence, 2015, 9, 483.	0.8	10
36	Trajectories of depressive symptoms after a major cardiac event. Health Psychology Open, 2016, 3, 205510291562487.	0.7	10

#	Article	IF	CITATIONS
37	Current Standards in the Endoscopic Management of Bladder Cancer: A Survey Evaluation among Urologists in German-Speaking Countries. Urologia Internationalis, 2020, 104, 410-416.	0.6	10
38	Effectiveness of an interactive web-based health program for adults: a study protocol for three concurrent controlled-randomized trials (EVA-TK-Coach). Trials, 2021, 22, 526.	0.7	10
39	Psychometric properties of the German version of the Leicester Cough Questionnaire in sarcoidosis. PLoS ONE, 2018, 13, e0205308.	1.1	9
40	Well informed physician-patient communication in consultations on back pain – study protocol of the cluster randomized GAP trial. BMC Family Practice, 2019, 20, 33.	2.9	9
41	Translation and psychometric properties of the King's Sarcoidosis Questionnaire (KSQ) in German language. Health and Quality of Life Outcomes, 2019, 17, 62.	1.0	9
42	Development and evaluation of the PI-G: a three-scale measure based on the German translation of the PROMIS® pain interference item bank. Quality of Life Research, 2014, 23, 1255-1265.	1.5	8
43	Barriers and facilitators for implementation of a complex health services intervention in long-term care homes: a qualitative study using focus groups. BMC Geriatrics, 2021, 21, 632.	1.1	8
44	What is competent communication behaviour of patients in physician consultations? $\hat{a} \in \text{``Chronically-ill}$ patients answer in focus groups. Psychology, Health and Medicine, 2017, 22, 987-1000.	1.3	7
45	Health-care utilization of patients with chronic back pain before and after rehabilitation. BMC Health Services Research, 2017, 17, 812.	0.9	7
46	How do nurses and physicians assess interâ€professional collaboration in longâ€term care homes? A survey study. Nursing Open, 2021, 8, 3616-3626.	1.1	7
47	The Congruence of Patient Communication Preferences and Physician Communication Behavior in Cardiac Patients. Journal of Cardiopulmonary Rehabilitation and Prevention, 2011, 31, 349-357.	1.2	6
48	Development and Psychometric Evaluation of a German Version of the PROMIS® Item Banks for Satisfaction With Participation. Evaluation and the Health Professions, 2015, 38, 160-180.	0.9	6
49	Measuring illness perceptions in the family context: psychometric properties of the IPQ-R adapted for adolescent–caregiver dyads. Psychology and Health, 2019, 34, 1-23.	1.2	6
50	Health Effects of a 12-Week Web-Based Lifestyle Intervention for Physically Inactive and Overweight or Obese Adults: Study Protocol of Two Randomized Controlled Clinical Trials. International Journal of Environmental Research and Public Health, 2022, 19, 1393.	1.2	6
51	Goals in Cardiac Rehabilitation. Journal of Cardiopulmonary Rehabilitation and Prevention, 2007, 27, 180-188.	1.2	5
52	Congruence or discrepancy? Comparing patients' health valuations and physicians' treatment goals for rehabilitation for patients with chronic conditions. International Journal of Rehabilitation Research, 2012, 35, 26-35.	0.7	5
53	Communication preferences of chronically ill adolescents: Development of an assessment instrument Psychological Assessment, 2015, 27, 1053-1059.	1.2	5
54	Prevention of post-splenectomy sepsis in patients with asplenia - a study protocol of a controlled trial. BMC Infectious Diseases, 2020, 20, 41.	1.3	5

#	Article	IF	CITATIONS
55	Evaluation of a Case Management to Support Families With Children Diagnosed With Spinal Muscular Atrophyâ€"Protocol of a Controlled Mixed-Methods Study. Frontiers in Pediatrics, 2021, 9, 614512.	0.9	5
56	Integration of patient and provider assessments of mobility and self-care resulted in unidimensional item-response theory scales. Journal of Clinical Epidemiology, 2009, 62, 1075-1084.	2.4	4
57	Group health education in inpatient rehabilitation: Patients' role perceptions. Health Education Journal, 2016, 75, 289-305.	0.6	4
58	Variance components of ratings of physician-patient communication: A generalizability theory analysis. PLoS ONE, 2021, 16, e0252968.	1.1	4
59	Assessing the effect of a regional integrated care model over ten years using quality indicators based on claims data $\hat{a} \in \text{``the basic statistical methodology of the INTEGRAL project. BMC Health Services}$ Research, 2022, 22, 247.	0.9	4
60	Physicians' Reactions to Patients Taking a Position: Sequence Analysis of Admission Interviews in Orthopedic Rehabilitation. Health Communication, 2017, 32, 703-713.	1.8	3
61	Kooperation in der Versorgung psychischer Störungen aus hausÃ⊯tlicher, fachÃ⊯tlicher und fachpsychotherapeutischer Perspektive. Verhaltenstherapie, 2020, 30, 210-221.	0.3	3
62	FeV1 and BMI influence King's Sarcoidosis Questionnaire score in sarcoidosis patients. BMC Pulmonary Medicine, 2021, 21, 395.	0.8	3
63	Over- and under-prescribing, and their association with functional disability in older patients at risk of further decline in Germany – a cross-sectional survey conducted as part of a randomised comparative effectiveness trial. BMC Geriatrics, 2022, 22, .	1.1	3
64	Die Bedeutung der Rehabilitation für die Versorgung chronisch Kranker. Public Health Forum, 2010, 18, 25-26.	0.1	2
65	Barriers and facilitators to palliative care of patients with chronic heart failure in Germany: a study protocol. Journal of Public Health Research, 2015, 4, 556.	0.5	2
66	Development and Formative Evaluation of a Communication Skills Training Program for Persons with Rheumatic and Musculoskeletal Diseases. Health Communication, 2019, 34, 680-688.	1.8	2
67	Care of (potentially) brainâ€dead patients: A qualitative study protocol. Journal of Advanced Nursing, 2019, 75, 3105-3110.	1.5	2
68	QualitÌssicherung in der Rehabilitation – Eine kritische Bestandsaufnahme. Public Health Forum, 2011, 19, 6-7.	0.1	1
69	Die Fragebögen Disabkids und Kidscreen – Vergleich der Änderungssensitivitäbei der Erfassung gesundheitsbezogener Lebensqualitävon Kindern und Jugendlichen. Zeitschrift Fuer Medizinische Psychologie, 2011, 20, 51-59.	0.1	1
70	Abnormal FeV1 and body mass index are associated with impaired cough-related quality of life in sarcoidosis patients. Respiratory Medicine, 2021, 188, 106600.	1.3	1
71	Rationale and methods of an observational study to support the design of a nationwide surgical registry: the MIDAS study. Swiss Medical Weekly, 2018, 148, w14680.	0.8	1
72	Antimicrobial Stewardship with and without Infectious Diseases Specialist Services to Improve Quality-of-Care in Secondary and Tertiary Care Hospitals in Germany: Study Protocol of the ID ROLL OUT Study. Infectious Diseases and Therapy, 2022, 11, 617-628.	1.8	1

## Erik Farin

#	Article	IF	CITATIONS
73	Qualitative Erfassung von PatientenprÄßerenzen und Behandlereinstellungen zur Patient-Behandler-Kommunikation: eine Fokusgruppen-Studie. Zeitschrift Fuer Medizinische Psychologie, 2011, 20, 76-87.	0.1	O
74	Authors' Response to Garg <i>et al.</i> . Journal of Endourology, 2013, 27, 504-505.	1.1	0
75	QualitÃ <b>E</b> ssicherung in der Rehabilitation. Public Health Forum, 2014, 22, 19-20.	0.1	O
76	QualitÃssmanagement und Forschung., 2016,, 261-271.		0
77	Forschung und QualitÄ <b>E</b> smanagement. , 2020, , 387-397.		0