List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/893426/publications.pdf Version: 2024-02-01



FDIN FADIN

#	Article	IF	CITATIONS
1	Antimicrobial Stewardship with and without Infectious Diseases Specialist Services to Improve Quality-of-Care in Secondary and Tertiary Care Hospitals in Germany: Study Protocol of the ID ROLL OUT Study. Infectious Diseases and Therapy, 2022, 11, 617-628.	1.8	1
2	Health Effects of a 12-Week Web-Based Lifestyle Intervention for Physically Inactive and Overweight or Obese Adults: Study Protocol of Two Randomized Controlled Clinical Trials. International Journal of Environmental Research and Public Health, 2022, 19, 1393.	1.2	6
3	Assessing the effect of a regional integrated care model over ten years using quality indicators based on claims data – the basic statistical methodology of the INTEGRAL project. BMC Health Services Research, 2022, 22, 247.	0.9	4
4	Over- and under-prescribing, and their association with functional disability in older patients at risk of further decline in Germany – a cross-sectional survey conducted as part of a randomised comparative effectiveness trial. BMC Geriatrics, 2022, 22, .	1.1	3
5	Primary dementia care based on the individual needs of the patient: study protocol of the cluster randomized controlled trial, DemStepCare. BMC Geriatrics, 2021, 21, 222.	1.1	12
6	How do nurses and physicians assess interâ€professional collaboration in longâ€ŧerm care homes? A survey study. Nursing Open, 2021, 8, 3616-3626.	1.1	7
7	Variance components of ratings of physician-patient communication: A generalizability theory analysis. PLoS ONE, 2021, 16, e0252968.	1.1	4
8	Effectiveness of an interactive web-based health program for adults: a study protocol for three concurrent controlled-randomized trials (EVA-TK-Coach). Trials, 2021, 22, 526.	0.7	10
9	Evaluation of a Case Management to Support Families With Children Diagnosed With Spinal Muscular Atrophy—Protocol of a Controlled Mixed-Methods Study. Frontiers in Pediatrics, 2021, 9, 614512.	0.9	5
10	Abnormal FeV1 and body mass index are associated with impaired cough-related quality of life in sarcoidosis patients. Respiratory Medicine, 2021, 188, 106600.	1.3	1
11	Barriers and facilitators for implementation of a complex health services intervention in long-term care homes: a qualitative study using focus groups. BMC Geriatrics, 2021, 21, 632.	1.1	8
12	FeV1 and BMI influence King's Sarcoidosis Questionnaire score in sarcoidosis patients. BMC Pulmonary Medicine, 2021, 21, 395.	0.8	3
13	Kooperation in der Versorgung psychischer StĶrungen aus hausĤztlicher, fachĤztlicher und fachpsychotherapeutischer Perspektive. Verhaltenstherapie, 2020, 30, 210-221.	0.3	3
14	Prevention of post-splenectomy sepsis in patients with asplenia - a study protocol of a controlled trial. BMC Infectious Diseases, 2020, 20, 41.	1.3	5
15	Current Standards in the Endoscopic Management of Bladder Cancer: A Survey Evaluation among Urologists in German-Speaking Countries. Urologia Internationalis, 2020, 104, 410-416.	0.6	10
16	Forschung und QualitÃ <b>e</b> smanagement. , 2020, , 387-397.		0
17	Development and Formative Evaluation of a Communication Skills Training Program for Persons with Rheumatic and Musculoskeletal Diseases. Health Communication, 2019, 34, 680-688.	1.8	2
18	Care of (potentially) brainâ€dead patients: A qualitative study protocol. Journal of Advanced Nursing, 2019, 75, 3105-3110.	1.5	2

#	Article	IF	CITATIONS
19	A complex health services intervention to improve medical care in long-term care homes: study protocol of the controlled coordinated medical care (CoCare) study. BMC Health Services Research, 2019, 19, 332.	0.9	16
20	Local, collaborative, stepped and personalised care management for older people with chronic diseases (LoChro): study protocol of a randomised comparative effectiveness trial. BMC Geriatrics, 2019, 19, 64.	1.1	11
21	Study protocol for a quasi-experimental claims-based study evaluating 10-year results of the population-based integrated healthcare model â€~Gesundes Kinzigtal' (Healthy Kinzigtal): the INTEGRAL study. BMJ Open, 2019, 9, e025945.	0.8	11
22	Well informed physician-patient communication in consultations on back pain – study protocol of the cluster randomized GAP trial. BMC Family Practice, 2019, 20, 33.	2.9	9
23	Translation and psychometric properties of the King's Sarcoidosis Questionnaire (KSQ) in German language. Health and Quality of Life Outcomes, 2019, 17, 62.	1.0	9
24	Measuring illness perceptions in the family context: psychometric properties of the IPQ-R adapted for adolescent–caregiver dyads. Psychology and Health, 2019, 34, 1-23.	1.2	6
25	Elderly patients' and GPs' perspectives of patient–GP communication concerning polypharmacy: a qualitative interview study. Primary Health Care Research and Development, 2018, 19, 355-364.	0.5	23
26	Psychometric properties of the German version of the Leicester Cough Questionnaire in sarcoidosis. PLoS ONE, 2018, 13, e0205308.	1.1	9
27	Post-stroke care after medical rehabilitation in Germany: a systematic literature review of the current provision of stroke patients. BMC Health Services Research, 2018, 18, 468.	0.9	22
28	Telephone-delivered lifestyle support with action planning and motivational interviewing techniques to improve rehabilitation outcomes Rehabilitation Psychology, 2018, 63, 170-181.	0.7	32
29	Rationale and methods of an observational study to support the design of a nationwide surgical registry: the MIDAS study. Swiss Medical Weekly, 2018, 148, w14680.	0.8	1
30	Psychometric Properties of a German Translation of the PROMIS <sup>®</sup> Depression Item Bank. Evaluation and the Health Professions, 2017, 40, 106-120.	0.9	13
31	The effect of the patient–physician relationship on health-related quality of life after cardiac rehabilitation. Disability and Rehabilitation, 2017, 39, 468-476.	0.9	19
32	What is competent communication behaviour of patients in physician consultations? – Chronically-ill patients answer in focus groups. Psychology, Health and Medicine, 2017, 22, 987-1000.	1.3	7
33	Trajectories of depression in adults with newly diagnosed type 1 diabetes: results from the German Multicenter Diabetes Cohort Study. Diabetologia, 2017, 60, 60-68.	2.9	29
34	Physicians' Reactions to Patients Taking a Position: Sequence Analysis of Admission Interviews in Orthopedic Rehabilitation. Health Communication, 2017, 32, 703-713.	1.8	3
35	Health-care utilization of patients with chronic back pain before and after rehabilitation. BMC Health Services Research, 2017, 17, 812.	0.9	7
36	Group health education in inpatient rehabilitation: Patients' role perceptions. Health Education Journal, 2016, 75, 289-305.	0.6	4

#	Article	IF	CITATIONS
37	Palliative care for patients with heart failure: facilitators and barriers - a cross sectional survey of German health care professionals. BMC Health Services Research, 2016, 16, 361.	0.9	27
38	Health care professionals' attitudes regarding palliative care for patients with chronic heart failure: an interview study. BMC Palliative Care, 2016, 15, 76.	0.8	32
39	Trajectories of depressive symptoms after a major cardiac event. Health Psychology Open, 2016, 3, 205510291562487.	0.7	10
40	Factors influencing hospitalized patients' perception of individualized nursing care: a cross-sectional study. BMC Nursing, 2016, 15, 14.	0.9	29
41	QualitĂæmanagement und Forschung. , 2016, , 261-271.		0
42	Communication preferences of chronically ill adolescents: Development of an assessment instrument Psychological Assessment, 2015, 27, 1053-1059.	1.2	5
43	The reciprocal effect of pain catastrophizing and satisfaction with participation in the multidisciplinary treatment of patients with chronic back pain. Health and Quality of Life Outcomes, 2015, 13, 163.	1.0	15
44	The German version of the Individualized Care Scale – assessing validity and reliability. Patient Preference and Adherence, 2015, 9, 483.	0.8	10
45	Barriers and facilitators to palliative care of patients with chronic heart failure in Germany: a study protocol. Journal of Public Health Research, 2015, 4, 556.	0.5	2
46	Development and Psychometric Evaluation of a German Version of the PROMIS® Item Banks for Satisfaction With Participation. Evaluation and the Health Professions, 2015, 38, 160-180.	0.9	6
47	A systematic review of instruments measuring patients′ perceptions of patientâ€centred nursing care. Nursing Inquiry, 2015, 22, 106-120.	1.1	27
48	Communication preferences in patients with fibromyalgia syndrome: descriptive results and patient characteristics as predictors. Patient Preference and Adherence, 2014, 8, 135.	0.8	12
49	The Post-Ureteroscopic Lesion Scale (PULS): a multicenter video-based evaluation of inter-rater reliability. World Journal of Urology, 2014, 32, 1033-1040.	1.2	58
50	Development and evaluation of the PI-G: a three-scale measure based on the German translation of the PROMIS® pain interference item bank. Quality of Life Research, 2014, 23, 1255-1265.	1.5	8
51	Patient communication competence: Development of a German questionnaire and correlates of competent patient behavior. Patient Education and Counseling, 2014, 94, 342-350.	1.0	23
52	QualitÃæsicherung in der Rehabilitation. Public Health Forum, 2014, 22, 19-20.	0.1	0
53	The patient–physician relationship in patients with breast cancer: influence on changes in quality of life after rehabilitation. Quality of Life Research, 2013, 22, 283-294.	1.5	23
54	The patient–physician relationship in patients with chronic low back pain as a predictor of outcomes after rehabilitation. Journal of Behavioral Medicine, 2013, 36, 246-258.	1.1	94

#	Article	IF	CITATIONS
55	Participation and social functioning in patients with fibromyalgia: development and testing of a new questionnaire. Health and Quality of Life Outcomes, 2013, 11, 135.	1.0	20
56	The comprehensibility of health education programs: Questionnaire development and results in patients with chronic musculoskeletal diseases. Patient Education and Counseling, 2013, 90, 239-246.	1.0	15
57	Health education literacy in patients with chronic musculoskeletal diseases: development of a new questionnaire and sociodemographic predictors. Health Education Research, 2013, 28, 1080-1091.	1.0	28
58	Authors' Response to Garg <i>et al.</i> . Journal of Endourology, 2013, 27, 504-505.	1.1	0
59	Predictors of communication preferences in patients with chronic low back pain. Patient Preference and Adherence, 2013, 7, 1117.	0.8	17
60	Response shift in quality of life assessment in patients with chronic back pain and chronic ischaemic heart disease. Disability and Rehabilitation, 2012, 34, 671-680.	0.9	11
61	Congruence or discrepancy? Comparing patients' health valuations and physicians' treatment goals for rehabilitation for patients with chronic conditions. International Journal of Rehabilitation Research, 2012, 35, 26-35.	0.7	5
62	Postureteroscopic Lesion Scale: A New Management Modified Organ Injury Scale—Evaluation in 435 Ureteroscopic Patients. Journal of Endourology, 2012, 26, 1425-1430.	1.1	58
63	Psychometric properties of the German version of the MacNew heart disease health-related quality of life questionnaire. Health and Quality of Life Outcomes, 2012, 10, 83.	1.0	12
64	Taking into account patients' communication preferences: Instrument development and results in chronic back pain patients. Patient Education and Counseling, 2012, 86, 41-48.	1.0	26
65	QualitÃæsicherung in der Rehabilitation – Eine kritische Bestandsaufnahme. Public Health Forum, 2011, 19, 6-7.	0.1	1
66	Qualitative Erfassung von PatientenprÄ <b>fe</b> renzen und Behandlereinstellungen zur Patient-Behandler-Kommunikation: eine Fokusgruppen-Studie. Zeitschrift Fuer Medizinische Psychologie, 2011, 20, 76-87.	0.1	0
67	Die Fragebögen Disabkids und Kidscreen – Vergleich der Änderungssensitivitäbei der Erfassung gesundheitsbezogener Lebensqualitävon Kindern und Jugendlichen. Zeitschrift Fuer Medizinische Psychologie, 2011, 20, 51-59.	0.1	1
68	Development of a questionnaire to assess communication preferences of patients with chronic illness. Patient Education and Counseling, 2011, 82, 81-88.	1.0	46
69	The Congruence of Patient Communication Preferences and Physician Communication Behavior in Cardiac Patients. Journal of Cardiopulmonary Rehabilitation and Prevention, 2011, 31, 349-357.	1.2	6
70	Personality and the physician-patient relationship as predictors of quality of life of cardiac patients after rehabilitation. Health and Quality of Life Outcomes, 2010, 8, 100.	1.0	21
71	Die Bedeutung der Rehabilitation für die Versorgung chronisch Kranker. Public Health Forum, 2010, 18, 25-26.	0.1	2
72	Agreement of patient and physician ratings on mobility and self-care in neurological diseases. Quality of Life Research, 2009, 18, 999-1010.	1.5	15

#	Article	IF	CITATIONS
73	Integration of patient and provider assessments of mobility and self-care resulted in unidimensional item-response theory scales. Journal of Clinical Epidemiology, 2009, 62, 1075-1084.	2.4	4
74	The development of an ICF-oriented, adaptive physician assessment instrument of mobility, self-care, and domestic life. International Journal of Rehabilitation Research, 2009, 32, 98-107.	0.7	16
75	Psychometric properties of an International Classification of Functioning, Disability and Health (ICF)-oriented, adaptive questionnaire for the assessment of mobility, self-care and domestic life. Acta Dermato-Venereologica, 2007, 39, 537-546.	0.6	34
76	Goals in Cardiac Rehabilitation. Journal of Cardiopulmonary Rehabilitation and Prevention, 2007, 27, 180-188.	1.2	5
77	The role of risk perception and efficacy cognitions in the prediction of HIV-related preventive behavior and condom use. Psychology and Health, 1996, 11, 505-525.	1.2	41