

Feiko O Ter Kuile

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8935051/publications.pdf>

Version: 2024-02-01

213
papers

13,205
citations

23500

58
h-index

28224

105
g-index

218
all docs

218
docs citations

218
times ranked

8853
citing authors

#	ARTICLE	IF	CITATIONS
1	Epidemiology and burden of malaria in pregnancy. <i>Lancet Infectious Diseases</i> , The, 2007, 7, 93-104.	4.6	1,081
2	Protective effects of the sickle cell gene against malaria morbidity and mortality. <i>Lancet</i> , The, 2002, 359, 1311-1312.	6.3	544
3	COMMUNITY-WIDE EFFECTS OF PERMETHRIN-TREATED BED NETS ON CHILD MORTALITY AND MALARIA MORBIDITY IN WESTERN KENYA. <i>American Journal of Tropical Medicine and Hygiene</i> , 2003, 68, 121-127.	0.6	450
4	Risk of childhood undernutrition related to small-for-gestational age and preterm birth in low- and middle-income countries. <i>International Journal of Epidemiology</i> , 2013, 42, 1340-1355.	0.9	413
5	Quantifying the Number of Pregnancies at Risk of Malaria in 2007: A Demographic Study. <i>PLoS Medicine</i> , 2010, 7, e1000221.	3.9	397
6	Effect of Sulfadoxine-Pyrimethamine Resistance on the Efficacy of Intermittent Preventive Therapy for Malaria Control During Pregnancy. <i>JAMA - Journal of the American Medical Association</i> , 2007, 297, 2603.	3.8	288
7	THE BURDEN OF CO-INFECTION WITH HUMAN IMMUNODEFICIENCY VIRUS TYPE 1 AND MALARIA IN PREGNANT WOMEN IN SUB-SAHARAN AFRICA. <i>American Journal of Tropical Medicine and Hygiene</i> , 2004, 71, 41-54.	0.6	285
8	Intermittent Preventive Therapy for Malaria During Pregnancy Using 2 vs 3 or More Doses of Sulfadoxine-Pyrimethamine and Risk of Low Birth Weight in Africa. <i>JAMA - Journal of the American Medical Association</i> , 2013, 309, 594.	3.8	239
9	Absence of Putative Artemisinin Resistance Mutations Among <i>Plasmodium falciparum</i> in Sub-Saharan Africa: A Molecular Epidemiologic Study. <i>Journal of Infectious Diseases</i> , 2015, 211, 680-688.	1.9	235
10	EFFICACY OF PERMETHRIN-TREATED BED NETS IN THE PREVENTION OF MORTALITY IN YOUNG CHILDREN IN AN AREA OF HIGH PERENNIAL MALARIA TRANSMISSION IN WESTERN KENYA. <i>American Journal of Tropical Medicine and Hygiene</i> , 2003, 68, 23-29.	0.6	211
11	Profile: The KEMRI/CDC Health and Demographic Surveillance System–Western Kenya. <i>International Journal of Epidemiology</i> , 2012, 41, 977-987.	0.9	199
12	HIV-1/AIDS and the control of other infectious diseases in Africa. <i>Lancet</i> , The, 2002, 359, 2177-2187.	6.3	173
13	Factors Affecting the Delivery, Access, and Use of Interventions to Prevent Malaria in Pregnancy in Sub-Saharan Africa: A Systematic Review and Meta-Analysis. <i>PLoS Medicine</i> , 2013, 10, e1001488.	3.9	172
14	IMPACT OF PERMETHRIN-TREATED BED NETS ON ENTOMOLOGIC INDICES IN AN AREA OF INTENSE YEAR-ROUND MALARIA TRANSMISSION. <i>American Journal of Tropical Medicine and Hygiene</i> , 2003, 68, 16-22.	0.6	165
15	Intermittent screening and treatment or intermittent preventive treatment with dihydroartemisinin+piperaquine versus intermittent preventive treatment with sulfadoxine+pyrimethamine for the control of malaria during pregnancy in western Kenya: an open-label, three-group, randomised controlled superiority trial. <i>Lancet</i> , The, 2015, 386, 2507-2519.	6.3	156
16	REDUCTION OF MALARIA DURING PREGNANCY BY PERMETHRIN-TREATED BED NETS IN AN AREA OF INTENSE PERENNIAL MALARIA TRANSMISSION IN WESTERN KENYA. <i>American Journal of Tropical Medicine and Hygiene</i> , 2003, 68, 50-60.	0.6	153
17	Reducing the burden of malaria in pregnancy by preventive strategies. <i>Lancet Infectious Diseases</i> , The, 2007, 7, 126-135.	4.6	151
18	Insecticide-treated nets for preventing malaria in pregnancy. <i>The Cochrane Library</i> , 2006, , CD003755.	1.5	150

#	ARTICLE	IF	CITATIONS
19	FACTORS AFFECTING USE OF PERMETHRIN-TREATED BED NETS DURING A RANDOMIZED CONTROLLED TRIAL IN WESTERN KENYA. <i>American Journal of Tropical Medicine and Hygiene</i> , 2003, 68, 137-141.	0.6	149
20	CNS Adverse Events Associated With Antimalarial Agents Fact or Fiction?. <i>Drug Safety</i> , 1995, 12, 370-383.	1.4	146
21	Sustainability of Reductions in Malaria Transmission and Infant Mortality in Western Kenya With Use of Insecticide-Treated Bednets. <i>JAMA - Journal of the American Medical Association</i> , 2004, 291, 2571.	3.8	142
22	Insecticide-Treated Nets for the Prevention of Malaria in Pregnancy: A Systematic Review of Randomised Controlled Trials. <i>PLoS Medicine</i> , 2007, 4, e107.	3.9	142
23	IMPACT OF PERMETHRIN-TREATED BED NETS ON MALARIA, ANEMIA, AND GROWTH IN INFANTS IN AN AREA OF INTENSE PERENNIAL MALARIA TRANSMISSION IN WESTERN KENYA. <i>American Journal of Tropical Medicine and Hygiene</i> , 2003, 68, 68-77.	0.6	138
24	IMPACT OF PERMETHRIN-TREATED BED NETS ON MALARIA AND ALL-CAUSE MORBIDITY IN YOUNG CHILDREN IN AN AREA OF INTENSE PERENNIAL MALARIA TRANSMISSION IN WESTERN KENYA: CROSS-SECTIONAL SURVEY. <i>American Journal of Tropical Medicine and Hygiene</i> , 2003, 68, 100-107.	0.6	126
25	Coverage of malaria protection in pregnant women in sub-Saharan Africa: a synthesis and analysis of national survey data. <i>Lancet Infectious Diseases</i> , The, 2011, 11, 190-207.	4.6	124
26	The burden of co-infection with human immunodeficiency virus type 1 and malaria in pregnant women in sub-saharan Africa. <i>American Journal of Tropical Medicine and Hygiene</i> , 2004, 71, 41-54.	0.6	124
27	The effect of dual infection with HIV and malaria on pregnancy outcome in western Kenya. <i>Aids</i> , 2003, 17, 585-594.	1.0	121
28	Perspectives of men on antenatal and delivery care service utilisation in rural western Kenya: a qualitative study. <i>BMC Pregnancy and Childbirth</i> , 2013, 13, 134.	0.9	121
29	Impact of Sulfadoxine-Pyrimethamine Resistance on Effectiveness of Intermittent Preventive Therapy for Malaria in Pregnancy at Clearing Infections and Preventing Low Birth Weight. <i>Clinical Infectious Diseases</i> , 2016, 62, 323-333.	2.9	119
30	EFFECT OF PERMETHRIN-TREATED BED NETS ON THE SPATIAL DISTRIBUTION OF MALARIA VECTORS IN WESTERN KENYA. <i>American Journal of Tropical Medicine and Hygiene</i> , 2003, 68, 115-120.	0.6	119
31	Tumor necrosis factor- γ promoter variant 2 (TNF2) is associated with pre-term delivery, infant mortality, and malaria morbidity in western Kenya: Asembo Bay Cohort Project IX. <i>Genetic Epidemiology</i> , 2001, 21, 201-211.	0.6	116
32	HIV increases the risk of malaria in women of all gravidities in Kisumu, Kenya. <i>Aids</i> , 2003, 17, 595-603.	1.0	114
33	Menstrual cups and sanitary pads to reduce school attrition, and sexually transmitted and reproductive tract infections: a cluster randomised controlled feasibility study in rural Western Kenya. <i>BMJ Open</i> , 2016, 6, e013229.	0.8	105
34	Neonatal Mortality Risk Associated with Preterm Birth in East Africa, Adjusted by Weight for Gestational Age: Individual Participant Level Meta-Analysis. <i>PLoS Medicine</i> , 2012, 9, e1001292.	3.9	102
35	Prevention of malaria in pregnancy. <i>Lancet Infectious Diseases</i> , The, 2018, 18, e119-e132.	4.6	102
36	Estimated risk of placental infection and low birthweight attributable to <i>Plasmodium falciparum</i> malaria in Africa in 2010: a modelling study. <i>The Lancet Global Health</i> , 2014, 2, e460-e467.	2.9	101

#	ARTICLE	IF	CITATIONS
37	Safety and mosquitocidal efficacy of high-dose ivermectin when co-administered with dihydroartemisinin-piperazine in Kenyan adults with uncomplicated malaria (IVERMAL): a randomised, double-blind, placebo-controlled trial. <i>Lancet Infectious Diseases</i> , The, 2018, 18, 615-626.	4.6	99
38	Maternal Malaria and Perinatal HIV Transmission, Western Kenya12. <i>Emerging Infectious Diseases</i> , 2004, 10, 643-652.	2.0	98
39	Effect of permethrin-treated bed nets on the spatial distribution of malaria vectors in western Kenya. <i>American Journal of Tropical Medicine and Hygiene</i> , 2003, 68, 115-20.	0.6	97
40	MALARIA AND NUTRITIONAL STATUS AMONG PRE-SCHOOL CHILDREN: RESULTS FROM CROSS-SECTIONAL SURVEYS IN WESTERN KENYA. <i>American Journal of Tropical Medicine and Hygiene</i> , 2005, 73, 698-704.	0.6	92
41	Predictors of mefloquine treatment failure: a prospective study of 1590 patients with uncomplicated falciparum malaria. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 1995, 89, 660-664.	0.7	90
42	Beri-beri: the major cause of infant mortality in Karen refugees. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2003, 97, 251-255.	0.7	88
43	Safety, tolerability, and efficacy of repeated doses of dihydroartemisinin-piperazine for prevention and treatment of malaria: a systematic review and meta-analysis. <i>Lancet Infectious Diseases</i> , The, 2017, 17, 184-193.	4.6	86
44	Population pharmacokinetics of mefloquine in patients with acute falciparum malaria. <i>Clinical Pharmacology and Therapeutics</i> , 1999, 66, 472-484.	2.3	82
45	Coverage of intermittent preventive treatment and insecticide-treated nets for the control of malaria during pregnancy in sub-Saharan Africa: a synthesis and meta-analysis of national survey data, 2009â€“11. <i>Lancet Infectious Diseases</i> , The, 2013, 13, 1029-1042.	4.6	82
46	THE EFFICACY OF PERMETHRIN-TREATED BED NETS ON CHILD MORTALITY AND MORBIDITY IN WESTERN KENYA I. DEVELOPMENT OF INFRASTRUCTURE AND DESCRIPTION OF STUDY SITE. <i>American Journal of Tropical Medicine and Hygiene</i> , 2003, 68, 3-9.	0.6	82
47	The A581G Mutation in the Gene Encoding<i> Plasmodium falciparum</i> Dihydropteroate Synthetase Reduces the Effectiveness of Sulfadoxine-Pyrimethamine Preventive Therapy in Malawian Pregnant Women. <i>Journal of Infectious Diseases</i> , 2015, 211, 1997-2005.	1.9	81
48	Effect of Plasmodium falciparum sulfadoxine-pyrimethamine resistance on the effectiveness of intermittent preventive therapy for malaria in pregnancy in Africa: a systematic review and meta-analysis. <i>Lancet Infectious Diseases</i> , The, 2019, 19, 546-556.	4.6	79
49	Drugs for preventing malaria in pregnant women in endemic areas: any drug regimen versus placebo or no treatment. <i>The Cochrane Library</i> , 2014, , CD000169.	1.5	77
50	Mefloquine in infants and young children. <i>Annals of Tropical Paediatrics</i> , 1996, 16, 281-286.	1.0	76
51	Prevalence of malaria infection in pregnant women compared with children for tracking malaria transmission in sub-Saharan Africa: a systematic review and meta-analysis. <i>The Lancet Global Health</i> , 2015, 3, e617-e628.	2.9	75
52	Effect of Early Detection and Treatment on Malaria Related Maternal Mortality on the North-Western Border of Thailand 1986â€“2010. <i>PLoS ONE</i> , 2012, 7, e40244.	1.1	71
53	Barriers and facilitators to antenatal and delivery care in western Kenya: a qualitative study. <i>BMC Pregnancy and Childbirth</i> , 2015, 15, 26.	0.9	67
54	First-trimester artemisinin derivatives and quinine treatments and the risk of adverse pregnancy outcomes in Africa and Asia: A meta-analysis of observational studies. <i>PLoS Medicine</i> , 2017, 14, e1002290.	3.9	66

#	ARTICLE	IF	CITATIONS
55	Randomized, Controlled Trial of Daily Iron Supplementation and Intermittent Sulfadoxine-Pyrimethamine for the Treatment of Mild Childhood Anemia in Western Kenya. <i>Journal of Infectious Diseases</i> , 2003, 187, 658-666.	1.9	65
56	Temporal trends of sulphadoxine-pyrimethamine (SP) drug-resistance molecular markers in <i>Plasmodium falciparum</i> parasites from pregnant women in western Kenya. <i>Malaria Journal</i> , 2012, 11, 134.	0.8	65
57	Malaria and human immunodeficiency virus infection as risk factors for anemia in infants in Kisumu, western Kenya.. <i>American Journal of Tropical Medicine and Hygiene</i> , 2002, 67, 44-53.	0.6	64
58	Superiority of 3 Over 2 Doses of Intermittent Preventive Treatment With Sulfadoxine-Pyrimethamine for the Prevention of Malaria During Pregnancy in Mali: A Randomized Controlled Trial. <i>Clinical Infectious Diseases</i> , 2011, 53, 215-223.	2.9	60
59	IMPLICATIONS OF THE WESTERN KENYA PERMETHRIN-TREATED BED NET STUDY FOR POLICY, PROGRAM IMPLEMENTATION, AND FUTURE RESEARCH. <i>American Journal of Tropical Medicine and Hygiene</i> , 2003, 68, 168-173.	0.6	60
60	Scheduled Intermittent Screening with Rapid Diagnostic Tests and Treatment with Dihydroartemisinin-Piperaquine versus Intermittent Preventive Therapy with Sulfadoxine-Pyrimethamine for Malaria in Pregnancy in Malawi: An Open-Label Randomized Controlled Trial. <i>PLoS Medicine</i> , 2016, 13, e1002124.	3.9	59
61	Iron Supplementation in HIV-Infected Malawian Children With Anemia: A Double-Blind, Randomized, Controlled Trial. <i>Clinical Infectious Diseases</i> , 2013, 57, 1626-1634.	2.9	58
62	Dehydroepiandrosterone Sulfate Levels Associated with Decreased Malaria Parasite Density and Increased Hemoglobin Concentration in Pubertal Girls from Western Kenya. <i>Journal of Infectious Diseases</i> , 2003, 188, 297-304.	1.9	57
63	THE COST-EFFECTIVENESS OF PERMETHRIN-TREATED BED NETS IN AN AREA OF INTENSE MALARIA TRANSMISSION IN WESTERN KENYA. <i>American Journal of Tropical Medicine and Hygiene</i> , 2003, 68, 161-167.	0.6	56
64	Risk factors for HIV infection among asymptomatic pregnant women attending an antenatal clinic in western Kenya. <i>International Journal of STD and AIDS</i> , 2000, 11, 393-401.	0.5	55
65	A Non-Inferiority, Individually Randomized Trial of Intermittent Screening and Treatment versus Intermittent Preventive Treatment in the Control of Malaria in Pregnancy. <i>PLoS ONE</i> , 2015, 10, e0132247.	1.1	55
66	Ivermectin as a novel complementary malaria control tool to reduce incidence and prevalence: a modelling study. <i>Lancet Infectious Diseases</i> , The, 2020, 20, 498-508.	4.6	53
67	Implementation of intermittent preventive treatment with sulphadoxine-pyrimethamine for control of malaria in pregnancy in Kisumu, western Kenya. <i>Tropical Medicine and International Health</i> , 2004, 9, 630-637.	1.0	52
68	FACTORS ASSOCIATED WITH HEMOGLOBIN CONCENTRATIONS IN PRE-SCHOOL CHILDREN IN WESTERN KENYA: CROSS-SECTIONAL STUDIES. <i>American Journal of Tropical Medicine and Hygiene</i> , 2005, 72, 47-59.	0.6	52
69	Intermittent preventive therapy for malaria with monthly artemether+lumefantrine for the post-discharge management of severe anaemia in children aged 4-59 months in southern Malawi: a multicentre, randomised, placebo-controlled trial. <i>Lancet Infectious Diseases</i> , The, 2012, 12, 191-200.	4.6	51
70	Estimated impact on birth weight of scaling up intermittent preventive treatment of malaria in pregnancy given sulphadoxine-pyrimethamine resistance in Africa: A mathematical model. <i>PLoS Medicine</i> , 2017, 14, e1002243.	3.9	50
71	Use of weight-for-age-data to optimize tablet strength and dosing regimens for a new fixed-dose artesunate-amodiaquine combination for treating falciparum malaria. <i>Bulletin of the World Health Organization</i> , 2006, 84, 956-964.	1.5	50
72	Impact of indoor residual spraying with pirimiphos-methyl (Actellic 300CS) on entomological indicators of transmission and malaria case burden in Migori County, western Kenya. <i>Scientific Reports</i> , 2020, 10, 4518.	1.6	49

#	ARTICLE	IF	CITATIONS
73	Effectiveness of Antenatal Clinics to Deliver Intermittent Preventive Treatment and Insecticide Treated Nets for the Control of Malaria in Pregnancy in Kenya. <i>PLoS ONE</i> , 2013, 8, e64913.	1.1	48
74	THE EFFICACY OF PERMETHRIN-TREATED BED NETS ON CHILD MORTALITY AND MORBIDITY IN WESTERN KENYA II. STUDY DESIGN AND METHODS. <i>American Journal of Tropical Medicine and Hygiene</i> , 2003, 68, 10-15.	0.6	48
75	A model of parity-dependent immunity to placental malaria. <i>Nature Communications</i> , 2013, 4, 1609.	5.8	46
76	Malaria, malnutrition, and birthweight: A meta-analysis using individual participant data. <i>PLoS Medicine</i> , 2017, 14, e1002373.	3.9	46
77	Pharmacokinetics/pharmacodynamics of chloroquine and artemisinin-based combination therapy with primaquine. <i>Malaria Journal</i> , 2019, 18, 325.	0.8	46
78	Artesunate plus sulfadoxine-pyrimethamine for uncomplicated malaria in Kenyan children: A randomized, double-blind, placebo-controlled trial. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2003, 97, 585-591.	0.7	43
79	The Effect of Primaquine on Gametocyte Development and Clearance in the Treatment of Uncomplicated Falciparum Malaria With Dihydroartemisinin-Piperaquine in South Sumatra, Western Indonesia: An Open-Label, Randomized, Controlled Trial. <i>Clinical Infectious Diseases</i> , 2013, 56, 685-693.	2.9	43
80	Sulfadoxine-Pyrimethamine in Treatment of Malaria in Western Kenya: Increasing Resistance and Underdosing. <i>Antimicrobial Agents and Chemotherapy</i> , 2003, 47, 2929-2932.	1.4	42
81	Malaria in pregnancy: priorities for research. <i>Lancet Infectious Diseases</i> , The, 2007, 7, 169-174.	4.6	42
82	PERMETHRIN-TREATED BED NETS IN THE PREVENTION OF MALARIA AND ANEMIA IN ADOLESCENT SCHOOLGIRLS IN WESTERN KENYA. <i>American Journal of Tropical Medicine and Hygiene</i> , 2003, 68, 86-93.	0.6	42
83	Malaria in pregnancy alters <sc> </sc>-arginine bioavailability and placental vascular development. <i>Science Translational Medicine</i> , 2018, 10, .	5.8	41
84	The Association between Malaria and Iron Status or Supplementation in Pregnancy: A Systematic Review and Meta-Analysis. <i>PLoS ONE</i> , 2014, 9, e87743.	1.1	39
85	Access and Use of Interventions to Prevent and Treat Malaria among Pregnant Women in Kenya and Mali: A Qualitative Study. <i>PLoS ONE</i> , 2015, 10, e0119848.	1.1	39
86	THE HOUSEHOLD-LEVEL ECONOMICS OF USING PERMETHRIN-TREATED BED NETS TO PREVENT MALARIA IN CHILDREN LESS THAN FIVE YEARS OF AGE. <i>American Journal of Tropical Medicine and Hygiene</i> , 2003, 68, 149-160.	0.6	39
87	Treatment History and Treatment Dose Are Important Determinants of Sulfadoxineâ€Pyrimethamine Efficacy in Children with Uncomplicated Malaria in Western Kenya. <i>Journal of Infectious Diseases</i> , 2003, 187, 467-476.	1.9	38
88	Women's Access and Provider Practices for the Case Management of Malaria during Pregnancy: A Systematic Review and Meta-Analysis. <i>PLoS Medicine</i> , 2014, 11, e1001688.	3.9	38
89	DIAGNOSTIC AND PRESCRIBING PRACTICES IN PERIPHERAL HEALTH FACILITIES IN RURAL WESTERN KENYA. <i>American Journal of Tropical Medicine and Hygiene</i> , 2003, 68, 44-49.	0.6	38
90	PREVALENCE AND SEVERITY OF MALNUTRITION IN PRE-SCHOOL CHILDREN IN A RURAL AREA OF WESTERN KENYA. <i>American Journal of Tropical Medicine and Hygiene</i> , 2003, 68, 94-99.	0.6	38

#	ARTICLE	IF	CITATIONS
91	Overall, anti-malarial, and non-malarial effect of intermittent preventive treatment during pregnancy with sulfadoxine-pyrimethamine on birthweight: a mediation analysis. <i>The Lancet Global Health</i> , 2020, 8, e942-e953.	2.9	37
92	IMPACT OF PERMETHRIN-TREATED BED NETS ON THE INCIDENCE OF SICK CHILD VISITS TO PERIPHERAL HEALTH FACILITIES. <i>American Journal of Tropical Medicine and Hygiene</i> , 2003, 68, 38-43.	0.6	37
93	Pregnancy Exposure Registries for Assessing Antimalarial Drug Safety in Pregnancy in Malaria-Endemic Countries. <i>PLoS Medicine</i> , 2008, 5, e187.	3.9	36
94	Risk factors for malaria in pregnancy in an urban and peri-urban population in western Kenya. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2002, 96, 586-592.	0.7	35
95	Early malaria infection, dysregulation of angiogenesis, metabolism and inflammation across pregnancy, and risk of preterm birth in Malawi: A cohort study. <i>PLoS Medicine</i> , 2019, 16, e1002914.	3.9	35
96	Antenatal Receipt of Sulfadoxine-Pyrimethamine Does Not Exacerbate Pregnancy-Associated Malaria Despite the Expansion of Drug-Resistant <i>Plasmodium falciparum</i> : Clinical Outcomes From the QuEERPAM Study. <i>Clinical Infectious Diseases</i> , 2012, 55, 42-50.	2.9	34
97	Malaria Chemoprevention in the Postdischarge Management of Severe Anemia. <i>New England Journal of Medicine</i> , 2020, 383, 2242-2254.	13.9	34
98	EFFECT OF SUSTAINED INSECTICIDE-TREATED BED NET USE ON ALL-CAUSE CHILD MORTALITY IN AN AREA OF INTENSE PERENNIAL MALARIA TRANSMISSION IN WESTERN KENYA. <i>American Journal of Tropical Medicine and Hygiene</i> , 2005, 73, 149-156.	0.6	34
99	A Randomized Controlled Trial of Folate Supplementation When Treating Malaria in Pregnancy with Sulfadoxine-Pyrimethamine. <i>PLOS Clinical Trials</i> , 2006, 1, e28.	3.5	32
100	Weekly miscarriage rates in a community-based prospective cohort study in rural western Kenya. <i>BMJ Open</i> , 2016, 6, e011088.	0.8	32
101	The Performance of a Rapid Diagnostic Test in Detecting Malaria Infection in Pregnant Women and the Impact of Missed Infections. <i>Clinical Infectious Diseases</i> , 2016, 62, 837-844.	2.9	32
102	Intermittent Preventive Treatment in Infants for the Prevention of Malaria in Rural Western Kenya: A Randomized, Double-Blind Placebo-Controlled Trial. <i>PLoS ONE</i> , 2010, 5, e10016.	1.1	31
103	Impact of mass distribution of free long-lasting insecticidal nets on childhood malaria morbidity: The Togo National Integrated Child Health Campaign. <i>Malaria Journal</i> , 2010, 9, 199.	0.8	31
104	A Quality Control Program within a Clinical Trial Consortium for PCR Protocols To Detect <i>Plasmodium</i> Species. <i>Journal of Clinical Microbiology</i> , 2014, 52, 2144-2149.	1.8	31
105	COMPARISON OF GOVERNMENT STATISTICS AND DEMOGRAPHIC SURVEILLANCE TO MONITOR MORTALITY IN CHILDREN LESS THAN FIVE YEARS OLD IN RURAL WESTERN KENYA. <i>American Journal of Tropical Medicine and Hygiene</i> , 2003, 68, 30-37.	0.6	31
106	Efficacy and safety of intermittent preventive treatment and intermittent screening and treatment versus single screening and treatment with dihydroartemisinin+piperaquine for the control of malaria in pregnancy in Indonesia: a cluster-randomised, open-label, superiority trial. <i>Lancet Infectious Diseases</i> , 2019, 19, 973-987.	4.6	30
107	Efficacy and Safety of High-Dose Ivermectin for Reducing Malaria Transmission (IVERMAL): Protocol for a Double-Blind, Randomized, Placebo-Controlled, Dose-Finding Trial in Western Kenya. <i>JMIR Research Protocols</i> , 2016, 5, e213.	0.5	30
108	Effectiveness of Antenatal Clinics to Deliver Intermittent Preventive Treatment and Insecticide Treated Nets for the Control of Malaria in Pregnancy in Mali: A Household Survey. <i>PLoS ONE</i> , 2014, 9, e92102.	1.1	29

#	ARTICLE	IF	CITATIONS
109	Performance of four HRP-2/pLDH combination rapid diagnostic tests and field microscopy as screening tests for malaria in pregnancy in Indonesia: a cross-sectional study. <i>Malaria Journal</i> , 2015, 14, 420.	0.8	29
110	Non-falciparum malaria infections in pregnant women in West Africa. <i>Malaria Journal</i> , 2016, 15, 53.	0.8	29
111	Increased risk of low birth weight in women with placental malaria associated with <i>P. falciparum</i> VAR2CSA clade. <i>Scientific Reports</i> , 2017, 7, 7768.	1.6	29
112	Knowledge and Adherence to the National Guidelines for Malaria Case Management in Pregnancy among Healthcare Providers and Drug Outlet Dispensers in Rural, Western Kenya. <i>PLoS ONE</i> , 2016, 11, e0145616.	1.1	28
113	Pharmacokinetics and Pharmacodynamics of High-Dose Ivermectin with Dihydroartemisinin-Piperaquine on Mosquitocidal Activity and QT Prolongation (IVERMAL). <i>Clinical Pharmacology and Therapeutics</i> , 2019, 105, 388-401.	2.3	28
114	Cotrimoxazole prophylactic treatment prevents malaria in children in sub-Saharan Africa: systematic review and meta-analysis. <i>Tropical Medicine and International Health</i> , 2014, 19, 1057-1067.	1.0	27
115	Daily Iron Supplementation Is More Efficacious than Twice Weekly Iron Supplementation for the Treatment of Childhood Anemia in Western Kenya. <i>Journal of Nutrition</i> , 2004, 134, 1167-1174.	1.3	26
116	Malaria in infants below six months of age: retrospective surveillance of hospital admission records in Blantyre, Malawi. <i>Malaria Journal</i> , 2009, 8, 310.	0.8	26
117	Effects of transmission reduction by insecticide-treated bed nets (ITNs) on parasite genetics population structure: I. The genetic diversity of <i>Plasmodium falciparum</i> parasites by microsatellite markers in western Kenya. <i>Malaria Journal</i> , 2010, 9, 353.	0.8	26
118	Developing regional weight-for-age growth references for malaria-endemic countries to optimize age-based dosing of antimalarials. <i>Bulletin of the World Health Organization</i> , 2015, 93, 74-83.	1.5	26
119	Adverse effects of mefloquine for the treatment of uncomplicated malaria in Thailand: A pooled analysis of 19, 850 individual patients. <i>PLoS ONE</i> , 2017, 12, e0168780.	1.1	26
120	Socioeconomic health inequality in malaria indicators in rural western Kenya: evidence from a household malaria survey on burden and care-seeking behaviour. <i>Malaria Journal</i> , 2018, 17, 166.	0.8	26
121	Integrated point-of-care testing (POCT) for HIV, syphilis, malaria and anaemia at antenatal facilities in western Kenya: a qualitative study exploring end-users' perspectives of appropriateness, acceptability and feasibility. <i>BMC Health Services Research</i> , 2019, 19, 74.	0.9	26
122	EFFECTS OF PERMETHRIN-TREATED BED NETS ON IMMUNITY TO MALARIA IN WESTERN KENYA II. ANTIBODY RESPONSES IN YOUNG CHILDREN IN AN AREA OF INTENSE MALARIA TRANSMISSION. <i>American Journal of Tropical Medicine and Hygiene</i> , 2003, 68, 108-114.	0.6	26
123	Plasma Folate Level and High-Dose Folate Supplementation Predict Sulfadoxine-Pyrimethamine Treatment Failure in Pregnant Women in Western Kenya Who Have Uncomplicated Malaria. <i>Journal of Infectious Diseases</i> , 2008, 198, 1550-1553.	1.9	25
124	Polymorphisms in genes of interleukin 12 and its receptors and their association with protection against severe malarial anaemia in children in western Kenya. <i>Malaria Journal</i> , 2010, 9, 87.	0.8	25
125	ASSOCIATION OF INTERFERON- γ RESPONSES TO PRE-ERYTHROCYTIC STAGE VACCINE CANDIDATE ANTIGENS OF <i>PLASMODIUM FALCIPARUM</i> IN YOUNG KENYAN CHILDREN WITH IMPROVED HEMOGLOBIN LEVELS: XV. ASEMBO BAY COHORT PROJECT. <i>American Journal of Tropical Medicine and Hygiene</i> , 2003, 68, 590-597.	0.6	25
126	BURDEN OF MALARIA AT COMMUNITY LEVEL IN CHILDREN LESS THAN 5 YEARS OF AGE IN TOGO. <i>American Journal of Tropical Medicine and Hygiene</i> , 2006, 75, 622-629.	0.6	25

#	ARTICLE	IF	CITATIONS
127	Quantification of the Burden and Consequences of Pregnancy-Associated Malaria in the Democratic Republic of the Congo. <i>Journal of Infectious Diseases</i> , 2011, 204, 1762-1771.	1.9	24
128	The Malaria in Pregnancy Library: a bibliometric review. <i>Malaria Journal</i> , 2012, 11, 362.	0.8	24
129	The Safety of Artemisinin Derivatives for the Treatment of Malaria in the 2nd or 3rd Trimester of Pregnancy: A Systematic Review and Meta-Analysis. <i>PLoS ONE</i> , 2016, 11, e0164963.	1.1	24
130	Host Decoy Trap (HDT) with cattle odour is highly effective for collection of exophagic malaria vectors. <i>Parasites and Vectors</i> , 2018, 11, 533.	1.0	24
131	Parasite clearance following treatment with sulphadoxine-pyrimethamine for intermittent preventive treatment in Burkina-Faso and Mali: 42-day in vivo follow-up study. <i>Malaria Journal</i> , 2014, 13, 41.	0.8	23
132	Placental infections with histologically confirmed <i>Plasmodium falciparum</i> are associated with adverse birth outcomes in India: a cross-sectional study. <i>Malaria Journal</i> , 2014, 13, 232.	0.8	23
133	Risks of miscarriage and inadvertent exposure to artemisinin derivatives in the first trimester of pregnancy: a prospective cohort study in western Kenya. <i>Malaria Journal</i> , 2015, 14, 461.	0.8	23
134	Use of a highly-sensitive rapid diagnostic test to screen for malaria in pregnancy in Indonesia. <i>Malaria Journal</i> , 2020, 19, 28.	0.8	23
135	HIV, Malaria, and Infant Anemia as Risk Factors for Postneonatal Infant Mortality among HIV-Seropositive Women in Kisumu, Kenya. <i>Journal of Infectious Diseases</i> , 2007, 196, 30-37.	1.9	22
136	Adaptive evolution and fixation of drug-resistant <i>Plasmodium falciparum</i> genotypes in pregnancy-associated malaria: 9-year results from the QuEERPAM study. <i>Infection, Genetics and Evolution</i> , 2012, 12, 282-290.	1.0	22
137	Assessment of molecular markers for anti-malarial drug resistance after the introduction and scale-up of malaria control interventions in western Kenya. <i>Malaria Journal</i> , 2015, 14, 75.	0.8	22
138	The disposition and effects of two doses of dichloroacetate in adults with severe falciparum malaria. <i>British Journal of Clinical Pharmacology</i> , 1996, 41, 29-34.	1.1	21
139	Estimating regional centile curves from mixed data sources and countries. <i>Statistics in Medicine</i> , 2009, 28, 2891-2911.	0.8	21
140	Artemisinin-Based Combination Therapy Versus Quinine or Other Combinations for Treatment of Uncomplicated <i>Plasmodium falciparum</i> Malaria in the Second and Third Trimester of Pregnancy: A Systematic Review and Meta-Analysis. <i>Open Forum Infectious Diseases</i> , 2016, 3, ofv170.	0.4	21
141	Integrated point-of-care testing (POCT) of HIV, syphilis, malaria and anaemia in antenatal clinics in western Kenya: A longitudinal implementation study. <i>PLoS ONE</i> , 2018, 13, e0198784.	1.1	21
142	Trends in malaria prevalence and health related socioeconomic inequality in rural western Kenya: results from repeated household malaria cross-sectional surveys from 2006 to 2013. <i>BMJ Open</i> , 2019, 9, e033883.	0.8	21
143	Post-discharge morbidity and mortality in children admitted with severe anaemia and other health conditions in malaria-endemic settings in Africa: a systematic review and meta-analysis. <i>The Lancet Child and Adolescent Health</i> , 2022, 6, 474-483.	2.7	21
144	Effect of haematinic supplementation and malaria prevention on maternal anaemia and malaria in western Kenya. <i>Tropical Medicine and International Health</i> , 2007, 12, 342-352.	1.0	20

#	ARTICLE	IF	CITATIONS
145	Assessment of the safety of antimalarial drug use during early pregnancy (ASAP): protocol for a multicenter prospective cohort study in Burkina Faso, Kenya and Mozambique. <i>Reproductive Health</i> , 2015, 12, 112.	1.2	20
146	Modelling the incremental benefit of introducing malaria screening strategies to antenatal care in Africa. <i>Nature Communications</i> , 2020, 11, 3799.	5.8	20
147	Factors affecting the electrocardiographic QT interval in malaria: A systematic review and meta-analysis of individual patient data. <i>PLoS Medicine</i> , 2020, 17, e1003040.	3.9	20
148	IMPACT OF PERMETHRIN-TREATED BED NETS ON GROWTH, NUTRITIONAL STATUS, AND BODY COMPOSITION OF PRIMARY SCHOOL CHILDREN IN WESTERN KENYA. <i>American Journal of Tropical Medicine and Hygiene</i> , 2003, 68, 78-85.	0.6	20
149	<i>Editorial Commentary: Plasmodium vivax</i> Infection during Pregnancy: An Important Problem in Need of New Solutions. <i>Clinical Infectious Diseases</i> , 2008, 46, 1382-1384.	2.9	19
150	Genetic diversity of Plasmodium falciparum parasite by microsatellite markers after scale-up of insecticide-treated bed nets in western Kenya. <i>Malaria Journal</i> , 2015, 14, 495.	0.8	19
151	EFFECTS OF PERMETHRIN-TREATED BED NETS ON IMMUNITY TO MALARIA IN WESTERN KENYA I. ANTIBODY RESPONSES IN PREGNANT WOMEN AND CORD BLOOD IN AN AREA OF INTENSE MALARIA TRANSMISSION. <i>American Journal of Tropical Medicine and Hygiene</i> , 2003, 68, 61-67.	0.6	19
152	Increased Efficacy of Sulfadoxineâ€Pyrimethamine in the Treatment of Uncomplicated Falciparum Malaria among Children with Sickle Cell Trait in Western Kenya. <i>Journal of Infectious Diseases</i> , 2002, 186, 1661-1668.	1.9	17
153	Intermittent Preventive Therapy with Sulfadoxineâ€Pyrimethamine during Pregnancy: Seeking Information on Optimal Dosing Frequency. <i>Journal of Infectious Diseases</i> , 2007, 196, 1574-1546.	1.9	17
154	Cost-effectiveness of two versus three or more doses of intermittent preventive treatment for malaria during pregnancy in sub-Saharan Africa: a modelling study of meta-analysis and cost data. <i>The Lancet Global Health</i> , 2015, 3, e143-e153.	2.9	17
155	Quality assurance of drugs used in clinical trials: proposal for adapting guidelines. <i>BMJ: British Medical Journal</i> , 2015, 350, h602.	2.4	17
156	Menstrual cups and cash transfer to reduce sexual and reproductive harm and school dropout in adolescent schoolgirls: study protocol of a cluster-randomised controlled trial in western Kenya. <i>BMC Public Health</i> , 2019, 19, 1317.	1.2	17
157	The Effects of Varying Exposure to Malaria Transmission on Development of Antimalarial Antibody Responses in Preschool Children. XVI. Asembo Bay Cohort Project. <i>Journal of Infectious Diseases</i> , 2003, 187, 1756-1764.	1.9	16
158	Provider and user acceptability of intermittent screening and treatment for the control of malaria in pregnancy in Malawi. <i>Malaria Journal</i> , 2016, 15, 574.	0.8	16
159	Factors associated with the prevalence of HIV, HSV-2, pregnancy, and reported sexual activity among adolescent girls in rural western Kenya: A cross-sectional analysis of baseline data in a cluster randomized controlled trial. <i>PLoS Medicine</i> , 2021, 18, e1003756.	3.9	16
160	Mefloquine for preventing malaria in pregnant women. <i>The Cochrane Library</i> , 2018, 3, CD011444.	1.5	15
161	Intermittent screening and treatment or intermittent preventive treatment compared to current policy of single screening and treatment for the prevention of malaria in pregnancy in Eastern Indonesia: acceptability among health providers and pregnant women. <i>Malaria Journal</i> , 2018, 17, 341.	0.8	15
162	Human Direct Skin Feeding Versus Membrane Feeding to Assess the Mosquitocidal Efficacy of High-Dose Ivermectin (IVERMAL Trial). <i>Clinical Infectious Diseases</i> , 2019, 69, 1112-1119.	2.9	15

#	ARTICLE	IF	CITATIONS
163	Combining malaria vaccination with chemoprevention: a promising new approach to malaria control. <i>Malaria Journal</i> , 2021, 20, 361.	0.8	15
164	Comparison of Capillary Whole Blood, Venous Whole Blood, and Plasma Concentrations of Mefloquine, Halofantrine, and Desbutyl-Halofantrine Measured by High-Performance Liquid Chromatography. <i>American Journal of Tropical Medicine and Hygiene</i> , 1994, 51, 778-784.	0.6	15
165	Relation between the response to iron supplementation and sickle cell hemoglobin phenotype in preschool children in western Kenya. <i>American Journal of Clinical Nutrition</i> , 2004, 79, 466-472.	2.2	14
166	Amodiaquine, malaria, pregnancy: the old new drug. <i>Lancet</i> , The, 2006, 368, 1306-1307.	6.3	14
167	Independent Lineages of Highly Sulfadoxine-Resistant <i>Plasmodium falciparum</i> Haplotypes, Eastern Africa. <i>Emerging Infectious Diseases</i> , 2014, 20, 1140-1148.	2.0	14
168	Effect of Transmission Reduction by Insecticide-Treated Bednets (ITNs) on Antimalarial Drug Resistance in Western Kenya. <i>PLoS ONE</i> , 2011, 6, e26746.	1.1	14
169	Prioritizing Pregnant Women for Long-Lasting Insecticide Treated Nets through Antenatal Care Clinics. <i>PLoS Medicine</i> , 2014, 11, e1001717.	3.9	13
170	Stillbirths: the hidden burden of malaria in pregnancy. <i>The Lancet Global Health</i> , 2017, 5, e1052-e1053.	2.9	13
171	Minimal Impact by Antenatal Subpatent <i>Plasmodium falciparum</i> Infections on Delivery Outcomes in Malawian Women: A Cohort Study. <i>Journal of Infectious Diseases</i> , 2017, 216, 296-304.	1.9	13
172	Malaria chemoprevention with monthly dihydroartemisinin-piperaquine for the post-discharge management of severe anaemia in children aged less than 5 years in Uganda and Kenya: study protocol for a multi-centre, two-arm, randomised, placebo-controlled, superiority trial. <i>Trials</i> , 2018, 19, 610.	0.7	13
173	Evaluation of the national policy of single screening and treatment for the prevention of malaria in pregnancy in two districts in Eastern Indonesia: health provider perceptions. <i>Malaria Journal</i> , 2018, 17, 309.	0.8	13
174	The Angiotensin-Tie2 axis contributes to placental vascular disruption and adverse birth outcomes in malaria in pregnancy. <i>EBioMedicine</i> , 2021, 73, 103683.	2.7	13
175	Probabilistic Record Linkage for Monitoring the Safety of Artemisinin-Based Combination Therapy in the First Trimester of Pregnancy in Senegal. <i>Drug Safety</i> , 2013, 36, 505-513.	1.4	12
176	Single low-dose primaquine to reduce malaria transmission. <i>Lancet Infectious Diseases</i> , The, 2014, 14, 91-92.	4.6	12
177	Intermittent screening and treatment with artemisinin-combination therapy versus intermittent preventive treatment with sulphadoxine-pyrimethamine for malaria in pregnancy: a systematic review and individual participant data meta-analysis of randomised clinical trials. <i>EClinicalMedicine</i> , 2021, 41, 101160.	3.2	11
178	Differential Association of Gene Content Polymorphisms of Killer Cell Immunoglobulin-Like Receptors with Placental Malaria in HIV ⁻ and HIV ⁺ Mothers. <i>PLoS ONE</i> , 2012, 7, e38617.	1.1	10
179	Editorial Commentary: Ivermectin as a Complementary Strategy to Kill Mosquitoes and Stop Malaria Transmission?. <i>Clinical Infectious Diseases</i> , 2015, 60, 366-368.	2.9	10
180	Cost effectiveness of intermittent screening followed by treatment versus intermittent preventive treatment during pregnancy in West Africa: analysis and modelling of results from a non-inferiority trial. <i>Malaria Journal</i> , 2016, 15, 493.	0.8	10

#	ARTICLE	IF	CITATIONS
181	Absence of Association Between Sickle Trait Hemoglobin and Placental Malaria Outcomes. <i>American Journal of Tropical Medicine and Hygiene</i> , 2016, 94, 1002-1007.	0.6	10
182	Interactions Between Antenatal Sulfadoxine-Pyrimethamine, Drug-Resistant <i>Plasmodium falciparum</i> Parasites, and Delivery Outcomes in Malawi. <i>Journal of Infectious Diseases</i> , 2020, 222, 661-669.	1.9	10
183	Piperaquine Pharmacokinetics during Intermittent Preventive Treatment for Malaria in Pregnancy. <i>Antimicrobial Agents and Chemotherapy</i> , 2021, 65, .	1.4	10
184	Pharmacokinetics of mefloquine and its effect on sulfamethoxazole and trimethoprim steady-state blood levels in intermittent preventive treatment (IPTp) of pregnant HIV-infected women in Kenya. <i>Malaria Journal</i> , 2016, 15, 7.	0.8	9
185	Association of maternal KIR gene content polymorphisms with reduction in perinatal transmission of HIV-1. <i>PLoS ONE</i> , 2018, 13, e0191733.	1.1	9
186	Intermittent Preventive Treatment in Infants—Adjusting Expectations and Seeing Opportunity. <i>Journal of Infectious Diseases</i> , 2006, 194, 269-272.	1.9	8
187	Effect of malaria transmission reduction by insecticide-treated bed nets (ITNs) on the genetic diversity of <i>Plasmodium falciparum</i> merozoite surface protein (MSP-1) and circumsporozoite (CSP) in western Kenya. <i>Malaria Journal</i> , 2013, 12, 295.	0.8	8
188	Cost-effectiveness of intermittent preventive treatment with dihydroartemisinin-piperaquine for malaria during pregnancy: an analysis using efficacy results from Uganda and Kenya, and pooled data. <i>The Lancet Global Health</i> , 2020, 8, e1512-e1523.	2.9	8
189	First trimester use of artemisinin-based combination therapy and the risk of low birth weight and small for gestational age. <i>Malaria Journal</i> , 2020, 19, 144.	0.8	8
190	Neurocognitive outcomes in Malawian children exposed to malaria during pregnancy: An observational birth cohort study. <i>PLoS Medicine</i> , 2021, 18, e1003701.	3.9	8
191	Plagiarism. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2009, 103, 855.	0.7	7
192	Maternal Malaria and Malnutrition (M3) initiative, a pooled birth cohort of 13 pregnancy studies in Africa and the Western Pacific. <i>BMJ Open</i> , 2016, 6, e012697.	0.8	7
193	Adherence to community versus facility-based delivery of monthly malaria chemoprevention with dihydroartemisinin-piperaquine for the post-discharge management of severe anemia in Malawian children: A cluster randomized trial. <i>PLoS ONE</i> , 2021, 16, e0255769.	1.1	6
194	Relationship of measles vaccination with anaemia and malaria in western Kenya. <i>Tropical Medicine and International Health</i> , 2005, 10, 1099-1107.	1.0	5
195	Diagnostic Performance of Loop-Mediated Isothermal Amplification and Ultrasensitive Rapid Diagnostic Tests for Malaria Screening Among Pregnant Women in Kenya. <i>Journal of Infectious Diseases</i> , 2022, 226, 696-707.	1.9	5
196	Rapid Diagnostic Test Performance Assessed Using Latent Class Analysis for the Diagnosis of <i>Plasmodium falciparum</i> Placental Malaria. <i>American Journal of Tropical Medicine and Hygiene</i> , 2016, 95, 835-839.	0.6	4
197	Impact of Maternal HIV Infection and Placental Malaria on the Transplacental Transfer of Influenza Antibodies in Mother-Infant Pairs in Malawi, 2013-2014. <i>Open Forum Infectious Diseases</i> , 2019, 6, ofz383.	0.4	4
198	Cost-effectiveness of intermittent preventive treatment with dihydroartemisinin-piperaquine versus single screening and treatment for the control of malaria in pregnancy in Papua, Indonesia: a provider perspective analysis from a cluster-randomised trial. <i>The Lancet Global Health</i> , 2020, 8, e1524-e1533.	2.9	4

#	ARTICLE	IF	CITATIONS
199	Association between Immunoglobulin GM and KM Genotypes and Placental Malaria in HIV-1 Negative and Positive Women in Western Kenya. PLoS ONE, 2013, 8, e53948.	1.1	4
200	Effect of dihydroartemisinin/piperaquine for malaria intermittent preventive treatment on dolutegravir exposure in pregnant women living with HIV. Journal of Antimicrobial Chemotherapy, 2022, 77, 1733-1737.	1.3	4
201	Population pharmacokinetics of halofantrine in healthy volunteers and patients with symptomatic falciparum malaria. Journal of Pharmacy and Pharmacology, 2012, 64, 1603-1613.	1.2	3
202	Dihydroartemisinin–piperaquine holds promise as an option for malaria prevention in pregnancy. Evidence-Based Medicine, 2016, 21, 146-147.	0.6	3
203	Towards Intermittent Preventive Therapy in Pregnancy with Dihydroartemisinin–Piperaquine?. Clinical Pharmacology and Therapeutics, 2021, 110, 1432-1434.	2.3	3
204	Weight change during the first week of life and a new method for retrospective prediction of birthweight among exclusively breastfed newborns. Acta Obstetrica Et Gynecologica Scandinavica, 2022, 101, 293-302.	1.3	3
205	Global health and the Bill & Melinda Gates Foundation. Lancet, The, 2009, 373, 2195.	6.3	2
206	Reply to Harrington et al: Table 1.. Journal of Infectious Diseases, 2016, 213, 497-498.	1.9	2
207	Back to chloroquine for malaria prophylaxis in pregnancy?. Lancet Infectious Diseases, The, 2018, 18, 1051-1052.	4.6	2
208	Intermittent screening and treatment with dihydroartemisinin-piperaquine and intermittent preventive therapy with sulfadoxine-pyrimethamine have similar effects on malaria antibody in pregnant Malawian women. Scientific Reports, 2019, 9, 7878.	1.6	2
209	Development of a new barcode-based, multiplex-PCR, next-generation-sequencing assay and data processing and analytical pipeline for multiplicity of infection detection of Plasmodium falciparum. Malaria Journal, 2021, 20, 92.	0.8	2
210	Cooperation in Countering Artemisinin Resistance in Africa: Learning from COVID-19. American Journal of Tropical Medicine and Hygiene, 2022, , .	0.6	2
211	Gilding the Lily? Enhancing Antenatal Malaria Prevention in HIV-Infected Women. Journal of Infectious Diseases, 2017, 216, 4-6.	1.9	1
212	The effect of malaria on stunting: an instrumental variables approach. Transactions of the Royal Society of Tropical Medicine and Hygiene, 2021, 115, 1094-1098.	0.7	1
213	Effect of intermittent preventative therapy for secondary prevention of severe malarial anaemia “ Authors' reply. Lancet Infectious Diseases, The, 2012, 12, 906-907.	4.6	0